

=====

SEARCH PARAMETERS

FM Database Date: 070405

Channel: 202X1 88.3 MHz
 Latitude: 32 53 24
 Longitude: 115 47 14
 Safety Zone: 100 km
 Job Title: April 2007 El Centro Study

Page 1

Call Status	City St	FCC File No.	Channel Freq.	ERP(kW) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
	ENSENADA		201A	0.000	31-51-10	214.9	140.03	61
	BN -		88.1	0.0	116-38-09		79.03	CLEAR
	TECATE		201A	0.000	32-30-49	240.6	84.80	61
	BN -		88.1	0.0	116-34-28		23.80	CLEAR
KCFY LIC	YUMA		201A	3.000	32-38-31	103.2	118.29	45
	AZ BLED-920501KA		88.1	73.0	114-33-34		73.29	CLEAR
KCFY APP	YUMA		201A	3.000	32-40-25	101.9	113.83	45
	AZ BPED-970205IC		88.1	37.0	114-35-58		68.83	CLEAR
NEW-T APP	ALPINE		201D	0.010 DA	32-50-02	266.1	87.06	0
	CA BPFT-981019TA		88.1	335.0	116-42-54		0.00	TRANS
NEW APP	CALIPATRIA		201A	3.000	33-07-12	44.9	36.15	45
	CA BNPED-000120AAW		88.1	20.0	115-30-47		-8.85	SHORT
K201ES LIC	RIPLEY/BLYTHE		201D	0.050	33-37-03	49.1	124.30	0
	CA BLFT-991028AFU		88.1	152.0	114-46-21		0.00	TRANS
981013MBYUCCA VALLEY APP			201B1	8.400 DA	34-06-59	334.6	150.94	65
	CA BPED-981013MB		88.1	114.0	116-29-29		85.94	CLEAR
	ESPERANZA		202A	0.000	32-35-10	150.6	38.70	100
	BN -		88.3	0.0	115-35-03		-61.30	SHORT
	SAN FELIPE		202B	0.000	31-01-36	156.2	225.58	163
	BN -		88.3	0.0	114-49-46		62.58	CLEAR
NEW-T APP	MURRIETA		202D	0.010 DA	33-22-09	296.8	119.52	0
	CA BPFT-981015TA		88.3	1403.0	116-56-04		0.00	TRANS
KSDS APP	SAN DIEGO		202A	3.000	32-48-19	266.2	129.71	70
	CA BSTA-070227AFC		88.3	75.0	117-10-09		59.71	CLEAR
KSDS APP	SAN DIEGO		202A	8.000	32-48-19	266.2	129.71	70
	CA BSTA-070207ABV		88.3	75.0	117-10-09		59.71	CLEAR
KSDS LIC	SAN DIEGO		202A	0.830	32-48-19	266.2	129.71	70
	CA BLED-505		88.3	52.0	117-10-09		59.71	CLEAR

=====

SEARCH PARAMETERS

FM Database Date: 070405

Channel: 202X1 88.1 MHz
 Latitude: 32 53 24
 Longitude: 115 47 14
 Safety Zone: 100 km
 Job Title: April 2007 El Centro Study

Page 2

Call Status	City St	FCC File No.	Channel Freq.	ERP(kW) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
KSDS	SAN DIEGO		202B1	22.000	32-48-19	266.2	129.71	99
CP	CA	BPED-940802MA	88.3	75.0	117-10-09		30.71	CLEAR
KSDS	SAN DIEGO		202B1	22.000	32-48-19	266.2	129.71	99
APP	CA	BPED-940802MA	88.3	75.0	117-10-09		30.71	CLEAR
	AGUA HECHICERA		203A	0.000	32-27-54	223.7	65.23	61
	BN -		88.5	0.0	116-16-05		4.23	CLOSE
XHCRSFM	SAN LUIS RIO COLORAD		203A	3.000	32-29-30	114.8	104.56	61
	SO -		88.5	100.0	114-46-36		43.56	CLEAR
	SAN LUIS RIO COLORAD		203A	0.000	32-29-30	114.8	104.56	61
	SO -		88.5	0.0	114-46-36		43.56	CLEAR
KERU-FM	BLYTHE		203A	0.100	33-36-40	53.8	136.77	45
LIC	CA	BLED-941014KA	88.5	-17.0	114-35-48		91.77	CLEAR
KPSC	PALM SPRINGS		203A	1.250	33-51-56	331.2	123.83	45
LIC	CA	BLED-030812AAG	88.5	179.0	116-26-04		78.83	CLEAR
	TECATE		204A	0.000	32-31-08	243.1	90.58	25
	BN -		88.7	0.0	116-38-52		65.58	CLEAR
XHITTFM	TIJUANA		204A	0.000	32-30-33	250.3	123.90	25
	BN -		88.7	0.0	117-01-46		98.90	CLEAR
XHITTFM	TIJUANA		204A	1.150	32-30-10	250.0	124.08	25
	BN -		88.7	139.0	117-01-43		99.08	CLEAR
KUBO	CALEXICO		204A	3.000	32-47-57	110.8	28.42	30
LIC	CA	BLED-890503KA	88.7	83.0	115-30-12		-1.58	SHORT
KUBO	CALEXICO		204B	18.000	32-57-29	327.5	8.96	67
APP	CA	BPED-070301ABG	88.7	213.0	115-50-20		-58.04	SHORT
KAWC-FM	YUMA		205A	2.400	32-41-23	100.1	122.58	30
LIC	AZ	BLED-070307ABF	88.9	33.0	114-30-01		92.58	CLEAR
K205DT	INDIO		205D	0.006	33-48-07	338.3	109.01	0
LIC	CA	BLFT-030319ADB	88.9	530.0	116-13-27		0.00	TRANS

=====

SEARCH PARAMETERS FM Database Date: 070405
 Page 3

Channel: 202X1 88.3 MHz
 Latitude: 32 53 24
 Longitude: 115 47 14
 Safety Zone: 100 km
 Job Title: April 2007 El Centro Study

Call Status	City St	FCC File No.	Channel Freq.	ERP(kW) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
KRTM	TEMECULA		205B	0.270 DA	33-22-09	296.8	119.52	67
APP	CA	BPED-980708MA	88.9	932.0	116-56-04		52.52	CLEAR
	CUERVOS		255B	0.000	32-37-35	108.3	92.49	14
	BN -		98.9	0.0	114-51-03		78.49	CLEAR

ííííí BEGINNING SEARCH OF SECONDARY DATABASE ííííí

ííííí END OF FM SPACING STUDY FOR CHANNEL 202 ííííí

SEARCH PARAMETERS

FM Database Date: 070405

Channel: 206X1 89.1 MHz

Page 1

Latitude: 32 53 24

Longitude: 115 47 14

Safety Zone: 100 km

Job Title: April 2007 El Centro Study

Call Status	City St	FCC File No.	Channel Freq.	ERP(kW) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
	AGUA HECHICERA		203A	0.000	32-27-54	223.7	65.23	25
	BN -		88.5	0.0	116-16-05		40.23	CLEAR
XHCRSFM	SAN LUIS RIO	COLORAD	203A	3.000	32-29-30	114.8	104.56	25
	SO -		88.5	100.0	114-46-36		79.56	CLEAR
	SAN LUIS RIO	COLORAD	203A	0.000	32-29-30	114.8	104.56	25
	SO -		88.5	0.0	114-46-36		79.56	CLEAR
KPSC	PALM SPRINGS		203A	1.250	33-51-56	331.2	123.83	30
LIC	CA BLED-030812AAG		88.5	179.0	116-26-04		93.83	CLEAR
	TECATE		204A	0.000	32-31-08	243.1	90.58	25
	BN -		88.7	0.0	116-38-52		65.58	CLEAR
XHITTFM	TIJUANA		204A	0.000	32-30-33	250.3	123.90	25
	BN -		88.7	0.0	117-01-46		98.90	CLEAR
XHITTFM	TIJUANA		204A	1.150	32-30-10	250.0	124.08	25
	BN -		88.7	139.0	117-01-43		99.08	CLEAR
KUBO	CALEXICO		204A	3.000	32-47-57	110.8	28.42	30
LIC	CA BLED-890503KA		88.7	83.0	115-30-12		-1.58	SHORT
KUBO	CALEXICO		204B	18.000	32-57-29	327.5	8.96	67
APP	CA BPED-070301ABG		88.7	213.0	115-50-20		-58.04	SHORT
KAWC-FM	YUMA		205A	2.400	32-41-23	100.1	122.58	45
LIC	AZ BLED-070307ABF		88.9	33.0	114-30-01		77.58	CLEAR
K205DT	INDIO		205D	0.006	33-48-07	338.3	109.01	0
LIC	CA BLFT-030319ADB		88.9	530.0	116-13-27		0.00	TRANS
KRTM	TEMECULA		205B	0.270	33-22-09	296.8	119.52	89
APP	CA BPED-980708MA		88.9	932.0	116-56-04		30.52	CLEAR
KRTM	TEMECULA		205A	1.150	33-27-59	297.3	141.55	45
LIC	CA BLED-901025KA		88.9	138.0	117-08-29		96.55	CLEAR
	ENSENADA		206A	0.000	31-51-10	214.9	140.03	100
	BN -		89.1	0.0	116-38-09		40.03	CLEAR

SEARCH PARAMETERS

FM Database Date: 070405

Channel: 206X1 89.1 MHz
 Latitude: 32 53 24
 Longitude: 115 47 14
 Safety Zone: 100 km
 Job Title: April 2007 El Centro Study

Page 2

Call Status	City St	FCC File No.	Channel Freq.	ERP(kW) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
	ESPERANZA BN -		206A 89.1	0.000 0.0	32-35-10 115-35-03	150.6	38.70 -61.30	100 SHORT
	SAN FELIPE BN -		206B 89.1	0.000 0.0	31-01-36 114-49-46	156.2	225.58 62.58	163 CLEAR
NEW-T APP	MT. LAGUNA CA BPFT-981019TD		206D 89.1	0.010 DA 1320.0	32-52-39 116-24-55	268.8	58.79 0.00	0 TRANS
K206AC LIC	SAN DIEGO CA BLFT-830524MK		206D 89.1	0.004 79.0	32-50-46 117-16-33	268.4	139.41 0.00	0 TRANS
K206AC APP	SAN DIEGO CA BPFT-070327ADP		206D 89.1	0.038 78.0	32-50-53 117-16-32	268.5	139.38 0.00	0 TRANS
KCRI LIC	INDIO CA BLED-980527KC		207B1 89.3	3.300 171.0	33-48-07 116-13-28	338.3	109.02 44.02	65 CLEAR
	SAN LUIS RIO COLORAD SO -		208B1 89.5	0.000 0.0	32-21-44 114-46-31	121.5	111.55 63.55	48 CLEAR
XHRCLFM	SAN LUIS RIO COLORAD SO -		208A 89.5	3.000 100.0	32-29-30 114-46-50	114.9	104.23 79.23	25 CLEAR
KPBS-FM APP	SAN DIEGO CA BPED-070327ADY		208B 89.5	26.000 208.5	32-50-17 117-14-57	268.0	136.96 69.96	67 CLEAR
KPBS-FM LIC	SAN DIEGO CA BLED-050803ABE		208B 89.5	2.700 550.0	32-41-53 116-56-03	259.1	109.52 42.52	67 CLEAR
K209CY LIC	BLYTHE CA BLFT-991028AFV		209D 89.7	0.050 152.0	33-37-03 114-46-21	49.1	124.30 0.00	0 TRANS
XHBCNFM	TIJUANA BN -		259C1 99.7	25.000 96.0	32-28-26 116-53-44	246.3	113.73 92.73	21 CLEAR
NEW-T APP	CALIPATRIA CA BNPFT-030317CVT		259D 99.7	0.055 65.0	33-07-19 115-30-18	45.5	36.84 0.00	0 TRANS
K259BJ CP	EL CENTRO CA BNPFT-030821AFR		259D 99.7	0.019 DA 96.0	32-46-56 115-31-54	116.6	26.75 0.00	0 TRANS

iiii BEGINNING SEARCH OF SECONDARY DATABASE iiii

iiii END OF FM SPACING STUDY FOR CHANNEL 206 iiii

SEARCH PARAMETERS

FM Database Date: 070405

Channel: 228X1 93.5 MHz
 Latitude: 32 53 24
 Longitude: 115 47 14
 Safety Zone: 100 km
 Job Title: April 2007 El Centro Study

Page 1

Call Status	City St	FCC File No.	Channel Freq.	ERP(kW) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
K225BA CP	BORREGO SPRINGS CA	BNPFT-030818ADU	225D 92.9	0.050 15.0	33-15-25 116-22-10	307.1	67.91 0.00	0 TRANS
NEW-T APP	SAN DIEGO CA	BNPFT-030314AHZ	225D 92.9	0.010 766.0	DA 32-41-47 116-56-07	259.0	109.66 0.00	0 TRANS
KLJZ LIC	YUMA AZ	BLH-020712AAV	226C1 93.1	100.000 25.0	32-39-06 114-39-04	103.7	109.68 35.68	74 CLEAR
NEW-T APP	INDIO CA	BNPFT-030314ANK	226D 93.1	0.001 556.0	33-48-06 116-13-28	338.3	108.99 0.00	0 TRANS
NEW-T APP	BRAWLEY CA	BNPFT-030317AZA	227D 93.3	0.050 57.0	DA 32-58-41 115-33-19	65.6	23.79 0.00	0 TRANS
NEW-T APP	BRAWLEY CA	BNPFT-030826AQP	227D 93.3	0.050 62.0	DA 32-58-41 115-33-19	65.6	23.79 0.00	0 TRANS
NEW-T APP	CALEXICO CA	BNPFT-030310AOU	227D 93.3	0.050 30.0	32-40-35 115-29-56	131.3	35.93 0.00	0 TRANS
NEW-T APP	DESERT CENTER CA	BNPFT-030317AYM	227D 93.3	0.010 900.0	DA 33-39-22 115-27-09	20.0	90.51 0.00	0 TRANS
NEW-T APP	DESERT CENTER CA	BNPFT-030825AGQ	227D 93.3	0.010 900.0	DA 33-39-22 115-27-09	20.0	90.51 0.00	0 TRANS
KHTSaux CP	EL CAJON CA	BXPB-050914AAV	227B 93.3	12.000 143.0	32-43-48 117-05-03	262.0	122.75 0.00	0 AUX
KHTS-FM LIC	EL CAJON CA	BLH-021112ABY	227B 93.3	50.000 147.0	32-43-48 117-05-02	262.0 SS	122.73 33.73	89 CLEAR
NEW-T APP	PALM SPRINGS CA	BNPFT-030317ECZ	227D 93.3	0.010 381.0	33-51-55 116-26-10	331.1	123.88 0.00	0 TRANS
NEW-T APP	THOUSAND PALMS CA	BNPFT-030314BLT	227D 93.3	0.010 435.0	33-52-03 116-25-59	331.3	123.96 0.00	0 TRANS
	ENSENADA BN	RM-	229A 93.7	0.000 0.0	31-51-10 116-38-09	214.9	140.03 79.03	61 CLEAR

=====

SEARCH PARAMETERS

FM Database Date: 070405

Channel: 228X1 93.5 MHz

Page 2

Latitude: 32 53 24

Longitude: 115 47 14

Safety Zone: 100 km

Job Title: April 2007 El Centro Study

Call Status	City St	FCC File No.	Channel Freq.	ERP(kW) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
	OJOS NEGROS BN -		229A 93.7	0.000 0.0	31-55-22 116-18-16	204.4	117.78 56.78	61 CLEAR
KCLB-FM LIC	COACHELLA CA BMLH-050802AAL		229B 93.7	26.500 197.0	33-48-07 116-13-27	338.3	109.01 20.01	89 CLEAR
KCLB-FM APP	COACHELLA CA BPH-070307ABW		229B 93.7	50.000 116.0	33-52-15 116-13-37	339.6	116.22 27.22	89 CLEAR
KCLBaux LIC	COACHELLA CA BXLH-040622ABJ		229B 93.7	3.600 100.0	33-47-45 116-13-19	338.3	108.31 0.00	0 AUX
NEW-T APP	EL CENTRO CA BNPFT-030314AXU		229D 93.7	0.005 70.0	DA 32-47-40 115-29-56	111.4	29.00 0.00	0 TRANS
NEW-T APP	RANCHO BERNARDO, ETC CA BNPFT-030710AAA		229D 93.7	0.010 741.0	DA 33-00-32 116-58-16	277.1	111.49 0.00	0 TRANS
NEW-T APP	RANCHO BERNARDO, ETC CA BPFT-971028TB		229D 93.7	0.010 741.0	DA 33-00-32 116-58-16	277.1	111.49 0.00	0 TRANS
	ALGODONES BN -		230A 93.9	0.000 0.0	32-42-09 114-44-30	101.8	100.12 75.12	25 CLEAR
	MURGUIA BN RM-		231B 94.1	0.000 0.0	32-14-44 115-07-09	138.7	95.09 30.09	65 CLEAR
NEW-T APP	CALIPATRIA CA BNPFT-030317CKL		231D 94.1	0.055 65.0	33-07-19 115-30-18	45.5	36.84 0.00	0 TRANS
NEW-T APP	CALIPATRIA CA BNPFT-030827ADF		231D 94.1	0.005 37.0	DA 33-09-60 115-29-28	41.8	41.31 0.00	0 TRANS
NEW-T APP	EL CENTRO CA BNPFT-030317FKN		231D 94.1	0.019 96.0	32-46-56 115-31-54	116.6	26.75 0.00	0 TRANS
NEW-T APP	EL CENTRO CA BNPFT-030317CME		231D 94.1	0.013 119.0	32-47-40 115-29-53	111.4	29.07 0.00	0 TRANS
KMYI CP	SAN DIEGO CA BPH-060927AMI		231B 94.1	77.000 210.0	32-50-20 117-14-56	268.0	136.93 69.93	67 CLEAR

=====

SEARCH PARAMETERS

FM Database Date: 070405

Channel: 228X1 93.5 MHz
 Latitude: 32 53 24
 Longitude: 115 47 14
 Safety Zone: 100 km
 Job Title: April 2007 El Centro Study

Page 3

Call Status	City St	FCC File No.	Channel Freq.	ERP(kW) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
KMYI	SAN DIEGO		231B	100.000	32-50-21	268.0	136.95	67
LIC	CA	BLH-970326KB	94.1	188.0	117-14-57		69.95	CLEAR
XHBAFM	MEXICALI		281C	100.000	32-34-15	138.2	47.54	28
	BN -		104.1	40.0	115-26-55		19.54	CLEAR
XHBAFM	MEXICALI		281C	0.000	32-34-15	138.2	47.54	28
	BN -		104.1	0.0	115-26-55		19.54	CLEAR
NEW-T	EL CENTRO		281D	0.019	32-46-56	116.6	26.75	0
APP	CA	BNPFT-030317CUV	104.1	96.0	115-31-54		0.00	TRANS
NEW-T	EL CENTRO		282D	0.019	32-46-56	116.6	26.75	0
APP	CA	BNPFT-030317CVD	104.3	96.0	115-31-54		0.00	TRANS

ííííí BEGINNING SEARCH OF SECONDARY DATABASE ííííí

ííííí END OF FM SPACING STUDY FOR CHANNEL 228 ííííí

SEARCH PARAMETERS

FM Database Date: 070405

Channel: 246X1 97.1 MHz
 Latitude: 32 53 24
 Longitude: 115 47 14
 Safety Zone: 100 km
 Job Title: April 2007 El Centro Study

Page 1

Call Status	City St	FCC File No.	Channel Freq.	ERP(kW) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
	LAGUNITAS BN -		243A 96.5	0.000 0.0	32-31-05 114-54-58	116.7	91.50 66.50	25 CLEAR
NEW-T APP	YUMA AZ BNPFT-030317CHG		243D 96.5	0.250 71.0	32-35-49 114-37-56	106.5	113.03 0.00	0 TRANS
NEW-T APP	CALIPATRIA CA BNPFT-030317CKO		243D 96.5	0.055 65.0	33-07-19 115-30-18	45.5	36.84 0.00	0 TRANS
KYXY LIC	SAN DIEGO CA BLH-010907AAA		243B 96.5	26.500 209.0	32-50-17 117-14-57	268.0	136.96 69.96	67 CLEAR
KYXY CP	SAN DIEGO CA BPH-060616ABQ		243B 96.5	26.500 210.0	32-50-20 117-14-56	268.0	136.93 69.93	67 CLEAR
KUNA-FM LIC	LA QUINTA CA BMLH-010619AAJ		244A 96.7	0.970 177.0	33-48-08 116-13-30	338.3	109.07 79.07	30 CLEAR
	ALGODONES BN -		245A 96.9	0.000 0.0	32-42-09 114-44-30	101.8	100.12 39.12	61 CLEAR
	ENSENADA BN -		245B 96.9	0.000 0.0	31-51-10 116-38-09	214.9	140.03 35.03	105 CLEAR
	MEXICALI BN -		245B 96.9	0.000 0.0	32-39-31 115-22-42	123.8	46.11 -58.89	105 SHORT
NEW-T APP	ALPINE CA BNPFT-030317CIW		245D 96.9	0.010 316.0	32-50-28 116-47-12	266.9	93.70 0.00	0 TRANS
NEW-T APP	CALIPATRIA CA BNPFT-030317CKQ		245D 96.9	0.055 65.0	33-07-19 115-30-18	45.5	36.84 0.00	0 TRANS
NEW-T APP	DESERT CENTER CA BNPFT-030317HLV		245D 96.9	0.010 848.0	33-39-22 115-27-09	20.0	90.51 0.00	0 TRANS
NEW-T APP	DESERT CENTER CA BNPFT-030829ADH		245D 96.9	0.010 843.0	33-39-22 115-27-09	20.0	90.51 0.00	0 TRANS
NEW-T APP	EL CENTRO CA BNPFT-030317CLQ		245D 96.9	0.019 96.0	32-46-56 115-31-54	116.6	26.75 0.00	0 TRANS

SEARCH PARAMETERS

FM Database Date: 070405

Channel: 246X1 97.1 MHz
 Latitude: 32 53 24
 Longitude: 115 47 14
 Safety Zone: 100 km
 Job Title: April 2007 El Centro Study

Page 2

Call Status	City St	FCC File No.	Channel Freq.	ERP(kW) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
ADD	FALLBROOK CA	RM-10322*	245A 96.9	0.000 0.0	33-27-01 117-07-33	296.9	139.47 94.47	45 CLEAR
ADD	MURRIETA CA	RM-10322*	245A 96.9	0.000 0.0	33-33-04 117-04-31	301.9	140.69 95.69	45 CLEAR
NEW-T APP	NATIONAL CITY CA	BNPFT-030314ADH	245D 96.9	0.027 90.0	32-42-48 117-07-41	261.5	127.11 0.00	0 TRANS
NEW-T APP	SAN DIEGO CA	BNPFT-030311ARR	245D 96.9	0.010 114.0	32-46-49 117-08-07	264.8	126.80 0.00	0 TRANS
NEW-T APP	SAN DIEGO CA	BNPFT-030317CNR	245D 96.9	0.010 240.0	32-43-48 117-05-03	262.0	122.75 0.00	0 TRANS
K245AI CP	SAN PASQUAL CA	BNPFT-030808ABK	245D 96.9	0.008 DA 732.0	33-00-33 116-58-17	277.2	111.52 0.00	0 TRANS
	SAN FELIPE BN	-	246B 97.1	0.000 0.0	31-01-36 114-49-46	156.2	225.58 62.58	163 CLEAR
NEW-T APP	CALIPATRIA CA	BNPFT-030317FJA	246D 97.1	0.055 65.0	33-07-19 115-30-18	45.5	36.84 0.00	0 TRANS
NEW-T APP	EL CENTRO CA	BNPFT-030317FKT	246D 97.1	0.019 96.0	32-46-56 115-31-54	116.6	26.75 0.00	0 TRANS
KJSM-LP LIC	YUCCA VALLEY CA	BLL-060605AAI	246L1 97.1	0.100 24.0	34-05-56 116-23-30	337.5	145.37 97.37	48 CLEAR
	TECOLOTE BN	-	247A 97.3	0.000 0.0	32-33-45 114-59-20	115.8	83.19 22.19	61 CLEAR
NEW-T APP	CALIPATRIA CA	BNPFT-030317CKS	247D 97.3	0.055 65.0	33-07-19 115-30-18	45.5	36.84 0.00	0 TRANS
NEW-T APP	EL CENTRO CA	BNPFT-030317CLR	247D 97.3	0.019 96.0	32-46-56 115-31-54	116.6	26.75 0.00	0 TRANS
KSON-FM LIC	SAN DIEGO CA	BLH-820120AK	247B 97.3	50.000 134.0	32-43-13 117-04-14	261.4	121.66 32.66	89 CLEAR

=====

SEARCH PARAMETERS

FM Database Date: 070405

Channel: 246X1 97.1 MHz
 Latitude: 32 53 24
 Longitude: 115 47 14
 Safety Zone: 100 km
 Job Title: April 2007 El Centro Study

Page 3

Call Status	City St	FCC File No.	Channel Freq.	ERP(kW) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
XHTIJFM	TIJUANA		249A	0.650	32-27-53	247.0	119.78	25
	BN -		97.7	140.0	116-57-40		94.78	CLEAR
XHTIJFM	TIJUANA		249A	0.000	32-27-53	247.0	119.78	25
	BN -		97.7	0.0	116-57-40		94.78	CLEAR
KQVO	CALEXICO		249A	6.000	32-40-48	124.6	41.03	30
LIC	CA	BMLED-060106AAA	97.7	93.0	115-25-36		11.03	CLEAR
KRCK-FM	MECCA		249A	1.250	33-39-18	347.7	86.88	30
LIC	CA	BLH-020415AAG	97.7	219.0	115-59-16		56.88	CLEAR
KRCK-FM1	PALM DESERT		249D	0.180	33-43-43	329.7	108.04	0
CP	CA	BNPFTB-030207ACT	97.7	0.0	116-22-39		0.00	BOOST
	TECATE		299A	0.000	32-34-30	246.1	85.95	8
	BN -		107.7	0.0	116-37-30		77.95	CLEAR
NEW-T	PALM DESERT		299D	0.250	33-43-43	329.7	108.04	0
APP	CA	BNPFT-030317CSK	107.7	46.0	116-22-39		0.00	TRANS
	SAN LUIS RIO COLORAD		300C1	0.000	32-26-27	117.1	108.82	21
	SO -		107.9	0.0	114-45-21		87.82	CLEAR
XHSLRFM	SAN LUIS RIO COLORAD		300C1	51.700	32-26-27	117.1	108.82	21
	SO -		107.9	59.0	114-45-21		87.82	CLEAR
NEW-T	INDIO		300D	0.250	33-44-02	338.7	100.58	0
APP	CA	BNPFT-030317IWS	107.9	57.0	116-10-58		0.00	TRANS

ííííí BEGINNING SEARCH OF SECONDARY DATABASE ííííí

ííííí END OF FM SPACING STUDY FOR CHANNEL 246 ííííí