

=====

SEARCH PARAMETERS FM Database Date: 060705

Channel: 228X1 93.5 MHz Page 1

Latitude: 32 53 24

Longitude: 115 47 14

Safety Zone: 100 km

Job Title:

Call Status	City St	FCC File No.	Channel Freq.	ERP(kw) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
K225BA CP	BORREGO SPRINGS CA	BNPFT-030818ADU	225D 92.9	0.050 15.0	33-15-25 116-22-10	307.1	67.91 0.00	0 TRANS
NEW-T APP	SAN DIEGO CA	BNPFT-030314AHZ	225D 92.9	0.010 766.0	32-41-47 116-56-07	259.0	109.66 0.00	0 TRANS
NEW-T APP	INDIO CA	BNPFT-030314ANK	226D 93.1	0.001 556.0	33-48-06 116-13-28	338.3	108.99 0.00	0 TRANS
NEW-T APP	BRAWLEY CA	BNPFT-030826AQP	227D 93.3	0.050 62.0	32-58-41 115-33-19	65.6	23.79 0.00	0 TRANS
NEW-T APP	BRAWLEY CA	BNPFT-030317AZA	227D 93.3	0.050 57.0	32-58-41 115-33-19	65.6	23.79 0.00	0 TRANS
NEW-T APP	CALEXICO CA	BNPFT-030310AOU	227D 93.3	0.050 30.0	32-40-35 115-29-56	131.3	35.93 0.00	0 TRANS
NEW-T APP	DESERT CENTER CA	BNPFT-030317AYM	227D 93.3	0.010 900.0	33-39-22 115-27-09	20.0	90.51 0.00	0 TRANS
NEW-T APP	DESERT CENTER CA	BNPFT-030825AGQ	227D 93.3	0.010 900.0	33-39-22 115-27-09	20.0	90.51 0.00	0 TRANS
NEW-T APP	DESERT CENTER CA	BNPFT-030825AGQ	227D 93.3	0.010 900.0	33-39-22 115-27-09	20.0	90.51 0.00	0 TRANS
NEW-T APP	PALM SPRINGS CA	BNPFT-030317ECZ	227D 93.3	0.010 381.0	33-51-55 116-26-10	331.1	123.88 0.00	0 TRANS
NEW-T APP	THOUSAND PALMS CA	BNPFT-030314BLT	227D 93.3	0.010 435.0	33-52-03 116-25-59	331.3	123.96 0.00	0 TRANS
	ENSENADA BN RM-		229A 93.7	0.000 0.0	31-51-10 116-38-09	214.9	140.03 79.03	61 CLEAR
	OJOS NEGROS BN -		229A 93.7	0.000 0.0	31-55-22 116-18-16	204.4	117.78 56.78	61 CLEAR
NEW-T APP	EL CENTRO CA	BNPFT-030314AXU	229D 93.7	0.005 70.0	32-47-40 115-29-56	111.4	29.00 0.00	0 TRANS

=====

SEARCH PARAMETERS FM Database Date: 060705

Channel: 228X1 93.5 MHz Page 2

Latitude: 32 53 24

Longitude: 115 47 14

Safety Zone: 100 km

Job Title:

Call Status	City St	FCC File No.	Channel Freq.	ERP(kw) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
NEW-T APP	RANCHO BERNARDO, ETC CA	229D BNPFT-971028TB	229D 93.7	0.010 741.0	DA 33-00-32 116-58-16	277.1	111.49 0.00	0 TRANS
NEW-T APP	RANCHO BERNARDO, ETC CA	229D BNPFT-030710AAA	229D 93.7	0.010 741.0	DA 33-00-32 116-58-16	277.1	111.49 0.00	0 TRANS
	ALGODONES BN -	230A 93.9	0.000 0.0	32-42-09 114-44-30	101.8	100.12 75.12	25 CLEAR	
	MURGUIA BN RM-	231B 94.1	0.000 0.0	32-14-44 115-07-09	138.7	95.09 30.09	65 CLEAR	
NEW-T APP	CALIPATRIA CA	231D BNPFT-030317CKL	231D 94.1	0.055 65.0	33-07-19 115-30-18	45.5	36.84 0.00	0 TRANS
NEW-T APP	CALIPATRIA CA	231D BNPFT-030827ADF	231D 94.1	0.005 37.0	DA 33-09-60 115-29-28	41.8	41.31 0.00	0 TRANS
NEW-T APP	EL CENTRO CA	231D BNPFT-030317CME	231D 94.1	0.013 119.0	32-47-40 115-29-53	111.4	29.07 0.00	0 TRANS
NEW-T APP	EL CENTRO CA	231D BNPFT-030317FKN	231D 94.1	0.019 96.0	32-46-56 115-31-54	116.6	26.75 0.00	0 TRANS
XHBAFM	MEXICALI BN -	281C 104.1	100.000 40.0	32-34-15 115-26-55	138.2	47.54 19.54	28 CLEAR	
XHBAFM	MEXICALI BN -	281C 104.1	0.000 0.0	32-34-15 115-26-55	138.2	47.54 19.54	28 CLEAR	
NEW-T APP	EL CENTRO CA	281D BNPFT-030317CUV	281D 104.1	0.019 96.0	32-46-56 115-31-54	116.6	26.75 0.00	0 TRANS
NEW-T APP	EL CENTRO CA	282D BNPFT-030317CVD	282D 104.3	0.019 96.0	32-46-56 115-31-54	116.6	26.75 0.00	0 TRANS

iiii BEGINNING SEARCH OF SECONDARY DATABASE iiii

iiii END OF FM SPACING STUDY FOR CHANNEL 228 iiii

=====

SEARCH PARAMETERS FM Database Date: 060705

Channel: 234X1 94.7 MHz

Page 1

Latitude: 32 53 24

Longitude: 115 47 14

Safety Zone: 100 km

Job Title:

Call Status	City St	FCC File No.	Channel Freq.	ERP(kw) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
	MURGUIA BN RM-		231B 94.1	0.000 0.0	32-14-44 115-07-09	138.7	95.09 30.09	65 CLEAR
NEW-T APP	CALIPATRIA CA BNPFT-030317CKL		231D 94.1	0.055 65.0	33-07-19 115-30-18	45.5	36.84 0.00	0 TRANS
NEW-T APP	CALIPATRIA CA BNPFT-030827ADF		231D 94.1	0.005 37.0	33-09-60 115-29-28	41.8	41.31 0.00	0 TRANS
NEW-T APP	EL CENTRO CA BNPFT-030317CME		231D 94.1	0.013 119.0	32-47-40 115-29-53	111.4	29.07 0.00	0 TRANS
NEW-T APP	EL CENTRO CA BNPFT-030317FKN		231D 94.1	0.019 96.0	32-46-56 115-31-54	116.6	26.75 0.00	0 TRANS
XHTYFM	TIJUANA BN -		233A 94.5	2.000 61.0	32-30-18 117-01-42	250.1	123.97 62.97	61 CLEAR
KMYT LIC	TEMECULA CA BMLH-040301ABM		233A 94.5	0.540 235.0	33-28-51 117-10-58	297.2	145.71 100.71	45 CLEAR
	ENSENADA BN -		234A 94.7	0.000 0.0	31-51-10 116-38-09	214.9	140.03 40.03	100 CLEAR
	SAN FELIPE BN -		234B 94.7	0.000 0.0	31-01-36 114-49-46	156.2	225.58 62.58	163 CLEAR
KLOB LIC	THOUSAND PALMS CA BLH-001020ABS		234A 94.7	1.650 195.0	33-51-56 116-25-58	331.3 SS	123.75 53.75	70 CLEAR
NEW-T APP	CALEXICO CA BNPFT-030825AGY		235D 94.9	0.001 62.0	32-40-44 115-20-24	119.2	47.99 0.00	0 TRANS
NEW-T APP	CALEXICO CA BNPFT-030317ARJ		235D 94.9	0.040 62.0	32-40-44 115-20-24	119.2	47.99 0.00	0 TRANS
NEW-T APP	WESTMORLAND CA BNPFT-030317FBQ		235D 94.9	0.055 65.0	33-01-58 115-37-21	44.0	22.09 0.00	0 TRANS
XHATE-FMTECATE	BN -		237C1 95.3	4.000 799.0	32-18-49 116-39-53	232.3	104.26 30.26	74 CLEAR

=====

SEARCH PARAMETERS	FM Database Date: 060705
Channel: 234X1 94.7 MHz	Page 2

Latitude: 32 53 24

Longitude: 115 47 14

Safety Zone: 100 km

Job Title:

Call Status	City St	FCC File No.	Channel Freq.	ERP(kw) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
NEW-T	EL CENTRO		287D	0.019	32-46-56	116.6	26.75	0
APP	CA	BNPFT-030317FLR	105.3	96.0	115-31-54		0.00	TRANS
	CIUDAD MORELOS		288A	0.000	32-38-00	107.8	92.32	8
	BN -		105.5	0.0	114-51-00		84.32	CLEAR
XHCMSFM	MICHOACAN DE OCAMPO		288B1	0.000	32-25-08	138.9	69.31	11
	BN -		105.5	0.0	115-18-06		58.31	CLEAR
XHCMSFM	MICHOACAN DE OCAMPO		288B1	10.000	32-25-08	138.9	69.31	11
	BN -		105.5	100.0	115-18-06		58.31	CLEAR
	RUMOROSA		288B1	0.000	32-25-01	196.5	54.73	11
	BN RM-		105.5	0.0	115-57-12		43.73	CLEAR
VAC	DESERT CENTER		288A	0.000	33-39-15	20.2	90.39	8
	CA -		105.5	0.0	115-27-00		82.39	CLEAR
NEW-T	EL CENTRO		288D	0.019	32-46-56	116.6	26.75	0
APP	CA	BNPFT-030317CMB	105.5	96.0	115-31-54		0.00	TRANS
NEW-T	WESTMORLAND		288D	0.055	33-01-58	44.0	22.09	0
APP	CA	BNPFT-030317COT	105.5	65.0	115-37-21		0.00	TRANS

iiii BEGINNING SEARCH OF SECONDARY DATABASE iiii

iiii END OF FM SPACING STUDY FOR CHANNEL 234 iiii

=====

SEARCH PARAMETERS FM Database Date: 060705

Channel: 241X1 96.1 MHz

Page 1

Latitude: 32 53 24

Longitude: 115 47 14

Safety Zone: 100 km

Job Title:

Call Status	City St	FCC File No.	Channel Freq.	ERP(kw) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
XHUACFM	ENSENADA		238B	3.080	31-51-10	214.9	140.03	65
	BN -		95.5	-123.0	116-38-09		75.03	CLEAR
XHUACFM	ENSENADA		238B	0.000	31-51-10	214.9	140.03	65
	BN -		95.5	0.0	116-38-09		75.03	CLEAR
NEW-T APP	YUMA		238D	0.250	32-35-49	106.5	113.03	0
	AZ BNPFT-030317CHE		95.5	71.0	114-37-56		0.00	TRANS
NEW-T APP	BRAWLEY		238D	0.019	32-57-12	75.1	27.64	0
	CA BNPFT-030317CKJ		95.5	109.0	115-30-05		0.00	TRANS
NEW-T APP	GLAMIS		238D	0.010	33-03-02	78.5	91.50	0
	CA BNPFT-030825AFA		95.5	569.0	114-49-38		0.00	TRANS
NEW-T APP	GLAMIS		238D	0.010	33-03-02	78.5	91.50	0
	CA BNPFT-030317AYG		95.5	569.0	114-49-38		0.00	TRANS
VAC	INDIAN WELLS		238A	0.000	33-42-04	334.8	99.61	30
	CA RM-9190		95.5	0.0	116-14-47		69.61	CLEAR
NEW CP	INDIAN WELLS		238A	1.690	33-51-58	331.3	123.81	30
	CA BNPH-060309ACF		95.5	191.0	116-25-58	SS	93.81	CLEAR
NEW APP	INDIAN WELLS		238A	0.000	33-36-10	324.7	97.26	30
	CA BSFH-050811ADL		95.5	0.0	116-23-43		67.26	CLEAR
K238AK CP	PALM DESERT		238D	0.250	33-43-43	329.7	108.04	0
	CA BNPFT-030818AAA		95.5	46.0	116-22-39		0.00	TRANS
NEW-T APP	EL CENTRO		239D	0.050	32-47-53	111.0	28.49	0
	CA BNPFT-030317ARG		95.7	85.0	115-30-11		0.00	TRANS
K239AD LIC	INDIO		239D	0.010	33-48-08	338.3	109.04	0
	CA BLFT-980416TC		95.7	546.0	116-13-27		0.00	TRANS
	ENSENADA		240A	0.000	31-51-10	214.9	140.03	61
	BN -		95.9	0.0	116-38-09		79.03	CLEAR
NEW CP	WELLTON		240A	0.390	32-40-25	99.7	137.97	45
	AZ BNPH-050103ABU		95.9	384.0	114-20-13	SS	92.97	CLEAR

=====

SEARCH PARAMETERS FM Database Date: 060705

Channel: 241X1 96.1 MHz

Page 2

Latitude: 32 53 24

Longitude: 115 47 14

Safety Zone: 100 km

Job Title:

Call Status	City St	FCC File No.	Channel Freq.	ERP(kw) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
NEW-T APP	BORREGO SPRINGS CA	BNPFT-030827AJB	240D 95.9	0.050 39.0	33-15-41 116-22-17	307.3	68.35 0.00	0 TRANS
NEW-T APP	BORREGO SPRINGS CA	BNPFT-030827AJB	240D 95.9	0.050 36.0	33-15-41 116-22-17	307.3	68.35 0.00	0 TRANS
K240CR LIC	PALM SPRINGS CA	BLFT-000217ACD	240D 95.9	0.010 420.0	33-51-58 116-26-05	331.2	123.90 0.00	0 TRANS
NEW-T APP	BORREGO SPRINGS TX	BNPFT-030314AND	240D 95.9	0.050 39.0	33-15-41 116-22-17	307.3	68.35 0.00	0 TRANS
NEW-T APP	EL CAJON CA	BNPFT-030317LLI	241D 96.1	0.027 96.0	32-47-03 116-58-42	264.3	112.14 0.00	0 TRANS
NEW-T APP	FALLBROOK CA	BNPFT-030311ARX	241D 96.1	0.005 401.0	33-24-02 117-11-24	293.9	142.60 0.00	0 TRANS
NEW-T APP	LEMON GROVE CA	BNPFT-030314ADE	241D 96.1	0.010 288.0	32-50-17 117-14-57	268.0	136.96 0.00	0 TRANS
NEW-T APP	OCEANSIDE CA	BNPFT-030314AVT	241D 96.1	0.005 119.0	33-13-33 117-21-53	284.7	151.96 0.00	0 TRANS
NEW-T APP	SAN DIEGO CA	BNPFT-030311ARS	241D 96.1	0.010 114.0	32-46-49 117-08-07	264.8	126.80 0.00	0 TRANS
NEW-T APP	SAN DIEGO CA	BNPFT-030314AHR	241D 96.1	0.010 766.0	32-41-47 116-56-07	259.0	109.66 0.00	0 TRANS
KWIE LIC	SAN JACINTO CA	BLH-040430AGM	241A 96.1	1.400 209.0	34-02-13 116-58-07	319.7 SS	168.06 98.06	70 CLEAR
NEW-T APP	SAN PASQUAL CA	BNPFT-030311ARV	241D 96.1	0.010 303.0	33-04-00 116-54-03	281.0	105.93 0.00	0 TRANS
	SAN FELIPE BN	-	242C 96.3	0.000 0.0	31-01-36 114-49-46	156.2	225.58 64.58	161 CLEAR
NEW-T APP	YUMA AZ	BNPFT-030317FVZ	242D 96.3	0.050 59.0	32-41-34 114-36-47	101.0	112.14 0.00	0 TRANS

=====

SEARCH PARAMETERS FM Database Date: 060705

Channel: 241X1 96.1 MHz Page 3

Latitude: 32 53 24

Longitude: 115 47 14

Safety Zone: 100 km

Job Title:

Call Status	City St	FCC File No.	Channel Freq.	ERP(kw) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
NEW-T APP	BLYTHE CA	BNPFT-030313APS	242D 96.3	0.030 123.0	33-37-03 114-46-24	49.1	124.24 0.00	0 TRANS
KXCM LIC	TWENTYNINE PALMS CA	BMLH-050719AAK	242A 96.3	6.000 74.0	34-09-15 116-11-50	345.0	145.29 100.29	45 CLEAR
	LAGUNITAS BN	-	243A 96.5	0.000 0.0	32-31-05 114-54-58	116.7	91.50 66.50	25 CLEAR
NEW-T APP	YUMA AZ	BNPFT-030317CHG	243D 96.5	0.250 71.0	32-35-49 114-37-56	106.5	113.03 0.00	0 TRANS
NEW-T APP	CALIPATRIA CA	BNPFT-030317CKO	243D 96.5	0.055 65.0	33-07-19 115-30-18	45.5	36.84 0.00	0 TRANS
KUNA-FM LIC	LA QUINTA CA	BMLH-010619AAJ	244A 96.7	0.970 177.0	33-48-08 116-13-30	338.3	109.07 79.07	30 CLEAR
XEWVFM	MEXICALI BN	-	294B1 106.7	0.000 0.0	32-38-51 115-28-19	132.4	39.95 28.95	11 CLEAR
XEWVFM	MEXICALI BN	-	294B1 106.7	2.020 39.0	32-38-51 115-28-19	132.4	39.95 28.95	11 CLEAR
NEW-T APP	EL CENTRO CA	BNPFT-030317GMQ	294D 106.7	0.019 96.0	32-46-56 115-31-54	116.6	26.75 0.00	0 TRANS
NEW-T APP	ALPINE CA	BNPFT-030317GFX	295D 106.9	0.010 316.0	32-50-28 116-47-12	266.9	93.70 0.00	0 TRANS
NEW-T APP	EL CENTRO CA	BNPFT-030317GMV	295D 106.9	0.019 96.0	32-46-56 115-31-54	116.6	26.75 0.00	0 TRANS
NEW-T APP	PORTRERO CA	BNPFT-030317HGO	295D 106.9	0.050 326.0	32-36-17 116-37-05	248.0	84.05 0.00	0 TRANS

iiii BEGINNING SEARCH OF SECONDARY DATABASE iiii

iiii END OF FM SPACING STUDY FOR CHANNEL 241 iiii

SEARCH PARAMETERS

FM Database Date: 060705

Channel: 298X1 107.5 MHz

Page 1

Latitude: 32 53 24

Longitude: 115 47 14

Safety Zone: 100 km

Job Title:

Call Status	City St	FCC File No.	Channel Freq.	ERP(kw) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
	ALGODONES BN -		245A 96.9	0.000 0.0	32-42-09 114-44-30	101.8	100.12 92.12	8 CLEAR
	MEXICALI BN -		245B 96.9	0.000 0.0	32-39-31 115-22-42	123.8	46.11 32.11	14 CLEAR
NEW-T APP	ALPINE CA BNPFT-030317CIW		245D 96.9	0.010 316.0	32-50-28 116-47-12	266.9	93.70 0.00	0 TRANS
NEW-T APP	CALIPATRIA CA BNPFT-030317CKQ		245D 96.9	0.055 65.0	33-07-19 115-30-18	45.5	36.84 0.00	0 TRANS
NEW-T APP	DESERT CENTER CA BNPFT-030829ADH		245D 96.9	0.010 843.0	33-39-22 115-27-09	20.0	90.51 0.00	0 TRANS
NEW-T APP	DESERT CENTER CA BNPFT-030317HLV		245D 96.9	0.010 848.0	33-39-22 115-27-09	20.0	90.51 0.00	0 TRANS
NEW-T APP	EL CENTRO CA BNPFT-030317CLQ		245D 96.9	0.019 96.0	32-46-56 115-31-54	116.6	26.75 0.00	0 TRANS
XHADAFM	ENSENADA BN -		295B 106.9	45.900 101.0	31-51-19 116-38-14	215.0	139.87 74.87	65 CLEAR
XHADAFM	ENSENADA BN -		295B 106.9	0.000 0.0	31-51-10 116-38-09	214.9	140.03 75.03	65 CLEAR
NEW-T APP	ALPINE CA BNPFT-030317GFX		295D 106.9	0.010 316.0	32-50-28 116-47-12	266.9	93.70 0.00	0 TRANS
NEW-T APP	CHULA VISTA CA BNPFT-030317GKH		295D 106.9	0.019 112.0	32-37-25 117-02-06	256.1	120.60 0.00	0 TRANS
NEW-T APP	EL CENTRO CA BNPFT-030317GMV		295D 106.9	0.019 96.0	32-46-56 115-31-54	116.6	26.75 0.00	0 TRANS
KDGL-FM1 LIC	PALM SPRINGS CA BLFTB-040504ABK		295D 106.9	2.700 0.0	33-51-56 116-25-58	331.3	123.75 0.00	0 BOOST
NEW-T APP	PORTRERO CA BNPFT-030317HGO		295D 106.9	0.050 326.0	32-36-17 116-37-05	248.0	84.05 0.00	0 TRANS

=====

SEARCH PARAMETERS FM Database Date: 060705

Channel: 298X1 107.5 MHz

Page 2

Latitude: 32 53 24

Longitude: 115 47 14

Safety Zone: 100 km

Job Title:

Call Status	City St	FCC File No.	Channel Freq.	ERP(kw) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
	CIUDAD MORELOS		296B	0.000	32-38-00	107.8	92.32	65
	BN -		107.1	0.0	114-51-00		27.32	CLEAR
NEW-T APP	CHULA VISTA		296D	0.055	32-34-60	254.5	125.36	0
	CA BNPFT-030317GJR		107.1	66.0	117-04-28		0.00	TRANS
NEW-T APP	EL CENTRO		296D	0.019	32-46-56	116.6	26.75	0
	CA BNPFT-030317GMX		107.1	96.0	115-31-54		0.00	TRANS
XHFGFM	TIJUANA		297B1	0.000	32-28-26	246.3	113.73	88
	BN -		107.3	0.0	116-53-44		25.73	CLEAR
XHFGFM	TIJUANA		297B1	9.000	32-28-26	246.3	113.73	88
	BN -		107.3	100.0	116-53-44		25.73	CLEAR
NEW-T APP	PALM SPRINGS		297D	0.010	33-51-56	331.2	123.83	0
	CA BNPFT-030317BUT		107.3	399.0	116-26-04		0.00	TRANS
NEW-T APP	PALM SPRINGS		298D	0.010	33-51-56	331.2	123.83	0
	CA BNPFT-030317BUU		107.5	399.0	116-26-04		0.00	TRANS
	TECATE		299A	0.000	32-34-30	246.1	85.95	61
	BN -		107.7	0.0	116-37-30		24.95	CLEAR
XHRST-FMTIJUANA			299A	3.000	32-29-40	250.1	127.02	61
	BN -		107.7	100.0	117-03-30		66.02	CLEAR
XHRST-FMTIJUANA			299A	0.000	32-29-40	250.1	127.02	61
	BN -		107.7	0.0	117-03-30		66.02	CLEAR
NEW-T APP	PALM DESERT		299D	0.250	33-43-43	329.7	108.04	0
	CA BNPFT-030317CSK		107.7	46.0	116-22-39		0.00	TRANS
XHSLRFM	SAN LUIS RIO COLORAD		300C1	51.700	32-26-27	117.1	108.82	74
	SO -		107.9	59.0	114-45-21		34.82	CLEAR
	SAN LUIS RIO COLORAD		300C1	0.000	32-26-27	117.1	108.82	74
	SO -		107.9	0.0	114-45-21		34.82	CLEAR
NEW-T APP	DOS PALMAS CORNERS		300D	0.015	33-51-58	331.2	123.86	0
	CA BNPFT-030313AWL		107.9	412.0	116-26-02		0.00	TRANS

=====

SEARCH PARAMETERS	FM Database Date: 060705
Channel: 298X1 107.5 MHz	Page 3

Latitude: 32 53 24

Longitude: 115 47 14

Safety Zone: 100 km

Job Title:

Call Status	City St	FCC File No.	Channel Freq.	ERP(kw) HAAT(m)	Latitude Longitude	Bearing deg-True	Dist (km)	Req (km)
NEW-T	INDIO		300D	0.250	33-44-02	338.7	100.58	0
APP	CA	BNPFT-030317IWS	107.9	57.0	116-10-58		0.00	TRANS
NEW-T	PALM DESERT		300D	0.010 DA	33-38-54	319.8	110.75	0
APP	CA	BNPFT-030312AQY	107.9	1562.0	116-33-38		0.00	TRANS
NEW-T	PALM SPRINGS		300D	0.010	33-51-56	331.2	123.83	0
APP	CA	BNPFT-030317BUR	107.9	399.0	116-26-04		0.00	TRANS

iiii BEGINNING SEARCH OF SECONDARY DATABASE iiii

iiii END OF FM SPACING STUDY FOR CHANNEL 298 iiii