

United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
RADIO STATION CONSTRUCTION PERMIT
AND LICENSE

EXPERIMENTAL
(Nature of Service)

XD FX
(Class of Station)

WQ2XJB
(Call Sign)

0023-EX-CN-2026
(File Number)

NAME HP Inc

Subject to the provisions of the Communications Act of 1934, subsequent acts, and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions and requirements set forth in this license, the licensee hereof is hereby authorized to use and operate the radio transmitting facilities hereinafter described for radio communications in accordance with the program of experimentation described by the licensee in its application for license.

Operation: In accordance with Sec. 5.3(J) of the Commission's Rules

Station Locations

- (1) Spring (HARRIS), TX - NL 30-06-14; WL 95-26-15
- (2) Spring (HARRIS), TX - NL 30-06-14; WL 95-26-15
- (3) Spring (HARRIS), TX - NL 30-06-14; WL 95-26-15
- (4) Spring (HARRIS), TX - NL 30-06-14; WL 95-26-15
- (5) Spring (HARRIS), TX - NL 30-06-14; WL 95-26-15
- (6) Spring (HARRIS), TX - NL 30-06-14; WL 95-26-15

Frequency Information

Spring (HARRIS), TX - NL 30-06-14; WL 95-26-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1575 MHz	FX	10M2G1D	6.3 pW (ERP)	

This authorization effective September 09, 2026 and will expire 3:00 A.M. ET May 01, 2028

FEDERAL
COMMUNICATIONS
COMMISSION



Frequency Information

Spring (HARRIS), TX - NL 30-06-14; WL 95-26-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1575 MHz	FX	10M2G1D	7.9 pW (ERP)	

Spring (HARRIS), TX - NL 30-06-14; WL 95-26-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1575 MHz	FX	10M2G1D	6.3 pW (ERP)	

Spring (HARRIS), TX - NL 30-06-14; WL 95-26-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1575 MHz	FX	10M2G1D	5 pW (ERP)	

Spring (HARRIS), TX - NL 30-06-14; WL 95-26-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1575 MHz	FX	10M2G1D	6.3 pW (ERP)	

Frequency Information

Spring (HARRIS), TX - NL 30-06-14; WL 95-26-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1575 MHz	FX	10M2G1D	6.3 pW (ERP)	

Special Conditions:

- (1) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (2) GPS re-radiators are limited to a maximum EIRP value that will result in power levels not to exceed a power spectral density of -140 dBm/24 MHz measured at a distance of 100 ft from the building where the test is being conducted. Any malfunction, misalignment, or tampering of the equipment or its location which results in an increased power spectral density outside the building could cause harmful radio frequency interference to GPS receivers, including those in aircraft and/or ground based facilities.
- (3) Stop buzzer POC: ISAAC LAGNADO, 281-927-8761.
- (4) GPS users in the area of potential interference to GPS reception must be notified that GPS information may be impacted for periods of time.
- (5) HP Inc shall maintain testing according to the NTIA requirements of section 8.3.27 as stated in the filed application.
- (6) GPS re-radiators must operate in accordance with Section 8.3.28 of the NTIA Manual. Power spectral density of the signal should be very well controlled beyond the building.
- (7) HP Inc shall post signs on doors to the test area notifying that, "GPS re-radiator is in use and the GPS information you receive may be in error."
- (8) Authorization is for indoor use only.
- (9) The device is to be used as an Experimental RNSS Test Equipment for the purpose of testing RNSS equipment/systems.
- (10) The test equipment shall only be used indoors and shall be under the control of HP Inc.