

**United States of America  
FEDERAL COMMUNICATIONS COMMISSION  
EXPERIMENTAL  
RADIO STATION CONSTRUCTION PERMIT  
AND LICENSE**

EXPERIMENTAL

(Nature of Service)

XD MO

(Class of Station)

WE2XVR

(Call Sign)

0122-EX-ML-2016

(File Number)

NAME ImSAR LLC

Subject to the provisions of the Communications Act of 1934, subsequent acts, and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions and requirements set forth in this license, the licensee hereof is hereby authorized to use and operate the radio transmitting facilities hereinafter described for radio communications in accordance with the program of experimentation described by the licensee in its application for license.

Operation: In accordance with Sec. 5.3(j) of the Commission's Rules

Station Locations

- (1) MOBILE: Boardman, OR, within 16 km, centered around NL 45-44-52; WL 119-46-52
- (2) MOBILE: Springville, UT, within 100 km, centered around NL 40-09-12; WL 111-38-58
- (3) MOBILE: China Lake, CA, within 64 km, centered around NL 35-38-17; WL 117-40-12
- (4) MOBILE: Whidbey Island, WA, within 32 km, centered around NL 48-19-17; WL 122-38-12
- (5) MOBILE: Arlington, OR, within 32 km, centered around NL 45-42-56; WL 120-11-39
- (6) MOBILE: McDonough, GA, within 30 km, centered around NL 33-24-02; WL 84-09-43
- (7) MOBILE: Avon Park, FL, within 16.1 km, centered around NL 27-38-37; WL 81-16-25
- (8) MOBILE: Camp Atterbury, IN, within 16.1 km, centered around NL 39-20-18; WL 86-01-46
- (9) MOBILE: Fort Drum, NY, within 16.1 km, centered around NL 44-08-47; WL 75-38-41
- (10) MOBILE: Fort McCoy, WI, within 16.1 km, centered around NL 44-04-15; WL 90-38-51
- (11) MOBILE: Eglin AFB, FL, within 16.1 km, centered around NL 30-32-48; WL 86-43-52
- (12) MOBILE: Yuma, AZ, within 100 km, centered around NL 33-12-09; WL 114-02-56
- (13) MOBILE: Dugway, UT, within 16.1 km, centered around NL 40-12-01; WL 112-56-51
- (14) MOBILE: Camp Roberts, CA, within 16.1 km, centered around NL 35-43-00; WL 120-45-53
- (15) MOBILE: Utah
- (16) MOBILE: Fort Polk, LA, within 20 km, centered around NL 31-04-25; WL 93-12-09
- (17) MOBILE: Fairbanks, AK, within 80 km, centered around NL 64-50-16; WL 147-42-58
- (18) MOBILE: Barrow, AK, within 80 km, centered around NL 71-17-25; WL 156-47-19
- (19) MOBILE: Wallops Island, VA, within 50 km, centered around NL 37-52-53; WL 75-26-15
- (20) MOBILE: Patuxent River, MD, within 50 km, centered around NL 38-16-41; WL 76-25-23
- (21) MOBILE: Hood River, OR, within 10 km, centered around NL 45-40-18; WL 121-32-29

This authorization effective July 27, 2016 and  
will expire 3:00 A.M. EST January 01, 2018

**FEDERAL  
COMMUNICATIONS  
COMMISSION**



Station Locations

- (22) MOBILE: North Slope Borough, AK, including 12 nmi offshore, within 130 km, centered around NL 70-11-52; WL 148-27-38
- (23) MOBILE: Anchorage, AK, within 80 km, centered around NL 61-13-00; WL 149-54-02
- (24) MOBILE: Foote Reservoir, UT, within 90 km, centered around NL 39-24-58; WL 113-52-14

## Frequency Information

MOBILE: Boardman, OR, within 16 km, centered around NL 45-44-52; WL 119-46-52

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 604 MHz     | MO            | 308MQ0N             | 15 W (ERP)       |                           |
| 769-788 MHz | MO            | 19M0Q0N             | 15 W (ERP)       |                           |
| 879.5 MHz   | MO            | 161MQ0N             | 15 W (ERP)       |                           |
| 10.25 GHz   | MO            | 500MF0N             | 193 W (ERP)      |                           |

MOBILE: Springville, UT, within 100 km, centered around NL 40-09-12; WL 111-38-58

| Frequency     | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|---------------|---------------|---------------------|------------------|---------------------------|
| 589 MHz       | MO            | 338MQ0N             | 121 W (ERP)      |                           |
| 769-788 MHz   | MO            | 19M0Q0N             | 121 W (ERP)      |                           |
| 879.5 MHz     | MO            | 161MQ0N             | 121 W (ERP)      |                           |
| 1625-1850 MHz | MO            | 4M79G1D             | 2 W (ERP)        |                           |

## Frequency Information

MOBILE: Springville, UT, within 100 km, centered around NL 40-09-12; WL 111-38-58

| Frequency     | Station Class | Emission Designator           | Authorized Power | Frequency Tolerance (+/-) |
|---------------|---------------|-------------------------------|------------------|---------------------------|
| 1625-1850 MHz | MO            | 9M58G1D<br>28M7G1D            | 2 W (ERP)        |                           |
| 1805 MHz      | MO            | 390MQ0N                       | 15 W (ERP)       |                           |
| 2400-2500 MHz | MO            | 5M00D7W<br>10M0D7W<br>20M0D7W | 97 W (ERP)       |                           |
| 8750 MHz      | MO            | 500MF0N                       | 193 W (ERP)      |                           |
| 9875 MHz      | MO            | 1G35F0N                       | 193 W (ERP)      |                           |
| 16.4 GHz      | MO            | 2G00F0N                       | 484 W (ERP)      |                           |
| 16.4 GHz      | MO            | 2G00F0N                       | 153 W (ERP)      |                           |

MOBILE: China Lake, CA, within 64 km, centered around NL 35-38-17; WL 117-40-12

| Frequency | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-----------|---------------|---------------------|------------------|---------------------------|
| 604 MHz   | MO            | 308MQ0N             | 15 W (ERP)       |                           |

## Frequency Information

MOBILE: China Lake, CA, within 64 km, centered around NL 35-38-17; WL 117-40-12

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 769-788 MHz | MO            | 19M0Q0N             | 15 W (ERP)       |                           |
| 879.5 MHz   | MO            | 161MQ0N             | 15 W (ERP)       |                           |
| 1805 MHz    | MO            | 390MQ0N             | 15 W (ERP)       |                           |
| 10.25 GHz   | MO            | 500MF0N             | 193 W (ERP)      |                           |

MOBILE: Whidbey Island, WA, within 32 km, centered around NL 48-19-17; WL 122-38-12

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 604 MHz     | MO            | 308MQ0N             | 15 W (ERP)       |                           |
| 769-788 MHz | MO            | 19M0Q0N             | 15 W (ERP)       |                           |
| 879.5 MHz   | MO            | 161MQ0N             | 15 W (ERP)       |                           |
| 10.25 GHz   | MO            | 500MF0N             | 193 W (ERP)      |                           |

## Frequency Information

MOBILE: Arlington, OR, within 32 km, centered around NL 45-42-56; WL 120-11-39

| Frequency     | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|---------------|---------------|---------------------|------------------|---------------------------|
| 604 MHz       | MO            | 308MQ0N             | 15 W (ERP)       |                           |
| 769-788 MHz   | MO            | 19M0Q0N             | 15 W (ERP)       |                           |
| 879.5 MHz     | MO            | 161MQ0N             | 15 W (ERP)       |                           |
| 10.25 GHz     | MO            | 500MF0N             | 193 W (ERP)      |                           |
| 15.4-17.4 GHz | MO            | 2G00F0N             | 153 W (ERP)      |                           |
| 16.4 GHz      | MO            | 2G00F0N             | 484 W (ERP)      |                           |

MOBILE: McDonough, GA, within 30 km, centered around NL 33-24-02; WL 84-09-43

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 604 MHz     | MO            | 308MQ0N             | 15 W (ERP)       |                           |
| 769-788 MHz | MO            | 19M0Q0N             | 15 W (ERP)       |                           |
| 879.5 MHz   | MO            | 161MQ0N             | 15 W (ERP)       |                           |

## Frequency Information

MOBILE: McDonough, GA, within 30 km, centered around NL 33-24-02; WL 84-09-43

| Frequency | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-----------|---------------|---------------------|------------------|---------------------------|
| 10.25 GHz | MO            | 500MF0N             | 193 W (ERP)      |                           |
| 16.4 GHz  | MO            | 2G00F0N             | 484 W (ERP)      |                           |
| 16.4 GHz  | MO            | 2G00F0N             | 153 W (ERP)      |                           |

MOBILE: Avon Park, FL, within 16.1 km, centered around NL 27-38-37; WL 81-16-25

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 589 MHz     | MO            | 338MQ0N             | 15 W (ERP)       |                           |
| 769-788 MHz | MO            | 19M0Q0N             | 15 W (ERP)       |                           |
| 879.5 MHz   | MO            | 161MQ0N             | 15 W (ERP)       |                           |
| 10.25 GHz   | MO            | 500MF0N             | 193 W (ERP)      |                           |
| 17.2 GHz    | MO            | 2G00F0N             | 484 W (ERP)      |                           |
| 17.2 GHz    | MO            | 2G00F0N             | 153 W (ERP)      |                           |

## Frequency Information

MOBILE: Camp Atterbury, IN, within 16.1 km, centered around NL 39-20-18; WL 86-01-46

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 589 MHz     | MO            | 338MQ0N             | 15 W (ERP)       |                           |
| 769-788 MHz | MO            | 19M0Q0N             | 15 W (ERP)       |                           |

MOBILE: Fort Drum, NY, within 16.1 km, centered around NL 44-08-47; WL 75-38-41

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 769-788 MHz | MO            | 19M0Q0N             | 15 W (ERP)       |                           |

MOBILE: Fort McCoy, WI, within 16.1 km, centered around NL 44-04-15; WL 90-38-51

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 769-788 MHz | MO            | 19M0Q0N             | 15 W (ERP)       |                           |

MOBILE: Eglin AFB, FL, within 16.1 km, centered around NL 30-32-48; WL 86-43-52

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 589 MHz     | MO            | 338MQ0N             | 15 W (ERP)       |                           |
| 769-788 MHz | MO            | 19M0Q0N             | 15 W (ERP)       |                           |

## Frequency Information

MOBILE: Eglin AFB, FL, within 16.1 km, centered around NL 30-32-48; WL 86-43-52

| Frequency     | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|---------------|---------------|---------------------|------------------|---------------------------|
| 879.5 MHz     | MO            | 161MQ0N             | 15 W (ERP)       |                           |
| 10.25 GHz     | MO            | 500MF0N             | 193 W (ERP)      |                           |
| 15.4-17.4 GHz | MO            | 2G00F0N             | 153 W (ERP)      |                           |
| 16.4 GHz      | MO            | 2G00F0N             | 484 W (ERP)      |                           |

MOBILE: Yuma, AZ, within 100 km, centered around NL 33-12-09; WL 114-02-56

| Frequency     | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|---------------|---------------|---------------------|------------------|---------------------------|
| 769-788 MHz   | MO            | 19M0Q0N             | 15 W (ERP)       |                           |
| 15.4-17.4 GHz | MO            | 2G00F0N             | 153 W (ERP)      |                           |

MOBILE: Dugway, UT, within 16.1 km, centered around NL 40-12-01; WL 112-56-51

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 769-788 MHz | MO            | 19M0Q0N             | 15 W (ERP)       |                           |

## Frequency Information

MOBILE: Dugway, UT, within 16.1 km, centered around NL 40-12-01; WL 112-56-51

| Frequency | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-----------|---------------|---------------------|------------------|---------------------------|
| 1805 MHz  | MO            | 390MQ0N             | 15 W (ERP)       |                           |
| 8750 MHz  | MO            | 500MF0N             | 193 W (ERP)      |                           |
| 9875 MHz  | MO            | 1G35F0N             | 193 W (ERP)      |                           |
| 17.2 GHz  | MO            | 2G00F0N             | 484 W (ERP)      |                           |
| 17.2 GHz  | MO            | 2G00F0N             | 153 W (ERP)      |                           |

MOBILE: Camp Roberts, CA, within 16.1 km, centered around NL 35-43-00; WL 120-45-53

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 769-788 MHz | MO            | 19M0Q0N             | 15 W (ERP)       |                           |

MOBILE: Utah

| Frequency | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-----------|---------------|---------------------|------------------|---------------------------|
| 589 MHz   | MO            | 338MQ0N             | 15 W (ERP)       |                           |

## Frequency Information

MOBILE: Utah

| Frequency      | Station Class | Emission Designator           | Authorized Power | Frequency Tolerance (+/-) |
|----------------|---------------|-------------------------------|------------------|---------------------------|
| 769-788 MHz    | MO            | 19M0Q0N                       | 15 W (ERP)       |                           |
| 2400-2500 MHz  | MO            | 5M00D7W<br>10M0D7W<br>20M0D7W | 97 W (ERP)       |                           |
| 1.625-1.85 GHz | MO            | 4M79G1D<br>9M58G1D<br>28M7G1D | 2 W (ERP)        |                           |
| 10.25 GHz      | MO            | 500MF0N                       | 193 W (ERP)      |                           |
| 15.4-17.4 GHz  | MO            | 2G00F0N                       | 153 W (ERP)      |                           |
| 16.4 GHz       | MO            | 2G00F0N                       | 484 W (ERP)      |                           |

MOBILE: Fort Polk, LA, within 20 km, centered around NL 31-04-25; WL 93-12-09

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 769-788 MHz | MO            | 19M0Q0N             | 15 W (ERP)       |                           |

## Frequency Information

MOBILE: Fairbanks, AK, within 80 km, centered around NL 64-50-16; WL 147-42-58

| Frequency     | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|---------------|---------------|---------------------|------------------|---------------------------|
| 589 MHz       | MO            | 338MQ0N             | 15 W (ERP)       |                           |
| 769-788 MHz   | MO            | 19M0Q0N             | 15 W (ERP)       |                           |
| 879.5 MHz     | MO            | 161MQ0N             | 15 W (ERP)       |                           |
| 10.25 GHz     | MO            | 500MF0N             | 193 W (ERP)      |                           |
| 15.4-17.4 GHz | MO            | 2G00F0N             | 153 W (ERP)      |                           |
| 16.4 GHz      | MO            | 2G00F0N             | 484 W (ERP)      |                           |

MOBILE: Barrow, AK, within 80 km, centered around NL 71-17-25; WL 156-47-19

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 589 MHz     | MO            | 338MQ0N             | 15 W (ERP)       |                           |
| 769-788 MHz | MO            | 19M0Q0N             | 15 W (ERP)       |                           |
| 879.5 MHz   | MO            | 161MQ0N             | 15 W (ERP)       |                           |

## Frequency Information

MOBILE: Barrow, AK, within 80 km, centered around NL 71-17-25; WL 156-47-19

| Frequency     | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|---------------|---------------|---------------------|------------------|---------------------------|
| 10.25 GHz     | MO            | 500MF0N             | 193 W (ERP)      |                           |
| 15.4-17.4 GHz | MO            | 2G00F0N             | 153 W (ERP)      |                           |
| 16.4 GHz      | MO            | 2G00F0N             | 484 W (ERP)      |                           |

MOBILE: Wallops Island, VA, within 50 km, centered around NL 37-52-53; WL 75-26-15

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 589 MHz     | MO            | 338MQ0N             | 15 W (ERP)       |                           |
| 769-788 MHz | MO            | 19M0Q0N             | 15 W (ERP)       |                           |
| 879.5 MHz   | MO            | 161MQ0N             | 15 W (ERP)       |                           |
| 10.25 GHz   | MO            | 500MF0N             | 193 W (ERP)      |                           |
| 16.4 GHz    | MO            | 2G00F0N             | 484 W (ERP)      |                           |
| 16.4 GHz    | MO            | 2G00F0N             | 153 W (ERP)      |                           |

## Frequency Information

MOBILE: Patuxent River, MD, within 50 km, centered around NL 38-16-41; WL 76-25-23

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 589 MHz     | MO            | 338MQ0N             | 15 W (ERP)       |                           |
| 769-788 MHz | MO            | 19M0Q0N             | 15 W (ERP)       |                           |
| 879.5 MHz   | MO            | 161MQ0N             | 15 W (ERP)       |                           |
| 10.25 GHz   | MO            | 500MF0N             | 193 W (ERP)      |                           |
| 16.4 GHz    | MO            | 2G00F0N             | 484 W (ERP)      |                           |
| 16.4 GHz    | MO            | 2G00F0N             | 153 W (ERP)      |                           |

MOBILE: Hood River, OR, within 10 km, centered around NL 45-40-18; WL 121-32-29

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 589 MHz     | MO            | 338MQ0N             | 15 W (ERP)       |                           |
| 769-788 MHz | MO            | 19M0Q0N             | 15 W (ERP)       |                           |
| 879.5 MHz   | MO            | 161MQ0N             | 15 W (ERP)       |                           |

## Frequency Information

MOBILE: Hood River, OR, within 10 km, centered around NL 45-40-18; WL 121-32-29

| Frequency | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-----------|---------------|---------------------|------------------|---------------------------|
| 10.25 GHz | MO            | 500MF0N             | 193 W (ERP)      |                           |
| 16.4 GHz  | MO            | 2G00F0N             | 484 W (ERP)      |                           |
| 16.4 GHz  | MO            | 2G00F0N             | 153 W (ERP)      |                           |

MOBILE: North Slope Borough, AK, including 12 nmi offshore, within 130 km, centered around NL 70-11-52; WL 148-27-38

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 604 MHz     | MO            | 308MQ0N             | 15 W (ERP)       |                           |
| 769-788 MHz | MO            | 19M0Q0N             | 15 W (ERP)       |                           |
| 879.5 MHz   | MO            | 161MQ0N             | 15 W (ERP)       |                           |
| 10.25 GHz   | MO            | 500MF0N             | 193 W (ERP)      |                           |
| 16.4 GHz    | MO            | 2G00F0N             | 484 W (ERP)      |                           |
| 16.4 GHz    | MO            | 2G00F0N             | 153 W (ERP)      |                           |

## Frequency Information

MOBILE: Anchorage, AK, within 80 km, centered around NL 61-13-00; WL 149-54-02

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 589 MHz     | MO            | 338MQ0N             | 15 W (ERP)       |                           |
| 769-788 MHz | MO            | 19MQ0N              | 15 W (ERP)       |                           |
| 879.5 MHz   | MO            | 161MQ0N             | 15 W (ERP)       |                           |
| 10.25 GHz   | MO            | 500MF0N             | 193 W (ERP)      |                           |

MOBILE: Foote Reservoir, UT, within 90 km, centered around NL 39-24-58; WL 113-52-14

| Frequency | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-----------|---------------|---------------------|------------------|---------------------------|
| 1805 MHz  | MO            | 390MQ0N             | 15 W (ERP)       |                           |
| 8750 MHz  | MO            | 500MF0N             | 193 W (ERP)      |                           |
| 9875 MHz  | MO            | 1G35F0N             | 193 W (ERP)      |                           |

## Special Conditions:

- (1) Subject to prior coordination with American Society for Healthcare Engineering of the American Hospital Association (ASHE/AHA): Dale Woodin, ASHE Advocacy Director; American Hospital Association, One North Franklin; Chicago, IL 60606; (312) 422-3812, (312) 422-4571 (fax), dwoodin@aha.org.
- (2) All operations subject to coordination with the Gulf Area Frequency Coordinator located at Eglin AFB, Florida, prior to use with the area bounded by 27 degrees N. 33 degrees 30' N; and 83 degrees W. 90 degrees W.

**Special Conditions:**

- (3) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (4) Operation is subject to prior coordination with the Society of Broadcast Engineers, Inc. (SBE); ATTN: Executive Director; 9102 North Meridian Street, Suite 305; Indianapolis, IN 46260; telephone, (866) 632-4222; FAX, (317) 846-9120; e-mail, executivedir @ sbe.org; information, www.sbe.org.
- (5) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (6) The station identification requirements of Section 5.115 of the Commission's Rules are waived.
- (7) All operations in China Lake CA are subject to prior coordination with Western Area Frequency Coordinator at (760) 939-6948.
- (8) The designated point-of-contact to terminate transmissions if interference occurs is Mr. Adam Robertson, at (801) 762-7263.
- (9) During transmission, aircraft shall not exceed the altitude of 10000 feet.
- (10) Operations in the upper and lower 700 MHz bands must be prior coordinated with existing and new Part 27 and Part 90 licensees to avoid interference.
- (11) Operation must be prior coordinated with MID AFC at (301) 342-1194.
- (12) Operation in the bands 806-821 MHz and 851-866 MHz is subject to prior coordination with the Associated Public Safety Communications Officers, Inc. (APCO); ATTN: Director of Frequency Coordination; 351 North Williamson Blvd.; Daytona Beach, FL 32114-1112; Telephone: (386) 322-2500.
- (13) Operation in the band 1695-1780 MHz is subject to prior coordination with the Advanced Wireless Services (AWS) licensees.
- (14) Operation is subject to notification of the Location & Monitoring Service licensees (902-928 MHz) within 50 miles of the test areas.