

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
RADIO STATION CONSTRUCTION PERMIT
AND LICENSE**

EXPERIMENTAL

(Nature of Service)

WE2XVR

(Call Sign)

XD MO

(Class of Station)

0381-EX-RR-2013

(File Number)

NAME ImSAR LLC

Subject to the provisions of the Communications Act of 1934, subsequent acts, and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions and requirements set forth in this license, the licensee hereof is hereby authorized to use and operate the radio transmitting facilities hereinafter described for radio communications in accordance with the program of experimentation described by the licensee in its application for license.

Operation: In accordance with Sec. 5.3(j) of the Commission's Rules

Station Locations

- (1) MOBILE: Boardman, OR, within 16 km, centered around NL 45-44-52; WL 119-46-52
- (2) MOBILE: Spanish Fork, UT, within 100 km, centered around NL 39-44-11; WL 111-52-00
- (3) MOBILE: China Lake, CA, within 64 km, centered around NL 35-38-17; WL 117-40-12
- (4) MOBILE: Yuma, AZ, within 160 km, centered around NL 33-01-05; WL 114-15-13
- (5) MOBILE: Whidbey Island, WA, within 32 km, centered around NL 48-19-17; WL 122-38-12
- (6) MOBILE: Arlington, OR, within 32 km, centered around NL 45-42-56; WL 120-11-39
- (7) MOBILE: McDonough, GA, on a small helicopter, within 30 km, centered around NL 33-24-02; WL 84-09-43
- (8) MOBILE: Avon Park, FL, mounted on low-flying aircraft (under 10000 feet), within 16.1 km, centered around NL 27-38-37; WL 81-16-25
- (9) MOBILE: Camp Atterbury, IN, mounted on low-flying aircraft (under 10000 feet), within 16.1 km, centered around NL 39-20-18; WL 86-01-46
- (10) MOBILE: Fort Drum, NY, mounted on low-flying aircraft (under 10000 feet), within 16.1 km, centered around NL 44-08-47; WL 75-38-41
- (11) MOBILE: Fort McCoy, WI, mounted on low-flying aircraft (under 10000 feet), within 16.1 km, centered around NL 44-04-15; WL 90-38-51
- (12) MOBILE: Eglin AFB, FL, mounted on low-flying aircraft (under 10000 feet), within 16.1 km, centered around NL 30-32-48; WL 86-43-52
- (13) MOBILE: Yuma, AZ, mounted on low-flying aircraft (under 10000 feet), within 48.3 km, centered around NL 33-12-09; WL 114-02-56
- (14) MOBILE: Dugway, UT, mounted on low-flying aircraft (under 10000 feet), within 16.1 km, centered around NL 40-12-01; WL 112-56-51
- (15) MOBILE: Camp Roberts, CA, mounted on low-flying aircraft (under 10000 feet), within 16.1 km, centered around NL 35-43-00; WL 120-45-53

This authorization effective January 30, 2014 and
will expire 3:00 A.M. EST January 01, 2018

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

(16) MOBILE: Utah

(17) MOBILE: Fort Polk, LA, mounted on low-flying aircraft (under 10000 feet), within 20 km, centered around NL 31-04-25; WL 93-12-09

(18) MOBILE: Fairbanks, AK, within 80 km, centered around NL 64-50-16; WL 147-42-58

(19) MOBILE: Barrow, AK, within 80 km, centered around NL 71-17-25; WL 156-47-19

Frequency Information

MOBILE: Boardman, OR, within 16 km, centered around NL 45-44-52; WL 119-46-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
550 MHz	MO	200MQ0N	2 W (ERP)	
10.25 GHz	MO	500MF0N	2 W (ERP)	
16.4 GHz	MO	2G00F0N	2 W (ERP)	

MOBILE: Spanish Fork, UT, within 100 km, centered around NL 39-44-11; WL 111-52-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
435 MHz	MO	30M0F0N 30M0Q0N	5 W (ERP)	
550 MHz	MO	200MQ0N 200MF0N	5 W (ERP)	
805 MHz	MO	310MF0N 310MQ0N	5 W (ERP)	
1.625-1.85 GHz	MO	4M79G1D	1 W (ERP)	

Frequency Information

MOBILE: Spanish Fork, UT, within 100 km, centered around NL 39-44-11; WL 111-52-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1.625-1.85 GHz	MO	9M58G1D 28M7G1D	1 W (ERP)	
10.25 GHz	MO	500MF0N 14M0D2W 7M00D2W 3M50D2W 1M75D2W 0M87D2W	2 W (ERP)	
16.4 GHz	MO	2G00F0N	2 W (ERP)	

MOBILE: China Lake, CA, within 64 km, centered around NL 35-38-17; WL 117-40-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
550 MHz	MO	200MQ0N	2 W (ERP)	
10.25 GHz	MO	500MF0N	2 W (ERP)	

MOBILE: Yuma, AZ, within 160 km, centered around NL 33-01-05; WL 114-15-13

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
550 MHz	MO	200MQ0N	2 W (ERP)	

Frequency Information

MOBILE: Yuma, AZ, within 160 km, centered around NL 33-01-05; WL 114-15-13

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
10.25 GHz	MO	500MF0N	2 W (ERP)	
16.4 GHz	MO	2G00F0N	2 W (ERP)	

MOBILE: Whidbey Island, WA, within 32 km, centered around NL 48-19-17; WL 122-38-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
550 MHz	MO	200MQ0N	2 W (ERP)	
10.25 GHz	MO	500MF0N	2 W (ERP)	
16.4 GHz	MO	2G00F0N	2 W (ERP)	

MOBILE: Arlington, OR, within 32 km, centered around NL 45-42-56; WL 120-11-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
550 MHz	MO	200MQ0N	2 W (ERP)	
10.25 GHz	MO	500MF0N	2 W (ERP)	

Frequency Information

MOBILE: Arlington, OR, within 32 km, centered around NL 45-42-56; WL 120-11-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
16.4 GHz	MO	2G00F0N	2 W (ERP)	

MOBILE: McDonough, GA, on a small helicopter, within 30 km, centered around NL 33-24-02; WL 84-09-43

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
550 MHz	MO	200MQ0N	2 W (ERP)	

MOBILE: Avon Park, FL, mounted on low-flying aircraft (under 10000 feet), within 16.1 km, centered around NL 27-38-37; WL 81-16-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
435 MHz	MO	30M0F0N	2 W (ERP)	
550 MHz	MO	200MQ0N	2 W (ERP)	
10.25 GHz	MO	500MF0N	2 W (ERP)	
15.401-17.7 GHz	MO	2G00F0N	2 W (ERP)	

Frequency Information

MOBILE: Camp Atterbury, IN, mounted on low-flying aircraft (under 10000 feet), within 16.1 km, centered around NL 39-20-18; WL 86-01-46

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
435 MHz	MO	30M0F0N	2 W (ERP)	
550 MHz	MO	200MQ0N	2 W (ERP)	
10.25 GHz	MO	500MF0N	2 W (ERP)	
15.401-15.7 GHz	MO	299MF0N	2 W (ERP)	
16.2-17.7 GHz	MO	299MF0N	2 W (ERP)	

MOBILE: Fort Drum, NY, mounted on low-flying aircraft (under 10000 feet), within 16.1 km, centered around NL 44-08-47; WL 75-38-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
435 MHz	MO	30M0F0N	2 W (ERP)	
550 MHz	MO	200MQ0N	2 W (ERP)	
10.25 GHz	MO	500MF0N	2 W (ERP)	
15.401-17.7 GHz	MO	2G00F0N	2 W (ERP)	

Frequency Information

MOBILE: Fort McCoy, WI, mounted on low-flying aircraft (under 10000 feet), within 16.1 km, centered around NL 44-04-15; WL 90-38-51

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
435 MHz	MO	30M0F0N	2 W (ERP)	
550 MHz	MO	200MQ0N	2 W (ERP)	
10.25 GHz	MO	500MF0N	2 W (ERP)	
15.401-17.7 GHz	MO	2G00F0N	2 W (ERP)	

MOBILE: Eglin AFB, FL, mounted on low-flying aircraft (under 10000 feet), within 16.1 km, centered around NL 30-32-48; WL 86-43-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
435 MHz	MO	30M0F0N	2 W (ERP)	
550 MHz	MO	200MQ0N	2 W (ERP)	
10.25 GHz	MO	500MF0N	2 W (ERP)	
15.401-17.7 GHz	MO	2G00F0N	2 W (ERP)	

Frequency Information

MOBILE: Yuma, AZ, mounted on low-flying aircraft (under 10000 feet), within 48.3 km, centered around NL 33-12-09; WL 114-02-56

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
435 MHz	MO	30M0F0N	2 W (ERP)	
550 MHz	MO	200MQ0N	2 W (ERP)	
10.25 GHz	MO	500MF0N	2 W (ERP)	
15.401-17.7 GHz	MO	2G00F0N	2 W (ERP)	

MOBILE: Dugway, UT, mounted on low-flying aircraft (under 10000 feet), within 16.1 km, centered around NL 40-12-01; WL 112-56-51

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
435 MHz	MO	30M0F0N 30M0Q0N	5 W (ERP)	
550 MHz	MO	200MQ0N 200MF0N	5 W (ERP)	
805 MHz	MO	310MF0N 310MQ0N	5 W (ERP)	
10.25 GHz	MO	500MF0N	2 W (ERP)	

Frequency Information

MOBILE: Dugway, UT, mounted on low-flying aircraft (under 10000 feet), within 16.1 km, centered around NL 40-12-01; WL 112-56-51

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
15.401-15.7 GHz	MO	299MF0N	2 W (ERP)	
16.2-17.7 GHz	MO	299MF0N	2 W (ERP)	

MOBILE: Camp Roberts, CA, mounted on low-flying aircraft (under 10000 feet), within 16.1 km, centered around NL 35-43-00; WL 120-45-53

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
435 MHz	MO	30M0F0N	2 W (ERP)	
550 MHz	MO	200MQ0N	2 W (ERP)	
10.25 GHz	MO	500MF0N	2 W (ERP)	
15.401-17.7 GHz	MO	2G00F0N	2 W (ERP)	

MOBILE: Utah

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
435 MHz	MO	30M0F0N 30M0Q0N	5 W (ERP)	

Frequency Information

MOBILE: Utah

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
550 MHz	MO	200MQ0N 200MF0N	5 W (ERP)	
805 MHz	MO	310MF0N 310MQ0N	5 W (ERP)	
1.625-1.85 GHz	MO	4M79G1D 9M58G1D 28M7G1D	1 W (ERP)	
10.25 GHz	MO	500MF0N 14M0D2W 7M00D2W 3M50D2W 1M75D2W 0M87D2W	2 W (ERP)	
16.4 GHz	MO	2G00F0N	2 W (ERP)	

MOBILE: Fort Polk, LA, mounted on low-flying aircraft (under 10000 feet), within 20 km, centered around NL 31-04-25; WL 93-12-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
435 MHz	MO	30M0F0N 30M0Q0N	5 W (ERP)	

Frequency Information

MOBILE: Fort Polk, LA, mounted on low-flying aircraft (under 10000 feet), within 20 km, centered around NL 31-04-25; WL 93-12-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
550 MHz	MO	200MQ0N 200MF0N	5 W (ERP)	
805 MHz	MO	310MF0N 310MQ0N	5 W (ERP)	
10.25 GHz	MO	500MF0N	2 W (ERP)	
15.401-17.7 GHz	MO	2G00F0N	2 W (ERP)	

MOBILE: Fairbanks, AK, within 80 km, centered around NL 64-50-16; WL 147-42-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
435 MHz	MO	30M0F0N 30M0Q0N	5 W (ERP)	
550 MHz	MO	200MQ0N 200MF0N	5 W (ERP)	
805 MHz	MO	310MF0N 310MQ0N	5 W (ERP)	

Frequency Information

MOBILE: Fairbanks, AK, within 80 km, centered around NL 64-50-16; WL 147-42-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
10.25 GHz	MO	500MF0N	2 W (ERP)	
15.401-17.7 GHz	MO	2G00F0N	2 W (ERP)	

MOBILE: Barrow, AK, within 80 km, centered around NL 71-17-25; WL 156-47-19

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
435 MHz	MO	30M0F0N 30M0Q0N	5 W (ERP)	
550 MHz	MO	200MQ0N 200MF0N	5 W (ERP)	
805 MHz	MO	310MF0N 310MQ0N	5 W (ERP)	
10.25 GHz	MO	500MF0N	2 W (ERP)	
15.401-17.7 GHz	MO	2G00F0N	2 W (ERP)	

Special Conditions:

- (1) Subject to prior coordination with American Society for Healthcare Engineering of the American Hospital Association (ASHE/AHA): Dale Woodin, ASHE Advocacy Director; American Hospital Association, One North Franklin; Chicago, IL 60606; (312) 422-3812, (312) 422-4571 (fax), dwoodin@aha.org.

Special Conditions:

- (2) All operations subject to coordination with the Gulf Area Frequency Coordinator located at Eglin AFB, Florida, prior to use with the area bounded by 27 degrees N. 33 degrees 30' N; and 83 degrees W. 90 degrees W.
- (3) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (4) The station identification requirements of Section 5.115 of the Commission's Rules are waived.
- (5) Operation is subject to prior coordination with the Society of Broadcast Engineers, Inc. (SBE); ATTN: Executive Director; 9102 North Meridian Street, Suite 305; Indianapolis, IN 46260; telephone, (866) 632-4222; FAX, (317) 846-9120; e-mail, executivedir@sbe.org; information, www.sbe.org.
- (6) All operations in China Lake CA are subject to prior coordination with Western Area Frequency Coordinator at (760) 939-6948.
- (7) The designated point-of-contact to terminate transmissions if interference occurs is Mr. Adam Robertson, at (801) 762-7263.
- (8) During transmission, aircraft shall not exceed the altitude of 10000 feet.
- (9) Due to anticipated harmful interferences to NASA's operations in China Lake, CA, operations prohibited in 16.4 GHz.
- (10) The request in support of an Air Force contract in 380 MHz should be processed through the prospective Air Force Program office.