

Frequency Information

Waseca (WASECA), MN - NL 44-05-40; WL 93-30-20; MOBILE: , within 51 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
427-435 MHz	FX	250KA2D 50K0A2D 12K5A2D 500KF2D 250KF2D 50K0F2D 12K5F2D	1 W (ERP)	
868-870 MHz	FX	12K5F2D 50K0F2D 250KF2D 500KF2D 12K5A2D 50K0A2D 250KA2D 500KA2D	1 W (ERP)	
1216-1217 MHz	FX	12K5F2D 50K0F2D 250KF2D 500KF2D 12K5A2D 50K0A2D 250KA2D 500KA2D	1 W (ERP)	
1252-1253 MHz	FX	500KA2D 250KA2D 50K0A2D 12K5A2D 500KF2D 250KF2D	1 W (ERP)	

Frequency Information

Waseca (WASECA), MN - NL 44-05-40; WL 93-30-20; MOBILE: , within 51 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1252-1253 MHz	FX	50K0F2D 12K5F2D	1 W (ERP)	

Spokane (SPOKANE), WA - NL 47-41-08; WL 117-11-46; MOBILE: , within 51 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
183.5-188 MHz	FX	500KA2D 250KA2D 50K0A2D 12K5A2D 500KF2D 250KF2D 50K0F2D 12K5F2D	1 W (ERP)	
427-435 MHz	FX	12K5F2D 50K0F2D 250KF2D 500KF2D 12K5A2D 50K0A2D 250KA2D 500KA2D	1 W (ERP)	
868-870 MHz	FX	12K5F2D 50K0F2D 250KF2D 500KF2D 12K5A2D	1 W (ERP)	

Frequency Information

Spokane (SPOKANE), WA - NL 47-41-08; WL 117-11-46; MOBILE: , within 51 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
868-870 MHz	FX	50K0A2D 250KA2D 500KA2D	1 W (ERP)	
1216-1217 MHz	FX	12K5F2D 50K0F2D 250KF2D 500KF2D 12K5A2D 50K0A2D 250KA2D 500KA2D	1 W (ERP)	
1252-1253 MHz	FX	500KA2D 250KA2D 50K0A2D 12K5A2D 500KF2D 250KF2D 50K0F2D 12K5F2D	1 W (ERP)	

Raleigh (WAKE), NC - NL 35-43-59; WL 79-39-02; MOBILE: , within 51 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
183.5-188 MHz	FX	12K5F2D 50K0F2D 250KF2D 500KF2D	1 W (ERP)	

Frequency Information

Raleigh (WAKE), NC - NL 35-43-59; WL 79-39-02; MOBILE: , within 51 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
183.5-188 MHz	FX	12K5A2D 50K0A2D 250KA2D 500KA2D	1 W (ERP)	
427-435 MHz	FX	12K5F2D 50K0F2D 250KF2D 500KF2D 12K5A2D 50K0A2D 250KA2D 500KA2D	1 W (ERP)	
868-870 MHz	FX	500KA2D 250KA2D 50K0A2D 12K5A2D 500KF2D 250KF2D 50K0F2D 12K5F2D	1 W (ERP)	
1216-1217 MHz	FX	500KA2D 250KA2D 50K0A2D 12K5A2D 500KF2D 250KF2D 50K0F2D	1 W (ERP)	

Frequency Information

Raleigh (WAKE), NC - NL 35-43-59; WL 79-39-02; MOBILE: , within 51 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1216-1217 MHz	FX	12K5F2D	1 W (ERP)	
1252-1253 MHz	FX	500KA2D 250KA2D 50K0A2D 12K5A2D 500KF2D 250KF2D 50K0F2D 12K5F2D	1 W (ERP)	

West Union (OCONEE), SC - NL 34-45-37; WL 83-02-34; MOBILE: , within 51 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
183.5-188 MHz		12K5F2D 50K0F2D 250KF2D 500KF2D 12K5A2D 50K0A2D 250KA2D 500KA2D	1 W (ERP)	
427-435 MHz		250KA2D 500KA2D	1 W (ERP)	
868-870 MHz		250KA2D	1 W (ERP)	

Frequency Information

West Union (OCONEE), SC - NL 34-45-37; WL 83-02-34; MOBILE: , within 51 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
868-870 MHz		500KA2D	1 W (ERP)	

Special Conditions:

- (1) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (2) The station identification requirements of Section 5.115 of the Commission's Rules are waived.
- (3) Operation is subject to prior coordination with the Society of Broadcast Engineers, Inc. (SBE); ATTN: Executive Director; 9247 North Meridian Street, Suite 305; Indianapolis, IN 46260; telephone, (866) 632-4222; FAX, (317) 846-9120; e-mail, executivedir @ sbe.org; information, www.sbe.org.
- (4) Operations in the 868-870 MHz band are to be prior coordinated with Cellular Block A Licensees Area Coordinator, Mark Dundas, at:

Minnesota Southern Cellular Telephone Company d/b/a HickoryTech Wireless
1640 MADISON AVENUE
MANKATO, MN 56001
(507)625 2355

- (5) Operation on frequencies in the 868 - 870 MHz band allocated to the land mobile public safety service must be coordinated with the designated land mobile public safety coordinator.