

Frequency Information

Waseca (WASECA), MN - NL 44-05-40; WL 93-30-20; MOBILE: Waseca MN, within 51 km, centered around NL 44-05-40; W

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
427-435 MHz	FX	12K5F2D	1 W (ERP)	
863-876 MHz	FX	12K5F2D	1 W (ERP)	
		50K0F2D		
		250KF2D		
		500KF2D		
		12K5A2D		
		50K0A2D		
		250KA2D		
		500KA2D		

Liberty Lake (SPOKANE), WA - NL 47-38-53; WL 117-05-28; MOBILE: Liberty Lake, WA, within 51 km, centered around NL 4

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
427-435 MHz	FX	12K5F2D	1 W (ERP)	
		50K0F2D		
		250KF2D		
		500KF2D		
		12K5A2D		
		50K0A2D		
		250KA2D		
		500KA2D		
863-876 MHz	FX	12K5F2D	1 W (ERP)	
		50K0F2D		
		250KF2D		
		500KF2D		
		12K5A2D		
		50K0A2D		

Frequency Information

Liberty Lake (SPOKANE), WA - NL 47-38-53; WL 117-05-28; MOBILE: Liberty Lake, WA, within 51 km, centered around NL 4

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
863-876 MHz	FX	250KA2D 500KA2D	1 W (ERP)	

West Union (OCONEE), SC - NL 34-45-37; WL 83-02-34; MOBILE: West Union, SC, within 51 km, centered around NL 34-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
427-435 MHz	FX	250KA2D 500KA2D 12K5F2D 50K0F2D 250KF2D 500KF2D 12K5A2D 50K0A2D	1 W (ERP)	
863-876 MHz	FX	250KA2D 500KA2D 12K5A2D 50K0A2D 12K5F2D 50K0F2D 250KF2D 500KF2D	1 W (ERP)	

Frequency Information

San Jose (SANTA CLARA), CA - NL 37-24-35; WL 121-57-24; MOBILE: San Jose, CA, within 51 km, centered around NL 37-

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
427-435 MHz	FX	12K5F2D 50K0F2D 250KF2D 500KF2D 12K5A2D 50K0A2D 250KA2D 500KA2D	1 W (ERP)	
863-876 MHz	FX	50K0F2D 250KF2D 500KF2D 12K5A2D 50K0A2D 250KA2D 500KA2D 12K5F2D	1 W (ERP)	

Special Conditions:

- (1) Operation in the 824-849 or 869-894 MHz band requires consent of local cellular licensee(s) to avoid interference.
- (2) The station identification requirements of Section 5.115 of the Commission's Rules are waived.
- (3) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (4) Operation is subject to prior coordination with the local Society of Broadcast Engineers, Inc. (SBE) frequency coordinator. Consult the list at https://www.sbe.org/sections/freq_local.php to find the appropriate coordinator.
- (5) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.

Special Conditions:

- (6) Operations in the 868-870 MHz band are to be prior coordinated with Cellular Block A Licensees Area Coordinator, Mark Dundas, at:

Minnesota Southern Cellular Telephone Company d/b/a HickoryTech Wireless
1640 MADISON AVENUE
MANKATO, MN 56001
(507)625 2355

- (7) Operation on frequencies in the 868 - 870 MHz band allocated to the land mobile public safety service must be coordinated with the designated land mobile public safety coordinator.
- (8) This license authorizes the use of no more than 200 units at any time.