

Page 1 of 3

Frequency Information

Waseca (WASECA), MN - NL 44-05-40; WL 93-30-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
169.4375 MHz	FX	12K5F2D	0.5 W (ERP)	
169.44375 MHz	FX	12K5F2D	0.5 W (ERP)	
169.45625 MHz	FX	12K5F2D	0.5 W (ERP)	
169.4625 MHz	FX	12K5F2D	0.5 W (ERP)	
169.46875 MHz	FX	12K5F2D	0.5 W (ERP)	

Liberty Lake (SPOKANE), WA - NL 47-38-53; WL 117-05-28

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
169.40625 MHz	FX	12K5F2D	0.5 W (ERP)	
169.4125 MHz	FX	12K5F2D	0.5 W (ERP)	
169.41875 MHz	FX	12K5F2D	0.5 W (ERP)	
169.43125 MHz	FX	12K5F2D	0.5 W (ERP)	

Frequency Information

Liberty Lake (SPOKANE), WA - NL 47-38-53; WL 117-05-28

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
169.4375 MHz	FX	12K5F2D	0.5 W (ERP)	
169.44375 MHz	FX	12K5F2D	0.5 W (ERP)	
169.45625 MHz	FX	12K5F2D	0.5 W (ERP)	
169.4625 MHz	FX	12K5F2D	0.5 W (ERP)	
169.46875 MHz	FX	12K5F2D	0.5 W (ERP)	

Special Conditions:

- (1) The station identification requirements of Section 5.115 of the Commission's Rules are waived.
- (2) Operation is subject to prior coordination with the Society of Broadcast Engineers, Inc. (SBE); ATTN: Executive Director; 9247 North Meridian Street, Suite 305; Indianapolis, IN 46260; telephone, (866) 632-4222; FAX, (317) 846-9120; e-mail, executivedir@sbe.org; information, www.sbe.org.
- (3) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (4) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (5) All of the experimental devices will be retrieved by Itron, Inc. from the participants upon completion of the experiment.