

Page 1 of 4

## Frequency Information

USA, UA; MOBILE: WITHIN CONTINENTAL US

| Frequency   | Station Class | Emission Designator                      | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|------------------------------------------|------------------|---------------------------|
| 902-928 MHz | MO            | 200KF1D                                  | 1 W (ERP)        |                           |
| 952 MHz     | MO            | 100HA2D<br>12K5F2D<br>200KF1D            | 20 W (ERP)       |                           |
| 952 MHz     | MO            | 800HA2D<br>2K00A2D<br>1K21A2D<br>200KF1D | 1 W (ERP)        |                           |
| 952 MHz     | FX            | 800HA2D<br>2K00A2D<br>1K21A2D<br>200KF1D | 1 W (ERP)        |                           |
| 952 MHz     | FX            | 100HA2D<br>12K5F2D<br>200KF1D            | 20 W (ERP)       |                           |
| 956 MHz     | MO            | 100HA2D<br>200KF1D                       | 20 W (ERP)       |                           |
| 956 MHz     | FX            | 100HA2D<br>200KF1D                       | 20 W (ERP)       |                           |

## Frequency Information

USA, UA; MOBILE: WITHIN CONTINENTAL US

| Frequency | Station Class | Emission Designator           | Authorized Power | Frequency Tolerance (+/-) |
|-----------|---------------|-------------------------------|------------------|---------------------------|
| 956 MHz   | FX            | 1K21A2D<br>2K00A2D<br>200KF1D | 1 W (ERP)        |                           |
| 956 MHz   | MO            | 1K21A2D<br>2K00A2D<br>200KF1D | 1 W (ERP)        |                           |
| 959 MHz   | FX            | 1K21A2D<br>2K00A2D<br>200KF1D | 1 W (ERP)        |                           |
| 959 MHz   | MO            | 1K21A2D<br>2K00A2D<br>200KF1D | 1 W (ERP)        |                           |

## Special Conditions:

- (1) All customers participating in the experiment shall be informed that this operation is for experimental purposes only and can be cancelled at any time.
- (2) Prior to equipment authorization or a determination of compliance, the device must be accompanied by a conspicuous notice worded as follows: "This device has not been authorized as required by the rules of the Federal Communications Commission. This device is not, and may not be, offered for sale or lease, or sold or leased, until authorization is obtained."
- (3) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (4) Operation is subject to prior coordination with the local Society of Broadcast Engineers, Inc. (SBE) frequency coordinator. Consult the list at <http://sbe.org/wp-content/uploads/freqcoor.pdf> to find the appropriate coordinator.
- (5) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.

**Special Conditions:**

- (6) The station identification requirements of Section 5.115 of the Commission's Rules are waived.
- (7) All operations are subject to prior coordination with affected existing and future Fixed Microwave licensees.
- (8) This license authorizes the use of no more than 200 units at any time.
- (9) Operation is subject to notification of Location & Monitoring Service licensees (902-928 MHz) within 50 miles of the test areas.