

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
RADIO STATION CONSTRUCTION PERMIT
AND LICENSE**

EXPERIMENTAL

(Nature of Service)

FX MO

(Class of Station)

WD2XDH

(Call Sign)

0075-EX-PL-2003

(File Number)

NAME Motorola, Inc.

Subject to the provisions of the Communications Act of 1934, subsequent acts, and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions and requirements set forth in this license, the licensee hereof is hereby authorized to use and operate the radio transmitting facilities hereinafter described for radio communications in accordance with the program of experimentation described by the licensee in its application for license.

Station Locations

- (1) Schaumburg, IL - NL 42-02-39; WL 88-02-36; MOBILE: , within 24 km
- (2) Redwood, CA - NL 37-29-19; WL 122-13-04; MOBILE: , within 24 km
- (3) Plantation, FL - NL 27-08-51; WL 80-15-15; MOBILE: , within 24 km
- (4) Chicago, IL - NL 41-52-53; WL 87-38-59; MOBILE: , within 24 km

Frequency Information

Schaumburg, IL - NL 42-02-39; WL 88-02-36; MOBILE: , within 24 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
54-72 MHz	FX	6M00D7W	10 W (ERP)	

This authorization effective May 30, 2003 and
will expire 3:00 A.M. EST June 01, 2008

**FEDERAL
COMMUNICATIONS
COMMISSION**



Frequency Information

Schaumburg, IL - NL 42-02-39; WL 88-02-36; MOBILE: , within 24 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
54-72 MHz	FX	6M00F1D	10 W (ERP)	
54-72 MHz	FX	6M00G7F	10 W (ERP)	
54-72 MHz	FX	6M00F7F	10 W (ERP)	
54-72 MHz	MO	6M00D7W	1 W (ERP)	
54-72 MHz	MO	6M00F1D	1 W (ERP)	
54-72 MHz	MO	6M00G7F	1 W (ERP)	
54-72 MHz	MO	6M00F7F	1 W (ERP)	
76-88 MHz	FX	6M00D7W	10 W (ERP)	
76-88 MHz	FX	6M00F1D	10 W (ERP)	
76-88 MHz	FX	6M00G7F	10 W (ERP)	
76-88 MHz	FX	6M00F7F	10 W (ERP)	
76-88 MHz	MO	6M00D7W	1 W (ERP)	
76-88 MHz	MO	6M00F1D	1 W (ERP)	
76-88 MHz	MO	6M00G7F	1 W (ERP)	
76-88 MHz	MO	6M00F7F	1 W (ERP)	
174-216 MHz	FX	6M00D7W	10 W (ERP)	
174-216 MHz	FX	6M00F1D	10 W (ERP)	
174-216 MHz	FX	6M00G7F	10 W (ERP)	
174-216 MHz	FX	6M00F7F	10 W (ERP)	
174-216 MHz	MO	6M00D7W	1 W (ERP)	
174-216 MHz	MO	6M00F1D	1 W (ERP)	
174-216 MHz	MO	6M00G7F	1 W (ERP)	
174-216 MHz	MO	6M00F7F	1 W (ERP)	
470-608 MHz	FX	6M00D7W	10 W (ERP)	
470-608 MHz	FX	6M00F1D	10 W (ERP)	
470-608 MHz	FX	6M00G7F	10 W (ERP)	

Frequency Information

Schaumburg, IL - NL 42-02-39; WL 88-02-36; MOBILE: , within 24 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-608 MHz	FX	6M00F7F	10 W (ERP)	
470-608 MHz	MO	6M00D7W	1 W (ERP)	
470-608 MHz	MO	6M00F1D	1 W (ERP)	
470-608 MHz	MO	6M00G7F	1 W (ERP)	
470-608 MHz	MO	6M00F7F	1 W (ERP)	
614-806 MHz	FX	6M00D7W	10 W (ERP)	
614-806 MHz	FX	6M00F1D	10 W (ERP)	
614-806 MHz	FX	6M00G7F	10 W (ERP)	
614-806 MHz	FX	6M00F7F	10 W (ERP)	
614-806 MHz	MO	6M00F7F	1 W (ERP)	
614-806 MHz	MO	6M00G7F	1 W (ERP)	
614-806 MHz	MO	6M00F1D	1 W (ERP)	
614-806 MHz	MO	6M00D7W	1 W (ERP)	

Redwood, CA - NL 37-29-19; WL 122-13-04; MOBILE: , within 24 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
54-72 MHz	FX	6M00D7W	10 W (ERP)	
54-72 MHz	FX	6M00F1D	10 W (ERP)	
54-72 MHz	FX	6M00G7F	10 W (ERP)	
54-72 MHz	FX	6M00F7F	10 W (ERP)	
54-72 MHz	MO	6M00D7W	1 W (ERP)	
54-72 MHz	MO	6M00F1D	1 W (ERP)	
54-72 MHz	MO	6M00G7F	1 W (ERP)	

Frequency Information

Redwood, CA - NL 37-29-19; WL 122-13-04; MOBILE: , within 24 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
54-72 MHz	MO	6M00F7F	1 W (ERP)	
76-88 MHz	FX	6M00D7W	10 W (ERP)	
76-88 MHz	FX	6M00F1D	10 W (ERP)	
76-88 MHz	FX	6M00G7F	10 W (ERP)	
76-88 MHz	FX	6M00F7F	10 W (ERP)	
76-88 MHz	MO	6M00D7W	1 W (ERP)	
76-88 MHz	MO	6M00F1D	1 W (ERP)	
76-88 MHz	MO	6M00G7F	1 W (ERP)	
76-88 MHz	MO	6M00F7F	1 W (ERP)	
174-216 MHz	FX	6M00D7W	10 W (ERP)	
174-216 MHz	FX	6M00F1D	10 W (ERP)	
174-216 MHz	FX	6M00G7F	10 W (ERP)	
174-216 MHz	FX	6M00F7F	10 W (ERP)	
174-216 MHz	MO	6M00D7W	1 W (ERP)	
174-216 MHz	MO	6M00F1D	1 W (ERP)	
174-216 MHz	MO	6M00G7F	1 W (ERP)	
174-216 MHz	MO	6M00F7F	1 W (ERP)	
470-608 MHz	FX	6M00D7W	10 W (ERP)	
470-608 MHz	FX	6M00F1D	10 W (ERP)	
470-608 MHz	FX	6M00G7F	10 W (ERP)	
470-608 MHz	FX	6M00F7F	10 W (ERP)	
470-608 MHz	MO	6M00D7W	1 W (ERP)	
470-608 MHz	MO	6M00F1D	1 W (ERP)	
470-608 MHz	MO	6M00G7F	1 W (ERP)	
470-608 MHz	MO	6M00F7F	1 W (ERP)	
614-806 MHz	MO	6M00F7F	1 W (ERP)	

Frequency Information

Redwood, CA - NL 37-29-19; WL 122-13-04; MOBILE: , within 24 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-806 MHz	MO	6M00G7F	1 W (ERP)	
614-806 MHz	MO	6M00F1D	1 W (ERP)	
614-806 MHz	MO	6M00D7W	1 W (ERP)	
614-806 MHz	FX	6M00F7F	10 W (ERP)	
614-806 MHz	FX	6M00G7F	10 W (ERP)	
614-806 MHz	FX	6M00F1D	10 W (ERP)	
614-806 MHz	FX	6M00D7W	10 W (ERP)	

Plantation, FL - NL 27-08-51; WL 80-15-15; MOBILE: , within 24 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
54-72 MHz	FX	6M00D7W	10 W (ERP)	
54-72 MHz	FX	6M00F1D	10 W (ERP)	
54-72 MHz	FX	6M00G7F	10 W (ERP)	
54-72 MHz	FX	6M00F7F	10 W (ERP)	
54-72 MHz	MO	6M00D7W	1 W (ERP)	
54-72 MHz	MO	6M00F1D	1 W (ERP)	
54-72 MHz	MO	6M00G7F	1 W (ERP)	
54-72 MHz	MO	6M00F7F	1 W (ERP)	
76-88 MHz	FX	6M00D7W	10 W (ERP)	
76-88 MHz	FX	6M00F1D	10 W (ERP)	
76-88 MHz	FX	6M00G7F	10 W (ERP)	
76-88 MHz	FX	6M00F7F	10 W (ERP)	
76-88 MHz	MO	6M00D7W	1 W (ERP)	

Frequency Information

Plantation, FL - NL 27-08-51; WL 80-15-15; MOBILE: , within 24 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
76-88 MHz	MO	6M00F1D	1 W (ERP)	
76-88 MHz	MO	6M00G7F	1 W (ERP)	
76-88 MHz	MO	6M00F7F	1 W (ERP)	
174-216 MHz	FX	6M00F1D	10 W (ERP)	
174-216 MHz	FX	6M00G7F	10 W (ERP)	
174-216 MHz	FX	6M00F7F	10 W (ERP)	
174-216 MHz	MO	6M00D7W	1 W (ERP)	
174-216 MHz	MO	6M00F1D	1 W (ERP)	
174-216 MHz	FX	6M00D7W	10 W (ERP)	
174-216 MHz	MO	6M00G7F	1 W (ERP)	
174-216 MHz	MO	6M00F7F	1 W (ERP)	
470-608 MHz	FX	6M00F1D	10 W (ERP)	
470-608 MHz	FX	6M00G7F	10 W (ERP)	
470-608 MHz	FX	6M00F7F	10 W (ERP)	
470-608 MHz	MO	6M00D7W	1 W (ERP)	
470-608 MHz	MO	6M00F1D	1 W (ERP)	
470-608 MHz	FX	6M00D7W	10 W (ERP)	
470-608 MHz	MO	6M00G7F	1 W (ERP)	
470-608 MHz	MO	6M00F7F	1 W (ERP)	
614-806 MHz	FX	6M00F1D	10 W (ERP)	
614-806 MHz	FX	6M00G7F	10 W (ERP)	
614-806 MHz	FX	6M00F7F	10 W (ERP)	
614-806 MHz	MO	6M00D7W	1 W (ERP)	
614-806 MHz	MO	6M00F1D	1 W (ERP)	
614-806 MHz	FX	6M00D7W	10 W (ERP)	
614-806 MHz	MO	6M00G7F	1 W (ERP)	

Frequency Information

Plantation, FL - NL 27-08-51; WL 80-15-15; MOBILE: , within 24 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-806 MHz	MO	6M00F7F	1 W (ERP)	

Chicago, IL - NL 41-52-53; WL 87-38-59; MOBILE: , within 24 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
54-72 MHz	FX	6M00D7W	10 W (ERP)	
54-72 MHz	FX	6M00F1D	10 W (ERP)	
54-72 MHz	FX	6M00G7F	10 W (ERP)	
54-72 MHz	FX	6M00F7F	10 W (ERP)	
54-72 MHz	MO	6M00D7W	1 W (ERP)	
54-72 MHz	MO	6M00F1D	1 W (ERP)	
54-72 MHz	MO	6M00G7F	1 W (ERP)	
54-72 MHz	MO	6M00F7F	1 W (ERP)	
76-88 MHz	FX	6M00D7W	10 W (ERP)	
76-88 MHz	FX	6M00F1D	10 W (ERP)	
76-88 MHz	FX	6M00G7F	10 W (ERP)	
76-88 MHz	FX	6M00F7F	10 W (ERP)	
76-88 MHz	MO	6M00D7W	1 W (ERP)	
76-88 MHz	MO	6M00F1D	1 W (ERP)	
76-88 MHz	MO	6M00F7F	1 W (ERP)	
76-88 MHz	MO	6M00G7F	1 W (ERP)	
174-216 MHz	FX	6M00D7W	10 W (ERP)	
174-216 MHz	FX	6M00F1D	10 W (ERP)	
174-216 MHz	FX	6M00G7F	10 W (ERP)	

Frequency Information

Chicago, IL - NL 41-52-53; WL 87-38-59; MOBILE: , within 24 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
174-216 MHz	FX	6M00F7F	10 W (ERP)	
174-216 MHz	MO	6M00D7W	1 W (ERP)	
174-216 MHz	MO	6M00F1D	1 W (ERP)	
174-216 MHz	MO	6M00F7F	1 W (ERP)	
174-216 MHz	MO	6M00G7F	1 W (ERP)	
470-608 MHz	FX	6M00D7W	10 W (ERP)	
470-608 MHz	FX	6M00F1D	10 W (ERP)	
470-608 MHz	FX	6M00G7F	10 W (ERP)	
470-608 MHz	FX	6M00F7F	10 W (ERP)	
470-608 MHz	MO	6M00D7W	1 W (ERP)	
470-608 MHz	MO	6M00F1D	1 W (ERP)	
470-608 MHz	MO	6M00F7F	1 W (ERP)	
470-608 MHz	MO	6M00G7F	1 W (ERP)	
614-806 MHz	MO	6M00D7W	1 W (ERP)	
614-806 MHz	MO	6M00F1D	1 W (ERP)	
614-806 MHz	MO	6M00G7F	1 W (ERP)	
614-806 MHz	MO	6M00F7F	1 W (ERP)	
614-806 MHz	FX	6M00D7W	10 W (ERP)	
614-806 MHz	FX	6M00G7F	10 W (ERP)	
614-806 MHz	FX	6M00F7F	10 W (ERP)	
614-806 MHz	FX	6M00F1D	10 W (ERP)	

Special Conditions:

- (1) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (2) The station identification requirements of Section 5.115 of the Commission's Rules are waived.

Special Conditions:

- (3) Operation is subject to prior coordination with the Society of Broadcast Engineers, Inc. (SBE); ATTN: Executive Director; 9247 North Meridian Street, Suite 305; Indianapolis, IN 46260; telephone, (866) 632-4222; FAX, (317) 846-9120; e-mail, [executivedir @ sbe.org](mailto:executivedir@sbe.org); information, www.sbe.org.
- (4) Licensee should be aware that control and repeater stations may be licensed on frequencies in the 470-512 MHz band and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (5) Operations in the upper and lower 700 MHz bands must be prior coordinated with existing and new Part 27 and Part 90 licensees to avoid interference.