

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
RADIO STATION CONSTRUCTION PERMIT
AND LICENSE**

EXPERIMENTAL
(Nature of Service)

XD FX MO
(Class of Station)

KG2XLI
(Call Sign)

0097-EX-RR-2001
(File Number)

NAME MOTOROLA, INC.

Subject to the provisions of the Communications Act of 1934, subsequent acts, and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions and requirements set forth in this license, the licensee hereof is hereby authorized to use and operate the radio transmitting facilities hereinafter described for radio communications in accordance with the program of experimentation described by the licensee in its application for license.

Operation: In accordance with Sec. 5.202(i) of the Commission's Rules

Station Locations

(1) FORT WORTH (TARRANT), TX - NL 32-50-43; WL 97-17-35; MOBILE:within 80 km

Frequency Information

FORT WORTH (TARRANT), TX - NL 32-50-43; WL 97-17-35; MOBILE:within 80 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
30.82 MHz	FX	15K0F2D	350 W (Output Power)	0.002 %
30.82 MHz	FX	16K0F3E	350 W (Output Power)	0.002 %
30.82 MHz	FX	16K0F8E	350 W (Output Power)	0.002 %
30.82 MHz	FX	20K0F1E	350 W (Output Power)	0.002 %
30.82 MHz	FX	40K0F8E	350 W (Output Power)	0.002 %
30.82 MHz	MO	15K0F2D	350 W (Output Power)	0.002 %
30.82 MHz	MO	16K0F3E	350 W (Output Power)	0.002 %
30.82 MHz	MO	16K0F8E	350 W (Output Power)	0.002 %
30.82 MHz	MO	20K0F1E	350 W (Output Power)	0.002 %
30.82 MHz	MO	40K0F8E	350 W (Output Power)	0.002 %
30.86 MHz	FX	15K0F2D	350 W (Output Power)	0.002 %
30.86 MHz	FX	16K0F3E	350 W (Output Power)	0.002 %
30.86 MHz	FX	16K0F8E	350 W (Output Power)	0.002 %
30.86 MHz	FX	20K0F1E	350 W (Output Power)	0.002 %
30.86 MHz	FX	40K0F8E	350 W (Output Power)	0.002 %
30.86 MHz	MO	15K0F2D	350 W (Output Power)	0.002 %

This authorization effective June 01, 2001 and
will expire 3:00 A.M. EST June 01, 2003

**FEDERAL
COMMUNICATIONS
COMMISSION**



Frequency Information

FORT WORTH (TARRANT), TX - NL 32-50-43; WL 97-17-35; MOBILE:within 80 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
30.86 MHz	MO	16K0F3E	350 W (Output Power)	0.002 %
30.86 MHz	MO	16K0F8E	350 W (Output Power)	0.002 %
30.86 MHz	MO	20K0F1E	350 W (Output Power)	0.002 %
30.86 MHz	MO	40K0F8E	350 W (Output Power)	0.002 %
48.2 MHz	FX	15K0F2D	350 W (Output Power)	0.002 %
48.2 MHz	FX	16K0F3E	350 W (Output Power)	0.002 %
48.2 MHz	FX	16K0F8E	350 W (Output Power)	0.002 %
48.2 MHz	FX	20K0F1E	350 W (Output Power)	0.002 %
48.2 MHz	FX	40K0F8E	350 W (Output Power)	0.002 %
48.2 MHz	MO	15K0F2D	350 W (Output Power)	0.002 %
48.2 MHz	MO	16K0F3E	350 W (Output Power)	0.002 %
48.2 MHz	MO	16K0F8E	350 W (Output Power)	0.002 %
48.2 MHz	MO	20K0F1E	350 W (Output Power)	0.002 %
48.2 MHz	MO	40K0F8E	350 W (Output Power)	0.002 %
49.32 MHz	FX	15K0F2D	350 W (Output Power)	0.002 %
49.32 MHz	FX	16K0F3E	350 W (Output Power)	0.002 %
49.32 MHz	FX	16K0F8E	350 W (Output Power)	0.002 %
49.32 MHz	FX	20K0F1E	350 W (Output Power)	0.002 %
49.32 MHz	FX	40K0F8E	350 W (Output Power)	0.002 %
49.32 MHz	MO	15K0F2D	350 W (Output Power)	0.002 %
49.32 MHz	MO	16K0F3E	350 W (Output Power)	0.002 %
49.32 MHz	MO	16K0F8E	350 W (Output Power)	0.002 %
49.32 MHz	MO	20K0F1E	350 W (Output Power)	0.002 %
49.32 MHz	MO	40K0F8E	350 W (Output Power)	0.002 %
49.34 MHz	FX	15K0F2D	350 W (Output Power)	0.002 %
49.34 MHz	FX	16K0F3E	350 W (Output Power)	0.002 %
49.34 MHz	FX	16K0F8E	350 W (Output Power)	0.002 %
49.34 MHz	FX	20K0F1E	350 W (Output Power)	0.002 %
49.34 MHz	FX	40K0F8E	350 W (Output Power)	0.002 %
49.34 MHz	MO	15K0F2D	350 W (Output Power)	0.002 %
49.34 MHz	MO	16K0F3E	350 W (Output Power)	0.002 %
49.34 MHz	MO	16K0F8E	350 W (Output Power)	0.002 %
49.34 MHz	MO	20K0F1E	350 W (Output Power)	0.002 %
49.34 MHz	MO	40K0F8E	350 W (Output Power)	0.002 %
150.95 MHz	FX	15K0F2D	350 W (Output Power)	0.002 %
150.95 MHz	FX	16K0F3E	350 W (Output Power)	0.002 %
150.95 MHz	FX	16K0F8E	350 W (Output Power)	0.002 %
150.95 MHz	FX	20K0F1E	350 W (Output Power)	0.002 %
150.95 MHz	FX	40K0F8E	350 W (Output Power)	0.002 %

Frequency Information

FORT WORTH (TARRANT), TX - NL 32-50-43; WL 97-17-35; MOBILE:within 80 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
150.95 MHz	MO	15K0F2D	350 W (Output Power)	0.002 %
150.95 MHz	MO	16K0F3E	350 W (Output Power)	0.002 %
150.95 MHz	MO	16K0F8E	350 W (Output Power)	0.002 %
150.95 MHz	MO	20K0F1E	350 W (Output Power)	0.002 %
150.95 MHz	MO	40K0F8E	350 W (Output Power)	0.002 %
159.42 MHz	FX	15K0F2D	350 W (Output Power)	0.002 %
159.42 MHz	FX	16K0F3E	350 W (Output Power)	0.002 %
159.42 MHz	FX	16K0F8E	350 W (Output Power)	0.002 %
159.42 MHz	FX	20K0F1E	350 W (Output Power)	0.002 %
159.42 MHz	FX	30K0F3E	350 W (Output Power)	0.002 %
159.42 MHz	FX	30K0J3C	350 W (Output Power)	0.002 %
159.42 MHz	FX	40K0F8E	350 W (Output Power)	0.002 %
159.42 MHz	MO	15K0F2D	350 W (Output Power)	0.002 %
159.42 MHz	MO	16K0F3E	350 W (Output Power)	0.002 %
159.42 MHz	MO	16K0F8E	350 W (Output Power)	0.002 %
159.42 MHz	MO	20K0F1E	350 W (Output Power)	0.002 %
159.42 MHz	MO	30K0F3E	350 W (Output Power)	0.002 %
159.42 MHz	MO	30K0J3C	350 W (Output Power)	0.002 %
159.42 MHz	MO	40K0F8E	350 W (Output Power)	0.002 %
451.65 MHz	FX	15K0F2D	350 W (Output Power)	0.002 %
451.65 MHz	FX	16K0F3E	350 W (Output Power)	0.002 %
451.65 MHz	FX	16K0F8E	350 W (Output Power)	0.002 %
451.65 MHz	FX	20K0F1E	350 W (Output Power)	0.002 %
451.65 MHz	FX	40K0F8E	350 W (Output Power)	0.002 %
451.65 MHz	MO	15K0F2D	350 W (Output Power)	0.002 %
451.65 MHz	MO	16K0F3E	350 W (Output Power)	0.002 %
451.65 MHz	MO	16K0F8E	350 W (Output Power)	0.002 %
451.65 MHz	MO	20K0F1E	350 W (Output Power)	0.002 %
451.65 MHz	MO	40K0F8E	350 W (Output Power)	0.002 %
455.4625 MHz	FX	15K0F2D	125 W (ERP)	0.002 %
455.4625 MHz	FX	16K0F3D	125 W (ERP)	0.002 %
455.4625 MHz	FX	16K0F3E	125 W (ERP)	0.002 %
455.4625 MHz	FX	16K0F8E	125 W (ERP)	0.002 %
455.4625 MHz	FX	20K0F1E	125 W (ERP)	0.002 %
455.4625 MHz	FX	30K0F1D	125 W (ERP)	0.002 %
455.4625 MHz	FX	30K0F3E	125 W (ERP)	0.002 %
455.4625 MHz	FX	30K0J3C	125 W (ERP)	0.002 %
455.4625 MHz	FX	40K0F8E	125 W (ERP)	0.002 %
455.4625 MHz	MO	15K0F2D	125 W (ERP)	0.002 %

Frequency Information

FORT WORTH (TARRANT), TX - NL 32-50-43; WL 97-17-35; MOBILE:within 80 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
455.4625 MHz	MO	16K0F3D	125 W (ERP)	0.002 %
455.4625 MHz	MO	16K0F3E	125 W (ERP)	0.002 %
455.4625 MHz	MO	16K0F8E	125 W (ERP)	0.002 %
455.4625 MHz	MO	20K0F1E	125 W (ERP)	0.002 %
455.4625 MHz	MO	30K0F1D	125 W (ERP)	0.002 %
455.4625 MHz	MO	30K0F3E	125 W (ERP)	0.002 %
455.4625 MHz	MO	30K0J3C	125 W (ERP)	0.002 %
455.4625 MHz	MO	40K0F8E	125 W (ERP)	0.002 %
455.4875 MHz	FX	15K0F2D	125 W (ERP)	0.002 %
455.4875 MHz	FX	16K0F3D	125 W (ERP)	0.002 %
455.4875 MHz	FX	16K0F3E	125 W (ERP)	0.002 %
455.4875 MHz	FX	16K0F8E	125 W (ERP)	0.002 %
455.4875 MHz	FX	20K0F1E	125 W (ERP)	0.002 %
455.4875 MHz	FX	30K0F1D	125 W (ERP)	0.002 %
455.4875 MHz	FX	30K0F3E	125 W (ERP)	0.002 %
455.4875 MHz	FX	30K0J3C	125 W (ERP)	0.002 %
455.4875 MHz	FX	40K0F8E	125 W (ERP)	0.002 %
455.4875 MHz	MO	15K0F2D	125 W (ERP)	0.002 %
455.4875 MHz	MO	16K0F3D	125 W (ERP)	0.002 %
455.4875 MHz	MO	16K0F3E	125 W (ERP)	0.002 %
455.4875 MHz	MO	16K0F8E	125 W (ERP)	0.002 %
455.4875 MHz	MO	20K0F1E	125 W (ERP)	0.002 %
455.4875 MHz	MO	30K0F1D	125 W (ERP)	0.002 %
455.4875 MHz	MO	30K0F3E	125 W (ERP)	0.002 %
455.4875 MHz	MO	30K0J3C	125 W (ERP)	0.002 %
455.4875 MHz	MO	40K0F8E	125 W (ERP)	0.002 %
455.5125 MHz	FX	15K0F2D	125 W (ERP)	0.002 %
455.5125 MHz	FX	16K0F3D	125 W (ERP)	0.002 %
455.5125 MHz	FX	16K0F3E	125 W (ERP)	0.002 %
455.5125 MHz	FX	16K0F8E	125 W (ERP)	0.002 %
455.5125 MHz	FX	20K0F1E	125 W (ERP)	0.002 %
455.5125 MHz	FX	30K0F1D	125 W (ERP)	0.002 %
455.5125 MHz	FX	30K0F3E	125 W (ERP)	0.002 %
455.5125 MHz	FX	30K0J3C	125 W (ERP)	0.002 %
455.5125 MHz	FX	40K0F8E	125 W (ERP)	0.002 %
455.5125 MHz	MO	15K0F2D	125 W (ERP)	0.002 %
455.5125 MHz	MO	16K0F3D	125 W (ERP)	0.002 %
455.5125 MHz	MO	16K0F3E	125 W (ERP)	0.002 %
455.5125 MHz	MO	16K0F8E	125 W (ERP)	0.002 %

Frequency Information

FORT WORTH (TARRANT), TX - NL 32-50-43; WL 97-17-35; MOBILE:within 80 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
455.5125 MHz	MO	20K0F1E	125 W (ERP)	0.002 %
455.5125 MHz	MO	30K0F1D	125 W (ERP)	0.002 %
455.5125 MHz	MO	30K0F3E	125 W (ERP)	0.002 %
455.5125 MHz	MO	30K0J3C	125 W (ERP)	0.002 %
455.5125 MHz	MO	40K0F8E	125 W (ERP)	0.002 %
455.5375 MHz	FX	15K0F2D	125 W (ERP)	0.002 %
455.5375 MHz	FX	16K0F3D	125 W (ERP)	0.002 %
455.5375 MHz	FX	16K0F3E	125 W (ERP)	0.002 %
455.5375 MHz	FX	16K0F8E	125 W (ERP)	0.002 %
455.5375 MHz	FX	20K0F1E	125 W (ERP)	0.002 %
455.5375 MHz	FX	30K0F1D	125 W (ERP)	0.002 %
455.5375 MHz	FX	30K0F3E	125 W (ERP)	0.002 %
455.5375 MHz	FX	30K0J3C	125 W (ERP)	0.002 %
455.5375 MHz	FX	40K0F8E	125 W (ERP)	0.002 %
455.5375 MHz	MO	15K0F2D	125 W (ERP)	0.002 %
455.5375 MHz	MO	16K0F3D	125 W (ERP)	0.002 %
455.5375 MHz	MO	16K0F3E	125 W (ERP)	0.002 %
455.5375 MHz	MO	16K0F8E	125 W (ERP)	0.002 %
455.5375 MHz	MO	20K0F1E	125 W (ERP)	0.002 %
455.5375 MHz	MO	30K0F1D	125 W (ERP)	0.002 %
455.5375 MHz	MO	30K0F3E	125 W (ERP)	0.002 %
455.5375 MHz	MO	30K0J3C	125 W (ERP)	0.002 %
455.5375 MHz	MO	40K0F8E	125 W (ERP)	0.002 %
456.275 MHz	FX	15K0F2D	125 W (ERP)	0.002 %
456.275 MHz	FX	16K0F3D	125 W (ERP)	0.002 %
456.275 MHz	FX	16K0F3E	125 W (ERP)	0.002 %
456.275 MHz	FX	16K0F8E	125 W (ERP)	0.002 %
456.275 MHz	FX	20K0F1E	125 W (ERP)	0.002 %
456.275 MHz	FX	30K0F1D	125 W (ERP)	0.002 %
456.275 MHz	FX	30K0F3E	125 W (ERP)	0.002 %
456.275 MHz	FX	30K0J3C	125 W (ERP)	0.002 %
456.275 MHz	FX	40K0F8E	125 W (ERP)	0.002 %
456.275 MHz	MO	15K0F2D	125 W (ERP)	0.002 %
456.275 MHz	MO	16K0F3D	125 W (ERP)	0.002 %
456.275 MHz	MO	16K0F3E	125 W (ERP)	0.002 %
456.275 MHz	MO	16K0F8E	125 W (ERP)	0.002 %
456.275 MHz	MO	20K0F1E	125 W (ERP)	0.002 %
456.275 MHz	MO	30K0F1D	125 W (ERP)	0.002 %
456.275 MHz	MO	30K0F3E	125 W (ERP)	0.002 %

Frequency Information

FORT WORTH (TARRANT), TX - NL 32-50-43; WL 97-17-35; MOBILE:within 80 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
456.275 MHz	MO	30K0J3C	125 W (ERP)	0.002 %
456.275 MHz	MO	40K0F8E	125 W (ERP)	0.002 %
456.65 MHz	FX	15K0F2D	350 W (Output Power)	0.002 %
456.65 MHz	FX	16K0F3E	350 W (Output Power)	0.002 %
456.65 MHz	FX	16K0F8E	350 W (Output Power)	0.002 %
456.65 MHz	FX	20K0F1E	350 W (Output Power)	0.002 %
456.65 MHz	FX	40K0F8E	350 W (Output Power)	0.002 %
456.65 MHz	MO	15K0F2D	350 W (Output Power)	0.002 %
456.65 MHz	MO	16K0F3E	350 W (Output Power)	0.002 %
456.65 MHz	MO	16K0F8E	350 W (Output Power)	0.002 %
456.65 MHz	MO	20K0F1E	350 W (Output Power)	0.002 %
456.65 MHz	MO	40K0F8E	350 W (Output Power)	0.002 %
458.925 MHz	FX	15K0F2D	125 W (ERP)	0.002 %
458.925 MHz	FX	16K0F3D	125 W (ERP)	0.002 %
458.925 MHz	FX	16K0F3E	125 W (ERP)	0.002 %
458.925 MHz	FX	16K0F8E	125 W (ERP)	0.002 %
458.925 MHz	FX	20K0F1E	125 W (ERP)	0.002 %
458.925 MHz	FX	30K0F1D	125 W (ERP)	0.002 %
458.925 MHz	FX	30K0F3E	125 W (ERP)	0.002 %
458.925 MHz	FX	30K0J3C	125 W (ERP)	0.002 %
458.925 MHz	FX	40K0F8E	125 W (ERP)	0.002 %
458.925 MHz	MO	15K0F2D	125 W (ERP)	0.002 %
458.925 MHz	MO	16K0F3D	125 W (ERP)	0.002 %
458.925 MHz	MO	16K0F3E	125 W (ERP)	0.002 %
458.925 MHz	MO	16K0F8E	125 W (ERP)	0.002 %
458.925 MHz	MO	20K0F1E	125 W (ERP)	0.002 %
458.925 MHz	MO	30K0F1D	125 W (ERP)	0.002 %
458.925 MHz	MO	30K0F3E	125 W (ERP)	0.002 %
458.925 MHz	MO	30K0J3C	125 W (ERP)	0.002 %
458.925 MHz	MO	40K0F8E	125 W (ERP)	0.002 %
458.9875 MHz	FX	15K0F2D	125 W (ERP)	0.002 %
458.9875 MHz	FX	16K0F3D	125 W (ERP)	0.002 %
458.9875 MHz	FX	16K0F3E	125 W (ERP)	0.002 %
458.9875 MHz	FX	16K0F8E	125 W (ERP)	0.002 %
458.9875 MHz	FX	20K0F1E	125 W (ERP)	0.002 %
458.9875 MHz	FX	30K0F1D	125 W (ERP)	0.002 %
458.9875 MHz	FX	30K0F3E	125 W (ERP)	0.002 %
458.9875 MHz	FX	30K0J3C	125 W (ERP)	0.002 %
458.9875 MHz	FX	40K0F8E	125 W (ERP)	0.002 %

Frequency Information

FORT WORTH (TARRANT), TX - NL 32-50-43; WL 97-17-35; MOBILE:within 80 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
458.9875 MHz	MO	15K0F2D	125 W (ERP)	0.002 %
458.9875 MHz	MO	16K0F3D	125 W (ERP)	0.002 %
458.9875 MHz	MO	16K0F3E	125 W (ERP)	0.002 %
458.9875 MHz	MO	16K0F8E	125 W (ERP)	0.002 %
458.9875 MHz	MO	20K0F1E	125 W (ERP)	0.002 %
458.9875 MHz	MO	30K0F1D	125 W (ERP)	0.002 %
458.9875 MHz	MO	30K0F3E	125 W (ERP)	0.002 %
458.9875 MHz	MO	30K0J3C	125 W (ERP)	0.002 %
458.9875 MHz	MO	40K0F8E	125 W (ERP)	0.002 %
465.0125 MHz	FX	15K0F2D	125 W (ERP)	0.002 %
465.0125 MHz	FX	16K0F3D	125 W (ERP)	0.002 %
465.0125 MHz	FX	16K0F3E	125 W (ERP)	0.002 %
465.0125 MHz	FX	16K0F8E	125 W (ERP)	0.002 %
465.0125 MHz	FX	20K0F1E	125 W (ERP)	0.002 %
465.0125 MHz	FX	30K0F1D	125 W (ERP)	0.002 %
465.0125 MHz	FX	30K0F3E	125 W (ERP)	0.002 %
465.0125 MHz	FX	30K0J3C	125 W (ERP)	0.002 %
465.0125 MHz	FX	40K0F8E	125 W (ERP)	0.002 %
465.0125 MHz	MO	15K0F2D	125 W (ERP)	0.002 %
465.0125 MHz	MO	16K0F3D	125 W (ERP)	0.002 %
465.0125 MHz	MO	16K0F3E	125 W (ERP)	0.002 %
465.0125 MHz	MO	16K0F8E	125 W (ERP)	0.002 %
465.0125 MHz	MO	20K0F1E	125 W (ERP)	0.002 %
465.0125 MHz	MO	30K0F1D	125 W (ERP)	0.002 %
465.0125 MHz	MO	30K0F3E	125 W (ERP)	0.002 %
465.0125 MHz	MO	30K0J3C	125 W (ERP)	0.002 %
465.0125 MHz	MO	40K0F8E	125 W (ERP)	0.002 %
465.3125 MHz	FX	15K0F2D	125 W (ERP)	0.002 %
465.3125 MHz	FX	16K0F3D	125 W (ERP)	0.002 %
465.3125 MHz	FX	16K0F3E	125 W (ERP)	0.002 %
465.3125 MHz	FX	16K0F8E	125 W (ERP)	0.002 %
465.3125 MHz	FX	20K0F1E	125 W (ERP)	0.002 %
465.3125 MHz	FX	30K0F1D	125 W (ERP)	0.002 %
465.3125 MHz	FX	30K0F3E	125 W (ERP)	0.002 %
465.3125 MHz	FX	30K0J3C	125 W (ERP)	0.002 %
465.3125 MHz	FX	40K0F8E	125 W (ERP)	0.002 %
465.3125 MHz	MO	15K0F2D	125 W (ERP)	0.002 %
465.3125 MHz	MO	16K0F3D	125 W (ERP)	0.002 %
465.3125 MHz	MO	16K0F3E	125 W (ERP)	0.002 %

Frequency Information

FORT WORTH (TARRANT), TX - NL 32-50-43; WL 97-17-35; MOBILE:within 80 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
465.3125 MHz	MO	16K0F8E	125 W (ERP)	0.002 %
465.3125 MHz	MO	20K0F1E	125 W (ERP)	0.002 %
465.3125 MHz	MO	30K0F1D	125 W (ERP)	0.002 %
465.3125 MHz	MO	30K0F3E	125 W (ERP)	0.002 %
465.3125 MHz	MO	30K0J3C	125 W (ERP)	0.002 %
465.3125 MHz	MO	40K0F8E	125 W (ERP)	0.002 %
467.0125 MHz	FX	15K0F2D	125 W (ERP)	0.002 %
467.0125 MHz	FX	16K0F3D	125 W (ERP)	0.002 %
467.0125 MHz	FX	16K0F3E	125 W (ERP)	0.002 %
467.0125 MHz	FX	16K0F8E	125 W (ERP)	0.002 %
467.0125 MHz	FX	20K0F1E	125 W (ERP)	0.002 %
467.0125 MHz	FX	30K0F1D	125 W (ERP)	0.002 %
467.0125 MHz	FX	30K0F3E	125 W (ERP)	0.002 %
467.0125 MHz	FX	30K0J3C	125 W (ERP)	0.002 %
467.0125 MHz	FX	40K0F8E	125 W (ERP)	0.002 %
467.0125 MHz	MO	15K0F2D	125 W (ERP)	0.002 %
467.0125 MHz	MO	16K0F3D	125 W (ERP)	0.002 %
467.0125 MHz	MO	16K0F3E	125 W (ERP)	0.002 %
467.0125 MHz	MO	16K0F8E	125 W (ERP)	0.002 %
467.0125 MHz	MO	20K0F1E	125 W (ERP)	0.002 %
467.0125 MHz	MO	30K0F1D	125 W (ERP)	0.002 %
467.0125 MHz	MO	30K0F3E	125 W (ERP)	0.002 %
467.0125 MHz	MO	30K0J3C	125 W (ERP)	0.002 %
467.0125 MHz	MO	40K0F8E	125 W (ERP)	0.002 %
468.3125 MHz	FX	15K0F2D	125 W (ERP)	0.002 %
468.3125 MHz	FX	16K0F3D	125 W (ERP)	0.002 %
468.3125 MHz	FX	16K0F3E	125 W (ERP)	0.002 %
468.3125 MHz	FX	16K0F8E	125 W (ERP)	0.002 %
468.3125 MHz	FX	20K0F1E	125 W (ERP)	0.002 %
468.3125 MHz	FX	30K0F1D	125 W (ERP)	0.002 %
468.3125 MHz	FX	30K0F3E	125 W (ERP)	0.002 %
468.3125 MHz	FX	30K0J3C	125 W (ERP)	0.002 %
468.3125 MHz	FX	40K0F8E	125 W (ERP)	0.002 %
468.3125 MHz	MO	15K0F2D	125 W (ERP)	0.002 %
468.3125 MHz	MO	16K0F3D	125 W (ERP)	0.002 %
468.3125 MHz	MO	16K0F3E	125 W (ERP)	0.002 %
468.3125 MHz	MO	16K0F8E	125 W (ERP)	0.002 %
468.3125 MHz	MO	20K0F1E	125 W (ERP)	0.002 %
468.3125 MHz	MO	30K0F1D	125 W (ERP)	0.002 %

Frequency Information

FORT WORTH (TARRANT), TX - NL 32-50-43; WL 97-17-35; MOBILE:within 80 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
468.3125 MHz	MO	30K0F3E	125 W (ERP)	0.002 %
468.3125 MHz	MO	30K0J3C	125 W (ERP)	0.002 %
468.3125 MHz	MO	40K0F8E	125 W (ERP)	0.002 %
470.3125 MHz	FX	15K0F2D	100 W (Output Power)	0.002 %
470.3125 MHz	FX	16K0F3E	100 W (Output Power)	0.002 %
470.3125 MHz	FX	20K0F1E	100 W (Output Power)	0.002 %
470.3125 MHz	MO	15K0F2D	100 W (Output Power)	0.002 %
470.3125 MHz	MO	16K0F3E	100 W (Output Power)	0.002 %
470.3125 MHz	MO	20K0F1E	100 W (Output Power)	0.002 %
482.3625 MHz	FX	15K0F2D	100 W (Output Power)	0.002 %
482.3625 MHz	FX	16K0F3E	100 W (Output Power)	0.002 %
482.3625 MHz	FX	20K0F1E	100 W (Output Power)	0.002 %
482.3625 MHz	MO	15K0F2D	100 W (Output Power)	0.002 %
482.3625 MHz	MO	16K0F3E	100 W (Output Power)	0.002 %
482.3625 MHz	MO	20K0F1E	100 W (Output Power)	0.002 %
485.3625 MHz	FX	15K0F2D	100 W (Output Power)	0.002 %
485.3625 MHz	FX	16K0F3E	100 W (Output Power)	0.002 %
485.3625 MHz	FX	20K0F1E	100 W (Output Power)	0.002 %
485.3625 MHz	MO	15K0F2D	100 W (Output Power)	0.002 %
485.3625 MHz	MO	16K0F3E	100 W (Output Power)	0.002 %
485.3625 MHz	MO	20K0F1E	100 W (Output Power)	0.002 %
506.2875 MHz	FX	15K0F2D	100 W (Output Power)	0.002 %
506.2875 MHz	FX	16K0F3E	100 W (Output Power)	0.002 %
506.2875 MHz	FX	20K0F1E	100 W (Output Power)	0.002 %
506.2875 MHz	MO	15K0F2D	100 W (Output Power)	0.002 %
506.2875 MHz	MO	16K0F3E	100 W (Output Power)	0.002 %
506.2875 MHz	MO	20K0F1E	100 W (Output Power)	0.002 %
816.7625 MHz	FX	15K0F2D	350 W (Output Power)	0.002 %
816.7625 MHz	FX	16K0F3E	350 W (Output Power)	0.002 %
816.7625 MHz	FX	16K0F8E	350 W (Output Power)	0.002 %
816.7625 MHz	FX	20K0F1E	350 W (Output Power)	0.002 %
816.7625 MHz	FX	40K0F8E	350 W (Output Power)	0.002 %
816.7625 MHz	MO	15K0F2D	350 W (Output Power)	0.002 %
816.7625 MHz	MO	16K0F3E	350 W (Output Power)	0.002 %
816.7625 MHz	MO	16K0F8E	350 W (Output Power)	0.002 %
816.7625 MHz	MO	20K0F1E	350 W (Output Power)	0.002 %
816.7625 MHz	MO	40K0F8E	350 W (Output Power)	0.002 %
860.7625 MHz	FX	15K0F2D	350 W (Output Power)	0.002 %
860.7625 MHz	FX	16K0F3E	350 W (Output Power)	0.002 %

Frequency Information

FORT WORTH (TARRANT), TX - NL 32-50-43; WL 97-17-35; MOBILE:within 80 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
860.7625 MHz	FX	16K0F8E	350 W (Output Power)	0.002 %
860.7625 MHz	FX	20K0F1E	350 W (Output Power)	0.002 %
860.7625 MHz	FX	40K0F8E	350 W (Output Power)	0.002 %
860.7625 MHz	MO	15K0F2D	350 W (Output Power)	0.002 %
860.7625 MHz	MO	16K0F3E	350 W (Output Power)	0.002 %
860.7625 MHz	MO	16K0F8E	350 W (Output Power)	0.002 %
860.7625 MHz	MO	20K0F1E	350 W (Output Power)	0.002 %
860.7625 MHz	MO	40K0F8E	350 W (Output Power)	0.002 %