

E_TSUM Requested by: MIKE		Date: 13.05.2026 08:51:05		DB: XL Demo SC May 13.mdb		Plan Id.:		Notice type: NONGEO	
A	A1a Sat. Network	CONDORXL0	A1f1 Notif. adm.	USA	A1f3 Inter. sat. org.		BR1 Date of receipt	04.03.2026	BR20 BR IFIC no.
BR6a/BR6b Id. no.		1	BR3a Provision reference		9.1/IA	BR2 Adm. serial no.			

Résumé / Summary / Resumen / 綜述 / Резюме / خلاصة

Article 9, sous-section IA / Article 9, sub-section IA / Artículo 9, sub-sección IA
 第9条第1A分节 / Статья 9, подраздел IA / المادة 9، القسم الفرعي IA

B1a Beam designation	B2 Emi-Rcp	BR8 Action code	BR7a Group id.	C2c RR No. 4.4	BR9 Action code	BR47 Frequency band (MHz)	BR62 Expiry date for bringing into use	C4a Class of station
HSU1	R		12			2062.01 – 2062.99		ED, EW
TCU1	R		8			2061.36 – 2061.64		ED, EW
HSD5	E		13			8025 – 8325		ER, EW
TCD1	E		1			8383.6 – 8386.4		ER, EW
TCD2	E		10			8388.6 – 8391.4		ER, EW

E_TSUM Requested by: MIKE		Date: 13.05.2026 08:51:05		DB: XL Demo SC May 13.mdb		Plan Id.:		Notice type: NONGEO			
☐ A	A1a Sat. Network CONDORXL0		A1f1 Notif. adm. USA		A1f3 Inter. sat. org.		BR1 Date of receipt 04.03.2026		BR20 BR IFIC no.		
BR6a/BR6b Id. no.		1		BR3a Provision reference		9.1/IA		BR2 Adm. serial no.		HSU1 R	

A1f2 Submitted on behalf

A1g Short Mission Duration Res 32

N

A4b2 No. of orbital planes

1

 A4b1 Ref. body

T

 BR99 Total number of satellites

1

A4b3a Constellation

N

 A4b3b Configuration type A4b3c Number of sub-sets mutually exclusive

A4b3e1 No. of space stations simult. trans. on Northern Hemisphere

1

 A4b3e2 No. of space stations simult. trans. on Southern Hemisphere

Action code	Orbital plane id. no.	A4b3d Orbit set id.	A4b4a Inclination angle	A4b4b No. of satellites in this plane	A4b4c Period	A4b4d Apogee	A4b4e Perigee	A4b4f Min. altitude	A4b4i Arg. of perigee	A4b4j Long. asc. node	A4b4m,n,o Sun synchronous		
											Y/N	Reference node	Node local time
	1		97.75	1	0-01:36	590	590	590	0		Y	A	10:30:00

Les renseignements figurant dans le tableau «PHASE» (éléments A.4.b.4.j, A.4.b.4.h et A.4.b.4.l de l'Appendice 4) ne sont pas inclus dans le présent fichier et peuvent être consultés directement dans la base de données mdb, si besoin est.	Information from the "PHASE" table (A.4.b.4.j, A.4.b.4.h and A.4.b.4.l of Appendix 4) is not included in this file and may be consulted directly from the mdb database if needed.	En este archivo no se incluye información del Cuadro «FASE» (A.4.b.4.j, A.4.b.4.h y A.4.b.4.l del Apéndice 4) que, en caso necesario, puede consultarse directamente en la base de datos mdb.
本文件不包括“相位”表（附录4的A. 4. b. 4. j、A. 4. b. 4. h和A. 4. b. 4. l）中的信息，如有需要，可直接从mdb数据库中查询。	Информация из таблицы "ФАЗА" (A.4.b.4.j, A.4.b.4.h и A.4.b.4.l Приложения 4) в этот файл не включена и при необходимости может быть получена непосредственно из базы данных mdb.	معلومات جدول "الطور" (البند A.4.ب.4.ي وA.4.ب.4.ح وA.4.ب.4.ل من التذييل 4) غير مدرجة في هذا الملف ويمكن الحصول عليها مباشرة من قاعدة البيانات mdb إذا لزم الأمر.

A27a RES679-1 commitment - that the equivalent power flux-density shall not exceed the limits given in Article 22, Tables 22-1B, 22-1C and 22-2

N

A27b RES679-2 commitment - to follow the procedures in further resolves 3 of Resolution 679 (WRC-23) upon receiving a report of unacceptable interference

N

	B1a/BR17 Beam designation	HSU1		B1b Steerable		B2 Emi-Rcp	R	B3a1 Max. co-polar gain	2
---	---------------------------	------	--	---------------	--	------------	--	-------------------------	--

B2a1 Transmit only when visible from notified service area

Y

 B2a2 Min. Elev. Angle

5

B3c1 Co-polar antenna pattern						
Co-polar ref. pattern	Coef. A	Coef. B				Co-polar rad. diag.
REC-1528						

List of orbital planes
1

E TSUM Requested by: MIKE		Date: 13.05.2026 08:51:05		DB: XL Demo SC May 13.mdb		Plan Id.:		Notice type: NONGEO		
☐ A	A1a Sat. Network CONDORXL0		A1f1 Notif. adm. USA		A1f3 Inter. sat. org.		BR1 Date of receipt 04.03.2026		BR20 BR IFIC no.	
BR6a/BR6b Id. no. 1			BR3a Provision reference 9.1/IA			BR2 Adm. serial no.			HSU1 R	

B4a3a1 Angle alpha

B4a3a2 Angle beta

BR92 Attach. for missing angle alpha/beta

☐ BR7a/BR7b Group id.

BR1 Date of receipt

C2c RR No. 4.4

BR14 Special Section

C4a Class of station

C3a Assigned freq. band

C5a Noise temperature

C4b Nature of service

C6a Polarization type

C6b Polarization angle

C11a2 Service area

AFS, ALS, AUS, AZE, AZR, CHL, E, GCA, HWA, ISL, MAU, MEX, NOR, NZL, USA

C11a1 Service area no.

A2b Period of valid.

A3a Op. agency

A3b Adm. resp.

BR16 Value of type C8b

BR96 Start date for 9.1/9.1A

BR62 Expiry date for bringing into use 11.44/11.44.1

C1 Frequency Range			
C1a Lower limit		C1b Upper limit	
2062.01	MHz	2062.99	MHz

C7a Design. of emission	C8a1/C8b1 Max. peak pwr	C8a2/C8b2 Max. pwr dens.	C8c1 Min. peak pwr	C8c2 Attch.	C8c3 Min. pwr dens.	C8c4 Attch.	C8e1 C/N ratio	C8e2 Attch.	C8f2 E.i.r.p. on the beam axis
1 980KG1D--	7.8	-49.1	7.8		-49.1		10		

C7b Carrier frequency of the emissions (980KG1D--)													
2062.5	MHz												

C10b1 Assoc. earth station id.	C10b2 Type	C10c1 Geographical coord.		C10c2 Ctry	C10d1/C10d2 Cls. / Nat.			C10d3 Max. iso. gain	C10d4 Bmwdth						
PUNTA ARENAS LEAF CHILE	S	070W50 50	53S02 28	CHL	1	TW	CV	35	2.76						
					2	TD	CV								

E TSUM Requested by: MIKE		Date: 13.05.2026 08:51:05	DB: XL Demo SC May 13.mdb		Plan Id.:	Notice type: NONGEO	
A	A1a Sat. Network	CONDORXL0	A1f1 Notif. adm.	USA	A1f3 Inter. sat. org.	BR1 Date of receipt	04.03.2026
BR6a/BR6b Id. no.		1	BR3a Provision reference		9.1/IA	BR2 Adm. serial no.	
						HSU1	R

FAIRBANKS AK	S	147W44 09	64N49 04	ALS	1	TW	CV	37.6	1.99								
					2	TD	CV										
PUNTA ARENAS KSAT CHILE	S	070W52 12	52S56 11	CHL	1	TW	CV	34	2.71								
					2	TD	CV										
HARTEBEEESTHOEK SOUTH AFRICA	S	027E42 20	25S53 10	AFS	1	TW	CV	34	2.71								
					2	TD	CV										
SANTA MARIA AZORES	S	025W08 14	36N59 51	AZR	1	TW	CV	35	2.76								
					2	TD	CV										
AWARUA LEAF NZ	S	168E22 45	46S31 41	NZL	1	TW	CV	35	2.76								
					2	TD	CV										
BAKU AZERBAIJAN	S	049E29 09	40N27 59	AZE	1	TW	CV	35	2.76								
					2	TD	CV										
PRETORIA SOUTH AFRICA	S	028E27 14	25S51 37	AFS	1	TW	CV	35	2.76								
					2	TD	CV										
MINGENEW AUS	S	115E20 24	29S00 36	AUS	1	TW	CV	37.6	1.99								
					2	TD	CV										
AWARUA KSAT NZ	S	168E22 45	46S31 41	NZL	1	TW	CV	34	2.71								
					2	TD	CV										
HAWAII USA	S	156W27 00	20N49 12	HWA	1	TW	CV	34	2.71								
					2	TD	CV										
PUERTOLLANO SPAIN	S	004W09 36	38N40 12	E	1	TW	CV	34	2.71								
					2	TD	CV										
SVALBARD NORWAY	S	015E24 40	78N13 53	NOR	1	TW	CV	34	2.71								
					2	TD	CV										
LAS CRUCES USA	S	106W54 36	32N16 12	USA	1	TW	CV	34	2.71								
					2	TD	CV										
LONGOVILO CHILE	S	071W24 00	33S57 36	CHL	1	TW	CV	34	2.71								

E_TSUM Requested by: MIKE		Date: 13.05.2026 08:51:05	DB: XL Demo SC May 13.mdb	Plan Id.:	Notice type: NONGEO
A	A1a Sat. Network	CONDORXL0	A1f1 Notif. adm.	USA	A1f3 Inter. sat. org.
			BR1 Date of receipt	04.03.2026	BR20 BR IFIC no.
BR6a/BR6b Id. no.		1	BR3a Provision reference		9.1/IA
			BR2 Adm. serial no.		HSU1 R

					2	TD	CV												
ANCHORAGE AK USA	S	150W01 48	62N19 48	ALS	1	TW	CV	35	2.76										
					2	TD	CV												
UNST UK	S	000W51 36	60N45 00	G	1	TW	CV	35	2.76										
					2	TD	CV												
PETERBOROUGH	S	138E51 00	32S57 36	AUS	1	TW	CV	35	2.76										
					2	TD	CV												
NANGETTY AUSTRALIA	S	115E20 24	29S00 36	AUS	1	TW	CV	35	2.76										
					2	TD	CV												
BLONDUOS ICELAND	S	020W15 00	65N39 00	ISL	1	TW	CV	35	2.76										
					2	TD	CV												
RIPAILLES MAURITIUS	S	057E41 24	20S08 24	MAU	1	TW	CV	35	2.76										
					2	TD	CV												
LA PAZ MEXICO	S	110W20 12	24N06 00	MEX	1	TW	CV	35	2.76										
					2	TD	CV												

	C10d5a Co-polar antenna pattern						
C10b1 Assoc. earth station id.	Co-polar ref. pattern	Coef. A	Coef. B	Coef. C	Coef. D	Phi1	Co-polar rad. diag.
PUNTA ARENAS LEAF CHILE	REC-465-5						
FAIRBANKS AK	REC-465-5						
PUNTA ARENAS KSAT CHILE	REC-465-5						
HARTEBEESTHOEK SOUTH AFRICA	REC-465-5						
SANTA MARIA AZORES	REC-465-5						
AWARUA LEAF NZ	REC-465-5						
BAKU AZERBAIJAN	REC-465-5						
PRETORIA SOUTH AFRICA	REC-465-5						
MINGENEW AUS	REC-465-5						
AWARUA KSAT NZ	REC-465-5						
HAWAII USA	REC-465-5						

E_TSUM Requested by: MIKE Date: 13.05.2026 08:51:05 DB: XL Demo SC May 13.mdb Plan Id.: Notice type: NONGEO

A A1a Sat. Network CONDORXL0 A1f1 Notif. adm. USA A1f3 Inter. sat. org. BR1 Date of receipt 04.03.2026 BR20 BR IFIC no.

BR6a/BR6b Id. no. 1 BR3a Provision reference 9.1/IA BR2 Adm. serial no. HSU1 R

PUERTOLLANO SPAIN	REC-465-5						
SVALBARD NORWAY	REC-465-5						
LAS CRUCES USA	REC-465-5						
LONGOVILO CHILE	REC-465-5						
ANCHORAGE AK USA	REC-465-5						
UNST UK	REC-465-5						
PETERBOROUGH	REC-465-5						
NANGETTY AUSTRALIA	REC-465-5						
BLONDUOS ICELAND	REC-465-5						
RIPAILLES MAURITIUS	REC-465-5						
LA PAZ MEXICO	REC-465-5						

13C Remarks

E_TSUM Requested by: MIKE		Date: 13.05.2026 08:51:05		DB: XL Demo SC May 13.mdb		Plan Id.:		Notice type: NONGEO									
A A1a Sat. Network		CONDORXL0		A1f1 Notif. adm.		USA		A1f3 Inter. sat. org.		BR1 Date of receipt		04.03.2026		BR20 BR IFIC no.			
BR6a/BR6b Id. no.		1		BR3a Provision reference		9.1/IA		BR2 Adm. serial no.				TCU1		R			

B1a/BR17 Beam designation		TCU1		B1b Steerable				B2 Emi-Rcp		R		B3a1 Max. co-polar gain		2			
---------------------------	--	------	--	---------------	--	--	--	------------	--	---	--	-------------------------	--	---	--	--	--

B2a1 Transmit only when visible from notified service area		Y		B2a2 Min. Elev. Angle		5											
--	--	---	--	-----------------------	--	---	--	--	--	--	--	--	--	--	--	--	--

B3c1 Co-polar antenna pattern						
Co-polar ref. pattern	Coef. A	Coef. B				Co-polar rad. diag.
REC-1528						

List of orbital planes	
1	

B4a3a1 Angle alpha				B4a3a2 Angle beta													
--------------------	--	--	--	-------------------	--	--	--	--	--	--	--	--	--	--	--	--	--

BR92 Attach. for missing angle alpha/beta																	
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

BR7a/BR7b Group id.		8		BR1 Date of receipt		04.03.2026		C2c RR No. 4.4									
---------------------	--	---	--	---------------------	--	------------	--	----------------	--	--	--	--	--	--	--	--	--

BR14 Special Section																	
----------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

C4a Class of station		ED EW		C3a Assigned freq. band				C5a Noise temperature		400							
----------------------	--	-------	--	-------------------------	--	--	--	-----------------------	--	-----	--	--	--	--	--	--	--

C4b Nature of service		CV CV		C6a Polarization type		CR		C6b Polarization angle									
-----------------------	--	-------	--	-----------------------	--	----	--	------------------------	--	--	--	--	--	--	--	--	--

C11a2 Service area		AFS, ALS, AUS, AZE, AZR, CHL, E, GCA, HWA, ISL, MAU, MEX, NOR, NZL, USA		C11a1 Service area no.													
--------------------	--	---	--	------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--

A2b Period of valid.		2		A3a Op. agency		772		A3b Adm. resp.		A		BR16 Value of type C8b					
----------------------	--	---	--	----------------	--	-----	--	----------------	--	---	--	------------------------	--	--	--	--	--

BR96 Start date for 9.1/9.1A																	
------------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

BR62 Expiry date for bringing into use		11.44/11.44.1															
--	--	---------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

C1 Frequency Range			
C1a Lower limit		C1b Upper limit	
2061.36	MHz	2061.64	MHz

E_TSUM Requested by: MIKE		Date: 13.05.2026 08:51:05		DB: XL Demo SC May 13.mdb		Plan Id.:		Notice type: NONGEO		
A	A1a Sat. Network CONDORXL0		A1f1 Notif. adm. USA		A1f3 Inter. sat. org. 		BR1 Date of receipt 04.03.2026		BR20 BR IFIC no. 	
BR6a/BR6b Id. no. 1		BR3a Provision reference 9.1/IA		BR2 Adm. serial no. 				TCU1		R

C7a Design. of emission	C8a1/C8b1 Max. peak pwr	C8a2/C8b2 Max. pwr dens.	C8c1 Min. peak pwr	C8c2 Attch.	C8c3 Min. pwr dens.	C8c4 Attch.	C8e1 C/N ratio	C8e2 Attch.	C8f2 E.i.r.p. on the beam axis
1 280KG1D--	7.8	-43.7	7.8		-43.7		10		

C7b Carrier frequency of the emissions (280KG1D--)													
2061.5	MHz												

C10b1 Assoc. earth station id.	C10b2 Type	C10c1 Geographical coord.		C10c2 Ctry	C10d1/C10d2 Cls. / Nat.			C10d3 Max. iso. gain	C10d4 Bmwidth						
PUNTA ARENAS LEAF CHILE	S	070W50 50	53S02 28	CHL	1	TW	CV	35	2.76						
					2	TD	CV								
FAIRBANKS AK	S	147W44 09	64N49 04	ALS	1	TW	CV	37.6	1.99						
					2	TD	CV								
PUNTA ARENAS KSAT CHILE	S	070W52 12	52S56 11	CHL	1	TW	CV	34	2.71						
					2	TD	CV								
HARTEBEEESTHOEK SOUTH AFRICA	S	027E42 20	25S53 10	AFS	1	TW	CV	34	2.71						
					2	TD	CV								
SANTA MARIA AZORES	S	025W08 14	36N59 51	AZR	1	TW	CV	35	2.76						
					2	TD	CV								
AWARUA LEAF NZ	S	168E22 45	46S31 41	NZL	1	TW	CV	35	2.76						
					2	TD	CV								
BAKU AZERBAIJAN	S	049E29 09	40N27 59	AZE	1	TW	CV	35	2.76						
					2	TD	CV								
PRETORIA SOUTH AFRICA	S	028E27 14	25S51 37	AFS	1	TW	CV	35	2.76						
					2	TD	CV								
MINGENNEW AUS	S	115E20 24	29S00 36	AUS	1	TW	CV	37.6	1.99						
					2	TD	CV								
AWARUA KSAT NZ	S	168E22 45	46S31 41	NZL	1	TW	CV	34	2.71						
					2	TD	CV								

E_TSUM Requested by: MIKE		Date: 13.05.2026 08:51:05		DB: XL Demo SC May 13.mdb		Plan Id.:		Notice type: NONGEO			
A	A1a Sat. Network CONDORXL0		A1f1 Notif. adm. USA		A1f3 Inter. sat. org.		BR1 Date of receipt 04.03.2026		BR20 BR IFIC no.		
BR6a/BR6b Id. no.		1		BR3a Provision reference		9.1/IA		BR2 Adm. serial no.		TCU1 R	

HAWAII USA	S	156W27 00	20N49 12	HWA	1	TW	CV	34	2.71										
					2	TD	CV												
PUERTOLLANO SPAIN	S	004W09 36	38N40 12	E	1	TW	CV	34	2.71										
					2	TD	CV												
SVALBARD NORWAY	S	015E24 40	78N13 53	NOR	1	TW	CV	34	2.71										
					2	TD	CV												
LAS CRUCES USA	S	106W54 36	32N16 12	USA	1	TW	CV	34	2.71										
					2	TD	CV												
LONGOVILO CHILE	S	071W24 00	33S57 36	CHL	1	TW	CV	34	2.71										
					2	TD	CV												
ANCHORAGE AK USA	S	150W01 48	62N19 48	ALS	1	TW	CV	35	2.76										
					2	TD	CV												
UNST UK	S	000W51 36	60N45 00	G	1	TW	CV	35	2.76										
					2	TD	CV												
PETERBOROUGH	S	138E51 00	32S57 36	AUS	1	TW	CV	35	2.76										
					2	TD	CV												
NANGETTY AUSTRALIA	S	115E20 24	29S00 36	AUS	1	TW	CV	35	2.76										
					2	TD	CV												
BLONUOS ICELAND	S	020W15 00	65N39 00	ISL	1	TW	CV	35	2.76										
					2	TD	CV												
RIPAILLES MAURITIUS	S	057E41 24	20S08 24	MAU	1	TW	CV	35	2.76										
					2	TD	CV												
LA PAZ MEXICO	S	110W20 12	24N06 00	MEX	1	TW	CV	35	2.76										
					2	TD	CV												

	C10d5a Co-polar antenna pattern						
C10b1 Assoc. earth station id.	Co-polar ref. pattern	Coef. A	Coef. B	Coef. C	Coef. D	Phi1	Co-polar rad. diag.
PUNTA ARENAS LEAF CHILE	REC-465-5						
FAIRBANKS AK	REC-465-5						

E_TSUM Requested by: MIKE Date: 13.05.2026 08:51:05 DB: XL Demo SC May 13.mdb Plan Id.: Notice type: NONGEO

A A1a Sat. Network CONDORXL0 A1f1 Notif. adm. USA A1f3 Inter. sat. org. BR1 Date of receipt 04.03.2026 BR20 BR IFIC no.

BR6a/BR6b Id. no. 1 BR3a Provision reference 9.1/IA BR2 Adm. serial no. TCU1 R

PUNTA ARENAS KSAT CHILE	REC-465-5						
HARTEBEESTHOEK SOUTH AFRICA	REC-465-5						
SANTA MARIA AZORES	REC-465-5						
AWARUA LEAF NZ	REC-465-5						
BAKU AZERBAIJAN	REC-465-5						
PRETORIA SOUTH AFRICA	REC-465-5						
MINGENEW AUS	REC-465-5						
AWARUA KSAT NZ	REC-465-5						
HAWAII USA	REC-465-5						
PUERTOLLANO SPAIN	REC-465-5						
SVALBARD NORWAY	REC-465-5						
LAS CRUCES USA	REC-465-5						
LONGOVILO CHILE	REC-465-5						
ANCHORAGE AK USA	REC-465-5						
UNST UK	REC-465-5						
PETERBOROUGH	REC-465-5						
NANGETTY AUSTRALIA	REC-465-5						
BLONDUOS ICELAND	REC-465-5						
RIPAILLES MAURITIUS	REC-465-5						
LA PAZ MEXICO	REC-465-5						

13C Remarks

B1a/BR17 Beam designation HSD5 B1b Steerable B2 Emi-Rcp E B3a1 Max. co-polar gain 17

B2a1 Transmit only when visible from notified service area Y B2a2 Min. Elev. Angle 5

E TSUM Requested by: MIKE Date: 13.05.2026 08:51:05 DB: XL Demo SC May 13.mdb Plan Id.: Notice type: NONGEO

A A1a Sat. Network CONDORXL0 A1f1 Notif. adm. USA A1f3 Inter. sat. org. BR1 Date of receipt 04.03.2026 BR20 BR IFIC no.

BR6a/BR6b Id. no. 1 BR3a Provision reference 9.1/IA BR2 Adm. serial no. HSD5 E

B3c1 Co-polar antenna pattern						
Co-polar ref. pattern	Coef. A	Coef. B				Co-polar rad. diag.
REC-1528						

List of orbital planes
1

B4a3a1 Angle alpha B4a3a2 Angle beta

BR92 Attach. for missing angle alpha/beta

BR7a/BR7b Group id. 13 BR1 Date of receipt 04.03.2026 C2c RR No. 4.4

BR14 Special Section

C4a Class of station ER EW C3a Assigned freq. band

C4b Nature of service CV CV C6a Polarization type CR C6b Polarization angle

C8d1 Max. tot. peak pwr. C8d2 Contiguous bandwidth

C11a2 Service area AFS, ALS, AUS, AZE, AZR, CHL, E, GCA, HWA, ISL, MAU, MEX, NOR, NZL, USA C11a1 Service area no.

A2b Period of valid. 2 A3a Op. agency 772 A3b Adm. resp. A BR16 Value of type C8b

BR96 Start date for 9.1/9.1A

BR62 Expiry date for bringing into use 11.44/11.44.1

C1 Frequency Range			
C1a Lower limit		C1b Upper limit	
8025	MHz	8325	MHz

C7a Design. of emission	C8a1/C8b1 Max. peak pwr	C8a2/C8b2 Max. pwr dens.	C8c1 Min. peak pwr	C8c2 Attch.	C8c3 Min. pwr dens.	C8c4 Attch.	C8e1 C/N ratio	C8e2 Attch.	C8f1 E.i.r.p. on the beam axis
1 300MG1D--	1.6	-79.8	1.6		-79.8		10		

E_TSUM Requested by: MIKE		Date: 13.05.2026 08:51:05		DB: XL Demo SC May 13.mdb		Plan Id.:		Notice type: NONGEO		
A	A1a Sat. Network CONDORXL0		A1f1 Notif. adm. USA		A1f3 Inter. sat. org.		BR1 Date of receipt 04.03.2026		BR20 BR IFIC no.	
BR6a/BR6b Id. no.		1		BR3a Provision reference 9.1/IA		BR2 Adm. serial no.		HSD5		E

C7b Carrier frequency of the emissions (300MG1D--)												
8175	MHz											

C10b1 Assoc. earth station id.	C10b2 Type	C10c1 Geographical coord.		C10c2 Ctry	C10d1/C10d2 Cls. / Nat.			C10d3 Max. iso. gain	C10d4 Bmwidth	C10d6 Noise temp.		
PUNTA ARENAS LEAF CHILE	S	070W50 50	53S02 28	CHL	1	TR	CV	47	0.6	128		
					2	TW	CV					
FAIRBANKS AK	S	147W44 09	64N49 04	ALS	1	TR	CV	50.5	0.49	119		
					2	TW	CV					
PUNTA ARENAS KSAT CHILE	S	070W52 12	52S56 11	CHL	1	TR	CV	47.6	0.66	140		
					2	TW	CV					
HARTEBEEESTHOEK SOUTH AFRICA	S	027E42 20	25S53 10	AFS	1	TR	CV	47.6	0.66	140		
					2	TW	CV					
SANTA MARIA AZORES	S	025W08 14	36N59 51	AZR	1	TR	CV	47	0.6	128		
					2	TW	CV					
AWARUA LEAF NZ	S	168E22 45	46S31 41	NZL	1	TR	CV	47	0.6	128		
					2	TW	CV					
BAKU AZERBAIJAN	S	049E29 09	40N27 59	AZE	1	TR	CV	47	0.6	128		
					2	TW	CV					
PRETORIA SOUTH AFRICA	S	028E27 14	25S51 37	AFS	1	TR	CV	47	0.6	128		
					2	TW	CV					
MINGENEW AUS	S	115E20 24	29S00 36	AUS	1	TR	CV	50.5	0.49	119		
					2	TW	CV					
AWARUA KSAT NZ	S	168E22 45	46S31 41	NZL	1	TR	CV	47.6	0.66	140		
					2	TW	CV					
HAWAII USA	S	156W27 00	20N49 12	HWA	1	TR	CV	47.6	0.66	140		
					2	TW	CV					
PUERTOLLANO SPAIN	S	004W09 36	38N40 12	E	1	TR	CV	47.6	0.66	140		

E_TSUM Requested by: MIKE		Date: 13.05.2026 08:51:05		DB: XL Demo SC May 13.mdb		Plan Id.:		Notice type: NONGEO		
A	A1a Sat. Network CONDORXL0		A1f1 Notif. adm. USA		A1f3 Inter. sat. org.		BR1 Date of receipt 04.03.2026		BR20 BR IFIC no.	
BR6a/BR6b Id. no.		1		BR3a Provision reference 9.1/IA		BR2 Adm. serial no.		HSD5		E

SVALBARD NORWAY	S	015E24 40	78N13 53	NOR	2	TW	CV	47.6	0.66	140		
					1	TR	CV					
LAS CRUCES USA	S	106W54 36	32N16 12	USA	2	TW	CV	47.6	0.66	140		
					1	TR	CV					
LONGOVILO CHILE	S	071W24 00	33S57 36	CHL	2	TW	CV	47.6	0.66	140		
					1	TR	CV					
ANCHORAGE AK USA	S	150W01 48	62N19 48	ALS	2	TW	CV	47	0.6	128		
					1	TR	CV					
UNST UK	S	000W51 36	60N45 00	G	2	TW	CV	47	0.6	128		
					1	TR	CV					
PETERBOROUGH	S	138E51 00	32S57 36	AUS	2	TW	CV	47	0.6	128		
					1	TR	CV					
NANGETTY AUSTRALIA	S	115E20 24	29S00 36	AUS	2	TW	CV	47	0.6	128		
					1	TR	CV					
BLONDUOS ICELAND	S	020W15 00	65N39 00	ISL	2	TW	CV	47	0.6	128		
					1	TR	CV					
RIPAILLES MAURITIUS	S	057E41 24	20S08 24	MAU	2	TW	CV	47	0.6	128		
					1	TR	CV					
LA PAZ MEXICO	S	110W20 12	24N06 00	MEX	2	TW	CV	47	0.6	128		
					1	TR	CV					

C10d5a Co-polar antenna pattern							
C10b1 Assoc. earth station id.	Co-polar ref. pattern	Coef. A	Coef. B	Coef. C	Coef. D	Phi1	Co-polar rad. diag.
PUNTA ARENAS LEAF CHILE	REC-465-5						
FAIRBANKS AK	REC-465-5						
PUNTA ARENAS KSAT CHILE	REC-465-5						
HARTEBEESTHOEK SOUTH AFRICA	REC-465-5						
SANTA MARIA AZORES	REC-465-5						

E_TSUM Requested by: MIKE Date: 13.05.2026 08:51:05 DB: XL Demo SC May 13.mdb Plan Id.: Notice type: NONGEO

A A1a Sat. Network CONDORXL0 A1f1 Notif. adm. USA A1f3 Inter. sat. org. BR1 Date of receipt 04.03.2026 BR20 BR IFIC no.

BR6a/BR6b Id. no. 1 BR3a Provision reference 9.1/IA BR2 Adm. serial no. HSD5 E

AWARUA LEAF NZ	REC-465-5						
BAKU AZERBAIJAN	REC-465-5						
PRETORIA SOUTH AFRICA	REC-465-5						
MINGENEW AUS	REC-465-5						
AWARUA KSAT NZ	REC-465-5						
HAWAII USA	REC-465-5						
PUERTOLLANO SPAIN	REC-465-5						
SVALBARD NORWAY	REC-465-5						
LAS CRUCES USA	REC-465-5						
LONGOVILO CHILE	REC-465-5						
ANCHORAGE AK USA	REC-465-5						
UNST UK	REC-465-5						
PETERBOROUGH	REC-465-5						
NANGETTY AUSTRALIA	REC-465-5						
BLONDUOS ICELAND	REC-465-5						
RIPAILLES MAURITIUS	REC-465-5						
LA PAZ MEXICO	REC-465-5						

13C Remarks

B1a/BR17 Beam designation TCD1 B1b Steerable B2 Emi-Rcp E B3a1 Max. co-polar gain 2

B2a1 Transmit only when visible from notified service area Y B2a2 Min. Elev. Angle 5

B3c1 Co-polar antenna pattern						
Co-polar ref. pattern	Coef. A	Coef. B				Co-polar rad. diag.
REC-1528						

List of orbital planes

1

E_TSUM Requested by: MIKE		Date: 13.05.2026 08:51:05		DB: XL Demo SC May 13.mdb		Plan Id.:		Notice type: NONGEO		
☐ A	A1a Sat. Network CONDORXL0		A1f1 Notif. adm. USA		A1f3 Inter. sat. org.		BR1 Date of receipt 04.03.2026		BR20 BR IFIC no.	
BR6a/BR6b Id. no. 1			BR3a Provision reference 9.1/IA			BR2 Adm. serial no.			TCD1 E	

B4a3a1 Angle alpha B4a3a2 Angle beta

BR92 Attach. for missing angle alpha/beta

☐ BR7a/BR7b Group id. 1	BR1 Date of receipt 04.03.2026	C2c RR No. 4.4
---	---	-------------------------------------

BR14 Special Section

C4a Class of station C3a Assigned freq. band

C4b Nature of service C6a Polarization type C6b Polarization angle

C8d1 Max. tot. peak pwr. C8d2 Contiguous bandwidth

C11a2 Service area C11a1 Service area no.

A2b Period of valid. A3a Op. agency A3b Adm. resp. BR16 Value of type C8b

BR96 Start date for 9.1/9.1A

BR62 Expiry date for bringing into use 11.44/11.44.1

C1 Frequency Range			
C1a Lower limit		C1b Upper limit	
8383.6	MHz	8386.4	MHz

C7a	C8a1/C8b1	C8a2/C8b2	C8c1	C8c2	C8c3	C8c4	C8e1	C8e2	C8f1
Design. of emission	Max. peak pwr	Max. pwr dens.	Min. peak pwr	Attch.	Min. pwr dens.	Attch.	C/N ratio	Attch.	E.i.r.p. on the beam axis
1 2M80G1D--	-5	-66.5	-5		-66.5		10		

C7b Carrier frequency of the emissions (2M80G1D--)													
8385	MHz												

C10b1	C10b2	C10c1		C10c2	C10d1/C10d2		C10d3	C10d4	C10d6		
Assoc. earth station id.	Type	Geographical coord.		Ctry	Cls. / Nat.		Max. iso. gain	Bmwdth	Noise temp.		
PUNTA ARENAS LEAF CHILE	S	070W50 50	53S02 28	CHL	1	TR CV	47	0.6	128		

E_TSUM Requested by: MIKE		Date: 13.05.2026 08:51:05	DB: XL Demo SC May 13.mdb	Plan Id.:	Notice type: NONGEO
A	A1a Sat. Network	CONDORXL0	A1f1 Notif. adm.	USA	A1f3 Inter. sat. org.
			BR1 Date of receipt	04.03.2026	BR20 BR IFIC no.
BR6a/BR6b Id. no.		1	BR3a Provision reference	9.1/IA	BR2 Adm. serial no.
					TCD1 E

FAIRBANKS AK	S	147W44 09	64N49 04	ALS	2	TW	CV	50.5	0.49	119		
					1	TR	CV					
PUNTA ARENAS KSAT CHILE	S	070W52 12	52S56 11	CHL	2	TW	CV	47.6	0.66	140		
					1	TR	CV					
HARTEBEEESTHOEK SOUTH AFRICA	S	027E42 20	25S53 10	AFS	2	TW	CV	47.6	0.66	140		
					1	TR	CV					
SANTA MARIA AZORES	S	025W08 14	36N59 51	AZR	2	TW	CV	47	0.6	128		
					1	TR	CV					
AWARUA LEAF NZ	S	168E22 45	46S31 41	NZL	2	TW	CV	47	0.6	128		
					1	TR	CV					
BAKU AZERBAIJAN	S	049E29 09	40N27 59	AZE	2	TW	CV	47	0.6	128		
					1	TR	CV					
PRETORIA SOUTH AFRICA	S	028E27 14	25S51 37	AFS	2	TW	CV	47	0.6	128		
					1	TR	CV					
MINGENEW AUS	S	115E20 24	29S00 36	AUS	2	TW	CV	50.5	0.49	119		
					1	TR	CV					
AWARUA KSAT NZ	S	168E22 45	46S31 41	NZL	2	TW	CV	47.6	0.66	140		
					1	TR	CV					
HAWAII USA	S	156W27 00	20N49 12	HWA	2	TW	CV	47.6	0.66	140		
					1	TR	CV					
PUERTOLLANO SPAIN	S	004W09 36	38N40 12	E	2	TW	CV	47.6	0.66	140		
					1	TR	CV					
SVALBARD NORWAY	S	015E24 40	78N13 53	NOR	2	TW	CV	47.6	0.66	140		
					1	TR	CV					
LAS CRUCES USA	S	106W54 36	32N16 12	USA	2	TW	CV	47.6	0.66	140		
					1	TR	CV					

E_TSUM Requested by: MIKE		Date: 13.05.2026 08:51:05	DB: XL Demo SC May 13.mdb	Plan Id.:	Notice type: NONGEO
A	A1a Sat. Network	CONDORXL0	A1f1 Notif. adm.	USA	A1f3 Inter. sat. org.
			BR1 Date of receipt	04.03.2026	BR20 BR IFIC no.
BR6a/BR6b Id. no.		1	BR3a Provision reference	9.1/IA	BR2 Adm. serial no.
					TCD1 E

LONGOVILO CHILE	S	071W24 00	33S57 36	CHL	1	TR	CV	47.6	0.66	140		
					2	TW	CV					
ANCHORAGE AK USA	S	150W01 48	62N19 48	ALS	1	TR	CV	47	0.6	128		
					2	TW	CV					
UNST UK	S	000W51 36	60N45 00	G	1	TR	CV	47	0.6	128		
					2	TW	CV					
PETERBOROUGH	S	138E51 00	32S57 36	AUS	1	TR	CV	47	0.6	128		
					2	TW	CV					
NANGETTY AUSTRALIA	S	115E20 24	29S00 36	AUS	1	TR	CV	47	0.6	128		
					2	TW	CV					
BLONDUOS ICELAND	S	020W15 00	65N39 00	ISL	1	TR	CV	47	0.6	128		
					2	TW	CV					
RIPAILLES MAURITIUS	S	057E41 24	20S08 24	MAU	1	TR	CV	47	0.6	128		
					2	TW	CV					
LA PAZ MEXICO	S	110W20 12	24N06 00	MEX	1	TR	CV	47	0.6	128		
					2	TW	CV					

C10d5a Co-polar antenna pattern							
C10b1 Assoc. earth station id.	Co-polar ref. pattern	Coef. A	Coef. B	Coef. C	Coef. D	Phi1	Co-polar rad. diag.
PUNTA ARENAS LEAF CHILE	REC-465-5						
FAIRBANKS AK	REC-465-5						
PUNTA ARENAS KSAT CHILE	REC-465-5						
HARTEBEESTHOEK SOUTH AFRICA	REC-465-5						
SANTA MARIA AZORES	REC-465-5						
AWARUA LEAF NZ	REC-465-5						
BAKU AZERBAIJAN	REC-465-5						
PRETORIA SOUTH AFRICA	REC-465-5						
MINGENEW AUS	REC-465-5						
AWARUA KSAT NZ	REC-465-5						

E_TSUM Requested by: MIKE Date: 13.05.2026 08:51:05 DB: XL Demo SC May 13.mdb Plan Id.: Notice type: NONGEO

A A1a Sat. Network CONDORXL0 A1f1 Notif. adm. USA A1f3 Inter. sat. org. BR1 Date of receipt 04.03.2026 BR20 BR IFIC no.

BR6a/BR6b Id. no. 1 BR3a Provision reference 9.1/IA BR2 Adm. serial no. TCD1 E

HAWAII USA	REC-465-5						
PUERTOLLANO SPAIN	REC-465-5						
SVALBARD NORWAY	REC-465-5						
LAS CRUCES USA	REC-465-5						
LONGOVILO CHILE	REC-465-5						
ANCHORAGE AK USA	REC-465-5						
UNST UK	REC-465-5						
PETERBOROUGH	REC-465-5						
NANGETTY AUSTRALIA	REC-465-5						
BLONDUOS ICELAND	REC-465-5						
RIPAILLES MAURITIUS	REC-465-5						
LA PAZ MEXICO	REC-465-5						

13C Remarks

B1a/BR17 Beam designation TCD2 B1b Steerable B2 Emi-Rcp E B3a1 Max. co-polar gain 2

B2a1 Transmit only when visible from notified service area Y B2a2 Min. Elev. Angle 5

B3c1 Co-polar antenna pattern						
Co-polar ref. pattern	Coef. A	Coef. B				Co-polar rad. diag.
REC-1528						

List of orbital planes
1

B4a3a1 Angle alpha B4a3a2 Angle beta

BR92 Attach. for missing angle alpha/beta

E_TSUM Requested by: MIKE Date: 13.05.2026 08:51:05 DB: XL Demo SC May 13.mdb Plan Id.: Notice type: NONGEO

A A1a Sat. Network CONDORXL0 A1f1 Notif. adm. USA A1f3 Inter. sat. org. BR1 Date of receipt 04.03.2026 BR20 BR IFIC no.

BR6a/BR6b Id. no. 1 BR3a Provision reference 9.1/IA BR2 Adm. serial no. TCD2 E

BR7a/BR7b Group id. 10 BR1 Date of receipt 04.03.2026 C2c RR No. 4.4

BR14 Special Section

C4a Class of station ER EW C3a Assigned freq. band

C4b Nature of service CV CV C6a Polarization type CR C6b Polarization angle

C8d1 Max. tot. peak pwr. C8d2 Contiguous bandwidth

C11a2 Service area AFS, ALS, AUS, AZE, AZR, CHL, E, GCA, HWA, ISL, MAU, MEX, NOR, NZL, USA C11a1 Service area no.

A2b Period of valid. 2 A3a Op. agency 772 A3b Adm. resp. A BR16 Value of type C8b

BR96 Start date for 9.1/9.1A

BR62 Expiry date for bringing into use 11.44/11.44.1

C1 Frequency Range			
C1a Lower limit		C1b Upper limit	
8388.6	MHz	8391.4	MHz

C7a Design. of emission	C8a1/C8b1 Max. peak pwr	C8a2/C8b2 Max. pwr dens.	C8c1 Min. peak pwr	C8c2 Atch.	C8c3 Min. pwr dens.	C8c4 Atch.	C8e1 C/N ratio	C8e2 Atch.	C8f1 E.i.r.p. on the beam axis
1 2M80G1D--	-5	-66.5	-5		-66.5		10		

C7b Carrier frequency of the emissions (2M80G1D--)													
8390	MHz												

C10b1 Assoc. earth station id.	C10b2 Type	C10c1 Geographical coord.		C10c2 Ctry	C10d1/C10d2 Cls. / Nat.		C10d3 Max. iso. gain	C10d4 Bmwdth	C10d6 Noise temp.		
PUNTA ARENAS LEAF CHILE	S	070W50 50	53S02 28	CHL	1 TR	CV	47	0.6	128		
FAIRBANKS AK	S	147W44 09	64N49 04	ALS	1 TR	CV	50.5	0.49	119		
PUNTA ARENAS KSAT CHILE	S	070W52 12	52S56 11	CHL	1 TR	CV	47.6	0.66	140		
					2 TW	CV					

E_TSUM Requested by: MIKE		Date: 13.05.2026 08:51:05	DB: XL Demo SC May 13.mdb	Plan Id.:	Notice type: NONGEO
A	A1a Sat. Network	CONDORXL0	A1f1 Notif. adm.	USA	A1f3 Inter. sat. org.
			BR1 Date of receipt	04.03.2026	BR20 BR IFIC no.
BR6a/BR6b Id. no.		1	BR3a Provision reference	9.1/IA	BR2 Adm. serial no.
				TCD2	E

HARTEBEESTHOEK SOUTH AFRICA	S	027E42 20	25S53 10	AFS	1	TR	CV	47.6	0.66	140
					2	TW	CV			
SANTA MARIA AZORES	S	025W08 14	36N59 51	AZR	1	TR	CV	47	0.6	128
					2	TW	CV			
AWARUA LEAF NZ	S	168E22 45	46S31 41	NZL	1	TR	CV	47	0.6	128
					2	TW	CV			
BAKU AZERBAIJAN	S	049E29 09	40N27 59	AZE	1	TR	CV	47	0.6	128
					2	TW	CV			
PRETORIA SOUTH AFRICA	S	028E27 14	25S51 37	AFS	1	TR	CV	47	0.6	128
					2	TW	CV			
MINGENEW AUS	S	115E20 24	29S00 36	AUS	1	TR	CV	50.5	0.49	119
					2	TW	CV			
AWARUA KSAT NZ	S	168E22 45	46S31 41	NZL	1	TR	CV	47.6	0.66	140
					2	TW	CV			
HAWAII USA	S	156W27 00	20N49 12	HWA	1	TR	CV	47.6	0.66	140
					2	TW	CV			
PUERTOLLANO SPAIN	S	004W09 36	38N40 12	E	1	TR	CV	47.6	0.66	140
					2	TW	CV			
SVALBARD NORWAY	S	015E24 40	78N13 53	NOR	1	TR	CV	47.6	0.66	140
					2	TW	CV			
LAS CRUCES USA	S	106W54 36	32N16 12	USA	1	TR	CV	47.6	0.66	140
					2	TW	CV			
LONGOVILO CHILE	S	071W24 00	33S57 36	CHL	1	TR	CV	47.6	0.66	140
					2	TW	CV			
ANCHORAGE AK USA	S	150W01 48	62N19 48	ALS	1	TR	CV	47	0.6	128
					2	TW	CV			
UNST UK	S	000W51 36	60N45 00	G	1	TR	CV	47	0.6	128
					2	TW	CV			

E_TSUM Requested by: MIKE		Date: 13.05.2026 08:51:05	DB: XL Demo SC May 13.mdb	Plan Id.:	Notice type: NONGEO
A	A1a Sat. Network	CONDORXL0	A1f1 Notif. adm.	USA	A1f3 Inter. sat. org.
			BR1 Date of receipt	04.03.2026	BR20 BR IFIC no.
BR6a/BR6b Id. no.		1	BR3a Provision reference	9.1/IA	BR2 Adm. serial no.
					TCD2 E

PETERBOROUGH	S	138E51 00	32S57 36	AUS	1	TR	CV	47	0.6	128		
					2	TW	CV					
NANGETTY AUSTRALIA	S	115E20 24	29S00 36	AUS	1	TR	CV	47	0.6	128		
					2	TW	CV					
BLONDUOS ICELAND	S	020W15 00	65N39 00	ISL	1	TR	CV	47	0.6	128		
					2	TW	CV					
RIPAILLES MAURITIUS	S	057E41 24	20S08 24	MAU	1	TR	CV	47	0.6	128		
					2	TW	CV					
LA PAZ MEXICO	S	110W20 12	24N06 00	MEX	1	TR	CV	47	0.6	128		
					2	TW	CV					

C10d5a Co-polar antenna pattern							
C10b1 Assoc. earth station id.	Co-polar ref. pattern	Coef. A	Coef. B	Coef. C	Coef. D	Phi1	Co-polar rad. diag.
PUNTA ARENAS LEAF CHILE	REC-465-5						
FAIRBANKS AK	REC-465-5						
PUNTA ARENAS KSAT CHILE	REC-465-5						
HARTEBEESTHOEK SOUTH AFRICA	REC-465-5						
SANTA MARIA AZORES	REC-465-5						
AWARUA LEAF NZ	REC-465-5						
BAKU AZERBAIJAN	REC-465-5						
PRETORIA SOUTH AFRICA	REC-465-5						
MINGENEW AUS	REC-465-5						
AWARUA KSAT NZ	REC-465-5						
HAWAII USA	REC-465-5						
PUERTOLLANO SPAIN	REC-465-5						
SVALBARD NORWAY	REC-465-5						
LAS CRUCES USA	REC-465-5						
LONGOVILO CHILE	REC-465-5						
ANCHORAGE AK USA	REC-465-5						

E TSUM Requested by: MIKE		Date: 13.05.2026 08:51:05		DB: XL Demo SC May 13.mdb		Plan Id.:		Notice type: NONGEO	
A	A1a Sat. Network	CONDORXL0	A1f1 Notif. adm.	USA	A1f3 Inter. sat. org.		BR1 Date of receipt	04.03.2026	BR20 BR IFIC no.
BR6a/BR6b Id. no.		1	BR3a Provision reference		9.1/IA		BR2 Adm. serial no.		
							TCD2		E

UNST UK	REC-465-5						
PETERBOROUGH	REC-465-5						
NANGETTY AUSTRALIA	REC-465-5						
BLONDUOS ICELAND	REC-465-5						
RIPAILLES MAURITIUS	REC-465-5						
LA PAZ MEXICO	REC-465-5						

13C Remarks

C9 Modulation characteristics	C7a Designation of emission 280KG1D--
C9a1 Type of modulation	OQPSK
C9a2a Lowest frequency	
C9a2b Highest frequency	
C9a2c Frequency deviation	
C9a3a Freq. deviation of the pre-emphasized signal	
C9a3b Pre-emphasis characteristics	
C9a3c Type of multiplexing	
C9a4a Bit rate	
C9a4b Number of phases	
C9a5a Modulating signal attached (see attech. no.)	
C9a5b Amplitude modulation	
C9a6a Peak-to-peak freq. dev.	
C9a6b Sweep frequency	
C9a6c Energy dispersal waveform	
C9a7 Type of energy dispersal	
C9a8 Other types of modulation (see attech. no.)	
C9a9 TV standard	
BR7a Group id.	8

E_TSUM Requested by: MIKE		Date: 13.05.2026 08:51:05	DB: XL Demo SC May 13.mdb	Plan Id.:	Notice type: NONGEO
A	A1a Sat. Network	CONDORXL0	A1f1 Notif. adm.	USA	A1f3 Inter. sat. org.
			BR1 Date of receipt	04.03.2026	BR20 BR IFIC no.
BR6a/BR6b Id. no.		1	BR3a Provision reference	9.1/IA	BR2 Adm. serial no.
					TCD2 E

C9 Modulation characteristics	C7a Designation of emission 2M80G1D--
C9a1 Type of modulation	OQPSK
C9a2a Lowest frequency	
C9a2b Highest frequency	
C9a2c Frequency deviation	
C9a3a Freq. deviation of the pre-emphasized signal	
C9a3b Pre-emphasis characteristics	
C9a3c Type of multiplexing	
C9a4a Bit rate	
C9a4b Number of phases	
C9a5a Modulating signal attached (see attch. no.)	
C9a5b Amplitude modulation	
C9a6a Peak-to-peak freq. dev.	
C9a6b Sweep frequency	
C9a6c Energy dispersal waveform	
C9a7 Type of energy dispersal	
C9a8 Other types of modulation (see attch. no.)	
C9a9 TV standard	
BR7a Group id.	1, 10

C9 Modulation characteristics	C7a Designation of emission 300MG1D--
C9a1 Type of modulation	OQPSK
C9a2a Lowest frequency	
C9a2b Highest frequency	
C9a2c Frequency deviation	
C9a3a Freq. deviation of the pre-emphasized signal	
C9a3b Pre-emphasis characteristics	
C9a3c Type of multiplexing	
C9a4a Bit rate	
C9a4b Number of phases	
C9a5a Modulating signal attached (see attch. no.)	
C9a5b Amplitude modulation	
C9a6a Peak-to-peak freq. dev.	
C9a6b Sweep frequency	
C9a6c Energy dispersal waveform	
C9a7 Type of energy dispersal	
C9a8 Other types of modulation (see attch. no.)	
C9a9 TV standard	
BR7a Group id.	13

E_TSUM Requested by: MIKE		Date: 13.05.2026 08:51:05	DB: XL Demo SC May 13.mdb	Plan Id.:	Notice type: NONGEO
A	A1a Sat. Network	CONDORXL0	A1f1 Notif. adm.	USA	A1f3 Inter. sat. org.
			BR1 Date of receipt	04.03.2026	BR20 BR IFIC no.
BR6a/BR6b Id. no.		1	BR3a Provision reference	9.1/IA	BR2 Adm. serial no.
				TCD2	E

C9 Modulation characteristics	C7a Designation of emission 980KG1D--
C9a1 Type of modulation	8-PSK
C9a2a Lowest frequency	
C9a2b Highest frequency	
C9a2c Frequency deviation	
C9a3a Freq. deviation of the pre-emphasized signal	
C9a3b Pre-emphasis characteristics	
C9a3c Type of multiplexing	
C9a4a Bit rate	
C9a4b Number of phases	
C9a5a Modulating signal attached (see attch. no.)	
C9a5b Amplitude modulation	
C9a6a Peak-to-peak freq. dev.	
C9a6b Sweep frequency	
C9a6c Energy dispersal waveform	
C9a7 Type of energy dispersal	
C9a8 Other types of modulation (see attch. no.)	
C9a9 TV standard	
BR7a Group id.	12

BR22 Administration remarks	
BR23 Radiocommunication Bureau comments	