

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WL9XXI

(Call Sign)

XT MO

(Class of Station)

1414-EX-ST-2017

(File Number)

NAME Orbital ATK

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

Radio frequency emitters on the launch vehicle serve 2 operational purposes. One purpose is to provide telemetry (S-Band), which is used to monitor launch vehicle health and status and to

Station Locations

- (1) MOBILE: California, VAFB, SLC-576E, within 2 km, centered around NL 34-44-24; WL 120-37-09
- (2) MOBILE: California: VAFB, SLC-576E, within 2 km, centered around NL 34-44-24; WL 120-37-09

Frequency Information

MOBILE: California, VAFB, SLC-576E, within 2 km, centered around NL 34-44-24; WL 120-37-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2268.609-2270.391 MHz	MO	1M78F1D	6.15 W (ERP)	0.002 %
2288.091-2288.909 MHz	MO	818KF1D	6.01 W (ERP)	0.002 %

This authorization effective October 08, 2017 and
will expire 3:00 A.M. EST November 09, 2017

**FEDERAL
COMMUNICATIONS
COMMISSION**



Frequency Information

MOBILE: California: VAFB, SLC-576E, within 2 km, centered around NL 34-44-24; WL 120-37-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5758-5772 MHz	MO	14M0P0N	426.7 W (ERP)	2 %

Special Conditions:

- (1) All operations shall be limited to telemetry, tracking and launch vehicle communications for the minotaur-C launch of the Skybox-1 payload. This STA is limited to a single minotaur-C launch. This STA will expire as soon as the launch has been completed or 8 November 2017, whichever occurs first. Any future launches will need to submit applications to the FCC to be re-coordinated with the NTIA.
- (2) All transmissions in the band 2200-2290 MHz shall comply with national and international power flux density limits, unless otherwise coordinated and agreed to. PFD analysis and exceedances shall be provided in the FCC application and provided to the NTIA for US Government review.
- (3) Orbital ATK shall be aware that future non-federal launches will be considered on a case-by-case basis, especially for requests in the band 2200-2290 MHz, and Orbital ATK shall have no expectations that future launches will be approved.
- (4) Due to potential harmful interference to naval activities, Orbital ATK RF operations plan shall be submitted, at least 60 days prior to planned launch date, to the Naval Surface Warfare Center, Dahlgren Division (NSWCDD), Mr. James Moneyhon (540)653-3477, or james.moneyhon@navy.mil, for assessment. A blackout zone of 1500 nautical mile radius, centered at 22N160W, shall be assumed, unless otherwise coordinated with, and agreed to, by the NSWCDD. Orbital ATK must also comply with any and all restrictions that may be levied by the Naval Surface Warfare Center, Dahlgren Division (NSWCDD).
- (5) As soon as possible, but no later than 60 business days prior to the planned launch, Orbital ATK is required to provide, as a minimum, launch date/time/window and planned first- and second-stage trajectory, transmission frequencies with associated duration/cut-off time to Jimmy Nguyen (jimmy.nguyen@us.af.mil, AFSMO), Scott Galbraith (vincent.s.galbraith@nasa.gov, NASA/GSFC), NOAA Satellite Operations Control Center (philip.l.whaley@noaa.gov), Johnnie Best, (johnnie.w.best1@navy.mil, NMSC), and Cathy Sham (catherine.c.sham@nasa.gov). In the event of last-minute changes, 48-hour notice is required.

Special Conditions:

- (6) Prior to operating at Vandenberg Air Force Base in California, Orbital ATK shall ensure proper UDS documentation is established to support their operations and send a letter to 2 ROPS/DOS officially appointing schedulers to interface with the Western Range Scheduling Office. After this documentation is in place, Orbital ATK schedulers can coordinate and schedule operations by contacting the Western Range Scheduling Office, 2 ROPS/DOS, at 2ROPS.DOS@us.af.mil or (805) 606-8825
- (7) The STOP BUZZER POC information, for launch operations shall be provided to NTIA (bmitchell@ntia.doc.gov). This phone shall be manned 24/7.
- (8) Orbital ATK shall keep a log of all transmissions in the band 2200-2290 MHz and provide to the NTIA after the mission. This log shall include, as a minimum, at least date, time, frequency, EIRP density, pointing direction of all antennas. The log shall be provided to the following NTIA personnel no later than three (3) weeks after completing the mission: bmitchell@ntia.doc.gov and edrocella@ntia.doc.gov.