

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WH9XTZ

(Call Sign)

XT MO

(Class of Station)

0594-EX-ST-2014

(File Number)

NAME Panasonic Avionics Corporation

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

EMI testing

Station Locations

- (1) MOBILE: Chennault International Airport, Lake Charles, LA, within 1 km, centered around NL 30-12-59; WL 93-09-52
- (2) MOBILE: Miami International Airport, FL, within 1 km, centered around NL 25-48-25; WL 80-17-01

Frequency Information

MOBILE: Chennault International Airport, Lake Charles, LA, within 1 km, centered around NL 30-12-59; WL 93-09-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
410-420 MHz	MO	1M00N0N	13.7 W (ERP)	
450-460 MHz	MO	1M00N0N	13.7 W (ERP)	

This authorization effective August 19, 2014 and
will expire 3:00 A.M. EST February 19, 2015

**FEDERAL
COMMUNICATIONS
COMMISSION**



Frequency Information

MOBILE: Chennault International Airport, Lake Charles, LA, within 1 km, centered around NL 30-12-59; WL 93-09-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
450.4-457.6 MHz	MO	1M00P0N	29.5 W (ERP)	
479-484 MHz	MO	1M00N0N	13.7 W (ERP)	
776-794 MHz	MO	1M00N0N	13.7 W (ERP)	
806-849 MHz	MO	1M00N0N	13.7 W (ERP)	
824-849 MHz	MO	1M00N0N	13.7 W (ERP)	
824-849 MHz	MO	1M00P0N	29.5 W (ERP)	
870-925 MHz	MO	1M00N0N	13.7 W (ERP)	
876-915 MHz	MO	1M00P0N	29.5 W (ERP)	
1613.8-1626.5 MHz	MO	1M00P0N	13.7 W (ERP)	
1710-1785 MHz	MO	1M00N0N 1M00P0N	13.7 W (ERP)	

Frequency Information

MOBILE: Chennault International Airport, Lake Charles, LA, within 1 km, centered around NL 30-12-59; WL 93-09-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1850-1910 MHz	MO	1M00N0N 1M00P0N	13.7 W (ERP)	
1900-1920 MHz	MO	1M00P0N	1.8 W (ERP)	
1920-1980 MHz	MO	1M00N0N	13.7 W (ERP)	
2010-2025 MHz	MO	1M00P0N	1.8 W (ERP)	
2110-2170 MHz	MO	1M00N0N	1.8 W (ERP)	
2400-2497 MHz	MO	1M00P0N	2.9 W (ERP)	
2500-2685 MHz	MO	1M00P0N 1M00N0N	13.7 W (ERP)	
3400-3600 MHz	MO	1M00P0N 1M00N0N	13.7 W (ERP)	
5150-5250 MHz	MO	1M00P0N	2.9 W (ERP)	

Frequency Information

MOBILE: Chennault International Airport, Lake Charles, LA, within 1 km, centered around NL 30-12-59; WL 93-09-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5250-5350 MHz	MO	1M00P0N	2.9 W (ERP)	
5470-5725 MHz	MO	1M00P0N	2.9 W (ERP)	
5725-5825 MHz	MO	1M00P0N	2.9 W (ERP)	

MOBILE: Miami International Airport, FL, within 1 km, centered around NL 25-48-25; WL 80-17-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
410-420 MHz	MO	1M00N0N	13.7 W (ERP)	
450-460 MHz	MO	1M00N0N	13.7 W (ERP)	
450.4-457.6 MHz	MO	1M00P0N	29.5 W (ERP)	
479-484 MHz	MO	1M00N0N	13.7 W (ERP)	
776-794 MHz	MO	1M00N0N	13.7 W (ERP)	
806-849 MHz	MO	1M00N0N	13.7 W (ERP)	

Frequency Information

MOBILE: Miami International Airport, FL, within 1 km, centered around NL 25-48-25; WL 80-17-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
824-849 MHz	MO	1M00N0N	13.7 W (ERP)	
824-849 MHz	MO	1M00P0N	29.5 W (ERP)	
870-925 MHz	MO	1M00N0N	13.7 W (ERP)	
876-915 MHz	MO	1M00P0N	29.5 W (ERP)	
1613.8-1626.5 MHz	MO	1M00P0N	13.7 W (ERP)	
1710-1785 MHz	MO	1M00N0N 1M00P0N	13.7 W (ERP)	
1850-1910 MHz	MO	1M00N0N 1M00P0N	13.7 W (ERP)	
1900-1920 MHz	MO	1M00P0N	1.8 W (ERP)	
1920-1980 MHz	MO	1M00N0N	13.7 W (ERP)	
2010-2025 MHz	MO	1M00P0N	1.8 W (ERP)	

Frequency Information

MOBILE: Miami International Airport, FL, within 1 km, centered around NL 25-48-25; WL 80-17-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2110-2170 MHz	MO	1M00N0N	1.8 W (ERP)	
2400-2497 MHz	MO	1M00P0N	2.9 W (ERP)	
2500-2685 MHz	MO	1M00P0N 1M00N0N	13.7 W (ERP)	
3400-3600 MHz	MO	1M00P0N 1M00N0N	13.7 W (ERP)	
5150-5250 MHz	MO	1M00P0N	2.9 W (ERP)	
5250-5350 MHz	MO	1M00P0N	2.9 W (ERP)	
5470-5725 MHz	MO	1M00P0N	2.9 W (ERP)	
5725-5825 MHz	MO	1M00P0N	2.9 W (ERP)	

Special Conditions:

- (1) Operation in the 824-849 or 869-894 MHz band requires consent of local cellular licensee(s) to avoid interference.
- (2) Operation requires consent of affected Educational Broadband Service/Broadband Radio Service (EBS/BRS) licensees.

Special Conditions:

- (3) Operation is subject to prior coordination with the Society of Broadcast Engineers, Inc. (SBE); ATTN: Executive Director; 9102 North Meridian Street, Suite 305; Indianapolis, IN 46260; telephone, (866) 632-4222; FAX, (317) 846-9120; e-mail, executivedir@sbe.org; information, www.sbe.org.
- (4) Operation in the 1710-1755 or 2110-2155 MHz band requires consent of local Advanced Wireless Service (AWS) licensee(s) to avoid interference.
- (5) Panasonic Aviation must notch out the following in Lake Charles, LA:
 - a. In the 410 - 420 MHz band +/- 12.5 kHz:
 1. 410.3000 MHz
 2. 413.1125 MHz
 - b. In the 5470 - 5725 MHz band:
 1. 5600 - 5650 MHz band
- (6) Panasonic Aviation must notch out the following in Miami, FL:
 - a. In the 410 – 420 MHz band +/- 12.5 kHz:
 1. 410.0375 MHz
 2. 410.2500 MHz
 3. 410.3000 MHz
 4. 410.6250 MHz
 5. 411.2250 MHz
 6. 411.3750 MHz
 7. 411.4500 MHz
 8. 411.6625 MHz
 9. 412.0000 MHz
 10. 412.8000 MHz
 11. 413.0500 MHz
 12. 413.1125 MHz
 13. 413.6000 MHz
 14. 413.6375 MHz
 15. 413.8375 MHz
 16. 414.0125 MHz
 17. 415.0000 MHz
 18. 415.1250 MHz
 19. 415.2250 MHz
 20. 415.2570 MHz
 21. 416.8750 MHz
 22. 418.5250 MHz
 23. 419.0250 MHz
 24. 419.0375 MHz
 - b. In the 5470 – 5725 MHz band:
 1. 5575 – 5650 MHz band
- (7) Panasonic Aviation must notch out the following in both locations:
 - a. 410.075 +/- 12.5 kHz
 - b. 1613.5 - 1625.5 MHz band