

Report for NG T170319 (APP Database)

** Date Printed: 7/12/2017 1:16:33PM **

DKT	SEC	TYP	RTN	STT	DEC	LSR	ACN	DAT	
		N		HA				10-JUL-17	
CLA	CDD	FRQ	BIN	SER	BUR	NET	MBR	FOI	EXD
U		M9010.0000		NG T170319	FCC				31-JUL-2019
STC	EMS	PWR	NTS	AUS			AUD		RVD
XT	4M70Q3N	K953.00000	C089						
XT	7M10Q3N	K953.00000							
XSC	XAL		XLA	XLG		XAD (feet)			
MA	BURLINTON		422858.00N	0711157.00W		40GPHASEDARRY00225H0036T			
XRC	XCL	XAP	XAZ	SPD		TME	ICI		MSD
RAYTHEON		S	R			1			
RSC	RAL			RLA	RLG		RAD		
MA	BURLINGTON			422858.00N	0711157.00W				
RRC	ACL	RAP	RAZ	REM					
				*PRR,3.906K					
				*FLN,0431-EX-CN-2017					
				*EQT,U,RAY LPR3,TC,PD6/55					
				*EQR,C,RAY LPR3					
				*AGN,+POWER IS ERP					
				*AGN,+SEE SUP FOR OPS CONDITIONS					
				*AGN,+COUNTY OF MIDDLESEX					
				*NTS,M018,FAA ,170710,TAHN,NG T170319					
SUP									
XT STATION USED FOR DEVELOPMENTAL RADAR TESTING RADAR ON ROOFTOP ANTENNA									
BORESITE 288 DEGREES +/- 20 DEGREES AZIMUTH ELECTRONICALLY SCANNED HORI									
Z BORESITE +/- 45 DEGREES VERT 0 TO 30 DEGREES WAVEFORM IS COMBINATION O									
F LFM CHIRP AND NLFM CHIRP PULSE SEQUENCE REQUIRES 12MHZ OF SPECTRUM A M									
INIMUM OF 2 FREQUENCIES IS REQUIRED SEPARATED BY 12 MHZ ERP IS 953.4 KW									
PEAK STOP BUZZER POC IS NATHAN MILLER 507-421-9830 ALTERNATE STOP BUZZER									
IS KAREN DYBERG 508-450-9236									
FAS									
FAU									
CMT									
TRACKING NUMBER: TRK 170772, REQUESTOR INFORMATION: KAREN DYBERG,									
KAREN.DYBERG@RAYTHEON.COM, 508-490-2723:EXPIRES ON 07/10/2018.									
ECK									
WARNING:PWR Greater than 200W.									
WARNING:STC must equal ALS.									
WARNING:FA is blank									
SRS	SEX								
RDL1	RDL2	DIST	MIN	MAX					

History

06/21/17	16:15:40	HQ	/A	4	RN	Record Added via webFCR
06/21/17	16:25:24	HQ	AR	4	HC	CHANGED:EQR01,REM03,REM04
07/10/17	10:43:24	HQ	TA	4	HC	CHANGED:PWR01,PWR02,REM01,REM05,REM06,REM07
07/10/17	10:53:21	HQ	Ca	4	HI	CHANGED:XAZ,REM01
07/10/17	15:28:42	HQ	TA	4	HA	CHANGED:EQR01,REM03,REM04
07/10/17	15:28:42	HQ	TA	4	HA	Changed:REM08

----- Report End -----

Report for NG T170320 (APP Database)

* * Date Printed: 7/12/2017 1:16:33PM * *

DKT	SEC	TYP	RTN	STT	DEC	LSR	ACN	DAT	
		N		HA				10-JUL-17	
CLA	CDD	FRQ	BIN	SER	BUR	NET	MBR	FOI	EXD
U		M9190.0000		NG T170320	FCC				31-JUL-2019
STC	EMS	PWR	NTS	AUS			AUD		RVD
XT	4M70Q3N	K953.00000	C089						
XT	7M10Q3N	K953.00000							
XSC	XAL		XLA	XLG			XAD (feet)		
MA	BURLINTON		422858.00N	0711157.00W			40GPHASEDARRY00225H0036T		
XRC	XCL	XAP	XAZ	SPD			TME	ICI	MSD
RAYTHEON		S	288				1		
RSC	RAL			RLA	RLG		RAD		
MA	BURLINGTON			422858.00N	0711157.00W				
RRC	ACL	RAP	RAZ	REM					
				*PRR,3906					
				*FLN,0431-EX-CN-2017					
				*EQT,U,RAY LPR3,TC,PD6/55					
				*EQR,C,RAY LPR3					
				*AGN,+SEE SUP FOR OPS CONDITIONS					
				*AGN,+POWER IS ERP					
				*AGN,+COUNTY OF MIDDLESEX					
				*NTS,M018,FAA ,170710,TAHN,NG T170320					
SUP									
XT STATION USED FOR DEVELOPMENTAL RADAR TESTING RADAR ON ROOFTOP ANTENNA									
BORESITE 288 DEGREES +/- 20 DEGREES AZIMUTH ELECTRONICALLY SCANNED HORI									
Z BORESITE +/- 45 DEGREES VERT 0 TO 30 DEGREES WAVEFORM IS COMBINATION O									
F LFM CHIRP AND NLFM CHIRP PULSE SEQUENCE REQUIRES 12MHZ OF SPECTRUM A M									
INIMUM OF 2 FREQUENCIES IS REQUIRED SEPARATED BY 12 MHZ ERP IS 953.4 KW									
PEAK STOP BUZZER POC IS NATHAN MILLER 507-421-9830 ALTERNATE STOP BUZZER									
IS KAREN DYBERG 508-450-9236									
FAS									
FAU									
CMT									
EXPIRES ON 07/10/2018.									
ECK									
WARNING:XAZ must equal 'R'.									
WARNING:PWR Greater than 200W.									
WARNING:STC must equal ALS.									
WARNING:REM[1] *PRR (3906) has an Unacceptable Format.									
WARNING:FA is blank									
SRS	SEX								
RDL1	RDL2	DIST	MIN	MAX					

History

06/21/17	16:24:00	HQ	/A	4	RN	Record Added via webFCR
07/10/17	15:31:10	HQ	TA	4	HC	CHANGED:PWR01,PWR02
07/10/17	15:53:27	HQ	TA	4	HA	SAVED:No Changes
07/10/17	15:53:28	HQ	TA	4	HA	Changed:REM08

----- Report End -----