

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
RADIO STATION CONSTRUCTION PERMIT
AND LICENSE**

EXPERIMENTAL

(Nature of Service)

WF2XLH

(Call Sign)

XD FX

(Class of Station)

0284-EX-RR-2012

(File Number)

NAME Raytheon Missile Systems

Subject to the provisions of the Communications Act of 1934, subsequent acts, and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions and requirements set forth in this license, the licensee hereof is hereby authorized to use and operate the radio transmitting facilities hereinafter described for radio communications in accordance with the program of experimentation described by the licensee in its application for license.

Operation: In accordance with Sec. 5.3(f, g, i) of the Commission's Rules

Station Locations

(1) Tucson (PIMA), AZ - NL 32-06-15; WL 110-57-13

Frequency Information

Tucson (PIMA), AZ - NL 32-06-15; WL 110-57-13

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
200-2000 MHz	FX	NON	200 mW (ERP)	
2000-18000 MHz	FX	NON	5 W (ERP)	

Special Conditions:

- (1) Operation on frequency assignments in one of the bands 1435-1535 or 2310-2390 MHz was coordinated prior to authorization with the Western Area Frequency Coordinator (WAFC), Point Mugu, CA, who also coordinated it, as appropriate, with the Aerospace and Flight Test Radio Coordinating Council. Use of this frequency under the authority of this assignment is subject to such further coordination with the WAFC as necessary to ensure compatibility with existing uses.
- (2) Subject to coordination with the Area Frequency Coordinator, located at the Army Electronic Proving Ground, Ft. Huachuca, Arizona, prior to use within the State of Arizona. Phone: 602-538-6423.

This authorization effective October 13, 2012 and
will expire 3:00 A.M. EST October 01, 2014

**FEDERAL
COMMUNICATIONS
COMMISSION**



Special Conditions:

- (3) The station identification requirements of Section 5.115 of the Commission's Rules are waived.
- (4) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (5) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (6) Operation is subject to prior coordination with the Society of Broadcast Engineers, Inc. (SBE); ATTN: Executive Director; 9102 North Meridian Street, Suite 305; Indianapolis, IN 46260; telephone, (866) 632-4222; FAX, (317) 846-9120; e-mail, executivedir@sbe.org; information, www.sbe.org.
- (7) Stop Buzzer: 520-794-0875
- (8) Operation is subject to prior coordination with Fixed Microwave and Auxiliary Broadcasting licensees.
- (9) Maintain separation from grandfathered earth stations as defined in Part 90 subpart Z, or coordinate an agreement with the grandfathered earth station licensee in the 3650-3700 MHz.
- (10) Licensee should get consent from existing and future from Educational Broadband Service, Broadband Radio Service and Advanced Wireless Service licensees.
- (11) Operations are not permitted in the following frequencies:

225.0875-225.1125 MHz, 225.2875-225.3125 MHz, 225.5875-225.6125 MHz, 229.0375-229.0625 MHz, 233.4625-233.4875 MHz, 238.4875-238.5125 MHz, 238.5875-238.6125 MHz, 242.9750-243.0250 MHz, 260.2625-260.2875 MHz, 261.1875-261.2125 MHz, 265.2625-265.2875 MHz, 270.0875-270.1125 MHz, 270.6875-270.7125 MHz, 275.2625-275.2875 MHz, 275.8875-275.9125 MHz, 326.7625-326.7875 MHz, 327.6875-327.7125 MHz, 331.9875-332.0125 MHz, 361.4875-361.5125 MHz, 372.1875-372.2125 MHz, 384.9625-384.9875 MHz, 395.0875-395.1125 MHz, 1019-1042 MHz, 1083-1097 MHz, 1216-1237 MHz, 1558-1610 MHz, 2700-2775 MHz, 7210-7240 MHz, 8285-8315 MHz, 15.138-15.174 GHz, and 15.240-15.276 GHz.
- (12) Use of frequencies under the authority of this assignment is subject to further coordination with the FAA Western Coordinator, Los Angeles, CA, as necessary to ensure compatibility with existing uses.
- (13) DO NOT CONDUCT TESTING ON ANY ONE FREQUENCY FOR MORE THAN 240 MINUTES PER YEAR.
- (14) THE ANTENNA BEAMWIDTH SHALL BE LIMITED TO 50 DEGREES AT 2 GHZ.
- (15) EXISTING PRECAUTIONS ARE TO REMAIN IN PLACE SUCH AS REFLECTOR TOWARD AIRPORT ALONG WITH OTHER EXISTING PRECAUTIONS TO REDUCE RFI POTENTIAL.
- (16) COORDINATE WITH FAA, SYDNEY BRADFIELD.
- (17) LIMITED TO 30 MILLIWATT CW TRANSMISSIONS NOT TO EXCEED SEVEN MILLISECONDS IN DURATION PER FREQUENCY STEP, TRANSMISSION STEPS ARE IN NO LESS THAN 5 MHZ INCREMENTS.
- (18) USE ANTENNAS THAT WILL COVER THE MINIMUM FREQUENCY RANGES NECESSARY.

Special Conditions:

- (19) LIMIT TESTING AS MUCH AS POSSIBLE TO ONLY 15 FREQUENCIES TESTED PER DAY.