

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WH9XVC

(Call Sign)

XT MO

(Class of Station)

0714-EX-ST-2014

(File Number)

NAME Rice University

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

To test and demonstrate experimental software defined radio platform.

Station Locations

- (1) MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41
- (2) MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41
- (3) MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41
- (4) MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41
- (5) MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41
- (6) MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41
- (7) MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41
- (8) MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41
- (9) MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41
- (10) MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

This authorization effective September 05, 2014 and
will expire 3:00 A.M. EST September 16, 2014

**FEDERAL
COMMUNICATIONS
COMMISSION**



Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
518-524 MHz	MO	5M00D7D	0.06 W (ERP)	
524-530 MHz	MO	5M00D7D	0.06 W (ERP)	
536-542 MHz	MO	5M00D7D	0.06 W (ERP)	
542-548 MHz	MO	5M00D7D	0.06 W (ERP)	
554-560 MHz	MO	5M00D7D	0.06 W (ERP)	
560-566 MHz	MO	5M00D7D	0.06 W (ERP)	
566-572 MHz	MO	5M00D7D	0.06 W (ERP)	
572-578 MHz	MO	5M00D7D	0.06 W (ERP)	
578-584 MHz	MO	5M00D7D	0.06 W (ERP)	
584-590 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
590-596 MHz	MO	5M00D7D	0.06 W (ERP)	
596-602 MHz	MO	5M00D7D	0.06 W (ERP)	
620-626 MHz	MO	5M00D7D	0.06 W (ERP)	
626-632 MHz	MO	5M00D7D	0.06 W (ERP)	
632-638 MHz	MO	5M00D7D	0.06 W (ERP)	
638-644 MHz	MO	5M00D7D	0.06 W (ERP)	
644-650 MHz	MO	5M00D7D	0.06 W (ERP)	
650-656 MHz	MO	5M00D7D	0.06 W (ERP)	
656-662 MHz	MO	5M00D7D	0.06 W (ERP)	
662-668 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
668-674 MHz	MO	5M00D7D	0.06 W (ERP)	
674-680 MHz	MO	5M00D7D	0.06 W (ERP)	
680-686 MHz	MO	5M00D7D	0.06 W (ERP)	
686-692 MHz	MO	5M00D7D	0.06 W (ERP)	

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
518-524 MHz	MO	5M00D7D	0.06 W (ERP)	
524-530 MHz	MO	5M00D7D	0.06 W (ERP)	
536-542 MHz	MO	5M00D7D	0.06 W (ERP)	
542-548 MHz	MO	5M00D7D	0.06 W (ERP)	
554-560 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
560-566 MHz	MO	5M00D7D	0.06 W (ERP)	
566-572 MHz	MO	5M00D7D	0.06 W (ERP)	
572-578 MHz	MO	5M00D7D	0.06 W (ERP)	
578-584 MHz	MO	5M00D7D	0.06 W (ERP)	
584-590 MHz	MO	5M00D7D	0.06 W (ERP)	
590-596 MHz	MO	5M00D7D	0.06 W (ERP)	
596-602 MHz	MO	5M00D7D	0.06 W (ERP)	
620-626 MHz	MO	5M00D7D	0.06 W (ERP)	
626-632 MHz	MO	5M00D7D	0.06 W (ERP)	
632-638 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
638-644 MHz	MO	5M00D7D	0.06 W (ERP)	
644-650 MHz	MO	5M00D7D	0.06 W (ERP)	
650-656 MHz	MO	5M00D7D	0.06 W (ERP)	
656-662 MHz	MO	5M00D7D	0.06 W (ERP)	
662-668 MHz	MO	5M00D7D	0.06 W (ERP)	
668-674 MHz	MO	5M00D7D	0.06 W (ERP)	
674-680 MHz	MO	5M00D7D	0.06 W (ERP)	
680-686 MHz	MO	5M00D7D	0.06 W (ERP)	
686-692 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
518-524 MHz	MO	5M00D7D	0.06 W (ERP)	
524-530 MHz	MO	5M00D7D	0.06 W (ERP)	
536-542 MHz	MO	5M00D7D	0.06 W (ERP)	
542-548 MHz	MO	5M00D7D	0.06 W (ERP)	
554-560 MHz	MO	5M00D7D	0.06 W (ERP)	
560-566 MHz	MO	5M00D7D	0.06 W (ERP)	
566-572 MHz	MO	5M00D7D	0.06 W (ERP)	
572-578 MHz	MO	5M00D7D	0.06 W (ERP)	
578-584 MHz	MO	5M00D7D	0.06 W (ERP)	
584-590 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
590-596 MHz	MO	5M00D7D	0.06 W (ERP)	
596-602 MHz	MO	5M00D7D	0.06 W (ERP)	
620-626 MHz	MO	5M00D7D	0.06 W (ERP)	
626-632 MHz	MO	5M00D7D	0.06 W (ERP)	
632-638 MHz	MO	5M00D7D	0.06 W (ERP)	
638-644 MHz	MO	5M00D7D	0.06 W (ERP)	
644-650 MHz	MO	5M00D7D	0.06 W (ERP)	
650-656 MHz	MO	5M00D7D	0.06 W (ERP)	
656-662 MHz	MO	5M00D7D	0.06 W (ERP)	
662-668 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
668-674 MHz	MO	5M00D7D	0.06 W (ERP)	
674-680 MHz	MO	5M00D7D	0.06 W (ERP)	
680-686 MHz	MO	5M00D7D	0.06 W (ERP)	
686-692 MHz	MO	5M00D7D	0.06 W (ERP)	

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
518-524 MHz	MO	5M00D7D	0.06 W (ERP)	
524-530 MHz	MO	5M00D7D	0.06 W (ERP)	
536-542 MHz	MO	5M00D7D	0.06 W (ERP)	
542-548 MHz	MO	5M00D7D	0.06 W (ERP)	
554-560 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
560-566 MHz	MO	5M00D7D	0.06 W (ERP)	
566-572 MHz	MO	5M00D7D	0.06 W (ERP)	
572-578 MHz	MO	5M00D7D	0.06 W (ERP)	
578-584 MHz	MO	5M00D7D	0.06 W (ERP)	
584-590 MHz	MO	5M00D7D	0.06 W (ERP)	
590-596 MHz	MO	5M00D7D	0.06 W (ERP)	
596-602 MHz	MO	5M00D7D	0.06 W (ERP)	
620-626 MHz	MO	5M00D7D	0.06 W (ERP)	
626-632 MHz	MO	5M00D7D	0.06 W (ERP)	
632-638 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
638-644 MHz	MO	5M00D7D	0.06 W (ERP)	
644-650 MHz	MO	5M00D7D	0.06 W (ERP)	
650-656 MHz	MO	5M00D7D	0.06 W (ERP)	
656-662 MHz	MO	5M00D7D	0.06 W (ERP)	
662-668 MHz	MO	5M00D7D	0.06 W (ERP)	
668-674 MHz	MO	5M00D7D	0.06 W (ERP)	
674-680 MHz	MO	5M00D7D	0.06 W (ERP)	
680-686 MHz	MO	5M00D7D	0.06 W (ERP)	
686-692 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
518-524 MHz	MO	5M00D7D	0.06 W (ERP)	
524-530 MHz	MO	5M00D7D	0.06 W (ERP)	
536-542 MHz	MO	5M00D7D	0.06 W (ERP)	
542-548 MHz	MO	5M00D7D	0.06 W (ERP)	
554-560 MHz	MO	5M00D7D	0.06 W (ERP)	
560-566 MHz	MO	5M00D7D	0.06 W (ERP)	
566-572 MHz	MO	5M00D7D	0.06 W (ERP)	
572-578 MHz	MO	5M00D7D	0.06 W (ERP)	
578-584 MHz	MO	5M00D7D	0.06 W (ERP)	
584-590 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
590-596 MHz	MO	5M00D7D	0.06 W (ERP)	
596-602 MHz	MO	5M00D7D	0.06 W (ERP)	
620-626 MHz	MO	5M00D7D	0.06 W (ERP)	
626-632 MHz	MO	5M00D7D	0.06 W (ERP)	
632-638 MHz	MO	5M00D7D	0.06 W (ERP)	
638-644 MHz	MO	5M00D7D	0.06 W (ERP)	
644-650 MHz	MO	5M00D7D	0.06 W (ERP)	
650-656 MHz	MO	5M00D7D	0.06 W (ERP)	
656-662 MHz	MO	5M00D7D	0.06 W (ERP)	
662-668 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
668-674 MHz	MO	5M00D7D	0.06 W (ERP)	
674-680 MHz	MO	5M00D7D	0.06 W (ERP)	
680-686 MHz	MO	5M00D7D	0.06 W (ERP)	
686-692 MHz	MO	5M00D7D	0.06 W (ERP)	

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
518-524 MHz	MO	5M00D7D	0.06 W (ERP)	
524-530 MHz	MO	5M00D7D	0.06 W (ERP)	
536-542 MHz	MO	5M00D7D	0.06 W (ERP)	
542-548 MHz	MO	5M00D7D	0.06 W (ERP)	
554-560 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
560-566 MHz	MO	5M00D7D	0.06 W (ERP)	
566-572 MHz	MO	5M00D7D	0.06 W (ERP)	
572-578 MHz	MO	5M00D7D	0.06 W (ERP)	
578-584 MHz	MO	5M00D7D	0.06 W (ERP)	
584-590 MHz	MO	5M00D7D	0.06 W (ERP)	
590-596 MHz	MO	5M00D7D	0.06 W (ERP)	
596-602 MHz	MO	5M00D7D	0.06 W (ERP)	
620-626 MHz	MO	5M00D7D	0.06 W (ERP)	
626-632 MHz	MO	5M00D7D	0.06 W (ERP)	
632-638 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
638-644 MHz	MO	5M00D7D	0.06 W (ERP)	
644-650 MHz	MO	5M00D7D	0.06 W (ERP)	
650-656 MHz	MO	5M00D7D	0.06 W (ERP)	
656-662 MHz	MO	5M00D7D	0.06 W (ERP)	
662-668 MHz	MO	5M00D7D	0.06 W (ERP)	
668-674 MHz	MO	5M00D7D	0.06 W (ERP)	
674-680 MHz	MO	5M00D7D	0.06 W (ERP)	
680-686 MHz	MO	5M00D7D	0.06 W (ERP)	
686-692 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
518-524 MHz	MO	5M00D7D	0.06 W (ERP)	
524-530 MHz	MO	5M00D7D	0.06 W (ERP)	
536-542 MHz	MO	5M00D7D	0.06 W (ERP)	
542-548 MHz	MO	5M00D7D	0.06 W (ERP)	
554-560 MHz	MO	5M00D7D	0.06 W (ERP)	
560-566 MHz	MO	5M00D7D	0.06 W (ERP)	
566-572 MHz	MO	5M00D7D	0.06 W (ERP)	
572-578 MHz	MO	5M00D7D	0.06 W (ERP)	
578-584 MHz	MO	5M00D7D	0.06 W (ERP)	
584-590 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
590-596 MHz	MO	5M00D7D	0.06 W (ERP)	
596-602 MHz	MO	5M00D7D	0.06 W (ERP)	
620-626 MHz	MO	5M00D7D	0.06 W (ERP)	
626-632 MHz	MO	5M00D7D	0.06 W (ERP)	
632-638 MHz	MO	5M00D7D	0.06 W (ERP)	
638-644 MHz	MO	5M00D7D	0.06 W (ERP)	
644-650 MHz	MO	5M00D7D	0.06 W (ERP)	
650-656 MHz	MO	5M00D7D	0.06 W (ERP)	
656-662 MHz	MO	5M00D7D	0.06 W (ERP)	
662-668 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
668-674 MHz	MO	5M00D7D	0.06 W (ERP)	
674-680 MHz	MO	5M00D7D	0.06 W (ERP)	
680-686 MHz	MO	5M00D7D	0.06 W (ERP)	
686-692 MHz	MO	5M00D7D	0.06 W (ERP)	

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
518-524 MHz	MO	5M00D7D	0.06 W (ERP)	
524-530 MHz	MO	5M00D7D	0.06 W (ERP)	
536-542 MHz	MO	5M00D7D	0.06 W (ERP)	
542-548 MHz	MO	5M00D7D	0.06 W (ERP)	
554-560 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
560-566 MHz	MO	5M00D7D	0.06 W (ERP)	
566-572 MHz	MO	5M00D7D	0.06 W (ERP)	
572-578 MHz	MO	5M00D7D	0.06 W (ERP)	
578-584 MHz	MO	5M00D7D	0.06 W (ERP)	
584-590 MHz	MO	5M00D7D	0.06 W (ERP)	
590-596 MHz	MO	5M00D7D	0.06 W (ERP)	
596-602 MHz	MO	5M00D7D	0.06 W (ERP)	
620-626 MHz	MO	5M00D7D	0.06 W (ERP)	
626-632 MHz	MO	5M00D7D	0.06 W (ERP)	
632-638 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
638-644 MHz	MO	5M00D7D	0.06 W (ERP)	
644-650 MHz	MO	5M00D7D	0.06 W (ERP)	
650-656 MHz	MO	5M00D7D	0.06 W (ERP)	
656-662 MHz	MO	5M00D7D	0.06 W (ERP)	
662-668 MHz	MO	5M00D7D	0.06 W (ERP)	
668-674 MHz	MO	5M00D7D	0.06 W (ERP)	
674-680 MHz	MO	5M00D7D	0.06 W (ERP)	
680-686 MHz	MO	5M00D7D	0.06 W (ERP)	
686-692 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
518-524 MHz	MO	5M00D7D	0.06 W (ERP)	
524-530 MHz	MO	5M00D7D	0.06 W (ERP)	
536-536 MHz	MO	5M00D7D	0.06 W (ERP)	
542-548 MHz	MO	5M00D7D	0.06 W (ERP)	
554-560 MHz	MO	5M00D7D	0.06 W (ERP)	
560-566 MHz	MO	5M00D7D	0.06 W (ERP)	
566-572 MHz	MO	5M00D7D	0.06 W (ERP)	
572-578 MHz	MO	5M00D7D	0.06 W (ERP)	
578-584 MHz	MO	5M00D7D	0.06 W (ERP)	
584-590 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
590-596 MHz	MO	5M00D7D	0.06 W (ERP)	
596-602 MHz	MO	5M00D7D	0.06 W (ERP)	
620-626 MHz	MO	5M00D7D	0.06 W (ERP)	
626-632 MHz	MO	5M00D7D	0.06 W (ERP)	
632-638 MHz	MO	5M00D7D	0.06 W (ERP)	
638-644 MHz	MO	5M00D7D	0.06 W (ERP)	
644-650 MHz	MO	5M00D7D	0.06 W (ERP)	
650-656 MHz	MO	5M00D7D	0.06 W (ERP)	
656-662 MHz	MO	5M00D7D	0.06 W (ERP)	
662-668 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
668-674 MHz	MO	5M00D7D	0.06 W (ERP)	
674-680 MHz	MO	5M00D7D	0.06 W (ERP)	
680-686 MHz	MO	5M00D7D	0.06 W (ERP)	
686-692 MHz	MO	5M00D7D	0.06 W (ERP)	

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
518-524 MHz	MO	5M00D7D	0.06 W (ERP)	
524-530 MHz	MO	5M00D7D	0.06 W (ERP)	
536-542 MHz	MO	5M00D7D	0.06 W (ERP)	
542-548 MHz	MO	5M00D7D	0.06 W (ERP)	
554-560 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
560-566 MHz	MO	5M00D7D	0.06 W (ERP)	
566-572 MHz	MO	5M00D7D	0.06 W (ERP)	
572-578 MHz	MO	5M00D7D	0.06 W (ERP)	
578-584 MHz	MO	5M00D7D	0.06 W (ERP)	
584-590 MHz	MO	5M00D7D	0.06 W (ERP)	
590-596 MHz	MO	5M00D7D	0.06 W (ERP)	
596-602 MHz	MO	5M00D7D	0.06 W (ERP)	
620-626 MHz	MO	5M00D7D	0.06 W (ERP)	
626-632 MHz	MO	5M00D7D	0.06 W (ERP)	
632-638 MHz	MO	5M00D7D	0.06 W (ERP)	

Frequency Information

MOBILE: within the conference venue area mentioned above, within 0.5 km, centered around NL 20-55-12; WL 156-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
638-644 MHz	MO	5M00D7D	0.06 W (ERP)	
644-650 MHz	MO	5M00D7D	0.06 W (ERP)	
650-656 MHz	MO	5M00D7D	0.06 W (ERP)	
656-662 MHz	MO	5M00D7D	0.06 W (ERP)	
662-668 MHz	MO	5M00D7D	0.06 W (ERP)	
668-674 MHz	MO	5M00D7D	0.06 W (ERP)	
674-680 MHz	MO	5M00D7D	0.06 W (ERP)	
680-686 MHz	MO	5M00D7D	0.06 W (ERP)	
686-692 MHz	MO	5M00D7D	0.06 W (ERP)	

Special Conditions:

- (1) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (2) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.

Special Conditions:

- (3) All operations must be in accordance with the FCC CFR 47 Part 15, Subpart H.