

**United States of America  
FEDERAL COMMUNICATIONS COMMISSION  
EXPERIMENTAL  
RADIO STATION CONSTRUCTION PERMIT  
AND LICENSE**

EXPERIMENTAL

(Nature of Service)

XR     FX

(Class of Station)

KM2XHY

(Call Sign)

0331-EX-RR-2010

(File Number)

NAME Rockwell Collins, Inc.

Subject to the provisions of the Communications Act of 1934, subsequent acts, and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions and requirements set forth in this license, the licensee hereof is hereby authorized to use and operate the radio transmitting facilities hereinafter described for radio communications in accordance with the program of experimentation described by the licensee in its application for license.

Operation: In accordance with Sec. 5.3(a) of the Commission's Rules

Station Locations

(1) RIVERSIDE, CA - NL 33-54-27; WL 116-59-46

Frequency Information

RIVERSIDE, CA - NL 33-54-27; WL 116-59-46

| Frequency  | Station Class | Emission Designator                                 | Authorized Power | Frequency Tolerance (+/-) |
|------------|---------------|-----------------------------------------------------|------------------|---------------------------|
| 2396.5 kHz | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E<br>3K00J8W<br>3K00R3E | 5000 W (ERP)     | 0.005 %                   |
| 2398 kHz   | FX            | 5K00F1B<br>7K00A3E<br>7K00A8E                       | 5000 W (ERP)     | 0.005 %                   |
| 2399.5 kHz | FX            | 3K00H3E<br>3K00H8W                                  | 5000 W (ERP)     | 0.005 %                   |

This authorization effective December 01, 2010 and  
will expire 3:00 A.M. EST August 01, 2012

**FEDERAL  
COMMUNICATIONS  
COMMISSION**



## Frequency Information

RIVERSIDE, CA - NL 33-54-27; WL 116-59-46

| Frequency  | Station Class | Emission Designator                                 | Authorized Power | Frequency Tolerance (+/-) |
|------------|---------------|-----------------------------------------------------|------------------|---------------------------|
| 2399.5 kHz | FX            | 3K00J3E<br>3K00J8W<br>3K00R3E                       | 5000 W (ERP)     | 0.005 %                   |
| 4795.5 kHz | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E<br>3K00J8W<br>3K00R3E | 1000 W (ERP)     | 0.005 %                   |
| 4797 kHz   | FX            | 5K00F1B<br>7K00A3E<br>7K00A8E                       | 1000 W (ERP)     | 0.005 %                   |
| 4798.5 kHz | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E<br>3K00J8W<br>3K00R3E | 1000 W (ERP)     | 0.005 %                   |
| 6151.5 kHz | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E<br>3K00J8W<br>3K00R3E | 5000 W (ERP)     | 0.005 %                   |
| 6153 kHz   | FX            | 5K00F1B<br>7K00A3E                                  | 5000 W (ERP)     | 0.005 %                   |

## Frequency Information

RIVERSIDE, CA - NL 33-54-27; WL 116-59-46

| Frequency  | Station Class | Emission Designator                                 | Authorized Power | Frequency Tolerance (+/-) |
|------------|---------------|-----------------------------------------------------|------------------|---------------------------|
| 6153 kHz   | FX            | 7K00A8E                                             | 5000 W (ERP)     | 0.005 %                   |
| 6154.5 kHz | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E<br>3K00J8W<br>3K00R3E | 5000 W (ERP)     | 0.005 %                   |
| 6171 kHz   | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E<br>3K00J8W<br>3K00R3E | 1000 W (ERP)     | 0.005 %                   |
| 6172.5 kHz | FX            | 5K00F1B<br>7K00A3E<br>7K00A8E                       | 1000 W (ERP)     | 0.005 %                   |
| 6174 kHz   | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E<br>3K00J8W<br>3K00R3E | 1000 W (ERP)     | 0.005 %                   |
| 9655.5 kHz | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E<br>3K00J8W            | 1000 W (ERP)     | 0.005 %                   |

## Frequency Information

RIVERSIDE, CA - NL 33-54-27; WL 116-59-46

| Frequency   | Station Class | Emission Designator                                 | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|-----------------------------------------------------|------------------|---------------------------|
| 9655.5 kHz  | FX            | 3K00R3E                                             | 1000 W (ERP)     | 0.005 %                   |
| 9657 kHz    | FX            | 5K00F1B<br>7K00A3E<br>7K00A8E                       | 1000 W (ERP)     | 0.005 %                   |
| 9658.5 kHz  | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E<br>3K00J8W<br>3K00R3E | 1000 W (ERP)     | 0.005 %                   |
| 11761.5 kHz | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E<br>3K00J8W<br>3K00R3E | 1000 W (ERP)     | 0.005 %                   |
| 11763 kHz   | FX            | 5K00F1B<br>7K00A3E<br>7K00A8E                       | 1000 W (ERP)     | 0.005 %                   |
| 11764.5 kHz | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E<br>3K00J8W<br>3K00R3E | 1000 W (ERP)     | 0.005 %                   |

## Frequency Information

RIVERSIDE, CA - NL 33-54-27; WL 116-59-46

| Frequency   | Station Class | Emission Designator                                 | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|-----------------------------------------------------|------------------|---------------------------|
| 15341.5 kHz | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E<br>3K00J8W<br>3K00R3E | 1000 W (ERP)     | 0.005 %                   |
| 15343 kHz   | FX            | 5K00F1B<br>7K00A3E<br>7K00A8E                       | 1000 W (ERP)     | 0.005 %                   |
| 15344.5 kHz | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E<br>3K00J8W<br>3K00R3E | 1000 W (ERP)     | 0.005 %                   |
| 15406 kHz   | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E<br>3K00J8W<br>3K00R3E | 1000 W (ERP)     | 0.005 %                   |
| 15407.5 kHz | FX            | 5K00F1B<br>7K00A3E<br>7K00A8E                       | 1000 W (ERP)     | 0.005 %                   |
| 15408 kHz   | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E                       | 1000 W (ERP)     | 0.005 %                   |

## Frequency Information

RIVERSIDE, CA - NL 33-54-27; WL 116-59-46

| Frequency   | Station Class | Emission Designator                                 | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|-----------------------------------------------------|------------------|---------------------------|
| 15408 kHz   | FX            | 3K00J8W<br>3K00R3E                                  | 1000 W (ERP)     | 0.005 %                   |
| 21725.5 kHz | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E<br>3K00J8W<br>3K00R3E | 5000 W (ERP)     | 0.005 %                   |
| 21727 kHz   | FX            | 5K00F1B<br>7K00A3E<br>7K00A8E                       | 5000 W (ERP)     | 0.005 %                   |
| 21728.5 kHz | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E<br>3K00J8W<br>3K00R3E | 5000 W (ERP)     | 0.005 %                   |
| 27738.5 kHz | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E<br>3K00J8W<br>3K00R3E | 5000 W (ERP)     | 0.005 %                   |
| 27740 kHz   | FX            | 5K00F1B<br>7K00A3E                                  | 5000 W (ERP)     | 0.005 %                   |

## Frequency Information

RIVERSIDE, CA - NL 33-54-27; WL 116-59-46

| Frequency   | Station Class | Emission Designator                                 | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|-----------------------------------------------------|------------------|---------------------------|
| 27740 kHz   | FX            | 7K00A8E                                             | 5000 W (ERP)     | 0.005 %                   |
| 27741.5 kHz | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E<br>3K00J8W<br>3K00R3E | 5000 W (ERP)     | 0.005 %                   |
| 29928.5 kHz | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E<br>3K00J8W<br>3K00R3E | 5000 W (ERP)     | 0.005 %                   |
| 29930 kHz   | FX            | 5K00F1B<br>7K00A3E<br>7K00A8E                       | 5000 W (ERP)     | 0.005 %                   |
| 29931.5 kHz | FX            | 3K00H3E<br>3K00H8W<br>3K00J3E<br>3K00J8W<br>3K00R3E | 5000 W (ERP)     | 0.005 %                   |

## Special Conditions:

- (1) All operations subject to prior coordination with Area Frequency Coordinator Pacific Missile Range, Point Mugu, California: (805) 989-7983.

**Special Conditions:**

- (2) Hours of Operation: 2396.5, 2398, 2399.5 unlimited; 4795.5, 4797, 4798.5 daytime only (two hours after local sunrise until two hours before local sunset); 6151.5, 6153, 6154.5, 6171, 6172.5, 6174, 1200-2000 GMT; 9655.5, 9657, 9658.5 1400-2200 GMT; 11761.5, 11763, 11764.5 0200-1800 GMT; 15341.5, 15343, 15344.5 1800-0800 GMT; 15406, 15407.5, 15408 0400-1000 GMT; 21725.5, 21727, 21728.5 0300-1300 GMT; 27738.5, 27740, 27741.5, 29928.5, 29930, 29931.5 nighttime only (two hours prior to local sunset until two hours after local sunrise).