

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WN9XHJ

(Call Sign)

XT FX MO

(Class of Station)

1719-EX-ST-2018

(File Number)

NAME Safari Telecom Inc.

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

Communicate at public professional golf tournaments.

Station Locations

- (1) White Sulphur Spring (GREENBRIER), WV - NL 37-47-10; WL 80-18-28; MOBILE: , within 1 km, centered around NL 37-47-10; WL 80-18-28
- (2) Silvis (ROCK ISLAND), IL - NL 41-28-39; WL 90-23-32; MOBILE: , within 1 km, centered around NL 41-28-39; WL 90-23-32
- (3) Nicholasville (JESSAMINE), KY - NL 37-58-23; WL 84-38-00; MOBILE: , within 1 km, centered around NL 37-58-23; WL 84-38-00
- (4) Akron (SUMMIT), OH - NL 41-00-28; WL 81-30-28; MOBILE: , within 1 km, centered around NL 41-00-28; WL 81-30-28
- (5) Reno (WASHOE), NV - NL 39-21-53; WL 119-49-47; MOBILE: , within 1 km, centered around NL 39-21-53; WL 119-49-47
- (6) St Louis (ST LOUIS), MO - NL 38-39-34; WL 90-28-58; MOBILE: , within 1 km, centered around NL 38-39-34; WL 90-28-58
- (7) Greensboro (GUILFORD), NC - NL 36-00-51; WL 79-53-12; MOBILE: , within 1 km, centered around NL 36-00-51; WL 79-53-12
- (8) Atlanta (DE KALB), GA - NL 33-44-36; WL 84-18-10; MOBILE: , within 1 km, centered around NL 33-44-36; WL 84-18-10
- (9) Jackson (HINDS), MS - NL 32-23-49; WL 90-05-55; MOBILE: , within 1 km, centered around NL 32-23-49; WL 90-05-55
- (10) Las Vegas (CLARK), NV - NL 36-11-18; WL 115-17-53; MOBILE: , within 1 km, centered around NL 36-11-18; WL 115-17-53

This authorization effective January 01, 2019 and
will expire 3:00 A.M. EST July 01, 2019

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

- (11) Lahaina (MAUI), HI - NL 21-00-17; WL 156-38-21; MOBILE: , within 1 km, centered around NL 21-00-17; WL 156-38-21
- (12) Honolulu (HONOLULU), HI - NL 21-16-27; WL 156-38-21; MOBILE: , within 1 km, centered around NL 21-16-27; WL 156-38-21
- (13) Scottsdale (MARICOPA), AZ - NL 33-38-10; WL 111-53-59; MOBILE: , within 1 km, centered around NL 33-38-10; WL 111-53-59
- (14) Austin (TRAVIS), TX - NL 30-20-27; WL 97-47-43; MOBILE: , within 1 km, centered around NL 30-20-27; WL 97-47-43
- (15) San Antonio (BEXAR), TX - NL 29-39-58; WL 98-23-45; MOBILE: , within 1 km, centered around NL 29-39-58; WL 98-23-45
- (16) Charlotte (MECKLENBURG), NC - NL 35-06-52; WL 80-50-33; MOBILE: , within 1 km, centered around NL 35-06-52; WL 80-50-33
- (17) Dallas (DALLAS), TX - NL 32-42-32; WL 96-43-24; MOBILE: , within 1 km, centered around NL 32-42-32; WL 96-43-24
- (18) Fort Worth (TARRANT), TX - NL 32-43-13; WL 97-22-11; MOBILE: , within 1 km, centered around NL 32-43-13; WL 97-22-11
- (19) Dublin (FRANKLIN), OH - NL 40-08-32; WL 83-08-43; MOBILE: , within 1 km, centered around NL 40-08-32; WL 83-08-43
- (20) Detroit (WAYNE), MI - NL 42-25-26; WL 83-07-35; MOBILE: , within 1 km, centered around NL 42-25-26; WL 83-07-35

Frequency Information

White Sulphur Spring (GREENBRIER), WV - NL 37-47-10; WL 80-18-28; MOBILE: , within 1 km, centered around NL 37-47-1

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3600 MHz	FX	20M0W7W	1 W (ERP)	0.002 %

Silvis (ROCK ISLAND), IL - NL 41-28-39; WL 90-23-32; MOBILE: , within 1 km, centered around NL 41-28-39; WL 90-23-32

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3600 MHz	FX	20M0W7W	1 W (ERP)	0.002 %

Frequency Information

Nicholasville (JESSAMINE), KY - NL 37-58-23; WL 84-38-00; MOBILE: , within 1 km, centered around NL 37-58-23; WL 84-38-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3600 MHz	FX	20M0W7W	1 W (ERP)	0.002 %

Akron (SUMMIT), OH - NL 41-00-28; WL 81-30-28; MOBILE: , within 1 km, centered around NL 41-00-28; WL 81-30-28

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3600 MHz	FX	20M0W7W	1 W (ERP)	0.002 %

Reno (WASHOE), NV - NL 39-21-53; WL 119-49-47; MOBILE: , within 1 km, centered around NL 39-21-53; WL 119-49-47

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3600 MHz	FX	20M0W7W	1 W (ERP)	0.002 %

St Louis (ST LOUIS), MO - NL 38-39-34; WL 90-28-58; MOBILE: , within 1 km, centered around NL 38-39-34; WL 90-28-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3600 MHz	FX	20M0V7W	1 W (ERP)	0.002 %

Frequency Information

Greensboro (GUILFORD), NC - NL 36-00-51; WL 79-53-12; MOBILE: , within 1 km, centered around NL 36-00-51; WL 79-53-

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3600 MHz	FX	20M0W7W	1 W (ERP)	0.002 %

Atlanta (DE KALB), GA - NL 33-44-36; WL 84-18-10; MOBILE: , within 1 km, centered around NL 33-44-36; WL 84-18-10

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3600 MHz	FX	20M0W7W	1 W (ERP)	0.02 %

Jackson (HINDS), MS - NL 32-23-49; WL 90-05-55; MOBILE: , within 1 km, centered around NL 32-23-49; WL 90-05-55

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3600 MHz	FX	20M0W7W	1 W (ERP)	0.02 %

Las Vegas (CLARK), NV - NL 36-11-18; WL 115-17-53; MOBILE: , within 1 km, centered around NL 36-11-18; WL 115-17-53

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3600 MHz	FX	20M0W7W	1 W (ERP)	0.02 %

Frequency Information

Lahaina (MAUI), HI - NL 21-00-17; WL 156-38-21; MOBILE: , within 1 km, centered around NL 21-00-17; WL 156-38-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3600 MHz	FX	20M0W7W	1 W (ERP)	0.002 %

Honolulu (HONOLULU), HI - NL 21-16-27; WL 156-38-21; MOBILE: , within 1 km, centered around NL 21-16-27; WL 156-38-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3600 MHz	FX	20M0W7W	1 W (ERP)	0.002 %

Scottsdale (MARICOPA), AZ - NL 33-38-10; WL 111-53-59; MOBILE: , within 1 km, centered around NL 33-38-10; WL 111-53-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3600 MHz	FX	20M0W7W	1 W (ERP)	0.002 %

Austin (TRAVIS), TX - NL 30-20-27; WL 97-47-43; MOBILE: , within 1 km, centered around NL 30-20-27; WL 97-47-43

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3600 MHz	FX	20M0W7W	1 W (ERP)	0.002 %

Frequency Information

San Antonio (BEXAR), TX - NL 29-39-58; WL 98-23-45; MOBILE: , within 1 km, centered around NL 29-39-58; WL 98-23-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3600 MHz	FX	20M0W7W	1 W (ERP)	0.002 %

Charlotte (MECKLENBURG), NC - NL 35-06-52; WL 80-50-33; MOBILE: , within 1 km, centered around NL 35-06-52; WL 80-

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3600 MHz	FX	20M0W7W	1 W (ERP)	0.002 %

Dallas (DALLAS), TX - NL 32-42-32; WL 96-43-24; MOBILE: , within 1 km, centered around NL 32-42-32; WL 96-43-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3600 MHz	FX	20M0W7W	1 W (ERP)	0.002 %

Fort Worth (TARRANT), TX - NL 32-43-13; WL 97-22-11; MOBILE: , within 1 km, centered around NL 32-43-13; WL 97-22-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3600 MHz	FX	20M0W7W	1 W (ERP)	0.002 %

Frequency Information

Dublin (FRANKLIN), OH - NL 40-08-32; WL 83-08-43; MOBILE: , within 1 km, centered around NL 40-08-32; WL 83-08-43

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3600 MHz	FX	20M0W7W	1 W (ERP)	0.002 %

Detroit (WAYNE), MI - NL 42-25-26; WL 83-07-35; MOBILE: , within 1 km, centered around NL 42-25-26; WL 83-07-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3600 MHz	FX	20M0W7W	1 W (ERP)	0.002 %

Special Conditions:

- (1) Safari Telecom Inc. should be aware that these location fall within the Exclusion Zone defined in Fast Track Report (NTIA Technical Report TR-15-517: 3.5 GHz Exclusion Zone Analyses and Methodology) and should have no expectations of automatic approval in this band in future submissions.
- (2) NTIA objects to operations in the following locations: Paramus, NJ, Norton, MA, Newtown Square, PA, Napa, CA, St. Simons Island, GA, Naples, FL, La Quinta, CA, La Jolla, CA, Pebble Beach, CA, Pacific Palisades, CA, Palm Beach, FL, Orlando, FL, Ponte Vedra Beach, FL, Palm Harbor, FL, Hilton Head Island, SC, Avondale, LA, Farmingdale, NY, and Cromwell, CT.