

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WI9XBF

(Call Sign)

XT FX

(Class of Station)

1008-EX-ST-2014

(File Number)

NAME Services Development Company, LLC

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

To conduct tests and experiments in technical radio research.

Station Locations

- (1) Aurora, IL - NL 41-48-19; WL 88-13-35
- (2) Secaucus, NJ - NL 40-47-07; WL 74-04-25
- (3) Secaucus, NJ - NL 40-46-30; WL 74-03-29
- (4) Chicago, IL - NL 41-54-22; WL 87-37-32

Frequency Information

Aurora, IL - NL 41-48-19; WL 88-13-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
10.15-11.175 MHz	FX	2K96F1D	942 W (ERP)	0.00006 %
		2K96J2D		
		5K00F1D		
		5K00J2D		
		10K0F1D		
		10K0J2D		

This authorization effective December 02, 2014 and
will expire 3:00 A.M. EST June 02, 2015

**FEDERAL
COMMUNICATIONS
COMMISSION**



Frequency Information

Aurora, IL - NL 41-48-19; WL 88-13-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
14.35-14.99 MHz	FX	2K96F1D 2K96J2D 5K00F1D 5K00J2D 10K0F1D 10K0J2D	942 W (ERP)	0.00006 %
20.01-21 MHz	FX	2K96F1D 2K96J2D 5K00F1D 5K00J2D 10K0F1D 10K0J2D	942 W (ERP)	0.00006 %
23.35-24.89 MHz	FX	2K96F1D 2K96J2D 5K00F1D 5K00J2D 10K0F1D 10K0J2D	942 W (ERP)	0.00006 %

Secaucus, NJ - NL 40-47-07; WL 74-04-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
10.15-11.175 MHz	FX	2K96F1D 2K96J2D 5K00F1D 5K00J2D 10K0F1D	942 W (ERP)	0.00006 %

Frequency Information

Secaucus, NJ - NL 40-47-07; WL 74-04-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
10.15-11.175 MHz	FX	10K0J2D	942 W (ERP)	0.00006 %
14.35-14.99 MHz	FX	2K96F1D 2K96J2D 5K00F1D 5K00J2D 10K0F1D 10K0J2D	942 W (ERP)	0.00006 %
20.01-21 MHz	FX	2K96F1D 2K96J2D 5K00F1D 5K00J2D 10K0F1D 10K0J2D	942 W (ERP)	0.00006 %
23.35-24.89 MHz	FX	2K96F1D 2K96J2D 5K00F1D 5K00J2D 10K0F1D 10K0J2D	942 W (ERP)	0.00006 %

Secaucus, NJ - NL 40-46-30; WL 74-03-29

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
10.15-11.175 MHz	FX	2K96F1D 2K96J2D	942 W (ERP)	0.00006 %

Frequency Information

Secaucus, NJ - NL 40-46-30; WL 74-03-29

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
10.15-11.175 MHz	FX	5K00F1D 5K00J2D 10K0F1D 10K0J2D	942 W (ERP)	0.00006 %
14.35-14.99 MHz	FX	2K96F1D 2K96J2D 5K00F1D 5K00J2D 10K0F1D 10K0J2D	942 W (ERP)	0.00006 %
20.01-21 MHz	FX	2K96F1D 2K96J2D 5K00F1D 5K00J2D 10K0F1D 10K0J2D	942 W (ERP)	0.00006 %
23.35-24.89 MHz	FX	2K96F1D 2K96J2D 5K00F1D 5K00J2D 10K0F1D 10K0J2D	942 W (ERP)	0.00006 %

Frequency Information

Chicago, IL - NL 41-54-22; WL 87-37-32

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
10.15-11.175 MHz	FX	2K96F1D 2K96J2D 5K00F1D 5K00J2D 10K0F1D 10K0J2D	942 W (ERP)	0.00006 %
14.35-14.99 MHz	FX	2K96F1D 2K96J2D 5K00F1D 5K00J2D 10K0F1D 10K0J2D	942 W (ERP)	0.00006 %
20.01-21 MHz	FX	2K96F1D 2K96J2D 5K00F1D 5K00J2D 10K0F1D 10K0J2D	942 W (ERP)	0.00006 %
23.35-24.89 MHz	FX	2K96F1D 2K96J2D 5K00F1D 5K00J2D 10K0F1D 10K0J2D	942 W (ERP)	0.00006 %