

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

XT MO

(Class of Station)

WF9XGI

(Call Sign)

1739-EX-ST-2021

(File Number)

NAME Space Exploration Technologies Corp.

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

STA is required for spacecraft communications for a SpaceX CRS mission (an ISS commercial re-supply mission for the NASA).

Station Locations

- (1) MOBILE: Space: Dragon S-Band Directional Array, centered around NL 28-36-30; WL 80-36-15

Frequency Information

MOBILE: Space: Dragon S-Band Directional Array, centered around NL 28-36-30; WL 80-36-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2203.2 MHz	MO	4M20G1D 4M15G1D	39 W (ERP)	0.001 %
2216 MHz	MO	2M73F1D 4M65F1D	77 W (ERP)	0.001 %

This authorization effective December 14, 2021 and
will expire 3:00 A.M. EST June 14, 2022

**FEDERAL
COMMUNICATIONS
COMMISSION**



Frequency Information

MOBILE: Space: Dragon S-Band Directional Array, centered around NL 28-36-30; WL 80-36-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2287.5 MHz	MO	4M80G1D	77 W (ERP)	0.001 %

Special Conditions:

- (1) SpaceX shall be aware that future non-federal on-orbit operations will be considered on a case-by-case basis, especially for requests in the band 2200-2290 MHz, and SpaceX shall have no expectations that future on-orbit operations will be approved.
- (2) As soon as possible, but no later than 60 business days prior to the planned launch, SpaceX is required to provide, as a minimum, launch date/time/window and planned Dragon 2 trajectory from launch to capture by the International Space Station (ISS), and transmission frequencies with associated duration/cut-off time to Jimmy Nguyen (jimmy.nguyen@us.af.mil, AFSMO), Shaobei Xu (shaobei.xu.1@us.af.mil, AFSMO), Pedro Mendoza (pedro.mendoza.1@us.af.mil, AFSMO), Felipe Arroyo (felipe.arroyo-1@nasa.gov, NASA WFF), NASA GSFC Spectrum Office (NASA-DL-GSFC-Spectrum-Management@mail.nasa.gov), Omar Torres (omar.torres@nasa.gov, NASA LaRC), NOAA Satellite Operations Control Center (Matt.G.Sullivan@noaa.gov), NASA JSC Spectrum Office (JSC-DL-Spectrum-Management@mail.nasa.gov), Randall Shepherd (randall.shepherd@spaceforce.mil, USSF SSC SLD 30), Reginald Thomas (reginald.thomas.2@spaceforce.mil, USSF SSC SLD 30), Sigfredo Santiago (sigfre.santiagohernandez.1@spaceforce.mil, USSF SSC SLD 45), DoD Eastern AFC (45sw.dodeafc@us.af.mil), and SLD 45 SMO (45sw.erfmo@us.af.mil). In the event of last-minute changes, 48-hour notice is required.
- (3) The STOP BUZZER POC information for all operations shall be provided to NTIA (ravery@ntia.doc.gov). This phone shall be manned 24/7.
- (4) SpaceX shall keep a log of all transmissions in the band 2200-2290 MHz that shall be provided to the NTIA after the mission. This log shall include, at a minimum, the date, time, frequency, e.i.r.p density, pointing direction of the antennae. The log shall be provided to the following NTIA personnel no later than three (3) weeks after completion of the mission:
Rob Avery at ravery@ntia.gov
Ed Drocella at edrocella@ntia.gov
- (5) This STA is limited to a single Dragon2 capsule telemetry, tracking, and command operations for the upcoming SpaceX Dragon2 mission to the International Space Station (ISS). This STA will expire when the Dragon2 completes its re-entry/splashdown operation or 14 June 2022, whichever occurs first. Any future missions shall submit new applications to the FCC to be coordinated with the NTIA and federal agencies.

Special Conditions:

- (6) All transmissions in the band 2200-2290 MHz shall comply with national and international power flux density limits (PFD), except in cases where expected exceedance are pre-coordinated and agreed. PFD analysis and exceedances shall be included in the FCC STA application and provided in the request to the NTIA for US Government review and assessment.
- (7) For Dragon2 departure/re-entry operations, including pre-departure checkout, requests for coordination shall be provided to NASA JSC Spectrum Manager, Cathy Sham (catherine.c.sham@nasa.gov) for coordination with authorized users at least 14 business days prior to communications activation related to pre-departure checkout, departure preparation, or departure operation. Requests for coordination shall include, at a minimum, planned communication timelines with start/end time, receiving station location, transmit/receive parameters/power/bandwidth, and spacecraft trajectory/orbital locations.
- (8) Prior to transmitting at Cape Canaveral SFS, Florida, SpaceX shall coordinate and schedule their operations with Range Scheduling, COMM: (321) 853-5941, email: 1ropschd@us.af.mil, NASA KSC Spectrum Management Office, Jamie Bjornbak at 321.867.6905 or James.P.Bjornbak@nasa.gov, and NASA GSFC Spectrum Office (nasa-dl-gsfc-spectrum-management@mail.nasa.gov). SpaceX shall provide a copy of all FCC licenses supporting operations to the 45th Space Wing Spectrum Management Office, (321)-853-8408, email: 45sw.erfmo@us.af.mil with Cc'ing DoD EAFC (321)-853-8426, email: 45sw.dodeafc@us.af.mil.
- (9) All SpaceX operations granted on an experimental basis shall be on an unprotected, non-interference basis to authorized federal stations.
- (10) Transmission using a frequency of 2216.0 MHz and an emission designator of 4M65F1D shall be limited to ascent and re-entry mission phases. Transmission using a frequency of 2216.0 MHz and an emission designator of 4M65F1D is strictly prohibited for use during on-orbit operations.
- (11) Transmission using a frequency of 2203.2 MHz shall be limited to space-to-space communication with the International Space Station (ISS) during approach and departure mission phases while within 30 km of the ISS.
- (12) During Dragon2 lift-off/ascent (from launch to launch + 13 minutes) and on-orbit mission phases (after lift-off/ascent, free flight, or attached to the International Space Station), SpaceX shall provide the radio frequency operation plan to NASA JSC Spectrum Manager, Cathy Sham (catherine.c.sham@nasa.gov) for coordination with authorized users prior to scheduling. The request for use of lift-off/ascent communications shall be provided at least 30 days prior to launch, and the request for on-orbit operations shall be provided at least 7 business days prior to any planned transmission operation.
- (13) Due to potential harmful interference to the Deep Space Network (DSN) ground stations, Dragon2 transmissions using 2203.2 MHz, 2216 MHz, or 2287.5 MHz shall not occur when the Dragon 2 is in view of the following deep space earth stations from horizon to horizon: Goldstone Deep Space Communications Complex (GDSCC) [35° 25' 32.84" N, 116° 53' 22.09" W], Madrid Deep Space Communications Complex (MDSCC) [40° 25' 52.37" N, 04° 14' 52.8" W], Canberra Deep Space Communications Complex (CDSCC) [35° 24' 08.96" S, 148° 58' 52.93" E], and New Norcia Station [31° 02' 53.61" S, 116° 11' 29.4" E]. Coordination requests for clearance to transmit shall be provided to the NASA JSC Spectrum Manager, Cathy Sham (catherine.c.sham@nasa.gov) at least 7 business days prior to communication system activation.

Special Conditions:

- (14) Commercial launch service providers should be aware that a satellite integrated into a launch vehicle or deployment device without a current FCC authorization may need to be removed from that vehicle or deployment device if the satellite operator's application for an FCC authorization is not acted upon favorably, or for various reasons cannot be granted within a time frame consistent with the launch schedule. Commercial launch providers should exercise due diligence to verify satellite operator's regulatory approvals prior to launch (FCC Enforcement Advisory DA 18-368).
- (15) As soon as possible, but no later than 60 business days prior to the planned launch, SpaceX is required to provide operations and spaceflight trajectories to the Naval Surface Warfare Center, Dahlgren Division (NSWCDD). Six (6) blackout zones (BOZs) SHALL be imposed as follows: (1) 1500 nautical mile radius centered at 22N160W; (2) 1500 nautical mile radius centered at 33.25N119.57W; (3) 1500 nautical mile radius centered at 8.723303N167.718662W; (4) 1500 nautical mile radius centered at 57.45N152.378W; (5) 1500 nautical mile radius centered at 32.37N106.47W; and (6) 1500 nautical mile radius centered at 57.34N7.35W. The final launch schedule for this SpaceX mission will ultimately determine which, if any BOZ will be implemented. The primary contacts for frequency coordination: Mr. James Moneyhon, (540) 653-3477- james.moneyhon@navy.mil, Mr. A. Jason Verdugo, (540) 653-9590 – Anthony.J.Verdugo@navy.mil, and/or Mr. Phillip B. Scyphers, (540) 653-6071 – Phillip.scyphers@navy.mil. Group email box - W_DLGR_NSWC_FTMA_FM@navy.mil.
- (16) SpaceX shall cease transmissions to the following ground stations located in Newfoundland, Cape Canaveral, Bermuda, and South Texas when the Dragon Capsule is within a conjunction angle of 25 degrees of the DSCOVr satellite, NORAD ID 40390, as measured at the boresight of the Wallops ground station antenna.