

Exhibit 2

GPS Re-Radiator Locations for SRC Campus Locations


FCC File Number: 0504-EX-CN-2019

SRC Locations Requiring GPS Re-radiators

- Syracuse N.Y.
 - Building 2
 - Building 4
- Chantilly VA
 - Main building
- San Antonio TX

SRC GPS Re-Radiator Roof top Antenna Locations in Syracuse, N.Y.

- Campbell Building
 - Lat: 43° 7'51.95"N
 - Long: 76° 5'21.29"W
 - AMSL: 401 Ft Elevation
- Building 4
 - Lat: 43° 7'43.66"N
 - Long: 76° 5'2.52"W
 - AMSL: 395 Ft Elevation



Distance between SRC and Hancock Intl. Airport



Location for Receive Antenna on Campbell Facility




Key

- Indoor GPS Service Areas
- GPS Receive Antenna
- Indoor GPS Re-radiating Antenna

This side of the building facing Syracuse Intl. Airport

Surveyed Location for Receive Antenna on Building 4 Facility



Key


- Indoor GPS Service Areas
- GPS Receive Antenna
- Indoor GPS Re-radiating Antenna

This side of the building facing Syracuse Intl. Airport

SRC Chantilly VA GPS Re-Radiator Roof top Antenna Location

- SRC Chantilly, VA
 - Lat: 38°54'26.00"N
 - Long: 77°27'11.00"W
 - AMSL: 328 Ft Elevation

SRC Inc., Chantilly Virginia



Line of sight distance to Dulles Airport Runway: 2.37km


SRC Inc., Chantilly Virginia



Key

-  Indoor GPS Service Areas
-  GPS Receive Antenna
-  Indoor GPS Re-radiating Antenna

SRC Inc., Chantilly Virginia



This side of the building facing Dulles Airport

14685 Avion Parkway, Suite 410
Chantilly, VA 20151, 4th floor

SRC San Antonio TX GPS Re-Radiator

Roof top Antenna Location

- SRC Chantilly, VA
 - Lat: 38°54'26.00"N
 - Long: 77°27'11.00"W
 - AMSL: 401 Ft Elevation