

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WL9XOH

(Call Sign)

XT FX MO

(Class of Station)

1056-EX-ST-2017

(File Number)

NAME T-Mobile USA, Inc.

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

T-Mobile is working with equipment vendors to conduct product testing of new LAA equipment.

Station Locations

- (1) Los Angeles (LOS ANGELES), CA - NL 34-01-48; WL 118-16-06; MOBILE: , within 2 km, centered around NL 34-01-48; WL 118-16-06
- (2) Los Angeles (LOS ANGELES), CA - NL 34-01-43; WL 118-16-15; MOBILE: , within 2 km, centered around NL 34-01-43; WL 118-16-15
- (3) Los Angeles (LOS ANGELES), CA - NL 33-59-51; WL 118-14-59; MOBILE: , within 2 km, centered around NL 33-59-51; WL 118-14-59
- (4) Los Angeles (LOS ANGELES), CA - NL 33-59-51; WL 118-15-07; MOBILE: , within 2 km, centered around NL 33-59-51; WL 118-15-07
- (5) Los Angeles (LOS ANGELES), CA - NL 33-46-51; WL 118-10-11; MOBILE: , within 2 km, centered around NL 33-46-51; WL 118-10-11
- (6) Los Angeles (LOS ANGELES), CA - NL 33-46-59; WL 118-10-19; MOBILE: , within 2 km, centered around NL 33-46-59; WL 118-10-19
- (7) Los Angeles (LOS ANGELES), CA - NL 33-46-33; WL 118-09-44; MOBILE: , within 2 km, centered around NL 33-46-33; WL 118-09-44
- (8) Los Angeles (LOS ANGELES), CA - NL 34-01-53; WL 118-15-23; MOBILE: , within 2 km, centered around NL 34-01-53; WL 118-15-23
- (9) Los Angeles (LOS ANGELES), CA - NL 33-59-47; WL 118-14-50; MOBILE: , within 2 km, centered around NL 33-59-47; WL 118-14-50
- (10) Los Angeles (LOS ANGELES), CA - NL 34-00-58; WL 118-15-36; MOBILE: , within 2 km, centered around NL 34-00-58; WL 118-15-36

This authorization effective August 15, 2017 and
will expire 3:00 A.M. EST February 05, 2018

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

- (11) Oceanside (SAN DIEGO), CA - NL 33-12-10; WL 117-22-01; MOBILE: , within 2 km, centered around NL 33-12-10; WL 117-22-01
- (12) Oceanside (SAN DIEGO), CA - NL 33-12-03; WL 117-21-54; MOBILE: , within 2 km, centered around NL 33-12-03; WL 117-21-54
- (13) Oceanside (SAN DIEGO), CA - NL 33-14-11; WL 117-20-06; MOBILE: , within 2 km, centered around NL 33-14-11; WL 117-20-06
- (14) Oceanside (SAN DIEGO), CA - NL 33-13-53; WL 117-20-06; MOBILE: , within 2 km, centered around NL 33-13-53; WL 117-20-06
- (15) Oceanside (SAN DIEGO), CA - NL 33-13-41; WL 117-20-10; MOBILE: , within 2 km, centered around NL 33-13-41; WL 117-20-10
- (16) San Diego (SAN DIEGO), CA - NL 32-35-03; WL 117-05-38; MOBILE: , within 2 km, centered around NL 32-35-03; WL 117-05-38
- (17) National City (SAN DIEGO), CA - NL 32-39-39; WL 117-06-22; MOBILE: , within 2 km, centered around NL 32-39-39; WL 117-06-22
- (18) National City (SAN DIEGO), CA - NL 32-39-18; WL 117-05-40; MOBILE: , within 2 km, centered around NL 32-39-18; WL 117-05-40
- (19) National City (SAN DIEGO), CA - NL 32-39-53; WL 117-05-37; MOBILE: , within 2 km, centered around NL 32-39-53; WL 117-05-37
- (20) National City (SAN DIEGO), CA - NL 32-39-37; WL 117-06-04; MOBILE: , within 2 km, centered around NL 32-39-37; WL 117-06-04
- (21) National City (SAN DIEGO), CA - NL 33-12-18; WL 117-22-03; MOBILE: , within 2 km, centered around NL 33-12-18; WL 117-22-03
- (22) Imperial Beach (SAN DIEGO), CA - NL 32-41-12; WL 117-06-07; MOBILE: , within 2 km, centered around NL 32-41-12; WL 117-06-07
- (23) Imperial Beach (SAN DIEGO), CA - NL 32-41-48; WL 117-06-01; MOBILE: , within 2 km, centered around NL 32-41-48; WL 117-06-01
- (24) San Diego (SAN DIEGO), CA - NL 32-34-36; WL 117-05-41; MOBILE: , within 2 km, centered around NL 32-34-36; WL 117-05-41
- (25) National City (SAN DIEGO), CA - NL 32-39-52; WL 117-06-10; MOBILE: , within 2 km, centered around NL 32-39-52; WL 117-06-10
- (26) San Diego (SAN DIEGO), CA - NL 32-41-12; WL 117-06-03; MOBILE: , within 2 km, centered around NL 32-41-12; WL 117-06-03
- (27) San Diego (SAN DIEGO), CA - NL 32-34-55; WL 117-05-34; MOBILE: , within 2 km, centered around NL 32-34-55; WL 117-05-34
- (28) San Diego (SAN DIEGO), CA - NL 32-34-23; WL 117-06-37; MOBILE: , within 2 km, centered around NL 32-34-23; WL 117-06-37
- (29) San Diego (SAN DIEGO), CA - NL 32-34-40; WL 117-06-20; MOBILE: , within 2 km, centered around NL 32-34-40; WL 117-06-20

Frequency Information

Los Angeles (LOS ANGELES), CA - NL 34-01-48; WL 118-16-06; MOBILE: , within 2 km, centered around NL 34-01-48; WL 1

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Los Angeles (LOS ANGELES), CA - NL 34-01-43; WL 118-16-15; MOBILE: , within 2 km, centered around NL 34-01-43; WL 1

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Frequency Information

Los Angeles (LOS ANGELES), CA - NL 33-59-51; WL 118-14-59; MOBILE: , within 2 km, centered around NL 33-59-51; WL 1

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Los Angeles (LOS ANGELES), CA - NL 33-59-51; WL 118-15-07; MOBILE: , within 2 km, centered around NL 33-59-51; WL 1

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Frequency Information

Los Angeles (LOS ANGELES), CA - NL 33-46-51; WL 118-10-11; MOBILE: , within 2 km, centered around NL 33-46-51; WL 1

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Los Angeles (LOS ANGELES), CA - NL 33-46-59; WL 118-10-19; MOBILE: , within 2 km, centered around NL 33-46-59; WL 1

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Frequency Information

Los Angeles (LOS ANGELES), CA - NL 33-46-33; WL 118-09-44; MOBILE: , within 2 km, centered around NL 33-46-33; WL 1

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Los Angeles (LOS ANGELES), CA - NL 34-01-53; WL 118-15-23; MOBILE: , within 2 km, centered around NL 34-01-53; WL 1

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Frequency Information

Los Angeles (LOS ANGELES), CA - NL 33-59-47; WL 118-14-50; MOBILE: , within 2 km, centered around NL 33-59-47; WL 1

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Los Angeles (LOS ANGELES), CA - NL 34-00-58; WL 118-15-36; MOBILE: , within 2 km, centered around NL 34-00-58; WL 1

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Frequency Information

Oceanside (SAN DIEGO), CA - NL 33-12-10; WL 117-22-01; MOBILE: , within 2 km, centered around NL 33-12-10; WL 117-2

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Oceanside (SAN DIEGO), CA - NL 33-12-03; WL 117-21-54; MOBILE: , within 2 km, centered around NL 33-12-03; WL 117-2

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Frequency Information

Oceanside (SAN DIEGO), CA - NL 33-14-11; WL 117-20-06; MOBILE: , within 2 km, centered around NL 33-14-11; WL 117-20-06

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Oceanside (SAN DIEGO), CA - NL 33-13-53; WL 117-20-06; MOBILE: , within 2 km, centered around NL 33-13-53; WL 117-20-06

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Frequency Information

Oceanside (SAN DIEGO), CA - NL 33-13-41; WL 117-20-10; MOBILE: , within 2 km, centered around NL 33-13-41; WL 117-2

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

San Diego (SAN DIEGO), CA - NL 32-35-03; WL 117-05-38; MOBILE: , within 2 km, centered around NL 32-35-03; WL 117-0

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Frequency Information

National City (SAN DIEGO), CA - NL 32-39-39; WL 117-06-22; MOBILE: , within 2 km, centered around NL 32-39-39; WL 117

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

National City (SAN DIEGO), CA - NL 32-39-18; WL 117-05-40; MOBILE: , within 2 km, centered around NL 32-39-18; WL 117

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Frequency Information

National City (SAN DIEGO), CA - NL 32-39-53; WL 117-05-37; MOBILE: , within 2 km, centered around NL 32-39-53; WL 117

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

National City (SAN DIEGO), CA - NL 32-39-37; WL 117-06-04; MOBILE: , within 2 km, centered around NL 32-39-37; WL 117

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Frequency Information

National City (SAN DIEGO), CA - NL 33-12-18; WL 117-22-03; MOBILE: , within 2 km, centered around NL 33-12-18; WL 117

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Imperial Beach (SAN DIEGO), CA - NL 32-41-12; WL 117-06-07; MOBILE: , within 2 km, centered around NL 32-41-12; WL 1

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Frequency Information

Imperial Beach (SAN DIEGO), CA - NL 32-41-48; WL 117-06-01; MOBILE: , within 2 km, centered around NL 32-41-48; WL 1:

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

San Diego (SAN DIEGO), CA - NL 32-34-36; WL 117-05-41; MOBILE: , within 2 km, centered around NL 32-34-36; WL 117-0:

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Frequency Information

National City (SAN DIEGO), CA - NL 32-39-52; WL 117-06-10; MOBILE: , within 2 km, centered around NL 32-39-52; WL 117

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

San Diego (SAN DIEGO), CA - NL 32-41-12; WL 117-06-03; MOBILE: , within 2 km, centered around NL 32-41-12; WL 117-0

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Frequency Information

San Diego (SAN DIEGO), CA - NL 32-34-55; WL 117-05-34; MOBILE: , within 2 km, centered around NL 32-34-55; WL 117-05-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

San Diego (SAN DIEGO), CA - NL 32-34-23; WL 117-06-37; MOBILE: , within 2 km, centered around NL 32-34-23; WL 117-06-37

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Frequency Information

San Diego (SAN DIEGO), CA - NL 32-34-40; WL 117-06-20; MOBILE: , within 2 km, centered around NL 32-34-40; WL 117-06-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5170-5250 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5170-5250 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %
5725-5850 MHz	FX	60M0F7D	2.4 W (ERP)	0.001 %
5725-5850 MHz	MO	60M0F7D	300 mW (ERP)	0.001 %

Special Conditions:

- (1) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (2) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (3) Outdoor usage in the 5150-5250 MHz range requires pre-coordination with FAA.
- (4) T-Mobile should be cautious when using the 5850-5925 MHz band since it is used for transportation safety.