

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WE9XRY

(Call Sign)

XT MO

(Class of Station)

1397-EX-ST-2021

(File Number)

NAME Winged Vision, Inc.

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

Airborne video downlinks for broadcast network use in support of televised sporting events.

Station Locations

- (1) MOBILE: Levi's Stadium, Santa Clara, CA: Max altitude 3000 ft AGL, within 5 km, centered around NL 37-24-11; WL 121-58-11
- (2) MOBILE: Gillete Stadium, Foxboro, MA: Max altitude 3000 ft AGL, within 5 km, centered around NL 42-05-27; WL 71-15-51
- (3) MOBILE: Arrowhead Stadium, Kansas City, MO: Max altitude 3000 ft AGL, within 5 km, centered around NL 39-02-56; WL 94-29-02
- (4) MOBILE: Heinz Field, Pittsburgh, PA: Max altitude 3000 ft AGL, within 5 km, centered around NL 40-26-48; WL 80-00-56
- (5) MOBILE: US Bank Stadium, Minneapolis, MN: Max altitude 3000 ft AGL, within 5 km, centered around NL 44-58-26; WL 93-15-29
- (6) MOBILE: SoFi Stadium, Los Angeles, CA: Max altitude 3000 ft AGL, within 5 km, centered around NL 33-57-12; WL 118-20-22
- (7) MOBILE: Allegiant Stadium, Las Vegas, NV: Max altitude 3000 ft AGL, within 5 km, centered around NL 36-05-26; WL 115-11-02
- (8) MOBILE: Caesars Superdome, New Orleans, LA: Max altitude 3000 ft AGL, within 5 km, centered around NL 29-57-03; WL 90-04-52
- (9) MOBILE: M&T Bank Stadium, Baltimore, MD: Max altitude 3000 ft AGL, within 5 km, centered around NL 39-16-40; WL 76-37-21
- (10) MOBILE: Lumen Field, Seattle, WA: Max altitude 3000 ft AGL, within 5 km, centered around NL 47-35-79; WL 122-19-32

This authorization effective September 26, 2021 and
will expire 3:00 A.M. EST January 03, 2022

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

- (11) MOBILE: Lambeau Field, Green Bay, WI: Max altitude 3000 ft AGL, within 5 km, centered around NL 44-30-04; WL 88-03-44
- (12) MOBILE: Raymond James Stadium, Tampa, FL: Max altitude 3000 ft AGL, within 5 km, centered around NL 27-58-33; WL 82-30-12
- (13) MOBILE: AT&T Stadium, Arlington, TX: Max altitude 3000 ft AGL, within 5 km, centered around NL 32-44-52; WL 97-05-34

Frequency Information

MOBILE: Levi's Stadium, Santa Clara, CA: Max altitude 3000 ft AGL, within 5 km, centered around NL 37-24-11; WL 121-58-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2420 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Gillete Stadium, Foxboro, MA: Max altitude 3000 ft AGL, within 5 km, centered around NL 42-05-27; WL 71-15-51

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2420 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Arrowhead Stadium, Kansas City, MO: Max altitude 3000 ft AGL, within 5 km, centered around NL 39-02-56; WL 94-29-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2420 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Heinz Field, Pittsburgh, PA: Max altitude 3000 ft AGL, within 5 km, centered around NL 40-26-48; WL 80-00-56

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2420 MHz	MO	8M00D7W	5 W (ERP)	

Frequency Information

MOBILE: US Bank Stadium, Minneapolis, MN: Max altitude 3000 ft AGL, within 5 km, centered around NL 44-58-26; WL 93-15-29

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2420 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: SoFi Stadium, Los Angeles, CA: Max altitude 3000 ft AGL, within 5 km, centered around NL 33-57-12; WL 118-20-22

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2420 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Allegiant Stadium, Las Vegas, NV: Max altitude 3000 ft AGL, within 5 km, centered around NL 36-05-26; WL 115-11-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2420 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Caesars Superdome, New Orleans, LA: Max altitude 3000 ft AGL, within 5 km, centered around NL 29-57-03; WL 90-04-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2420 MHz	MO	8M00D7W	5 W (ERP)	

Frequency Information

MOBILE: M&T Bank Stadium, Baltimore, MD: Max altitude 3000 ft AGL, within 5 km, centered around NL 39-16-40; WL 76-37-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2420 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Lumen Field, Seattle, WA: Max altitude 3000 ft AGL, within 5 km, centered around NL 47-35-79; WL 122-19-32

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2420 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Lambeau Field, Green Bay, WI: Max altitude 3000 ft AGL, within 5 km, centered around NL 44-30-04; WL 88-03-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2420 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Raymond James Stadium, Tampa, FL: Max altitude 3000 ft AGL, within 5 km, centered around NL 27-58-33; WL 82-30-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2420 MHz	MO	8M00D7W	5 W (ERP)	

Frequency Information

MOBILE: AT&T Stadium, Arlington, TX: Max altitude 3000 ft AGL, within 5 km, centered around NL 32-44-52; WL 97-05-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2420 MHz	MO	8M00D7W	5 W (ERP)	

Special Conditions:

- (1) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.