

**United States of America**  
**FEDERAL COMMUNICATIONS COMMISSION**  
**EXPERIMENTAL**  
**RADIO STATION CONSTRUCTION PERMIT**  
**AND LICENSE**

EXPERIMENTAL

(Nature of Service)

WG9XMP

(Call Sign)

XT      FX

(Class of Station)

0005-EX-AL-2013

(File Number)

NAME Wisper ISP, Inc.

Subject to the provisions of the Communications Act of 1934, subsequent acts, and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions and requirements set forth in this license, the licensee hereof is hereby authorized to use and operate the radio transmitting facilities hereinafter described for radio communications in accordance with the program of experimentation described by the licensee in its application for license.

Station Locations

- (1) Ashley, IL - NL 38-19-25; WL 89-10-25
- (2) Belle Prairie, IL - NL 38-12-57; WL 88-34-04
- (3) Belle Rive, IL - NL 38-14-05; WL 88-44-30
- (4) Benton, IL - NL 37-59-17; WL 88-53-34
- (5) Bluford, IL - NL 38-20-30; WL 88-46-23
- (6) Bluford, IL - NL 38-19-42; WL 88-44-21
- (7) Bluford, IL - NL 38-19-45; WL 88-43-52
- (8) Bluford, IL - NL 38-20-23; WL 88-40-46
- (9) Bonnie, IL - NL 38-12-07; WL 88-54-34
- (10) Cisne, IL - NL 38-30-45; WL 88-26-09
- (11) Dix, IL - NL 38-27-23; WL 88-56-33
- (12) Dix, IL - NL 38-26-25; WL 88-56-17
- (13) Mt. Vernon, IL - NL 38-17-14; WL 88-53-32
- (14) Ina, IL - NL 38-08-52; WL 88-54-20
- (15) Kell, IL - NL 38-29-30; WL 88-54-05
- (16) Mt. Vernon, IL - NL 38-18-38; WL 88-56-18
- (17) Marcoe, IL - NL 38-15-20; WL 88-57-27
- (18) McLeansboro, IL - NL 38-05-49; WL 88-32-09
- (19) Idlewood, IL - NL 38-24-22; WL 88-53-12
- (20) Summersville, IL - NL 38-19-20; WL 88-51-17
- (21) Mt. Vernon, IL - NL 38-18-49; WL 88-54-01
- (22) Idlewood, IL - NL 38-23-01; WL 88-55-39
- (23) Mt. Vernon, IL - NL 38-19-43; WL 88-54-35
- (24) Opdyke, IL - NL 38-15-26; WL 88-47-22
- (25) Mt. Vernon, IL - NL 38-19-12; WL 88-54-54

This authorization effective June 13, 2013 and  
will expire 3:00 A.M. EST October 01, 2013

**FEDERAL**  
**COMMUNICATIONS**  
**COMMISSION**

Station Locations

- (26) Bonnie, IL - NL 38-12-59; WL 88-52-46  
 (27) Salem, IL - NL 38-36-02; WL 88-53-37  
 (28) Waltonville, IL - NL 38-12-48; WL 89-02-30  
 (29) Woodlawn, IL - NL 38-22-18; WL 89-03-05  
 (30) Woodlawn, IL - NL 38-19-49; WL 89-02-03

## Frequency Information

Ashley, IL - NL 38-19-25; WL 89-10-25

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

Belle Prairie, IL - NL 38-12-57; WL 88-34-04

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

Belle Rive, IL - NL 38-14-05; WL 88-44-30

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

## Frequency Information

Benton, IL - NL 37-59-17; WL 88-53-34

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

Bluford, IL - NL 38-20-30; WL 88-46-23

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

Bluford, IL - NL 38-19-42; WL 88-44-21

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

## Frequency Information

Bluford, IL - NL 38-19-45; WL 88-43-52

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

Bluford, IL - NL 38-20-23; WL 88-40-46

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

Bonnie, IL - NL 38-12-07; WL 88-54-34

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

## Frequency Information

Cisne, IL - NL 38-30-45; WL 88-26-09

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

Dix, IL - NL 38-27-23; WL 88-56-33

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

Dix, IL - NL 38-26-25; WL 88-56-17

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

## Frequency Information

Mt. Vernon, IL - NL 38-17-14; WL 88-53-32

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

Ina, IL - NL 38-08-52; WL 88-54-20

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

Kell, IL - NL 38-29-30; WL 88-54-05

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

## Frequency Information

Mt. Vernon, IL - NL 38-18-38; WL 88-56-18

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

Marcoe, IL - NL 38-15-20; WL 88-57-27

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

McLeansboro, IL - NL 38-05-49; WL 88-32-09

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

## Frequency Information

Idlewood, IL - NL 38-24-22; WL 88-53-12

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

Summersville, IL - NL 38-19-20; WL 88-51-17

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

Mt. Vernon, IL - NL 38-18-49; WL 88-54-01

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

## Frequency Information

Idlewood, IL - NL 38-23-01; WL 88-55-39

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

Mt. Vernon, IL - NL 38-19-43; WL 88-54-35

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

Opdyke, IL - NL 38-15-26; WL 88-47-22

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

## Frequency Information

Mt. Vernon, IL - NL 38-19-12; WL 88-54-54

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

Bonnie, IL - NL 38-12-59; WL 88-52-46

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

Salem, IL - NL 38-36-02; WL 88-53-37

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

## Frequency Information

Waltonville, IL - NL 38-12-48; WL 89-02-30

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

Woodlawn, IL - NL 38-22-18; WL 89-03-05

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

Woodlawn, IL - NL 38-19-49; WL 89-02-03

| Frequency   | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-------------|---------------|---------------------|------------------|---------------------------|
| 470-608 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |
| 614-698 MHz | FX            | 6M00F1D             | 4 W (ERP)        |                           |

## Special Conditions:

- (1) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.

**Special Conditions:**

- (2) Operation is subject to prior coordination with the Society of Broadcast Engineers, Inc. (SBE); ATTN: Executive Director; 9102 North Meridian Street, Suite 305; Indianapolis, IN 46260; telephone, (866) 632-4222; FAX, (317) 846-9120; e-mail, executivedir @ sbe.org; information, www.sbe.org.
- (3) No operation is permitted in frequency band 608-614 MHz.
- (4) All operations must be in accordance with the FCC CFR 47 Part 15, Subpart H.
- (5) Within 30 days of consummation of the transaction between Mt. Vernon.net, Inc. and Wisper ISP, Inc., the applicant shall notify the Chief of the Experimental Licensing Branch of the date of the consummation.
- (6) The effective date of this assignment authorization will be the date of the transaction consummation.