

User Guide

1. Device connection

Insert the wireless network dongle directly into the USB port;
Notice: It is recommended to use a USB extension cable to connect to the USB port of the computer for better signal level.

2. Driver Installation

2.1 Insert the CD into the CD-ROM drive, run the driver installation program

驱动名称

驱动版本

驱动大小

驱动语言

And you can get the driver installation program on microneforce.com

2.2 After running, and install the driver;

REALTEK USB Wireless LAN Client

1. 安装驱动程序

2. 安装驱动程序

3. 安装驱动程序

4. 安装驱动程序

5. 安装驱动程序

6. 安装驱动程序

7. 安装驱动程序

8. 安装驱动程序

9. 安装驱动程序

10. 安装驱动程序

11. 安装驱动程序

12. 安装驱动程序

13. 安装驱动程序

14. 安装驱动程序

15. 安装驱动程序

16. 安装驱动程序

17. 安装驱动程序

18. 安装驱动程序

19. 安装驱动程序

20. 安装驱动程序

21. 安装驱动程序

22. 安装驱动程序

23. 安装驱动程序

24. 安装驱动程序

25. 安装驱动程序

26. 安装驱动程序

27. 安装驱动程序

28. 安装驱动程序

29. 安装驱动程序

30. 安装驱动程序

31. 安装驱动程序

32. 安装驱动程序

33. 安装驱动程序

34. 安装驱动程序

35. 安装驱动程序

36. 安装驱动程序

37. 安装驱动程序

38. 安装驱动程序

39. 安装驱动程序

40. 安装驱动程序

41. 安装驱动程序

42. 安装驱动程序

43. 安装驱动程序

44. 安装驱动程序

45. 安装驱动程序

46. 安装驱动程序

47. 安装驱动程序

48. 安装驱动程序

49. 安装驱动程序

50. 安装驱动程序

51. 安装驱动程序

52. 安装驱动程序

53. 安装驱动程序

54. 安装驱动程序

55. 安装驱动程序

56. 安装驱动程序

57. 安装驱动程序

58. 安装驱动程序

59. 安装驱动程序

60. 安装驱动程序

61. 安装驱动程序

62. 安装驱动程序

63. 安装驱动程序

64. 安装驱动程序

65. 安装驱动程序

66. 安装驱动程序

67. 安装驱动程序

68. 安装驱动程序

69. 安装驱动程序

70. 安装驱动程序

71. 安装驱动程序

72. 安装驱动程序

73. 安装驱动程序

74. 安装驱动程序

75. 安装驱动程序

76. 安装驱动程序

77. 安装驱动程序

78. 安装驱动程序

79. 安装驱动程序

80. 安装驱动程序

81. 安装驱动程序

82. 安装驱动程序

83. 安装驱动程序

84. 安装驱动程序

85. 安装驱动程序

86. 安装驱动程序

87. 安装驱动程序

88. 安装驱动程序

89. 安装驱动程序

90. 安装驱动程序

91. 安装驱动程序

92. 安装驱动程序

93. 安装驱动程序

94. 安装驱动程序

95. 安装驱动程序

96. 安装驱动程序

97. 安装驱动程序

98. 安装驱动程序

99. 安装驱动程序

100. 安装驱动程序

2.3 After the installation is complete, you will be asked whether to restart the computer. If there is work in progress or files being written, you can choose to restart later. If there is nothing else, we recommend to restarting the computer immediately;

3. Network connection settings

Insert the wireless network dongle directly into the USB port;

3.1 After confirming that the driver is installed correctly, REALTEK's network card client management software REALTEK USB Wireless LAN Utility will detect the network card, and then the network card management software can be used for networking and other operations.

You can double-click the wireless network card management icon in the lower right corner to open the network card client management software.

After the driver is successfully installed, the software will detect the driver and display it under "My Computer". Click the driver to start the operation.

3.2 Click on the available network to view the list of currently detected to for connection. Click on the available network, wait for the search to complete

Click the network you want to connect to, and then double-click the network or select "Add to configuration file"

3.3 If the connection is successful, the management software will change to 安全, you can click "General" to the home page to view the current IP, MAC address, gateway, etc.

4. Network connection status

4.1 After network connection, you can check the network connection status in REALTEK USB Wireless LAN Utility.

Click Status to view the status of the current network connection, as shown in the figure below.

4.2 Statistics of data receiving and sending. Click "Statistics" to view the status of data transmission and reception, and click "Reset" to reset the current statistical data.

Manufacturer: Micronet Union Technology(Chengdu) Co., Ltd
Address: Room 502, Building 5, N.O. 528, Yuefei Road, Shibantan Street, Xindu District, Chengdu, Sichuan, China

FCC Statement :

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:


- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Specific Absorption Rate (SAR) information:

This AX1800 USB3.0 WiFi Adapter meets the government's requirements for exposure to radio waves. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons regardless of age or health. FCC RF Exposure Information and Statement the SAR limit of USA (FCC) is 1.6 W/kg averaged over one gram of tissue. Device types: AX1800 USB3.0 WiFi Adapter has also been tested against this SAR limit. This device was tested for typical body-worn operations with the back of the device kept 0mm from the body. To maintain compliance with FCC RF exposure requirements, use accessories that maintain an 0mm separation distance between the user's body and the back of the device. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these requirements may not comply with FCC RF exposure requirements, and should be avoided.

名 称	D1-说明书-V1.0	日 期	2021-12-20	时间	变更内容	变更人	补充项	权责人	内 容
描 述	技术要求： 1.材料：70g书写纸 2.单页尺寸：70*105mm 3.工艺：黑色印刷 4.折叠方式：风琴折 5.尺寸公差：±0.5mm						包装设计	蒋婷	负责整体效果尺寸版式设计
							项目负责人	贺建会	负责稿件和内容评审
							内/外贸	外贸	英文文案
版权所有	 微网力合 深圳市微网力合信息技术有限公司	图纸编号					批 准		