

Appendix Test Data

Report No.:	18220WC10233903	Test Sample No.:	1-2-2
Start Test Date:	2021.10.25	Finish Test Date:	2021.11.30
Test Engineer:	<i>Jomy He</i>	Auditor:	<i>Edward Pan</i>
Temperature:	24.3°C	Relative Humidity:	57 %
Pressure:	1012 hPa		

Appendix A: DFS Detection Thresholds

Test Result

Test For 4dBi Antenna Gain:

TestMode	Channel	Radar Type	Result	Limit[dbm]	Verdict
11AC80SISO	5290	Type0	-57.64	-57.00	PASS
		Type1	-57.34	-57.00	PASS
		Type2	-57.24	-57.00	PASS
		Type3	-57.15	-57.00	PASS
		Type4	-57.05	-57.00	PASS
		Type5	-57.27	-57.00	PASS
	5530	Type6	-57.84	-57.00	PASS
		Type0	-57.59	-57.00	PASS
		Type1	-57.46	-57.00	PASS
		Type2	-57.47	-57.00	PASS
		Type3	-57.23	-57.00	PASS
		Type4	-57.26	-57.00	PASS
		Type5	-57.51	-57.00	PASS
		Type6	-57.17	-57.00	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Test For 5dBi Antenna Gain:

TestMode	Channel	Radar Type	Result	Limit[dbm]	Verdict
11AC80SISO	5290	Type0	-56.30	-56.00	PASS
		Type1	-56.51	-56.00	PASS
		Type2	-56.37	-56.00	PASS
		Type3	-56.38	-56.00	PASS
		Type4	-56.35	-56.00	PASS
		Type5	-56.51	-56.00	PASS
		Type6	-56.11	-56.00	PASS
	5530	Type0	-56.44	-56.00	PASS
		Type1	-56.33	-56.00	PASS
		Type2	-56.38	-56.00	PASS
		Type3	-56.38	-56.00	PASS
		Type4	-56.23	-56.00	PASS
		Type5	-56.55	-56.00	PASS
		Type6	-56.35	-56.00	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com


Test Graphs

Test For 4dBi Antenna Gain:






11AC80SISO_5290_Type3




11AC80SISO_5290_Type4



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com




Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com



11AC80SISO_530_Type3



11AC80SISO_5530_Type4




Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com





Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com

Test For 5dBi Antenna Gain:






11AC80SISO_5290_Type3




11AC80SISO_5290_Type4



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com




Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com






11AC80SISO_5530_Type3




11AC80SISO_5530_Type4



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Appendix B: Channel Loading

Test Result

TestMode	Channel	Result	Limit [%]	Verdict
11AC80SISO	5290	18.89	17	PASS
11AC80SISO	5530	20.21	17	PASS

Test Graphs



Appendix C: Channel Availability Check Time

Test Result

Test For 4dBi Antenna Gain:

TestMode	Channel	Result	Verdict
11AC80SISO	5290	See test Graph	PASS
	5530	See test Graph	PASS

TestMode	Channel	Result	Verdict
11AC80SISO	5290	See test Graph	PASS
	5530	See test Graph	PASS

TestMode	Channel	Result	Verdict
11AC80SISO	5290	See test Graph	PASS
	5530	See test Graph	PASS

Test For 5dBi Antenna Gain:


TestMode	Channel	Result	Verdict
11AC80SISO	5290	See test Graph	PASS
	5530	See test Graph	PASS


TestMode	Channel	Result	Verdict
11AC80SISO	5290	See test Graph	PASS
	5530	See test Graph	PASS

TestMode	Channel	Result	Verdict
11AC80SISO	5290	See test Graph	PASS
	5530	See test Graph	PASS

Test Graphs

Test For 4dBi Antenna Gain:






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com




Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
400-003-0500
www.anbotek.com


Test For 5dBi Antenna Gain:



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com

Appendix D: In-Service Monitoring for Channel Move Time and Channel Closing Transmission Time

Test Result

Test For 4dBi Antenna Gain:



TestMode	Channel	CCT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11AC80SISO	5290	200+15.6	200+60	1076.4	10000	PASS
	5530	200+18.2	200+60	1070.0	10000	PASS

Test For 5dBi Antenna Gain:



TestMode	Channel	CCT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11AC80SISO	5290	200+14.3	200+60	1082.9	10000	PASS
	5530	200+15.6	200+60	1131.0	10000	PASS

Test Graphs

Test For 4dBi Antenna Gain:



Test For 5dBi Antenna Gain:



Appendix E: In-Service Monitoring for Non-Occupancy Period

Test Result

Test For 4dBi Antenna Gain:



TestMode	Channel	Result	Limit[s]	Verdict
11AC80SISO	5290	see test graph	≥1800	PASS
	5530	see test graph	≥1800	PASS

Test For 5dBi Antenna Gain:



TestMode	Channel	Result	Limit[s]	Verdict
11AC80SISO	5290	see test graph	≥1800	PASS
	5530	see test graph	≥1800	PASS

Test Graphs

Test For 4dBi Antenna Gain:



Test For 5dBi Antenna Gain:



Appendix F: U-NII Detection Bandwidth

Test Result

Test For 4dBi Antenna Gain:

TestMode	Channel	FL[MHz]	FH[MHz]	Detection Bandwidth [MHz]	OCB [MHz]	Ratio [%]	Limit [%]	Verdict
11A	5260	5251	5269	18	16.567	108.65	≥100	PASS
11A	5500	5491	5509	18	16.566	108.66	≥100	PASS
11N40SISO	5270	5251	5289	38	37.079	102.48	≥100	PASS
11N40SISO	5510	5491	5529	38	37.533	101.24	≥100	PASS
11AC80SISO	5290	5251	5329	78	77.105	101.16	≥100	PASS
11AC80SISO	5530	5491	5569	78	76.908	101.42	≥100	PASS

Note: Detection Bandwidth=FH-FL, Ratio= Detection Bandwidth/ OCB*100%

Test For 5dBi Antenna Gain:

TestMode	Channel	FL[MHz]	FH[MHz]	Detection Bandwidth [MHz]	OCB [MHz]	Ratio [%]	Limit [%]	Verdict
11A	5260	5251	5269	18	16.545	108.79	≥100	PASS
11A	5500	5491	5509	18	16.498	109.10	≥100	PASS
11N40SISO	5270	5251	5289	38	36.357	104.52	≥100	PASS
11N40SISO	5510	5491	5529	38	36.421	104.34	≥100	PASS
11AC80SISO	5290	5251	5329	78	76.362	102.15	≥100	PASS
11AC80SISO	5530	5491	5569	78	76.527	101.92	≥100	PASS

Note: Detection Bandwidth=FH-FL, Ratio= Detection Bandwidth/ OCB*100%


Test For 4dBi Antenna Gain:

Test Mode	Channel	Radar Freq.	Trial 1	Trial 2	Trial 3	Trial 4	Trial 5	Trial 6	Trial 7	Trial 8	Trial 9	Trial 10	Ratio (%)
11A	5260	5250	0	0	1	0	0	1	0	0	0	0	20
		5251	1	1	1	1	1	1	0	1	1	1	90
		5252	1	1	1	1	1	1	1	1	1	1	100
		5253	1	1	1	1	1	1	1	1	1	1	100
		5254	1	1	1	1	1	1	1	1	1	1	100
		5255	1	1	1	1	1	1	1	1	1	1	100
		5260	1	1	1	1	1	1	1	1	1	1	100
		5265	1	1	1	1	1	1	1	1	1	1	100
		5266	1	1	1	1	1	1	1	1	1	1	100
		5267	1	1	1	1	1	1	1	1	1	1	100
		5268	1	1	1	1	1	1	1	1	1	1	100
		5269	1	1	1	1	0	1	1	1	1	1	90
5270	0	1	0	1	0	0	1	0	0	0	30		

Test Mode	Channel	Radar Freq.	Trial 1	Trial 2	Trial 3	Trial 4	Trial 5	Trial 6	Trial 7	Trial 8	Trial 9	Trial 10	Ratio (%)
11A	5500	5490	0	0	1	0	1	0	1	0	1	0	40
		5491	1	1	1	1	0	1	1	1	1	1	90
		5492	1	1	1	1	1	1	1	1	1	1	100
		5493	1	1	1	1	1	1	1	1	1	1	100
		5494	1	1	1	1	1	1	1	1	1	1	100
		5495	1	1	1	1	1	1	1	1	1	1	100
		5500	1	1	1	1	1	1	1	1	1	1	100
		5505	1	1	1	1	1	1	1	1	1	1	100
		5506	1	1	1	1	1	1	1	1	1	1	100
		5507	1	1	1	1	1	1	1	1	1	1	100
		5508	1	1	1	1	1	1	1	1	1	1	100
		5509	1	1	1	1	1	1	0	1	1	1	90
5510	0	1	0	1	0	0	1	0	1	0	40		

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com


 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Freq.	Trial 1	Trial 2	Trial 3	Trial 4	Trial 5	Trial 6	Trial 7	Trial 8	Trial 9	Trial 10	Ratio (%)	
11N40SI SO	5270	5250	0	0	0	0	0	0	1	0	0	0	10	
		5251	1	1	1	1	0	1	1	1	1	1	1	90
		5252	1	1	1	1	1	1	1	1	1	1	1	100
		5253	1	1	1	1	1	1	1	1	1	1	1	100
		5254	1	1	1	1	1	1	1	1	1	1	1	100
		5255	1	1	1	1	1	1	1	1	1	1	1	100
		5260	1	1	1	1	1	1	1	1	1	1	1	100
		5265	1	1	1	1	1	1	1	1	1	1	1	100
		5270	1	1	1	1	1	1	1	1	1	1	1	100
		5275	1	1	1	1	1	1	1	1	1	1	1	100
		5280	1	1	1	1	1	1	1	1	1	1	1	100
		5285	1	1	1	1	1	1	1	1	1	1	1	100
		5286	1	1	1	1	1	1	1	1	1	1	1	100
		5287	1	1	1	1	1	1	1	1	1	1	1	100
		5288	1	1	1	1	1	1	1	1	1	1	1	100
5289	1	1	1	1	1	1	1	1	1	0	1	90		
5290	0	0	0	0	0	1	0	0	0	0	0	10		

Test Mode	Channel	Radar Freq.	Trial 1	Trial 2	Trial 3	Trial 4	Trial 5	Trial 6	Trial 7	Trial 8	Trial 9	Trial 10	Ratio (%)	
11N40SI SO	5510	5490	1	0	0	0	0	0	0	0	1	0	20	
		5491	1	1	1	1	0	1	1	1	1	1	1	90
		5492	1	1	1	1	1	1	1	1	1	1	1	100
		5493	1	1	1	1	1	1	1	1	1	1	1	100
		5494	1	1	1	1	1	1	1	1	1	1	1	100
		5495	1	1	1	1	1	1	1	1	1	1	1	100
		5500	1	1	1	1	1	1	1	1	1	1	1	100
		5505	1	1	1	1	1	1	1	1	1	1	1	100
		5510	1	1	1	1	1	1	1	1	1	1	1	100
		5515	1	1	1	1	1	1	1	1	1	1	1	100
		5520	1	1	1	1	1	1	1	1	1	1	1	100
		5525	1	1	1	1	1	1	1	1	1	1	1	100
		5516	1	1	1	1	1	1	1	1	1	1	1	100
		5517	1	1	1	1	1	1	1	1	1	1	1	100
		5518	1	1	1	1	1	1	1	1	1	1	1	100
5519	1	1	1	1	1	1	1	0	1	1	1	90		
5530	0	1	0	0	0	0	0	0	1	0	0	20		

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Freq.	Trial 1	Trial 2	Trial 3	Trial 4	Trial 5	Trial 6	Trial 7	Trial 8	Trial 9	Trial 10	Ratio (%)	
11AC80S ISO	5290	5250	0	1	0	0	1	0	0	1	0	0	30	
		5251	1	1	1	1	1	1	1	0	1	1	90	
		5252	1	1	1	1	1	1	1	1	1	1	1	100
		5253	1	1	1	1	1	1	1	1	1	1	1	100
		5254	1	1	1	1	1	1	1	1	1	1	1	100
		5255	1	1	1	1	1	1	1	1	1	1	1	100
		5260	1	1	1	1	1	1	1	1	1	1	1	100
		5265	1	1	1	1	1	1	1	1	1	1	1	100
		5270	1	1	1	1	1	1	1	1	1	1	1	100
		5275	1	1	1	1	1	1	1	1	1	1	1	100
		5280	1	1	1	1	1	1	1	1	1	1	1	100
		5285	1	1	1	1	1	1	1	1	1	1	1	100
		5290	1	1	1	1	1	1	1	1	1	1	1	100
		5295	1	1	1	1	1	1	1	1	1	1	1	100
		5300	1	1	1	1	1	1	1	1	1	1	1	100
		5305	1	1	1	1	1	1	1	1	1	1	1	100
		5310	1	1	1	1	1	1	1	1	1	1	1	100
		5315	1	1	1	1	1	1	1	1	1	1	1	100
		5320	1	1	1	1	1	1	1	1	1	1	1	100
		5325	1	1	1	1	1	1	1	1	1	1	1	100
5326	1	1	1	1	1	1	1	1	1	1	1	100		
5327	1	1	1	1	1	1	1	1	1	1	1	100		
5328	1	1	1	1	1	1	1	1	1	1	1	100		
5329	1	1	1	0	1	1	1	1	1	1	1	90		
5330	0	0	1	0	0	0	0	1	0	1	0	30		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Freq.	Trial 1	Trial 2	Trial 3	Trial 4	Trial 5	Trial 6	Trial 7	Trial 8	Trial 9	Trial 10	Ratio (%)	
11AC80S ISO	5530	5490	0	0	0	0	0	0	0	0	1	0	10	
		5491	1	1	0	1	1	1	1	1	1	1	1	90
		5492	1	1	1	1	1	1	1	1	1	1	1	100
		5493	1	1	1	1	1	1	1	1	1	1	1	100
		5494	1	1	1	1	1	1	1	1	1	1	1	100
		5495	1	1	1	1	1	1	1	1	1	1	1	100
		5500	1	1	1	1	1	1	1	1	1	1	1	100
		5505	1	1	1	1	1	1	1	1	1	1	1	100
		5510	1	1	1	1	1	1	1	1	1	1	1	100
		5515	1	1	1	1	1	1	1	1	1	1	1	100
		5520	1	1	1	1	1	1	1	1	1	1	1	100
		5525	1	1	1	1	1	1	1	1	1	1	1	100
		5530	1	1	1	1	1	1	1	1	1	1	1	100
		5535	1	1	1	1	1	1	1	1	1	1	1	100
		5540	1	1	1	1	1	1	1	1	1	1	1	100
		5545	1	1	1	1	1	1	1	1	1	1	1	100
		5550	1	1	1	1	1	1	1	1	1	1	1	100
		5555	1	1	1	1	1	1	1	1	1	1	1	100
		5560	1	1	1	1	1	1	1	1	1	1	1	100
		5565	1	1	1	1	1	1	1	1	1	1	1	100
5566	1	1	1	1	1	1	1	1	1	1	1	100		
5567	1	1	1	1	1	1	1	1	1	1	1	100		
5568	1	1	1	1	1	1	1	1	1	1	1	100		
5569	1	1	1	1	1	1	0	1	1	1	1	90		
5570	0	0	0	0	0	0	0	0	0	0	0	00		

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
400-003-0500
www.anbotek.com


Test For 5dBi Antenna Gain:

Test Mode	Channel	Radar Freq.	Trial 1	Trial 2	Trial 3	Trial 4	Trial 5	Trial 6	Trial 7	Trial 8	Trial 9	Trial 10	Ratio (%)
11A	5260	5250	0	1	0	1	0	0	1	0	1	0	40
		5251	1	1	1	0	1	1	1	1	1	1	90
		5252	1	1	1	1	1	1	1	1	1	1	100
		5253	1	1	1	1	1	1	1	1	1	1	100
		5254	1	1	1	1	1	1	1	1	1	1	100
		5255	1	1	1	1	1	1	1	1	1	1	100
		5260	1	1	1	1	1	1	1	1	1	1	100
		5265	1	1	1	1	1	1	1	1	1	1	100
		5266	1	1	1	1	1	1	1	1	1	1	100
		5267	1	1	1	1	1	1	1	1	1	1	100
		5268	1	1	1	1	1	1	1	1	1	1	100
		5269	1	1	1	1	1	1	0	1	1	1	90
5270	0	1	0	0	0	1	0	0	1	0	30		

Test Mode	Channel	Radar Freq.	Trial 1	Trial 2	Trial 3	Trial 4	Trial 5	Trial 6	Trial 7	Trial 8	Trial 9	Trial 10	Ratio (%)
11A	5500	5490	0	0	1	0	1	0	0	1	1	1	50
		5491	1	1	1	1	0	1	1	1	1	1	90
		5492	1	1	1	1	1	1	1	1	1	1	100
		5493	1	1	1	1	1	1	1	1	1	1	100
		5494	1	1	1	1	1	1	1	1	1	1	100
		5495	1	1	1	1	1	1	1	1	1	1	100
		5500	1	1	1	1	1	1	1	1	1	1	100
		5505	1	1	1	1	1	1	1	1	1	1	100
		5506	1	1	1	1	1	1	1	1	1	1	100
		5507	1	1	1	1	1	1	1	1	1	1	100
		5508	1	1	1	1	1	1	1	1	1	1	100
		5509	1	1	1	1	0	1	1	1	1	1	90
5510	0	1	0	1	1	0	0	0	1	1	50		

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com


 Hotline
400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Freq.	Trial 1	Trial 2	Trial 3	Trial 4	Trial 5	Trial 6	Trial 7	Trial 8	Trial 9	Trial 10	Ratio (%)	
11N40SI SO	5270	5250	0	0	0	1	0	1	0	1	0	0	30	
		5251	1	1	1	1	1	1	1	0	1	1	1	90
		5252	1	1	1	1	1	1	1	1	1	1	1	100
		5253	1	1	1	1	1	1	1	1	1	1	1	100
		5254	1	1	1	1	1	1	1	1	1	1	1	100
		5255	1	1	1	1	1	1	1	1	1	1	1	100
		5260	1	1	1	1	1	1	1	1	1	1	1	100
		5265	1	1	1	1	1	1	1	1	1	1	1	100
		5270	1	1	1	1	1	1	1	1	1	1	1	100
		5275	1	1	1	1	1	1	1	1	1	1	1	100
		5280	1	1	1	1	1	1	1	1	1	1	1	100
		5285	1	1	1	1	1	1	1	1	1	1	1	100
		5286	1	1	1	1	1	1	1	1	1	1	1	100
		5287	1	1	1	1	1	1	1	1	1	1	1	100
		5288	1	1	1	1	1	1	1	1	1	1	1	100
5289	1	1	1	1	1	1	1	1	1	1	1	100		
5290	0	0	1	0	0	1	0	1	0	1	1	1	50	

Test Mode	Channel	Radar Freq.	Trial 1	Trial 2	Trial 3	Trial 4	Trial 5	Trial 6	Trial 7	Trial 8	Trial 9	Trial 10	Ratio (%)	
11N40SI SO	5510	5490	1	1	1	0	0	0	0	0	1	1	50	
		5491	1	1	1	1	1	1	1	1	1	1	1	100
		5492	1	1	1	1	1	1	1	1	1	1	1	100
		5493	1	1	1	1	1	1	1	1	1	1	1	100
		5494	1	1	1	1	1	1	1	1	1	1	1	100
		5495	1	1	1	1	1	1	1	1	1	1	1	100
		5500	1	1	1	1	1	1	1	1	1	1	1	100
		5505	1	1	1	1	1	1	1	1	1	1	1	100
		5510	1	1	1	1	1	1	1	1	1	1	1	100
		5515	1	1	1	1	1	1	1	1	1	1	1	100
		5520	1	1	1	1	1	1	1	1	1	1	1	100
		5525	1	1	1	1	1	1	1	1	1	1	1	100
		5516	1	1	1	1	1	1	1	1	1	1	1	100
		5517	1	1	1	1	1	1	1	1	1	1	1	100
		5518	1	1	1	1	1	1	1	1	1	1	1	100
5519	1	1	1	1	1	1	1	1	1	0	1	90		
5530	0	1	1	0	1	0	0	1	0	0	0	40		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Freq.	Trial 1	Trial 2	Trial 3	Trial 4	Trial 5	Trial 6	Trial 7	Trial 8	Trial 9	Trial 10	Ratio (%)	
11AC80S ISO	5290	5250	0	1	1	0	1	0	1	1	0	0	50	
		5251	1	1	1	1	1	1	1	1	1	1	100	
		5252	1	1	1	1	1	1	1	1	1	1	1	100
		5253	1	1	1	1	1	1	1	1	1	1	1	100
		5254	1	1	1	1	1	1	1	1	1	1	1	100
		5255	1	1	1	1	1	1	1	1	1	1	1	100
		5260	1	1	1	1	1	1	1	1	1	1	1	100
		5265	1	1	1	1	1	1	1	1	1	1	1	100
		5270	1	1	1	1	1	1	1	1	1	1	1	100
		5275	1	1	1	1	1	1	1	1	1	1	1	100
		5280	1	1	1	1	1	1	1	1	1	1	1	100
		5285	1	1	1	1	1	1	1	1	1	1	1	100
		5290	1	1	1	1	1	1	1	1	1	1	1	100
		5295	1	1	1	1	1	1	1	1	1	1	1	100
		5300	1	1	1	1	1	1	1	1	1	1	1	100
		5305	1	1	1	1	1	1	1	1	1	1	1	100
		5310	1	1	1	1	1	1	1	1	1	1	1	100
		5315	1	1	1	1	1	1	1	1	1	1	1	100
		5320	1	1	1	1	1	1	1	1	1	1	1	100
		5325	1	1	1	1	1	1	1	1	1	1	1	100
5326	1	1	1	1	1	1	1	1	1	1	1	100		
5327	1	1	1	1	1	1	1	1	1	1	1	100		
5328	1	1	1	1	1	1	1	1	1	1	1	100		
5329	1	1	1	1	1	1	0	1	1	1	1	90		
5330	0	0	1	0	1	0	1	0	1	0	1	0	40	

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Freq.	Trial 1	Trial 2	Trial 3	Trial 4	Trial 5	Trial 6	Trial 7	Trial 8	Trial 9	Trial 10	Ratio (%)	
11AC80S ISO	5530	5490	0	0	0	0	1	1	0	1	1	0	40	
		5491	1	1	1	1	1	1	1	1	1	1	1	100
		5492	1	1	1	1	1	1	1	1	1	1	1	100
		5493	1	1	1	1	1	1	1	1	1	1	1	100
		5494	1	1	1	1	1	1	1	1	1	1	1	100
		5495	1	1	1	1	1	1	1	1	1	1	1	100
		5500	1	1	1	1	1	1	1	1	1	1	1	100
		5505	1	1	1	1	1	1	1	1	1	1	1	100
		5510	1	1	1	1	1	1	1	1	1	1	1	100
		5515	1	1	1	1	1	1	1	1	1	1	1	100
		5520	1	1	1	1	1	1	1	1	1	1	1	100
		5525	1	1	1	1	1	1	1	1	1	1	1	100
		5530	1	1	1	1	1	1	1	1	1	1	1	100
		5535	1	1	1	1	1	1	1	1	1	1	1	100
		5540	1	1	1	1	1	1	1	1	1	1	1	100
		5545	1	1	1	1	1	1	1	1	1	1	1	100
		5550	1	1	1	1	1	1	1	1	1	1	1	100
		5555	1	1	1	1	1	1	1	1	1	1	1	100
		5560	1	1	1	1	1	1	1	1	1	1	1	100
		5565	1	1	1	1	1	1	1	1	1	1	1	100
5566	1	1	1	1	1	1	1	1	1	1	1	100		
5567	1	1	1	1	1	1	1	1	1	1	1	100		
5568	1	1	1	1	1	1	1	1	1	1	1	100		
5569	1	1	1	1	1	1	1	1	0	1	1	90		
5570	0	0	0	0	1	0	1	1	0	0	0	30		


Shenzhen Anbotek Compliance Laboratory Limited



Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Graphs

Test For 4dBi Antenna Gain:






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline 400-003-0500
 www.anbotek.com







Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
 400-003-0500
www.anbotek.com

Test For 5dBi Antenna Gain:







Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
 400-003-0500
 www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com

Appendix G: Statistical Performance check

Test Result

Test For 4dBi Antenna Gain:

TestMode	Channel	Radar Type	Pass Times	Fail Times	Probability (%)	Limit (%)	Verdict
11A	5260	Type1	26	4	86.67	60.00	PASS
11A	5500	Type1	28	2	93.33	60.00	PASS
11N40SISO	5270	Type1	25	5	83.33	60.00	PASS
11N40SISO	5510	Type1	26	4	86.67	60.00	PASS
11AC80SISO	5290	Type1	25	5	83.33	60.00	PASS
11AC80SISO	5530	Type1	27	3	90.00	60.00	PASS
11A	5260	Type2	24	6	80.00	60.00	PASS
11A	5500	Type2	25	5	83.33	60.00	PASS
11N40SISO	5270	Type2	26	4	86.67	60.00	PASS
11N40SISO	5510	Type2	25	5	83.33	60.00	PASS
11AC80SISO	5290	Type2	27	3	90.00	60.00	PASS
11AC80SISO	5530	Type2	27	3	90.00	60.00	PASS
11A	5260	Type3	24	6	80.00	60.00	PASS
11A	5500	Type3	27	3	90.00	60.00	PASS
11N40SISO	5270	Type3	23	7	76.67	60.00	PASS
11N40SISO	5510	Type3	26	4	86.67	60.00	PASS
11AC80SISO	5290	Type3	25	5	83.33	60.00	PASS
11AC80SISO	5530	Type3	24	6	80.00	60.00	PASS
11A	5260	Type4	25	5	83.33	60.00	PASS
11A	5500	Type4	26	4	86.67	60.00	PASS
11N40SISO	5270	Type4	26	4	86.67	60.00	PASS
11N40SISO	5510	Type4	24	6	80.00	60.00	PASS
11AC80SISO	5290	Type4	27	3	90.00	60.00	PASS
11AC80SISO	5530	Type4	24	6	80.00	60.00	PASS

TestMode	Channel	Aggregate Radar Type	Probability (%)				Aggregate Probability (%)	Limit (%)	Verdict
			Type1	Type2	Type3	Type4			
11A	5260	Type1-4	86.67	80.00	80.00	83.33	82.50	80.00	PASS
11A	5500	Type1-4	93.33	83.33	90.00	86.67	88.33	80.00	PASS
11N40SISO	5270	Type1-4	83.33	86.67	76.67	86.67	83.34	80.00	PASS
11N40SISO	5510	Type1-4	86.67	83.33	86.67	80.00	84.17	80.00	PASS
11AC80SISO	5290	Type1-4	83.33	90.00	83.33	90.00	86.67	80.00	PASS
11AC80SISO	5530	Type1-4	90.00	90.00	80.00	80.00	85.00	80.00	PASS

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Pass Times	Fail Times	Probability (%)	Limit (%)	Verdict
11A	5260	Type5	27	3	90.00	80.00	PASS
11A	5500	Type5	26	4	86.67	80.00	PASS
11N40SISO	5270	Type5	25	5	83.33	80.00	PASS
11N40SISO	5510	Type5	27	3	90.00	80.00	PASS
11AC80SISO	5290	Type5	27	3	90.00	80.00	PASS
11AC80SISO	5530	Type5	26	4	86.67	80.00	PASS
11A	5260	Type6	25	5	83.33	70.00	PASS
11A	5500	Type6	24	6	80.00	70.00	PASS
11N40SISO	5270	Type6	23	7	76.67	70.00	PASS
11N40SISO	5510	Type6	27	3	90.00	70.00	PASS
11AC80SISO	5290	Type6	26	4	86.67	70.00	PASS
11AC80SISO	5530	Type6	25	5	83.33	70.00	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test For 5dBi Antenna Gain:

TestMode	Channel	Radar Type	Pass Times	Fail Times	Probability (%)	Limit (%)	Verdict
11A	5260	Type1	25	5	83.33	60.00	PASS
11A	5500	Type1	25	5	83.33	60.00	PASS
11N40SISO	5270	Type1	27	3	90.00	60.00	PASS
11N40SISO	5510	Type1	26	4	86.67	60.00	PASS
11AC80SISO	5290	Type1	23	3	76.67	60.00	PASS
11AC80SISO	5530	Type1	28	2	93.33	60.00	PASS
11A	5260	Type2	25	5	83.33	60.00	PASS
11A	5500	Type2	27	3	90.00	60.00	PASS
11N40SISO	5270	Type2	26	4	86.67	60.00	PASS
11N40SISO	5510	Type2	26	4	86.67	60.00	PASS
11AC80SISO	5290	Type2	25	5	83.33	60.00	PASS
11AC80SISO	5530	Type2	26	4	86.67	60.00	PASS
11A	5260	Type3	25	5	83.33	60.00	PASS
11A	5500	Type3	26	4	86.67	60.00	PASS
11N40SISO	5270	Type3	24	6	80.00	60.00	PASS
11N40SISO	5510	Type3	25	5	83.33	60.00	PASS
11AC80SISO	5290	Type3	27	3	90.00	60.00	PASS
11AC80SISO	5530	Type3	26	4	86.67	60.00	PASS
11A	5260	Type4	27	3	90.00	60.00	PASS
11A	5500	Type4	27	3	90.00	60.00	PASS
11N40SISO	5270	Type4	26	4	86.67	60.00	PASS
11N40SISO	5510	Type4	26	4	86.67	60.00	PASS
11AC80SISO	5290	Type4	25	5	83.33	60.00	PASS
11AC80SISO	5530	Type4	26	4	86.67	60.00	PASS

TestMode	Channel	Aggregate Radar Type	Probability (%)				Aggregate Probability (%)	Limit (%)	Verdict
			Type1	Type2	Type3	Type4			
11A	5260	Type1-4	83.33	83.33	83.33	90.00	85.00	80.00	PASS
11A	5500	Type1-4	83.33	90.00	86.67	90.00	87.50	80.00	PASS
11N40SISO	5270	Type1-4	90.00	86.67	80.00	86.67	85.84	80.00	PASS
11N40SISO	5510	Type1-4	86.67	86.67	83.33	86.67	85.84	80.00	PASS
11AC80SISO	5290	Type1-4	76.67	83.33	90.00	83.33	83.33	80.00	PASS
11AC80SISO	5530	Type1-4	93.33	86.67	86.67	86.67	88.34	80.00	PASS

TestMode	Channel	Radar Type	Pass Times	Fail Times	Probability (%)	Limit (%)	Verdict
11A	5260	Type5	28	2	93.33	80.00	PASS
11A	5500	Type5	27	3	90.00	80.00	PASS
11N40SISO	5270	Type5	26	4	86.67	80.00	PASS
11N40SISO	5510	Type5	28	2	93.33	80.00	PASS
11AC80SISO	5290	Type5	27	3	90.00	80.00	PASS
11AC80SISO	5530	Type5	25	5	83.33	80.00	PASS
11A	5260	Type6	26	4	86.67	70.00	PASS
11A	5500	Type6	26	4	86.67	70.00	PASS
11N40SISO	5270	Type6	25	5	83.33	70.00	PASS
11N40SISO	5510	Type6	26	4	86.67	70.00	PASS
11AC80SISO	5290	Type6	28	2	93.33	70.00	PASS
11AC80SISO	5530	Type6	25	5	83.33	70.00	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500


www.anbotek.com

Test For 4dBi Antenna Gain:

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11A	5260	Type1	0	1.0	938.0	57	1
		Type1	1	1.0	698.0	76	1
		Type1	2	1.0	618.0	86	1
		Type1	3	1.0	538.0	99	1
		Type1	4	1.0	878.0	61	0
		Type1	5	1.0	3066.0	18	1
		Type1	6	1.0	638.0	83	1
		Type1	7	1.0	918.0	58	1
		Type1	8	1.0	838.0	63	1
		Type1	9	1.0	858.0	62	1
		Type1	10	1.0	798.0	67	1
		Type1	11	1.0	898.0	59	0
		Type1	12	1.0	638.0	83	1
		Type1	13	1.0	618.0	86	1
		Type1	14	1.0	598.0	89	1
		Type1	15	1.0	1182.0	45	1
		Type1	16	1.0	909.0	59	0
		Type1	17	1.0	758.0	70	1
		Type1	18	1.0	1946.0	28	1
		Type1	19	1.0	2259.0	24	1
		Type1	20	1.0	2009.0	27	1
		Type1	21	1.0	865.0	62	1
		Type1	22	1.0	2218.0	24	1
		Type1	23	1.0	1480.0	36	1
		Type1	24	1.0	2523.0	21	0
		Type1	25	1.0	2876.0	19	1
		Type1	26	1.0	2496.0	22	1
		Type1	27	1.0	3046.0	18	1
		Type1	28	1.0	2057.0	26	1
Type1	29	1.0	2719.0	20	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11A	5500	Type1	0	1.0	938.0	57	1
		Type1	1	1.0	698.0	76	1
		Type1	2	1.0	618.0	86	1
		Type1	3	1.0	538.0	99	1
		Type1	4	1.0	878.0	61	1
		Type1	5	1.0	3066.0	18	0
		Type1	6	1.0	638.0	83	1
		Type1	7	1.0	918.0	58	1
		Type1	8	1.0	838.0	63	1
		Type1	9	1.0	858.0	62	1
		Type1	10	1.0	798.0	67	1
		Type1	11	1.0	898.0	59	1
		Type1	12	1.0	638.0	83	1
		Type1	13	1.0	618.0	86	1
		Type1	14	1.0	598.0	89	1
		Type1	15	1.0	1182.0	45	1
		Type1	16	1.0	909.0	59	1
		Type1	17	1.0	758.0	70	1
		Type1	18	1.0	1946.0	28	1
		Type1	19	1.0	2259.0	24	1
		Type1	20	1.0	2009.0	27	1
		Type1	21	1.0	865.0	62	1
		Type1	22	1.0	2218.0	24	1
		Type1	23	1.0	1480.0	36	1
		Type1	24	1.0	2523.0	21	1
		Type1	25	1.0	2876.0	19	0
		Type1	26	1.0	2496.0	22	1
		Type1	27	1.0	3046.0	18	1
		Type1	28	1.0	2057.0	26	1
Type1	29	1.0	2719.0	20	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11N40 SISO	5270	Type1	0	1.0	938.0	57	0
		Type1	1	1.0	698.0	76	1
		Type1	2	1.0	618.0	86	1
		Type1	3	1.0	538.0	99	1
		Type1	4	1.0	878.0	61	1
		Type1	5	1.0	3066.0	18	1
		Type1	6	1.0	638.0	83	1
		Type1	7	1.0	918.0	58	0
		Type1	8	1.0	838.0	63	1
		Type1	9	1.0	858.0	62	1
		Type1	10	1.0	798.0	67	1
		Type1	11	1.0	898.0	59	1
		Type1	12	1.0	638.0	83	1
		Type1	13	1.0	618.0	86	1
		Type1	14	1.0	598.0	89	1
		Type1	15	1.0	1182.0	45	0
		Type1	16	1.0	909.0	59	1
		Type1	17	1.0	758.0	70	1
		Type1	18	1.0	1946.0	28	1
		Type1	19	1.0	2259.0	24	0
		Type1	20	1.0	2009.0	27	1
		Type1	21	1.0	865.0	62	1
		Type1	22	1.0	2218.0	24	1
		Type1	23	1.0	1480.0	36	1
		Type1	24	1.0	2523.0	21	1
		Type1	25	1.0	2876.0	19	0
		Type1	26	1.0	2496.0	22	1
		Type1	27	1.0	3046.0	18	1
		Type1	28	1.0	2057.0	26	1
Type1	29	1.0	2719.0	20	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11N40 SISO	5510	Type1	0	1.0	938.0	57	1
		Type1	1	1.0	698.0	76	1
		Type1	2	1.0	618.0	86	1
		Type1	3	1.0	538.0	99	1
		Type1	4	1.0	878.0	61	1
		Type1	5	1.0	3066.0	18	1
		Type1	6	1.0	638.0	83	0
		Type1	7	1.0	918.0	58	1
		Type1	8	1.0	838.0	63	1
		Type1	9	1.0	858.0	62	1
		Type1	10	1.0	798.0	67	1
		Type1	11	1.0	898.0	59	1
		Type1	12	1.0	638.0	83	0
		Type1	13	1.0	618.0	86	1
		Type1	14	1.0	598.0	89	1
		Type1	15	1.0	1182.0	45	1
		Type1	16	1.0	909.0	59	1
		Type1	17	1.0	758.0	70	1
		Type1	18	1.0	1946.0	28	1
		Type1	19	1.0	2259.0	24	1
		Type1	20	1.0	2009.0	27	1
		Type1	21	1.0	865.0	62	1
		Type1	22	1.0	2218.0	24	0
		Type1	23	1.0	1480.0	36	1
		Type1	24	1.0	2523.0	21	1
		Type1	25	1.0	2876.0	19	1
		Type1	26	1.0	2496.0	22	1
		Type1	27	1.0	3046.0	18	0
		Type1	28	1.0	2057.0	26	1
Type1	29	1.0	2719.0	20	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11AC80 SISO	5290	Type1	0	1.0	938.0	57	1
		Type1	1	1.0	698.0	76	1
		Type1	2	1.0	618.0	86	1
		Type1	3	1.0	538.0	99	0
		Type1	4	1.0	878.0	61	1
		Type1	5	1.0	3066.0	18	1
		Type1	6	1.0	638.0	83	1
		Type1	7	1.0	918.0	58	1
		Type1	8	1.0	838.0	63	0
		Type1	9	1.0	858.0	62	1
		Type1	10	1.0	798.0	67	1
		Type1	11	1.0	898.0	59	1
		Type1	12	1.0	638.0	83	1
		Type1	13	1.0	618.0	86	1
		Type1	14	1.0	598.0	89	1
		Type1	15	1.0	1182.0	45	0
		Type1	16	1.0	909.0	59	1
		Type1	17	1.0	758.0	70	1
		Type1	18	1.0	1946.0	28	1
		Type1	19	1.0	2259.0	24	1
		Type1	20	1.0	2009.0	27	1
		Type1	21	1.0	865.0	62	0
		Type1	22	1.0	2218.0	24	1
		Type1	23	1.0	1480.0	36	0
		Type1	24	1.0	2523.0	21	1
		Type1	25	1.0	2876.0	19	1
		Type1	26	1.0	2496.0	22	1
		Type1	27	1.0	3046.0	18	1
		Type1	28	1.0	2057.0	26	1
Type1	29	1.0	2719.0	20	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11AC80 SISO	5530	Type1	0	1.0	938.0	57	1
		Type1	1	1.0	698.0	76	1
		Type1	2	1.0	618.0	86	1
		Type1	3	1.0	538.0	99	1
		Type1	4	1.0	878.0	61	1
		Type1	5	1.0	3066.0	18	1
		Type1	6	1.0	638.0	83	1
		Type1	7	1.0	918.0	58	1
		Type1	8	1.0	838.0	63	1
		Type1	9	1.0	858.0	62	1
		Type1	10	1.0	798.0	67	1
		Type1	11	1.0	898.0	59	1
		Type1	12	1.0	638.0	83	0
		Type1	13	1.0	618.0	86	1
		Type1	14	1.0	598.0	89	1
		Type1	15	1.0	1182.0	45	1
		Type1	16	1.0	909.0	59	1
		Type1	17	1.0	758.0	70	1
		Type1	18	1.0	1946.0	28	1
		Type1	19	1.0	2259.0	24	1
		Type1	20	1.0	2009.0	27	1
		Type1	21	1.0	865.0	62	0
		Type1	22	1.0	2218.0	24	1
		Type1	23	1.0	1480.0	36	1
		Type1	24	1.0	2523.0	21	1
		Type1	25	1.0	2876.0	19	1
		Type1	26	1.0	2496.0	22	1
		Type1	27	1.0	3046.0	18	0
		Type1	28	1.0	2057.0	26	1
Type1	29	1.0	2719.0	20	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11A	5260	Type2	0	4.6	197	24	1
		Type2	1	3.5	216	26	1
		Type2	2	3.3	224	27	0
		Type2	3	1.9	176	25	1
		Type2	4	2.5	177	23	1
		Type2	5	2.8	203	28	1
		Type2	6	3.2	195	29	1
		Type2	7	1.7	217	24	1
		Type2	8	2.8	223	28	0
		Type2	9	3.3	167	26	1
		Type2	10	3.9	159	28	1
		Type2	11	4.2	188	27	0
		Type2	12	4.5	195	26	1
		Type2	13	3.8	167	25	1
		Type2	14	4.2	195	28	1
		Type2	15	2.8	207	27	1
		Type2	16	2.6	224	26	1
		Type2	17	1.7	216	28	1
		Type2	18	3.3	176	26	1
		Type2	19	3.9	186	27	1
		Type2	20	2.7	157	25	0
		Type2	21	2.4	168	27	1
		Type2	22	1.8	155	29	1
		Type2	23	2.3	168	27	1
		Type2	24	3.1	174	26	0
		Type2	25	4.4	196	27	1
		Type2	26	2.9	219	25	1
		Type2	27	1.5	226	24	1
		Type2	28	1.8	168	26	0
Type2	29	2.7	189	23	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11A	5500	Type2	0	4.6	197	24	1
		Type2	1	3.5	216	26	1
		Type2	2	3.3	224	27	0
		Type2	3	1.9	176	25	1
		Type2	4	2.5	177	23	1
		Type2	5	2.8	203	28	1
		Type2	6	3.2	195	29	1
		Type2	7	1.7	217	24	1
		Type2	8	2.8	223	28	0
		Type2	9	3.3	167	26	1
		Type2	10	3.9	159	28	1
		Type2	11	4.2	188	27	1
		Type2	12	4.5	195	26	0
		Type2	13	3.8	167	25	1
		Type2	14	4.2	195	28	1
		Type2	15	2.8	207	27	1
		Type2	16	2.6	224	26	1
		Type2	17	1.7	216	28	1
		Type2	18	3.3	176	26	1
		Type2	19	3.9	186	27	0
		Type2	20	2.7	157	25	1
		Type2	21	2.4	168	27	1
		Type2	22	1.8	155	29	1
		Type2	23	2.3	168	27	1
		Type2	24	3.1	174	26	1
		Type2	25	4.4	196	27	0
		Type2	26	2.9	219	25	1
		Type2	27	1.5	226	24	1
		Type2	28	1.8	168	26	1
Type2	29	2.7	189	23	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11N40 SISO	5270	Type2	0	4.6	197	24	1
		Type2	1	3.5	216	26	1
		Type2	2	3.3	224	27	1
		Type2	3	1.9	176	25	1
		Type2	4	2.5	177	23	1
		Type2	5	2.8	203	28	0
		Type2	6	3.2	195	29	1
		Type2	7	1.7	217	24	1
		Type2	8	2.8	223	28	1
		Type2	9	3.3	167	26	1
		Type2	10	3.9	159	28	1
		Type2	11	4.2	188	27	0
		Type2	12	4.5	195	26	1
		Type2	13	3.8	167	25	1
		Type2	14	4.2	195	28	1
		Type2	15	2.8	207	27	1
		Type2	16	2.6	224	26	0
		Type2	17	1.7	216	28	1
		Type2	18	3.3	176	26	1
		Type2	19	3.9	186	27	0
		Type2	20	2.7	157	25	1
		Type2	21	2.4	168	27	1
		Type2	22	1.8	155	29	1
		Type2	23	2.3	168	27	1
		Type2	24	3.1	174	26	1
		Type2	25	4.4	196	27	1
		Type2	26	2.9	219	25	1
		Type2	27	1.5	226	24	1
		Type2	28	1.8	168	26	1
Type2	29	2.7	189	23	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11N40 SISO	5510	Type2	0	4.6	197	24	1
		Type2	1	3.5	216	26	1
		Type2	2	3.3	224	27	1
		Type2	3	1.9	176	25	0
		Type2	4	2.5	177	23	1
		Type2	5	2.8	203	28	1
		Type2	6	3.2	195	29	1
		Type2	7	1.7	217	24	1
		Type2	8	2.8	223	28	1
		Type2	9	3.3	167	26	0
		Type2	10	3.9	159	28	1
		Type2	11	4.2	188	27	1
		Type2	12	4.5	195	26	0
		Type2	13	3.8	167	25	1
		Type2	14	4.2	195	28	1
		Type2	15	2.8	207	27	1
		Type2	16	2.6	224	26	1
		Type2	17	1.7	216	28	1
		Type2	18	3.3	176	26	1
		Type2	19	3.9	186	27	0
		Type2	20	2.7	157	25	1
		Type2	21	2.4	168	27	1
		Type2	22	1.8	155	29	1
		Type2	23	2.3	168	27	1
		Type2	24	3.1	174	26	1
		Type2	25	4.4	196	27	0
		Type2	26	2.9	219	25	1
		Type2	27	1.5	226	24	1
		Type2	28	1.8	168	26	1
Type2	29	2.7	189	23	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11AC80 SISO	5290	Type2	0	4.6	197	24	1
		Type2	1	3.5	216	26	1
		Type2	2	3.3	224	27	1
		Type2	3	1.9	176	25	1
		Type2	4	2.5	177	23	1
		Type2	5	2.8	203	28	0
		Type2	6	3.2	195	29	1
		Type2	7	1.7	217	24	1
		Type2	8	2.8	223	28	1
		Type2	9	3.3	167	26	1
		Type2	10	3.9	159	28	1
		Type2	11	4.2	188	27	1
		Type2	12	4.5	195	26	1
		Type2	13	3.8	167	25	1
		Type2	14	4.2	195	28	1
		Type2	15	2.8	207	27	0
		Type2	16	2.6	224	26	1
		Type2	17	1.7	216	28	1
		Type2	18	3.3	176	26	1
		Type2	19	3.9	186	27	1
		Type2	20	2.7	157	25	1
		Type2	21	2.4	168	27	1
		Type2	22	1.8	155	29	1
		Type2	23	2.3	168	27	1
		Type2	24	3.1	174	26	1
		Type2	25	4.4	196	27	1
		Type2	26	2.9	219	25	0
		Type2	27	1.5	226	24	1
		Type2	28	1.8	168	26	1
Type2	29	2.7	189	23	1		

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com


 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11AC80 SISO	5530	Type2	0	4.6	197	24	1
		Type2	1	3.5	216	26	1
		Type2	2	3.3	224	27	0
		Type2	3	1.9	176	25	1
		Type2	4	2.5	177	23	1
		Type2	5	2.8	203	28	1
		Type2	6	3.2	195	29	1
		Type2	7	1.7	217	24	1
		Type2	8	2.8	223	28	1
		Type2	9	3.3	167	26	1
		Type2	10	3.9	159	28	1
		Type2	11	4.2	188	27	1
		Type2	12	4.5	195	26	1
		Type2	13	3.8	167	25	1
		Type2	14	4.2	195	28	0
		Type2	15	2.8	207	27	1
		Type2	16	2.6	224	26	1
		Type2	17	1.7	216	28	1
		Type2	18	3.3	176	26	1
		Type2	19	3.9	186	27	1
		Type2	20	2.7	157	25	1
		Type2	21	2.4	168	27	1
		Type2	22	1.8	155	29	1
		Type2	23	2.3	168	27	0
		Type2	24	3.1	174	26	1
		Type2	25	4.4	196	27	1
		Type2	26	2.9	219	25	1
		Type2	27	1.5	226	24	1
		Type2	28	1.8	168	26	1
Type2	29	2.7	189	23	1		

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11A	5260	Type3	0	6.5	243	16	1
		Type3	1	7.3	257	17	0
		Type3	2	6.9	226	16	1
		Type3	3	7.9	286	18	1
		Type3	4	8.5	307	17	1
		Type3	5	8.9	339	18	0
		Type3	6	9.3	409	17	1
		Type3	7	8.7	315	16	1
		Type3	8	8.5	276	18	1
		Type3	9	9.5	439	16	1
		Type3	10	9.6	229	18	1
		Type3	11	8.4	237	17	1
		Type3	12	7.8	275	16	1
		Type3	13	7.3	395	17	0
		Type3	14	7.5	439	16	1
		Type3	15	7.3	446	17	1
		Type3	16	7.5	286	18	1
		Type3	17	7.7	338	17	0
		Type3	18	8.3	251	16	1
		Type3	19	8.7	233	17	1
		Type3	20	6.9	362	18	1
		Type3	21	6.5	428	17	1
		Type3	22	6.4	437	16	0
		Type3	23	7.6	356	18	1
		Type3	24	7.2	338	17	1
		Type3	25	7.3	429	16	1
		Type3	26	7.4	267	18	1
		Type3	27	7.6	236	16	0
		Type3	28	7.9	281	17	1
Type3	29	8.2	411	18	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11A	5500	Type3	0	6.5	243	16	1
		Type3	1	7.3	257	17	1
		Type3	2	6.9	226	16	1
		Type3	3	7.9	286	18	1
		Type3	4	8.5	307	17	0
		Type3	5	8.9	339	18	1
		Type3	6	9.3	409	17	1
		Type3	7	8.7	315	16	1
		Type3	8	8.5	276	18	1
		Type3	9	9.5	439	16	1
		Type3	10	9.6	229	18	1
		Type3	11	8.4	237	17	1
		Type3	12	7.8	275	16	1
		Type3	13	7.3	395	17	1
		Type3	14	7.5	439	16	1
		Type3	15	7.3	446	17	1
		Type3	16	7.5	286	18	1
		Type3	17	7.7	338	17	1
		Type3	18	8.3	251	16	1
		Type3	19	8.7	233	17	1
		Type3	20	6.9	362	18	1
		Type3	21	6.5	428	17	0
		Type3	22	6.4	437	16	1
		Type3	23	7.6	356	18	1
		Type3	24	7.2	338	17	0
		Type3	25	7.3	429	16	1
		Type3	26	7.4	267	18	1
		Type3	27	7.6	236	16	1
		Type3	28	7.9	281	17	1
Type3	29	8.2	411	18	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11N40 SISO	5270	Type3	0	6.5	243	16	1
		Type3	1	7.3	257	17	0
		Type3	2	6.9	226	16	1
		Type3	3	7.9	286	18	1
		Type3	4	8.5	307	17	1
		Type3	5	8.9	339	18	1
		Type3	6	9.3	409	17	0
		Type3	7	8.7	315	16	1
		Type3	8	8.5	276	18	1
		Type3	9	9.5	439	16	1
		Type3	10	9.6	229	18	1
		Type3	11	8.4	237	17	0
		Type3	12	7.8	275	16	1
		Type3	13	7.3	395	17	1
		Type3	14	7.5	439	16	1
		Type3	15	7.3	446	17	1
		Type3	16	7.5	286	18	1
		Type3	17	7.7	338	17	1
		Type3	18	8.3	251	16	0
		Type3	19	8.7	233	17	1
		Type3	20	6.9	362	18	1
		Type3	21	6.5	428	17	1
		Type3	22	6.4	437	16	1
		Type3	23	7.6	356	18	0
		Type3	24	7.2	338	17	0
		Type3	25	7.3	429	16	1
		Type3	26	7.4	267	18	1
		Type3	27	7.6	236	16	1
		Type3	28	7.9	281	17	1
Type3	29	8.2	411	18	0		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11N40 SISO	5510	Type3	0	6.5	243	16	1
		Type3	1	7.3	257	17	1
		Type3	2	6.9	226	16	1
		Type3	3	7.9	286	18	1
		Type3	4	8.5	307	17	1
		Type3	5	8.9	339	18	1
		Type3	6	9.3	409	17	0
		Type3	7	8.7	315	16	1
		Type3	8	8.5	276	18	1
		Type3	9	9.5	439	16	1
		Type3	10	9.6	229	18	1
		Type3	11	8.4	237	17	1
		Type3	12	7.8	275	16	0
		Type3	13	7.3	395	17	1
		Type3	14	7.5	439	16	1
		Type3	15	7.3	446	17	1
		Type3	16	7.5	286	18	1
		Type3	17	7.7	338	17	1
		Type3	18	8.3	251	16	1
		Type3	19	8.7	233	17	1
		Type3	20	6.9	362	18	1
		Type3	21	6.5	428	17	1
		Type3	22	6.4	437	16	1
		Type3	23	7.6	356	18	0
		Type3	24	7.2	338	17	1
		Type3	25	7.3	429	16	1
		Type3	26	7.4	267	18	0
		Type3	27	7.6	236	16	1
		Type3	28	7.9	281	17	1
Type3	29	8.2	411	18	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11AC80 SISO	5290	Type3	0	6.5	243	16	1
		Type3	1	7.3	257	17	1
		Type3	2	6.9	226	16	1
		Type3	3	7.9	286	18	0
		Type3	4	8.5	307	17	1
		Type3	5	8.9	339	18	1
		Type3	6	9.3	409	17	1
		Type3	7	8.7	315	16	1
		Type3	8	8.5	276	18	1
		Type3	9	9.5	439	16	0
		Type3	10	9.6	229	18	1
		Type3	11	8.4	237	17	1
		Type3	12	7.8	275	16	1
		Type3	13	7.3	395	17	0
		Type3	14	7.5	439	16	1
		Type3	15	7.3	446	17	1
		Type3	16	7.5	286	18	1
		Type3	17	7.7	338	17	1
		Type3	18	8.3	251	16	1
		Type3	19	8.7	233	17	1
		Type3	20	6.9	362	18	1
		Type3	21	6.5	428	17	0
		Type3	22	6.4	437	16	1
		Type3	23	7.6	356	18	1
		Type3	24	7.2	338	17	1
		Type3	25	7.3	429	16	1
		Type3	26	7.4	267	18	1
		Type3	27	7.6	236	16	1
		Type3	28	7.9	281	17	1
Type3	29	8.2	411	18	0		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11AC80 SISO	5530	Type3	0	6.5	243	16	1
		Type3	1	7.3	257	17	1
		Type3	2	6.9	226	16	0
		Type3	3	7.9	286	18	1
		Type3	4	8.5	307	17	0
		Type3	5	8.9	339	18	1
		Type3	6	9.3	409	17	1
		Type3	7	8.7	315	16	1
		Type3	8	8.5	276	18	1
		Type3	9	9.5	439	16	1
		Type3	10	9.6	229	18	1
		Type3	11	8.4	237	17	1
		Type3	12	7.8	275	16	0
		Type3	13	7.3	395	17	1
		Type3	14	7.5	439	16	1
		Type3	15	7.3	446	17	1
		Type3	16	7.5	286	18	1
		Type3	17	7.7	338	17	1
		Type3	18	8.3	251	16	1
		Type3	19	8.7	233	17	0
		Type3	20	6.9	362	18	0
		Type3	21	6.5	428	17	1
		Type3	22	6.4	437	16	1
		Type3	23	7.6	356	18	1
		Type3	24	7.2	338	17	1
		Type3	25	7.3	429	16	0
		Type3	26	7.4	267	18	1
		Type3	27	7.6	236	16	1
		Type3	28	7.9	281	17	1
Type3	29	8.2	411	18	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11A	5260	Type4	0	13.5	236	13	1
		Type4	1	14.6	281	16	1
		Type4	2	14.0	239	12	1
		Type4	3	13.7	304	15	1
		Type4	4	17.4	228	13	0
		Type4	5	15.7	395	14	1
		Type4	6	15.3	426	15	1
		Type4	7	17.5	441	13	1
		Type4	8	18.3	382	15	1
		Type4	9	19.2	319	13	0
		Type4	10	17.5	438	12	1
		Type4	11	12.8	449	14	1
		Type4	12	13.6	321	15	1
		Type4	13	15.5	273	13	1
		Type4	14	18.9	228	16	1
		Type4	15	17.0	356	14	1
		Type4	16	14.3	345	15	1
		Type4	17	15.9	278	13	0
		Type4	18	16.2	229	16	1
		Type4	19	18.7	357	15	1
		Type4	20	19.5	267	14	1
		Type4	21	18.6	238	12	0
		Type4	22	17.7	227	15	0
		Type4	23	13.6	436	13	1
		Type4	24	14.5	448	14	1
		Type4	25	13.2	385	15	1
		Type4	26	14.4	462	13	1
		Type4	27	18.2	369	15	1
		Type4	28	17.3	317	12	1
Type4	29	18.8	428	14	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11A	5500	Type4	0	13.5	236	13	1
		Type4	1	14.6	281	16	1
		Type4	2	14.0	239	12	1
		Type4	3	13.7	304	15	1
		Type4	4	17.4	228	13	0
		Type4	5	15.7	395	14	0
		Type4	6	15.3	426	15	1
		Type4	7	17.5	441	13	1
		Type4	8	18.3	382	15	0
		Type4	9	19.2	319	13	1
		Type4	10	17.5	438	12	1
		Type4	11	12.8	449	14	1
		Type4	12	13.6	321	15	1
		Type4	13	15.5	273	13	1
		Type4	14	18.9	228	16	1
		Type4	15	17.0	356	14	1
		Type4	16	14.3	345	15	1
		Type4	17	15.9	278	13	1
		Type4	18	16.2	229	16	1
		Type4	19	18.7	357	15	1
		Type4	20	19.5	267	14	1
		Type4	21	18.6	238	12	1
		Type4	22	17.7	227	15	0
		Type4	23	13.6	436	13	1
		Type4	24	14.5	448	14	1
		Type4	25	13.2	385	15	1
		Type4	26	14.4	462	13	1
		Type4	27	18.2	369	15	1
		Type4	28	17.3	317	12	0
Type4	29	18.8	428	14	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11N40 SISO	5270	Type4	0	13.5	236	13	1
		Type4	1	14.6	281	16	0
		Type4	2	14.0	239	12	1
		Type4	3	13.7	304	15	1
		Type4	4	17.4	228	13	1
		Type4	5	15.7	395	14	1
		Type4	6	15.3	426	15	1
		Type4	7	17.5	441	13	1
		Type4	8	18.3	382	15	1
		Type4	9	19.2	319	13	1
		Type4	10	17.5	438	12	1
		Type4	11	12.8	449	14	1
		Type4	12	13.6	321	15	1
		Type4	13	15.5	273	13	1
		Type4	14	18.9	228	16	0
		Type4	15	17.0	356	14	1
		Type4	16	14.3	345	15	1
		Type4	17	15.9	278	13	1
		Type4	18	16.2	229	16	1
		Type4	19	18.7	357	15	1
		Type4	20	19.5	267	14	1
		Type4	21	18.6	238	12	1
		Type4	22	17.7	227	15	1
		Type4	23	13.6	436	13	0
		Type4	24	14.5	448	14	1
		Type4	25	13.2	385	15	1
		Type4	26	14.4	462	13	1
		Type4	27	18.2	369	15	0
		Type4	28	17.3	317	12	1
Type4	29	18.8	428	14	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11N40 SISO	5510	Type4	0	13.5	236	13	1
		Type4	1	14.6	281	16	1
		Type4	2	14.0	239	12	1
		Type4	3	13.7	304	15	0
		Type4	4	17.4	228	13	1
		Type4	5	15.7	395	14	1
		Type4	6	15.3	426	15	0
		Type4	7	17.5	441	13	1
		Type4	8	18.3	382	15	1
		Type4	9	19.2	319	13	1
		Type4	10	17.5	438	12	1
		Type4	11	12.8	449	14	1
		Type4	12	13.6	321	15	0
		Type4	13	15.5	273	13	1
		Type4	14	18.9	228	16	1
		Type4	15	17.0	356	14	0
		Type4	16	14.3	345	15	1
		Type4	17	15.9	278	13	1
		Type4	18	16.2	229	16	1
		Type4	19	18.7	357	15	0
		Type4	20	19.5	267	14	1
		Type4	21	18.6	238	12	1
		Type4	22	17.7	227	15	1
		Type4	23	13.6	436	13	1
		Type4	24	14.5	448	14	1
		Type4	25	13.2	385	15	1
		Type4	26	14.4	462	13	1
		Type4	27	18.2	369	15	0
		Type4	28	17.3	317	12	1
Type4	29	18.8	428	14	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11AC80 SISO	5290	Type4	0	13.5	236	13	1
		Type4	1	14.6	281	16	1
		Type4	2	14.0	239	12	1
		Type4	3	13.7	304	15	1
		Type4	4	17.4	228	13	1
		Type4	5	15.7	395	14	1
		Type4	6	15.3	426	15	0
		Type4	7	17.5	441	13	1
		Type4	8	18.3	382	15	1
		Type4	9	19.2	319	13	1
		Type4	10	17.5	438	12	1
		Type4	11	12.8	449	14	1
		Type4	12	13.6	321	15	1
		Type4	13	15.5	273	13	1
		Type4	14	18.9	228	16	1
		Type4	15	17.0	356	14	1
		Type4	16	14.3	345	15	0
		Type4	17	15.9	278	13	1
		Type4	18	16.2	229	16	1
		Type4	19	18.7	357	15	1
		Type4	20	19.5	267	14	1
		Type4	21	18.6	238	12	1
		Type4	22	17.7	227	15	1
		Type4	23	13.6	436	13	0
		Type4	24	14.5	448	14	1
		Type4	25	13.2	385	15	1
		Type4	26	14.4	462	13	1
		Type4	27	18.2	369	15	1
		Type4	28	17.3	317	12	1
Type4	29	18.8	428	14	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11AC80 SISO	5530	Type4	0	13.5	236	13	1
		Type4	1	14.6	281	16	1
		Type4	2	14.0	239	12	0
		Type4	3	13.7	304	15	1
		Type4	4	17.4	228	13	0
		Type4	5	15.7	395	14	1
		Type4	6	15.3	426	15	1
		Type4	7	17.5	441	13	1
		Type4	8	18.3	382	15	1
		Type4	9	19.2	319	13	1
		Type4	10	17.5	438	12	1
		Type4	11	12.8	449	14	1
		Type4	12	13.6	321	15	1
		Type4	13	15.5	273	13	1
		Type4	14	18.9	228	16	0
		Type4	15	17.0	356	14	0
		Type4	16	14.3	345	15	1
		Type4	17	15.9	278	13	1
		Type4	18	16.2	229	16	1
		Type4	19	18.7	357	15	1
		Type4	20	19.5	267	14	1
		Type4	21	18.6	238	12	1
		Type4	22	17.7	227	15	0
		Type4	23	13.6	436	13	1
		Type4	24	14.5	448	14	0
		Type4	25	13.2	385	15	1
		Type4	26	14.4	462	13	1
		Type4	27	18.2	369	15	1
		Type4	28	17.3	317	12	1
Type4	29	18.8	428	14	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Chirp Width (MHz)	Pulse width(μs)	PRI(μs)	Number of Bursts	Number of Pulses per Burst	Detection (1: Yes; 0: No)	
11A	5260	Type5	0	5	65.2	1532	9	1	1	
		Type5	1	10	71.3	1478	15	15	1	1
		Type5	2	5	59.6	1835	11	11	3	1
		Type5	3	9	75.8	1238	13	13	2	1
		Type5	4	7	66.7	1687	14	14	2	0
		Type5	5	6	82.5	1862	9	9	1	1
		Type5	6	8	88.9	1866	12	12	3	1
		Type5	7	10	87.6	1759	16	16	3	1
		Type5	8	10	73.5	1757	17	17	2	1
		Type5	9	13	62.7	1246	14	14	2	1
		Type5	10	13	87.4	1863	11	11	2	0
		Type5	11	15	75.0	1795	18	18	3	1
		Type5	12	15	67.3	1682	14	14	1	1
		Type5	13	20	55.2	1935	16	16	3	1
		Type5	14	20	89.3	1572	9	9	2	1
		Type5	15	16	91.2	1752	19	19	1	1
		Type5	16	16	95.3	1723	17	17	3	1
		Type5	17	18	67.5	1247	13	13	1	1
		Type5	18	17	77.5	1358	16	16	2	1
		Type5	19	12	64.3	1765	8	8	3	1
		Type5	20	11	82.4	1375	19	19	2	1
		Type5	21	9	74.4	1963	13	13	2	1
		Type5	22	8	81.2	1783	15	15	1	0
		Type5	23	12	69.5	1937	16	16	1	1
		Type5	24	15	76.3	1767	17	17	3	1
		Type5	25	20	75.8	1756	14	14	3	1
		Type5	26	18	68.1	1684	19	19	2	1
		Type5	27	18	79.7	1375	13	13	2	1
		Type5	28	16	68.2	1744	12	12	1	1
Type5	29	17	81.3	1286	15	15	3	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Chirp Width (MHz)	Pulse width(μs)	PRI(μs)	Number of Bursts	Number of Pulses per Burst	Detection (1: Yes; 0: No)	
11A	5500	Type5	0	5	65.2	1532	9	1	1	
		Type5	1	10	71.3	1478	15	15	1	1
		Type5	2	5	59.6	1835	11	11	3	0
		Type5	3	9	75.8	1238	13	13	2	1
		Type5	4	7	66.7	1687	14	14	2	1
		Type5	5	6	82.5	1862	9	9	1	1
		Type5	6	8	88.9	1866	12	12	3	1
		Type5	7	10	87.6	1759	16	16	3	1
		Type5	8	10	73.5	1757	17	17	2	0
		Type5	9	13	62.7	1246	14	14	2	1
		Type5	10	13	87.4	1863	11	11	2	1
		Type5	11	15	75.0	1795	18	18	3	1
		Type5	12	15	67.3	1682	14	14	1	1
		Type5	13	20	55.2	1935	16	16	3	1
		Type5	14	20	89.3	1572	9	9	2	1
		Type5	15	16	91.2	1752	19	19	1	1
		Type5	16	16	95.3	1723	17	17	3	1
		Type5	17	18	67.5	1247	13	13	1	1
		Type5	18	17	77.5	1358	16	16	2	0
		Type5	19	12	64.3	1765	8	8	3	1
		Type5	20	11	82.4	1375	19	19	2	1
		Type5	21	9	74.4	1963	13	13	2	1
		Type5	22	8	81.2	1783	15	15	1	1
		Type5	23	12	69.5	1937	16	16	1	1
		Type5	24	15	76.3	1767	17	17	3	1
		Type5	25	20	75.8	1756	14	14	3	1
		Type5	26	18	68.1	1684	19	19	2	1
		Type5	27	18	79.7	1375	13	13	2	0
		Type5	28	16	68.2	1744	12	12	1	1
Type5	29	17	81.3	1286	15	15	3	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Chirp Width (MHz)	Pulse width(μs)	PRI(μs)	Number of Bursts	Number of Pulses per Burst	Detection (1: Yes; 0: No)	
11N40 SISO	5270	Type5	0	5	65.2	1532	9	1	1	
		Type5	1	10	71.3	1478	15	15	1	1
		Type5	2	5	59.6	1835	11	11	3	1
		Type5	3	9	75.8	1238	13	13	2	1
		Type5	4	7	66.7	1687	14	14	2	1
		Type5	5	6	82.5	1862	9	9	1	0
		Type5	6	8	88.9	1866	12	12	3	1
		Type5	7	10	87.6	1759	16	16	3	1
		Type5	8	10	73.5	1757	17	17	2	1
		Type5	9	13	62.7	1246	14	14	2	0
		Type5	10	13	87.4	1863	11	11	2	1
		Type5	11	15	75.0	1795	18	18	3	1
		Type5	12	15	67.3	1682	14	14	1	1
		Type5	13	20	55.2	1935	16	16	3	1
		Type5	14	20	89.3	1572	9	9	2	1
		Type5	15	16	91.2	1752	19	19	1	0
		Type5	16	16	95.3	1723	17	17	3	1
		Type5	17	18	67.5	1247	13	13	1	1
		Type5	18	17	77.5	1358	16	16	2	1
		Type5	19	12	64.3	1765	8	8	3	1
		Type5	20	11	82.4	1375	19	19	2	0
		Type5	21	9	74.4	1963	13	13	2	1
		Type5	22	8	81.2	1783	15	15	1	1
		Type5	23	12	69.5	1937	16	16	1	1
		Type5	24	15	76.3	1767	17	17	3	0
		Type5	25	20	75.8	1756	14	14	3	1
		Type5	26	18	68.1	1684	19	19	2	1
		Type5	27	18	79.7	1375	13	13	2	1
		Type5	28	16	68.2	1744	12	12	1	1
Type5	29	17	81.3	1286	15	15	3	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Chirp Width (MHz)	Pulse width(μs)	PRI(μs)	Number of Bursts	Number of Pulses per Burst	Detection (1: Yes; 0: No)	
11N40 SISO	5510	Type5	0	5	65.2	1532	9	1	1	
		Type5	1	10	71.3	1478	15	15	1	1
		Type5	2	5	59.6	1835	11	11	3	0
		Type5	3	9	75.8	1238	13	13	2	1
		Type5	4	7	66.7	1687	14	14	2	1
		Type5	5	6	82.5	1862	9	9	1	1
		Type5	6	8	88.9	1866	12	12	3	1
		Type5	7	10	87.6	1759	16	16	3	1
		Type5	8	10	73.5	1757	17	17	2	0
		Type5	9	13	62.7	1246	14	14	2	1
		Type5	10	13	87.4	1863	11	11	2	1
		Type5	11	15	75.0	1795	18	18	3	1
		Type5	12	15	67.3	1682	14	14	1	1
		Type5	13	20	55.2	1935	16	16	3	1
		Type5	14	20	89.3	1572	9	9	2	1
		Type5	15	16	91.2	1752	19	19	1	0
		Type5	16	16	95.3	1723	17	17	3	1
		Type5	17	18	67.5	1247	13	13	1	1
		Type5	18	17	77.5	1358	16	16	2	1
		Type5	19	12	64.3	1765	8	8	3	1
		Type5	20	11	82.4	1375	19	19	2	1
		Type5	21	9	74.4	1963	13	13	2	1
		Type5	22	8	81.2	1783	15	15	1	1
		Type5	23	12	69.5	1937	16	16	1	1
		Type5	24	15	76.3	1767	17	17	3	1
		Type5	25	20	75.8	1756	14	14	3	1
		Type5	26	18	68.1	1684	19	19	2	1
		Type5	27	18	79.7	1375	13	13	2	1
		Type5	28	16	68.2	1744	12	12	1	1
Type5	29	17	81.3	1286	15	15	3	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Chirp Width (MHz)	Pulse width(μs)	PRI(μs)	Number of Bursts	Number of Pulses per Burst	Detection (1: Yes; 0: No)
11AC80 SISO	5290	Type5	0	5	65.2	1532	9	1	1
		Type5	1	10	71.3	1478	15	1	1
		Type5	2	5	59.6	1835	11	3	1
		Type5	3	9	75.8	1238	13	2	1
		Type5	4	7	66.7	1687	14	2	0
		Type5	5	6	82.5	1862	9	1	1
		Type5	6	8	88.9	1866	12	3	1
		Type5	7	10	87.6	1759	16	3	0
		Type5	8	10	73.5	1757	17	2	1
		Type5	9	13	62.7	1246	14	2	1
		Type5	10	13	87.4	1863	11	2	1
		Type5	11	15	75.0	1795	18	3	1
		Type5	12	15	67.3	1682	14	1	1
		Type5	13	20	55.2	1935	16	3	1
		Type5	14	20	89.3	1572	9	2	1
		Type5	15	16	91.2	1752	19	1	1
		Type5	16	16	95.3	1723	17	3	0
		Type5	17	18	67.5	1247	13	1	1
		Type5	18	17	77.5	1358	16	2	1
		Type5	19	12	64.3	1765	8	3	1
		Type5	20	11	82.4	1375	19	2	1
		Type5	21	9	74.4	1963	13	2	1
		Type5	22	8	81.2	1783	15	1	1
		Type5	23	12	69.5	1937	16	1	1
		Type5	24	15	76.3	1767	17	3	1
		Type5	25	20	75.8	1756	14	3	1
		Type5	26	18	68.1	1684	19	2	1
		Type5	27	18	79.7	1375	13	2	1
		Type5	28	16	68.2	1744	12	1	1
Type5	29	17	81.3	1286	15	3	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Chirp Width (MHz)	Pulse width(μs)	PRI(μs)	Number of Bursts	Number of Pulses per Burst	Detection (1: Yes; 0: No)
11AC80 SISO	5530	Type5	0	5	65.2	1532	9	1	1
		Type5	1	10	71.3	1478	15	1	1
		Type5	2	5	59.6	1835	11	3	1
		Type5	3	9	75.8	1238	13	2	0
		Type5	4	7	66.7	1687	14	2	1
		Type5	5	6	82.5	1862	9	1	1
		Type5	6	8	88.9	1866	12	3	0
		Type5	7	10	87.6	1759	16	3	1
		Type5	8	10	73.5	1757	17	2	1
		Type5	9	13	62.7	1246	14	2	1
		Type5	10	13	87.4	1863	11	2	1
		Type5	11	15	75.0	1795	18	3	1
		Type5	12	15	67.3	1682	14	1	1
		Type5	13	20	55.2	1935	16	3	1
		Type5	14	20	89.3	1572	9	2	1
		Type5	15	16	91.2	1752	19	1	1
		Type5	16	16	95.3	1723	17	3	0
		Type5	17	18	67.5	1247	13	1	1
		Type5	18	17	77.5	1358	16	2	1
		Type5	19	12	64.3	1765	8	3	1
		Type5	20	11	82.4	1375	19	2	1
		Type5	21	9	74.4	1963	13	2	1
		Type5	22	8	81.2	1783	15	1	1
		Type5	23	12	69.5	1937	16	1	1
		Type5	24	15	76.3	1767	17	3	1
		Type5	25	20	75.8	1756	14	3	1
		Type5	26	18	68.1	1684	19	2	1
		Type5	27	18	79.7	1375	13	2	0
		Type5	28	16	68.2	1744	12	1	1
Type5	29	17	81.3	1286	15	3	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI(μs)	Pulses per Hop	Hopping Rate (KHz)	Hopping Sequence Length (ms)	Detection (1: Yes; 0: No)
11A	5260	Type6	0	1	333	9	0.333	300	1
		Type6	1	1	333	9	0.333	300	0
		Type6	2	1	333	9	0.333	300	1
		Type6	3	1	333	9	0.333	300	1
		Type6	4	1	333	9	0.333	300	1
		Type6	5	1	333	9	0.333	300	1
		Type6	6	1	333	9	0.333	300	0
		Type6	7	1	333	9	0.333	300	1
		Type6	8	1	333	9	0.333	300	1
		Type6	9	1	333	9	0.333	300	0
		Type6	10	1	333	9	0.333	300	1
		Type6	11	1	333	9	0.333	300	1
		Type6	12	1	333	9	0.333	300	1
		Type6	13	1	333	9	0.333	300	1
		Type6	14	1	333	9	0.333	300	1
		Type6	15	1	333	9	0.333	300	1
		Type6	16	1	333	9	0.333	300	1
		Type6	17	1	333	9	0.333	300	1
		Type6	18	1	333	9	0.333	300	0
		Type6	19	1	333	9	0.333	300	1
		Type6	20	1	333	9	0.333	300	1
		Type6	21	1	333	9	0.333	300	1
		Type6	22	1	333	9	0.333	300	1
		Type6	23	1	333	9	0.333	300	1
		Type6	24	1	333	9	0.333	300	1
		Type6	25	1	333	9	0.333	300	1
		Type6	26	1	333	9	0.333	300	1
		Type6	27	1	333	9	0.333	300	0
		Type6	28	1	333	9	0.333	300	1
Type6	29	1	333	9	0.333	300	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI(μs)	Pulses per Hop	Hopping Rate (KHz)	Hopping Sequence Length (ms)	Detection (1: Yes; 0: No)
11A	5500	Type6	0	1	333	9	0.333	300	1
		Type6	1	1	333	9	0.333	300	1
		Type6	2	1	333	9	0.333	300	1
		Type6	3	1	333	9	0.333	300	1
		Type6	4	1	333	9	0.333	300	1
		Type6	5	1	333	9	0.333	300	1
		Type6	6	1	333	9	0.333	300	1
		Type6	7	1	333	9	0.333	300	1
		Type6	8	1	333	9	0.333	300	0
		Type6	9	1	333	9	0.333	300	1
		Type6	10	1	333	9	0.333	300	1
		Type6	11	1	333	9	0.333	300	1
		Type6	12	1	333	9	0.333	300	1
		Type6	13	1	333	9	0.333	300	0
		Type6	14	1	333	9	0.333	300	0
		Type6	15	1	333	9	0.333	300	1
		Type6	16	1	333	9	0.333	300	1
		Type6	17	1	333	9	0.333	300	1
		Type6	18	1	333	9	0.333	300	1
		Type6	19	1	333	9	0.333	300	0
		Type6	20	1	333	9	0.333	300	1
		Type6	21	1	333	9	0.333	300	0
		Type6	22	1	333	9	0.333	300	1
		Type6	23	1	333	9	0.333	300	1
		Type6	24	1	333	9	0.333	300	1
		Type6	25	1	333	9	0.333	300	1
		Type6	26	1	333	9	0.333	300	0
		Type6	27	1	333	9	0.333	300	1
		Type6	28	1	333	9	0.333	300	1
Type6	29	1	333	9	0.333	300	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI(μs)	Pulses per Hop	Hopping Rate (KHz)	Hopping Sequence Length (ms)	Detection (1: Yes; 0: No)
11N40 SISO	5270	Type6	0	1	333	9	0.333	300	1
		Type6	1	1	333	9	0.333	300	0
		Type6	2	1	333	9	0.333	300	1
		Type6	3	1	333	9	0.333	300	1
		Type6	4	1	333	9	0.333	300	1
		Type6	5	1	333	9	0.333	300	1
		Type6	6	1	333	9	0.333	300	1
		Type6	7	1	333	9	0.333	300	0
		Type6	8	1	333	9	0.333	300	1
		Type6	9	1	333	9	0.333	300	1
		Type6	10	1	333	9	0.333	300	1
		Type6	11	1	333	9	0.333	300	1
		Type6	12	1	333	9	0.333	300	1
		Type6	13	1	333	9	0.333	300	0
		Type6	14	1	333	9	0.333	300	1
		Type6	15	1	333	9	0.333	300	1
		Type6	16	1	333	9	0.333	300	0
		Type6	17	1	333	9	0.333	300	1
		Type6	18	1	333	9	0.333	300	1
		Type6	19	1	333	9	0.333	300	0
		Type6	20	1	333	9	0.333	300	1
		Type6	21	1	333	9	0.333	300	1
		Type6	22	1	333	9	0.333	300	1
		Type6	23	1	333	9	0.333	300	0
		Type6	24	1	333	9	0.333	300	1
		Type6	25	1	333	9	0.333	300	1
		Type6	26	1	333	9	0.333	300	1
		Type6	27	1	333	9	0.333	300	0
		Type6	28	1	333	9	0.333	300	1
Type6	29	1	333	9	0.333	300	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI(μs)	Pulses per Hop	Hopping Rate (KHz)	Hopping Sequence Length (ms)	Detection (1: Yes; 0: No)
11N40 SISO	5510	Type6	0	1	333	9	0.333	300	1
		Type6	1	1	333	9	0.333	300	1
		Type6	2	1	333	9	0.333	300	1
		Type6	3	1	333	9	0.333	300	1
		Type6	4	1	333	9	0.333	300	1
		Type6	5	1	333	9	0.333	300	1
		Type6	6	1	333	9	0.333	300	1
		Type6	7	1	333	9	0.333	300	1
		Type6	8	1	333	9	0.333	300	1
		Type6	9	1	333	9	0.333	300	0
		Type6	10	1	333	9	0.333	300	1
		Type6	11	1	333	9	0.333	300	1
		Type6	12	1	333	9	0.333	300	1
		Type6	13	1	333	9	0.333	300	1
		Type6	14	1	333	9	0.333	300	1
		Type6	15	1	333	9	0.333	300	1
		Type6	16	1	333	9	0.333	300	0
		Type6	17	1	333	9	0.333	300	1
		Type6	18	1	333	9	0.333	300	0
		Type6	19	1	333	9	0.333	300	1
		Type6	20	1	333	9	0.333	300	1
		Type6	21	1	333	9	0.333	300	1
		Type6	22	1	333	9	0.333	300	1
		Type6	23	1	333	9	0.333	300	1
		Type6	24	1	333	9	0.333	300	1
		Type6	25	1	333	9	0.333	300	1
		Type6	26	1	333	9	0.333	300	1
		Type6	27	1	333	9	0.333	300	1
		Type6	28	1	333	9	0.333	300	1
Type6	29	1	333	9	0.333	300	1		

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI(μs)	Pulses per Hop	Hopping Rate (KHz)	Hopping Sequence Length (ms)	Detection (1: Yes; 0: No)
11AC80 SISO	5290	Type6	0	1	333	9	0.333	300	1
		Type6	1	1	333	9	0.333	300	1
		Type6	2	1	333	9	0.333	300	1
		Type6	3	1	333	9	0.333	300	1
		Type6	4	1	333	9	0.333	300	0
		Type6	5	1	333	9	0.333	300	1
		Type6	6	1	333	9	0.333	300	1
		Type6	7	1	333	9	0.333	300	1
		Type6	8	1	333	9	0.333	300	1
		Type6	9	1	333	9	0.333	300	1
		Type6	10	1	333	9	0.333	300	1
		Type6	11	1	333	9	0.333	300	0
		Type6	12	1	333	9	0.333	300	0
		Type6	13	1	333	9	0.333	300	1
		Type6	14	1	333	9	0.333	300	1
		Type6	15	1	333	9	0.333	300	1
		Type6	16	1	333	9	0.333	300	1
		Type6	17	1	333	9	0.333	300	1
		Type6	18	1	333	9	0.333	300	1
		Type6	19	1	333	9	0.333	300	0
		Type6	20	1	333	9	0.333	300	1
		Type6	21	1	333	9	0.333	300	1
		Type6	22	1	333	9	0.333	300	1
		Type6	23	1	333	9	0.333	300	1
		Type6	24	1	333	9	0.333	300	1
		Type6	25	1	333	9	0.333	300	1
		Type6	26	1	333	9	0.333	300	1
		Type6	27	1	333	9	0.333	300	1
		Type6	28	1	333	9	0.333	300	1
		Type6	29	1	333	9	0.333	300	1

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI(μs)	Pulses per Hop	Hopping Rate (KHz)	Hopping Sequence Length (ms)	Detection (1: Yes; 0: No)
11AC80S ISO	5530	Type6	0	1	333	9	0.333	300	1
		Type6	1	1	333	9	0.333	300	0
		Type6	2	1	333	9	0.333	300	1
		Type6	3	1	333	9	0.333	300	1
		Type6	4	1	333	9	0.333	300	1
		Type6	5	1	333	9	0.333	300	1
		Type6	6	1	333	9	0.333	300	0
		Type6	7	1	333	9	0.333	300	1
		Type6	8	1	333	9	0.333	300	1
		Type6	9	1	333	9	0.333	300	1
		Type6	10	1	333	9	0.333	300	1
		Type6	11	1	333	9	0.333	300	1
		Type6	12	1	333	9	0.333	300	1
		Type6	13	1	333	9	0.333	300	1
		Type6	14	1	333	9	0.333	300	1
		Type6	15	1	333	9	0.333	300	1
		Type6	16	1	333	9	0.333	300	1
		Type6	17	1	333	9	0.333	300	1
		Type6	18	1	333	9	0.333	300	1
		Type6	19	1	333	9	0.333	300	1
		Type6	20	1	333	9	0.333	300	1
		Type6	21	1	333	9	0.333	300	1
		Type6	22	1	333	9	0.333	300	1
		Type6	23	1	333	9	0.333	300	1
		Type6	24	1	333	9	0.333	300	0
		Type6	25	1	333	9	0.333	300	1
		Type6	26	1	333	9	0.333	300	1
		Type6	27	1	333	9	0.333	300	1
		Type6	28	1	333	9	0.333	300	1
Type6	29	1	333	9	0.333	300	1		

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com


 Hotline
 400-003-0500
www.anbotek.com

Test For 5dBi Antenna Gain:

TestMode	Channel	Radar Type	Trial ID	Pulse width(μs)	PRI(μs)	Pulses per Burst	Detection (1: Yes; 0: No)
11A	5260	Type1	0	1.0	938.0	57	1
		Type1	1	1.0	698.0	76	1
		Type1	2	1.0	618.0	86	1
		Type1	3	1.0	538.0	99	1
		Type1	4	1.0	878.0	61	1
		Type1	5	1.0	3066.0	18	0
		Type1	6	1.0	638.0	83	1
		Type1	7	1.0	918.0	58	1
		Type1	8	1.0	838.0	63	1
		Type1	9	1.0	858.0	62	0
		Type1	10	1.0	798.0	67	1
		Type1	11	1.0	898.0	59	1
		Type1	12	1.0	638.0	83	1
		Type1	13	1.0	618.0	86	1
		Type1	14	1.0	598.0	89	0
		Type1	15	1.0	1182.0	45	1
		Type1	16	1.0	909.0	59	1
		Type1	17	1.0	758.0	70	0
		Type1	18	1.0	1946.0	28	1
		Type1	19	1.0	2259.0	24	1
		Type1	20	1.0	2009.0	27	1
		Type1	21	1.0	865.0	62	1
		Type1	22	1.0	2218.0	24	0
		Type1	23	1.0	1480.0	36	1
		Type1	24	1.0	2523.0	21	1
		Type1	25	1.0	2876.0	19	1
		Type1	26	1.0	2496.0	22	1
		Type1	27	1.0	3046.0	18	1
		Type1	28	1.0	2057.0	26	1
Type1	29	1.0	2719.0	20	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11A	5500	Type1	0	1.0	938.0	57	1
		Type1	1	1.0	698.0	76	1
		Type1	2	1.0	618.0	86	1
		Type1	3	1.0	538.0	99	1
		Type1	4	1.0	878.0	61	1
		Type1	5	1.0	3066.0	18	0
		Type1	6	1.0	638.0	83	0
		Type1	7	1.0	918.0	58	1
		Type1	8	1.0	838.0	63	1
		Type1	9	1.0	858.0	62	1
		Type1	10	1.0	798.0	67	1
		Type1	11	1.0	898.0	59	1
		Type1	12	1.0	638.0	83	1
		Type1	13	1.0	618.0	86	1
		Type1	14	1.0	598.0	89	1
		Type1	15	1.0	1182.0	45	1
		Type1	16	1.0	909.0	59	0
		Type1	17	1.0	758.0	70	1
		Type1	18	1.0	1946.0	28	1
		Type1	19	1.0	2259.0	24	1
		Type1	20	1.0	2009.0	27	1
		Type1	21	1.0	865.0	62	0
		Type1	22	1.0	2218.0	24	1
		Type1	23	1.0	1480.0	36	0
		Type1	24	1.0	2523.0	21	1
		Type1	25	1.0	2876.0	19	1
		Type1	26	1.0	2496.0	22	1
		Type1	27	1.0	3046.0	18	1
		Type1	28	1.0	2057.0	26	1
Type1	29	1.0	2719.0	20	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11N40 SISO	5270	Type1	0	1.0	938.0	57	1
		Type1	1	1.0	698.0	76	1
		Type1	2	1.0	618.0	86	1
		Type1	3	1.0	538.0	99	1
		Type1	4	1.0	878.0	61	0
		Type1	5	1.0	3066.0	18	1
		Type1	6	1.0	638.0	83	1
		Type1	7	1.0	918.0	58	1
		Type1	8	1.0	838.0	63	1
		Type1	9	1.0	858.0	62	1
		Type1	10	1.0	798.0	67	0
		Type1	11	1.0	898.0	59	1
		Type1	12	1.0	638.0	83	1
		Type1	13	1.0	618.0	86	1
		Type1	14	1.0	598.0	89	1
		Type1	15	1.0	1182.0	45	0
		Type1	16	1.0	909.0	59	1
		Type1	17	1.0	758.0	70	1
		Type1	18	1.0	1946.0	28	1
		Type1	19	1.0	2259.0	24	1
		Type1	20	1.0	2009.0	27	1
		Type1	21	1.0	865.0	62	1
		Type1	22	1.0	2218.0	24	1
		Type1	23	1.0	1480.0	36	1
		Type1	24	1.0	2523.0	21	1
		Type1	25	1.0	2876.0	19	1
		Type1	26	1.0	2496.0	22	1
		Type1	27	1.0	3046.0	18	1
		Type1	28	1.0	2057.0	26	1
Type1	29	1.0	2719.0	20	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11N40 SISO	5510	Type1	0	1.0	938.0	57	1
		Type1	1	1.0	698.0	76	1
		Type1	2	1.0	618.0	86	1
		Type1	3	1.0	538.0	99	1
		Type1	4	1.0	878.0	61	1
		Type1	5	1.0	3066.0	18	1
		Type1	6	1.0	638.0	83	1
		Type1	7	1.0	918.0	58	0
		Type1	8	1.0	838.0	63	1
		Type1	9	1.0	858.0	62	1
		Type1	10	1.0	798.0	67	1
		Type1	11	1.0	898.0	59	0
		Type1	12	1.0	638.0	83	1
		Type1	13	1.0	618.0	86	1
		Type1	14	1.0	598.0	89	1
		Type1	15	1.0	1182.0	45	1
		Type1	16	1.0	909.0	59	1
		Type1	17	1.0	758.0	70	0
		Type1	18	1.0	1946.0	28	1
		Type1	19	1.0	2259.0	24	1
		Type1	20	1.0	2009.0	27	1
		Type1	21	1.0	865.0	62	1
		Type1	22	1.0	2218.0	24	1
		Type1	23	1.0	1480.0	36	1
		Type1	24	1.0	2523.0	21	0
		Type1	25	1.0	2876.0	19	1
		Type1	26	1.0	2496.0	22	1
		Type1	27	1.0	3046.0	18	1
		Type1	28	1.0	2057.0	26	1
Type1	29	1.0	2719.0	20	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11AC80 SISO	5290	Type1	0	1.0	938.0	57	1
		Type1	1	1.0	698.0	76	1
		Type1	2	1.0	618.0	86	1
		Type1	3	1.0	538.0	99	1
		Type1	4	1.0	878.0	61	1
		Type1	5	1.0	3066.0	18	1
		Type1	6	1.0	638.0	83	0
		Type1	7	1.0	918.0	58	1
		Type1	8	1.0	838.0	63	1
		Type1	9	1.0	858.0	62	1
		Type1	10	1.0	798.0	67	1
		Type1	11	1.0	898.0	59	1
		Type1	12	1.0	638.0	83	0
		Type1	13	1.0	618.0	86	1
		Type1	14	1.0	598.0	89	1
		Type1	15	1.0	1182.0	45	1
		Type1	16	1.0	909.0	59	1
		Type1	17	1.0	758.0	70	1
		Type1	18	1.0	1946.0	28	1
		Type1	19	1.0	2259.0	24	1
		Type1	20	1.0	2009.0	27	1
		Type1	21	1.0	865.0	62	1
		Type1	22	1.0	2218.0	24	1
		Type1	23	1.0	1480.0	36	1
		Type1	24	1.0	2523.0	21	1
		Type1	25	1.0	2876.0	19	0
		Type1	26	1.0	2496.0	22	1
		Type1	27	1.0	3046.0	18	1
		Type1	28	1.0	2057.0	26	1
Type1	29	1.0	2719.0	20	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11AC80 SISO	5530	Type1	0	1.0	938.0	57	1
		Type1	1	1.0	698.0	76	1
		Type1	2	1.0	618.0	86	1
		Type1	3	1.0	538.0	99	1
		Type1	4	1.0	878.0	61	1
		Type1	5	1.0	3066.0	18	0
		Type1	6	1.0	638.0	83	1
		Type1	7	1.0	918.0	58	1
		Type1	8	1.0	838.0	63	1
		Type1	9	1.0	858.0	62	1
		Type1	10	1.0	798.0	67	1
		Type1	11	1.0	898.0	59	1
		Type1	12	1.0	638.0	83	1
		Type1	13	1.0	618.0	86	1
		Type1	14	1.0	598.0	89	1
		Type1	15	1.0	1182.0	45	1
		Type1	16	1.0	909.0	59	1
		Type1	17	1.0	758.0	70	1
		Type1	18	1.0	1946.0	28	1
		Type1	19	1.0	2259.0	24	1
		Type1	20	1.0	2009.0	27	0
		Type1	21	1.0	865.0	62	1
		Type1	22	1.0	2218.0	24	1
		Type1	23	1.0	1480.0	36	1
		Type1	24	1.0	2523.0	21	1
		Type1	25	1.0	2876.0	19	1
		Type1	26	1.0	2496.0	22	1
		Type1	27	1.0	3046.0	18	1
		Type1	28	1.0	2057.0	26	1
Type1	29	1.0	2719.0	20	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11A	5260	Type2	0	4.6	197	24	1
		Type2	1	3.5	216	26	1
		Type2	2	3.3	224	27	0
		Type2	3	1.9	176	25	1
		Type2	4	2.5	177	23	1
		Type2	5	2.8	203	28	1
		Type2	6	3.2	195	29	1
		Type2	7	1.7	217	24	0
		Type2	8	2.8	223	28	1
		Type2	9	3.3	167	26	1
		Type2	10	3.9	159	28	1
		Type2	11	4.2	188	27	1
		Type2	12	4.5	195	26	0
		Type2	13	3.8	167	25	0
		Type2	14	4.2	195	28	1
		Type2	15	2.8	207	27	1
		Type2	16	2.6	224	26	1
		Type2	17	1.7	216	28	1
		Type2	18	3.3	176	26	1
		Type2	19	3.9	186	27	1
		Type2	20	2.7	157	25	1
		Type2	21	2.4	168	27	1
		Type2	22	1.8	155	29	1
		Type2	23	2.3	168	27	0
		Type2	24	3.1	174	26	1
		Type2	25	4.4	196	27	1
		Type2	26	2.9	219	25	1
		Type2	27	1.5	226	24	1
		Type2	28	1.8	168	26	1
Type2	29	2.7	189	23	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11A	5500	Type2	0	4.6	197	24	1
		Type2	1	3.5	216	26	1
		Type2	2	3.3	224	27	1
		Type2	3	1.9	176	25	1
		Type2	4	2.5	177	23	1
		Type2	5	2.8	203	28	1
		Type2	6	3.2	195	29	1
		Type2	7	1.7	217	24	1
		Type2	8	2.8	223	28	1
		Type2	9	3.3	167	26	0
		Type2	10	3.9	159	28	1
		Type2	11	4.2	188	27	1
		Type2	12	4.5	195	26	1
		Type2	13	3.8	167	25	1
		Type2	14	4.2	195	28	1
		Type2	15	2.8	207	27	0
		Type2	16	2.6	224	26	1
		Type2	17	1.7	216	28	1
		Type2	18	3.3	176	26	1
		Type2	19	3.9	186	27	1
		Type2	20	2.7	157	25	1
		Type2	21	2.4	168	27	1
		Type2	22	1.8	155	29	1
		Type2	23	2.3	168	27	1
		Type2	24	3.1	174	26	1
		Type2	25	4.4	196	27	1
		Type2	26	2.9	219	25	1
		Type2	27	1.5	226	24	0
		Type2	28	1.8	168	26	1
Type2	29	2.7	189	23	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11N40 SISO	5270	Type2	0	4.6	197	24	1
		Type2	1	3.5	216	26	1
		Type2	2	3.3	224	27	1
		Type2	3	1.9	176	25	1
		Type2	4	2.5	177	23	1
		Type2	5	2.8	203	28	1
		Type2	6	3.2	195	29	0
		Type2	7	1.7	217	24	1
		Type2	8	2.8	223	28	1
		Type2	9	3.3	167	26	1
		Type2	10	3.9	159	28	0
		Type2	11	4.2	188	27	1
		Type2	12	4.5	195	26	1
		Type2	13	3.8	167	25	1
		Type2	14	4.2	195	28	0
		Type2	15	2.8	207	27	1
		Type2	16	2.6	224	26	1
		Type2	17	1.7	216	28	1
		Type2	18	3.3	176	26	1
		Type2	19	3.9	186	27	1
		Type2	20	2.7	157	25	1
		Type2	21	2.4	168	27	1
		Type2	22	1.8	155	29	1
		Type2	23	2.3	168	27	0
		Type2	24	3.1	174	26	1
		Type2	25	4.4	196	27	1
		Type2	26	2.9	219	25	1
		Type2	27	1.5	226	24	1
		Type2	28	1.8	168	26	1
Type2	29	2.7	189	23	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11N40 SISO	5510	Type2	0	4.6	197	24	1
		Type2	1	3.5	216	26	1
		Type2	2	3.3	224	27	1
		Type2	3	1.9	176	25	1
		Type2	4	2.5	177	23	1
		Type2	5	2.8	203	28	1
		Type2	6	3.2	195	29	0
		Type2	7	1.7	217	24	1
		Type2	8	2.8	223	28	1
		Type2	9	3.3	167	26	1
		Type2	10	3.9	159	28	1
		Type2	11	4.2	188	27	1
		Type2	12	4.5	195	26	1
		Type2	13	3.8	167	25	1
		Type2	14	4.2	195	28	0
		Type2	15	2.8	207	27	1
		Type2	16	2.6	224	26	1
		Type2	17	1.7	216	28	1
		Type2	18	3.3	176	26	1
		Type2	19	3.9	186	27	1
		Type2	20	2.7	157	25	1
		Type2	21	2.4	168	27	1
		Type2	22	1.8	155	29	0
		Type2	23	2.3	168	27	1
		Type2	24	3.1	174	26	1
		Type2	25	4.4	196	27	0
		Type2	26	2.9	219	25	1
		Type2	27	1.5	226	24	1
		Type2	28	1.8	168	26	1
Type2	29	2.7	189	23	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11AC80 SISO	5290	Type2	0	4.6	197	24	1
		Type2	1	3.5	216	26	1
		Type2	2	3.3	224	27	1
		Type2	3	1.9	176	25	0
		Type2	4	2.5	177	23	1
		Type2	5	2.8	203	28	1
		Type2	6	3.2	195	29	1
		Type2	7	1.7	217	24	1
		Type2	8	2.8	223	28	0
		Type2	9	3.3	167	26	1
		Type2	10	3.9	159	28	1
		Type2	11	4.2	188	27	1
		Type2	12	4.5	195	26	1
		Type2	13	3.8	167	25	0
		Type2	14	4.2	195	28	1
		Type2	15	2.8	207	27	1
		Type2	16	2.6	224	26	1
		Type2	17	1.7	216	28	0
		Type2	18	3.3	176	26	1
		Type2	19	3.9	186	27	1
		Type2	20	2.7	157	25	0
		Type2	21	2.4	168	27	1
		Type2	22	1.8	155	29	1
		Type2	23	2.3	168	27	1
		Type2	24	3.1	174	26	1
		Type2	25	4.4	196	27	1
		Type2	26	2.9	219	25	1
		Type2	27	1.5	226	24	1
		Type2	28	1.8	168	26	1
Type2	29	2.7	189	23	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11AC80 SISO	5530	Type2	0	4.6	197	24	1
		Type2	1	3.5	216	26	1
		Type2	2	3.3	224	27	1
		Type2	3	1.9	176	25	1
		Type2	4	2.5	177	23	1
		Type2	5	2.8	203	28	0
		Type2	6	3.2	195	29	1
		Type2	7	1.7	217	24	1
		Type2	8	2.8	223	28	1
		Type2	9	3.3	167	26	1
		Type2	10	3.9	159	28	1
		Type2	11	4.2	188	27	1
		Type2	12	4.5	195	26	0
		Type2	13	3.8	167	25	1
		Type2	14	4.2	195	28	1
		Type2	15	2.8	207	27	1
		Type2	16	2.6	224	26	0
		Type2	17	1.7	216	28	1
		Type2	18	3.3	176	26	0
		Type2	19	3.9	186	27	1
		Type2	20	2.7	157	25	1
		Type2	21	2.4	168	27	1
		Type2	22	1.8	155	29	1
		Type2	23	2.3	168	27	1
		Type2	24	3.1	174	26	1
		Type2	25	4.4	196	27	1
		Type2	26	2.9	219	25	1
		Type2	27	1.5	226	24	1
		Type2	28	1.8	168	26	1
Type2	29	2.7	189	23	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11A	5260	Type3	0	6.5	243	16	1
		Type3	1	7.3	257	17	1
		Type3	2	6.9	226	16	1
		Type3	3	7.9	286	18	1
		Type3	4	8.5	307	17	0
		Type3	5	8.9	339	18	1
		Type3	6	9.3	409	17	1
		Type3	7	8.7	315	16	0
		Type3	8	8.5	276	18	1
		Type3	9	9.5	439	16	1
		Type3	10	9.6	229	18	1
		Type3	11	8.4	237	17	1
		Type3	12	7.8	275	16	1
		Type3	13	7.3	395	17	1
		Type3	14	7.5	439	16	1
		Type3	15	7.3	446	17	0
		Type3	16	7.5	286	18	1
		Type3	17	7.7	338	17	0
		Type3	18	8.3	251	16	1
		Type3	19	8.7	233	17	1
		Type3	20	6.9	362	18	1
		Type3	21	6.5	428	17	1
		Type3	22	6.4	437	16	1
		Type3	23	7.6	356	18	1
		Type3	24	7.2	338	17	1
		Type3	25	7.3	429	16	0
		Type3	26	7.4	267	18	1
		Type3	27	7.6	236	16	1
		Type3	28	7.9	281	17	1
Type3	29	8.2	411	18	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11A	5500	Type3	0	6.5	243	16	1
		Type3	1	7.3	257	17	1
		Type3	2	6.9	226	16	1
		Type3	3	7.9	286	18	1
		Type3	4	8.5	307	17	1
		Type3	5	8.9	339	18	1
		Type3	6	9.3	409	17	1
		Type3	7	8.7	315	16	1
		Type3	8	8.5	276	18	0
		Type3	9	9.5	439	16	1
		Type3	10	9.6	229	18	1
		Type3	11	8.4	237	17	1
		Type3	12	7.8	275	16	0
		Type3	13	7.3	395	17	1
		Type3	14	7.5	439	16	1
		Type3	15	7.3	446	17	0
		Type3	16	7.5	286	18	1
		Type3	17	7.7	338	17	1
		Type3	18	8.3	251	16	1
		Type3	19	8.7	233	17	1
		Type3	20	6.9	362	18	1
		Type3	21	6.5	428	17	1
		Type3	22	6.4	437	16	1
		Type3	23	7.6	356	18	1
		Type3	24	7.2	338	17	1
		Type3	25	7.3	429	16	1
		Type3	26	7.4	267	18	1
		Type3	27	7.6	236	16	1
		Type3	28	7.9	281	17	0
Type3	29	8.2	411	18	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11N40 SISO	5270	Type3	0	6.5	243	16	1
		Type3	1	7.3	257	17	1
		Type3	2	6.9	226	16	1
		Type3	3	7.9	286	18	1
		Type3	4	8.5	307	17	0
		Type3	5	8.9	339	18	1
		Type3	6	9.3	409	17	1
		Type3	7	8.7	315	16	1
		Type3	8	8.5	276	18	1
		Type3	9	9.5	439	16	1
		Type3	10	9.6	229	18	1
		Type3	11	8.4	237	17	1
		Type3	12	7.8	275	16	1
		Type3	13	7.3	395	17	0
		Type3	14	7.5	439	16	1
		Type3	15	7.3	446	17	1
		Type3	16	7.5	286	18	1
		Type3	17	7.7	338	17	0
		Type3	18	8.3	251	16	1
		Type3	19	8.7	233	17	1
		Type3	20	6.9	362	18	0
		Type3	21	6.5	428	17	1
		Type3	22	6.4	437	16	0
		Type3	23	7.6	356	18	1
		Type3	24	7.2	338	17	1
		Type3	25	7.3	429	16	0
		Type3	26	7.4	267	18	1
		Type3	27	7.6	236	16	1
		Type3	28	7.9	281	17	1
Type3	29	8.2	411	18	1		

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com


 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μs)	PRI(μs)	Pulses per Burst	Detection (1: Yes; 0: No)
11N40 SISO	5510	Type3	0	6.5	243	16	1
		Type3	1	7.3	257	17	1
		Type3	2	6.9	226	16	1
		Type3	3	7.9	286	18	1
		Type3	4	8.5	307	17	0
		Type3	5	8.9	339	18	1
		Type3	6	9.3	409	17	1
		Type3	7	8.7	315	16	1
		Type3	8	8.5	276	18	1
		Type3	9	9.5	439	16	1
		Type3	10	9.6	229	18	1
		Type3	11	8.4	237	17	1
		Type3	12	7.8	275	16	1
		Type3	13	7.3	395	17	1
		Type3	14	7.5	439	16	0
		Type3	15	7.3	446	17	1
		Type3	16	7.5	286	18	1
		Type3	17	7.7	338	17	1
		Type3	18	8.3	251	16	1
		Type3	19	8.7	233	17	0
		Type3	20	6.9	362	18	1
		Type3	21	6.5	428	17	1
		Type3	22	6.4	437	16	0
		Type3	23	7.6	356	18	1
		Type3	24	7.2	338	17	1
		Type3	25	7.3	429	16	1
		Type3	26	7.4	267	18	1
		Type3	27	7.6	236	16	1
		Type3	28	7.9	281	17	0
Type3	29	8.2	411	18	1		

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11AC80 SISO	5290	Type3	0	6.5	243	16	1
		Type3	1	7.3	257	17	1
		Type3	2	6.9	226	16	1
		Type3	3	7.9	286	18	1
		Type3	4	8.5	307	17	1
		Type3	5	8.9	339	18	1
		Type3	6	9.3	409	17	1
		Type3	7	8.7	315	16	0
		Type3	8	8.5	276	18	1
		Type3	9	9.5	439	16	1
		Type3	10	9.6	229	18	1
		Type3	11	8.4	237	17	1
		Type3	12	7.8	275	16	1
		Type3	13	7.3	395	17	1
		Type3	14	7.5	439	16	1
		Type3	15	7.3	446	17	0
		Type3	16	7.5	286	18	1
		Type3	17	7.7	338	17	1
		Type3	18	8.3	251	16	1
		Type3	19	8.7	233	17	1
		Type3	20	6.9	362	18	1
		Type3	21	6.5	428	17	1
		Type3	22	6.4	437	16	1
		Type3	23	7.6	356	18	1
		Type3	24	7.2	338	17	0
		Type3	25	7.3	429	16	1
		Type3	26	7.4	267	18	1
		Type3	27	7.6	236	16	1
		Type3	28	7.9	281	17	1
Type3	29	8.2	411	18	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11AC80 SISO	5530	Type3	0	6.5	243	16	1
		Type3	1	7.3	257	17	1
		Type3	2	6.9	226	16	1
		Type3	3	7.9	286	18	0
		Type3	4	8.5	307	17	1
		Type3	5	8.9	339	18	1
		Type3	6	9.3	409	17	1
		Type3	7	8.7	315	16	1
		Type3	8	8.5	276	18	1
		Type3	9	9.5	439	16	1
		Type3	10	9.6	229	18	0
		Type3	11	8.4	237	17	1
		Type3	12	7.8	275	16	1
		Type3	13	7.3	395	17	1
		Type3	14	7.5	439	16	0
		Type3	15	7.3	446	17	1
		Type3	16	7.5	286	18	1
		Type3	17	7.7	338	17	1
		Type3	18	8.3	251	16	1
		Type3	19	8.7	233	17	1
		Type3	20	6.9	362	18	1
		Type3	21	6.5	428	17	1
		Type3	22	6.4	437	16	1
		Type3	23	7.6	356	18	0
		Type3	24	7.2	338	17	1
		Type3	25	7.3	429	16	1
		Type3	26	7.4	267	18	1
		Type3	27	7.6	236	16	1
		Type3	28	7.9	281	17	1
Type3	29	8.2	411	18	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11A	5260	Type4	0	13.5	236	13	1
		Type4	1	14.6	281	16	1
		Type4	2	14.0	239	12	1
		Type4	3	13.7	304	15	1
		Type4	4	17.4	228	13	1
		Type4	5	15.7	395	14	1
		Type4	6	15.3	426	15	1
		Type4	7	17.5	441	13	0
		Type4	8	18.3	382	15	1
		Type4	9	19.2	319	13	1
		Type4	10	17.5	438	12	1
		Type4	11	12.8	449	14	1
		Type4	12	13.6	321	15	0
		Type4	13	15.5	273	13	1
		Type4	14	18.9	228	16	1
		Type4	15	17.0	356	14	0
		Type4	16	14.3	345	15	1
		Type4	17	15.9	278	13	1
		Type4	18	16.2	229	16	1
		Type4	19	18.7	357	15	1
		Type4	20	19.5	267	14	1
		Type4	21	18.6	238	12	1
		Type4	22	17.7	227	15	1
		Type4	23	13.6	436	13	1
		Type4	24	14.5	448	14	1
		Type4	25	13.2	385	15	1
		Type4	26	14.4	462	13	1
		Type4	27	18.2	369	15	1
		Type4	28	17.3	317	12	1
Type4	29	18.8	428	14	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11A	5500	Type4	0	13.5	236	13	1
		Type4	1	14.6	281	16	1
		Type4	2	14.0	239	12	1
		Type4	3	13.7	304	15	0
		Type4	4	17.4	228	13	1
		Type4	5	15.7	395	14	1
		Type4	6	15.3	426	15	1
		Type4	7	17.5	441	13	1
		Type4	8	18.3	382	15	1
		Type4	9	19.2	319	13	1
		Type4	10	17.5	438	12	1
		Type4	11	12.8	449	14	0
		Type4	12	13.6	321	15	1
		Type4	13	15.5	273	13	1
		Type4	14	18.9	228	16	1
		Type4	15	17.0	356	14	1
		Type4	16	14.3	345	15	1
		Type4	17	15.9	278	13	0
		Type4	18	16.2	229	16	1
		Type4	19	18.7	357	15	1
		Type4	20	19.5	267	14	1
		Type4	21	18.6	238	12	1
		Type4	22	17.7	227	15	1
		Type4	23	13.6	436	13	1
		Type4	24	14.5	448	14	1
		Type4	25	13.2	385	15	1
		Type4	26	14.4	462	13	1
		Type4	27	18.2	369	15	1
		Type4	28	17.3	317	12	1
Type4	29	18.8	428	14	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11N40 SISO	5270	Type4	0	13.5	236	13	1
		Type4	1	14.6	281	16	1
		Type4	2	14.0	239	12	0
		Type4	3	13.7	304	15	1
		Type4	4	17.4	228	13	1
		Type4	5	15.7	395	14	1
		Type4	6	15.3	426	15	1
		Type4	7	17.5	441	13	1
		Type4	8	18.3	382	15	1
		Type4	9	19.2	319	13	0
		Type4	10	17.5	438	12	1
		Type4	11	12.8	449	14	1
		Type4	12	13.6	321	15	1
		Type4	13	15.5	273	13	1
		Type4	14	18.9	228	16	0
		Type4	15	17.0	356	14	1
		Type4	16	14.3	345	15	1
		Type4	17	15.9	278	13	1
		Type4	18	16.2	229	16	1
		Type4	19	18.7	357	15	1
		Type4	20	19.5	267	14	0
		Type4	21	18.6	238	12	1
		Type4	22	17.7	227	15	1
		Type4	23	13.6	436	13	1
		Type4	24	14.5	448	14	1
		Type4	25	13.2	385	15	1
		Type4	26	14.4	462	13	1
		Type4	27	18.2	369	15	1
		Type4	28	17.3	317	12	1
Type4	29	18.8	428	14	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11N40 SISO	5510	Type4	0	13.5	236	13	1
		Type4	1	14.6	281	16	1
		Type4	2	14.0	239	12	1
		Type4	3	13.7	304	15	1
		Type4	4	17.4	228	13	1
		Type4	5	15.7	395	14	1
		Type4	6	15.3	426	15	1
		Type4	7	17.5	441	13	1
		Type4	8	18.3	382	15	1
		Type4	9	19.2	319	13	1
		Type4	10	17.5	438	12	0
		Type4	11	12.8	449	14	1
		Type4	12	13.6	321	15	0
		Type4	13	15.5	273	13	1
		Type4	14	18.9	228	16	1
		Type4	15	17.0	356	14	1
		Type4	16	14.3	345	15	1
		Type4	17	15.9	278	13	1
		Type4	18	16.2	229	16	0
		Type4	19	18.7	357	15	1
		Type4	20	19.5	267	14	1
		Type4	21	18.6	238	12	0
		Type4	22	17.7	227	15	1
		Type4	23	13.6	436	13	1
		Type4	24	14.5	448	14	1
		Type4	25	13.2	385	15	1
		Type4	26	14.4	462	13	1
		Type4	27	18.2	369	15	1
		Type4	28	17.3	317	12	1
Type4	29	18.8	428	14	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11AC80 SISO	5290	Type4	0	13.5	236	13	1
		Type4	1	14.6	281	16	0
		Type4	2	14.0	239	12	1
		Type4	3	13.7	304	15	1
		Type4	4	17.4	228	13	0
		Type4	5	15.7	395	14	1
		Type4	6	15.3	426	15	1
		Type4	7	17.5	441	13	1
		Type4	8	18.3	382	15	1
		Type4	9	19.2	319	13	1
		Type4	10	17.5	438	12	1
		Type4	11	12.8	449	14	0
		Type4	12	13.6	321	15	1
		Type4	13	15.5	273	13	1
		Type4	14	18.9	228	16	1
		Type4	15	17.0	356	14	1
		Type4	16	14.3	345	15	1
		Type4	17	15.9	278	13	1
		Type4	18	16.2	229	16	0
		Type4	19	18.7	357	15	1
		Type4	20	19.5	267	14	1
		Type4	21	18.6	238	12	1
		Type4	22	17.7	227	15	1
		Type4	23	13.6	436	13	1
		Type4	24	14.5	448	14	1
		Type4	25	13.2	385	15	0
		Type4	26	14.4	462	13	1
		Type4	27	18.2	369	15	1
		Type4	28	17.3	317	12	1
Type4	29	18.8	428	14	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

TestMode	Channel	Radar Type	Trial ID	Pulse width(μ s)	PRI(μ s)	Pulses per Burst	Detection (1: Yes; 0: No)
11AC80 SISO	5530	Type4	0	13.5	236	13	1
		Type4	1	14.6	281	16	1
		Type4	2	14.0	239	12	1
		Type4	3	13.7	304	15	1
		Type4	4	17.4	228	13	1
		Type4	5	15.7	395	14	1
		Type4	6	15.3	426	15	1
		Type4	7	17.5	441	13	1
		Type4	8	18.3	382	15	0
		Type4	9	19.2	319	13	1
		Type4	10	17.5	438	12	0
		Type4	11	12.8	449	14	1
		Type4	12	13.6	321	15	1
		Type4	13	15.5	273	13	1
		Type4	14	18.9	228	16	1
		Type4	15	17.0	356	14	0
		Type4	16	14.3	345	15	1
		Type4	17	15.9	278	13	1
		Type4	18	16.2	229	16	1
		Type4	19	18.7	357	15	1
		Type4	20	19.5	267	14	1
		Type4	21	18.6	238	12	1
		Type4	22	17.7	227	15	1
		Type4	23	13.6	436	13	1
		Type4	24	14.5	448	14	0
		Type4	25	13.2	385	15	1
		Type4	26	14.4	462	13	1
		Type4	27	18.2	369	15	1
		Type4	28	17.3	317	12	1
Type4	29	18.8	428	14	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Chirp Width (MHz)	Pulse width(μs)	PRI(μs)	Number of Bursts	Number of Pulses per Burst	Detection (1: Yes; 0: No)	
11A	5260	Type5	0	5	65.2	1532	9	1	1	
		Type5	1	10	71.3	1478	15	15	1	1
		Type5	2	5	59.6	1835	11	11	3	1
		Type5	3	9	75.8	1238	13	13	2	1
		Type5	4	7	66.7	1687	14	14	2	1
		Type5	5	6	82.5	1862	9	9	1	1
		Type5	6	8	88.9	1866	12	12	3	0
		Type5	7	10	87.6	1759	16	16	3	1
		Type5	8	10	73.5	1757	17	17	2	1
		Type5	9	13	62.7	1246	14	14	2	0
		Type5	10	13	87.4	1863	11	11	2	1
		Type5	11	15	75.0	1795	18	18	3	1
		Type5	12	15	67.3	1682	14	14	1	1
		Type5	13	20	55.2	1935	16	16	3	1
		Type5	14	20	89.3	1572	9	9	2	1
		Type5	15	16	91.2	1752	19	19	1	1
		Type5	16	16	95.3	1723	17	17	3	1
		Type5	17	18	67.5	1247	13	13	1	1
		Type5	18	17	77.5	1358	16	16	2	1
		Type5	19	12	64.3	1765	8	8	3	1
		Type5	20	11	82.4	1375	19	19	2	1
		Type5	21	9	74.4	1963	13	13	2	1
		Type5	22	8	81.2	1783	15	15	1	1
		Type5	23	12	69.5	1937	16	16	1	1
		Type5	24	15	76.3	1767	17	17	3	1
		Type5	25	20	75.8	1756	14	14	3	1
		Type5	26	18	68.1	1684	19	19	2	1
		Type5	27	18	79.7	1375	13	13	2	1
		Type5	28	16	68.2	1744	12	12	1	1
Type5	29	17	81.3	1286	15	15	3	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Chirp Width (MHz)	Pulse width(μs)	PRI(μs)	Number of Bursts	Number of Pulses per Burst	Detection (1: Yes; 0: No)	
11A	5500	Type5	0	5	65.2	1532	9	1	1	
		Type5	1	10	71.3	1478	15	15	1	1
		Type5	2	5	59.6	1835	11	11	3	1
		Type5	3	9	75.8	1238	13	13	2	1
		Type5	4	7	66.7	1687	14	14	2	1
		Type5	5	6	82.5	1862	9	9	1	1
		Type5	6	8	88.9	1866	12	12	3	1
		Type5	7	10	87.6	1759	16	16	3	1
		Type5	8	10	73.5	1757	17	17	2	1
		Type5	9	13	62.7	1246	14	14	2	1
		Type5	10	13	87.4	1863	11	11	2	1
		Type5	11	15	75.0	1795	18	18	3	0
		Type5	12	15	67.3	1682	14	14	1	1
		Type5	13	20	55.2	1935	16	16	3	1
		Type5	14	20	89.3	1572	9	9	2	1
		Type5	15	16	91.2	1752	19	19	1	0
		Type5	16	16	95.3	1723	17	17	3	1
		Type5	17	18	67.5	1247	13	13	1	1
		Type5	18	17	77.5	1358	16	16	2	1
		Type5	19	12	64.3	1765	8	8	3	1
		Type5	20	11	82.4	1375	19	19	2	1
		Type5	21	9	74.4	1963	13	13	2	0
		Type5	22	8	81.2	1783	15	15	1	1
		Type5	23	12	69.5	1937	16	16	1	1
		Type5	24	15	76.3	1767	17	17	3	1
		Type5	25	20	75.8	1756	14	14	3	1
		Type5	26	18	68.1	1684	19	19	2	1
		Type5	27	18	79.7	1375	13	13	2	1
		Type5	28	16	68.2	1744	12	12	1	1
Type5	29	17	81.3	1286	15	15	3	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Chirp Width (MHz)	Pulse width(μs)	PRI(μs)	Number of Bursts	Number of Pulses per Burst	Detection (1: Yes; 0: No)	
11N40 SISO	5270	Type5	0	5	65.2	1532	9	1	1	
		Type5	1	10	71.3	1478	15	15	1	1
		Type5	2	5	59.6	1835	11	11	3	1
		Type5	3	9	75.8	1238	13	13	2	1
		Type5	4	7	66.7	1687	14	14	2	1
		Type5	5	6	82.5	1862	9	9	1	1
		Type5	6	8	88.9	1866	12	12	3	1
		Type5	7	10	87.6	1759	16	16	3	1
		Type5	8	10	73.5	1757	17	17	2	0
		Type5	9	13	62.7	1246	14	14	2	1
		Type5	10	13	87.4	1863	11	11	2	1
		Type5	11	15	75.0	1795	18	18	3	0
		Type5	12	15	67.3	1682	14	14	1	1
		Type5	13	20	55.2	1935	16	16	3	1
		Type5	14	20	89.3	1572	9	9	2	1
		Type5	15	16	91.2	1752	19	19	1	1
		Type5	16	16	95.3	1723	17	17	3	0
		Type5	17	18	67.5	1247	13	13	1	1
		Type5	18	17	77.5	1358	16	16	2	1
		Type5	19	12	64.3	1765	8	8	3	1
		Type5	20	11	82.4	1375	19	19	2	1
		Type5	21	9	74.4	1963	13	13	2	0
		Type5	22	8	81.2	1783	15	15	1	1
		Type5	23	12	69.5	1937	16	16	1	1
		Type5	24	15	76.3	1767	17	17	3	1
		Type5	25	20	75.8	1756	14	14	3	1
		Type5	26	18	68.1	1684	19	19	2	1
		Type5	27	18	79.7	1375	13	13	2	1
		Type5	28	16	68.2	1744	12	12	1	1
Type5	29	17	81.3	1286	15	15	3	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Chirp Width (MHz)	Pulse width(μs)	PRI(μs)	Number of Bursts	Number of Pulses per Burst	Detection (1: Yes; 0: No)	
11N40 SISO	5510	Type5	0	5	65.2	1532	9	1	1	
		Type5	1	10	71.3	1478	15	15	1	1
		Type5	2	5	59.6	1835	11	11	3	1
		Type5	3	9	75.8	1238	13	13	2	1
		Type5	4	7	66.7	1687	14	14	2	1
		Type5	5	6	82.5	1862	9	9	1	1
		Type5	6	8	88.9	1866	12	12	3	0
		Type5	7	10	87.6	1759	16	16	3	1
		Type5	8	10	73.5	1757	17	17	2	1
		Type5	9	13	62.7	1246	14	14	2	1
		Type5	10	13	87.4	1863	11	11	2	1
		Type5	11	15	75.0	1795	18	18	3	1
		Type5	12	15	67.3	1682	14	14	1	0
		Type5	13	20	55.2	1935	16	16	3	1
		Type5	14	20	89.3	1572	9	9	2	1
		Type5	15	16	91.2	1752	19	19	1	1
		Type5	16	16	95.3	1723	17	17	3	1
		Type5	17	18	67.5	1247	13	13	1	1
		Type5	18	17	77.5	1358	16	16	2	1
		Type5	19	12	64.3	1765	8	8	3	1
		Type5	20	11	82.4	1375	19	19	2	1
		Type5	21	9	74.4	1963	13	13	2	1
		Type5	22	8	81.2	1783	15	15	1	1
		Type5	23	12	69.5	1937	16	16	1	1
		Type5	24	15	76.3	1767	17	17	3	1
		Type5	25	20	75.8	1756	14	14	3	1
		Type5	26	18	68.1	1684	19	19	2	1
		Type5	27	18	79.7	1375	13	13	2	1
		Type5	28	16	68.2	1744	12	12	1	1
Type5	29	17	81.3	1286	15	15	3	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Chirp Width (MHz)	Pulse width(μs)	PRI(μs)	Number of Bursts	Number of Pulses per Burst	Detection (1: Yes; 0: No)
11AC80 SISO	5290	Type5	0	5	65.2	1532	9	1	1
		Type5	1	10	71.3	1478	15	1	1
		Type5	2	5	59.6	1835	11	3	1
		Type5	3	9	75.8	1238	13	2	1
		Type5	4	7	66.7	1687	14	2	1
		Type5	5	6	82.5	1862	9	1	1
		Type5	6	8	88.9	1866	12	3	0
		Type5	7	10	87.6	1759	16	3	1
		Type5	8	10	73.5	1757	17	2	1
		Type5	9	13	62.7	1246	14	2	1
		Type5	10	13	87.4	1863	11	2	1
		Type5	11	15	75.0	1795	18	3	1
		Type5	12	15	67.3	1682	14	1	1
		Type5	13	20	55.2	1935	16	3	1
		Type5	14	20	89.3	1572	9	2	1
		Type5	15	16	91.2	1752	19	1	1
		Type5	16	16	95.3	1723	17	3	0
		Type5	17	18	67.5	1247	13	1	1
		Type5	18	17	77.5	1358	16	2	1
		Type5	19	12	64.3	1765	8	3	1
		Type5	20	11	82.4	1375	19	2	1
		Type5	21	9	74.4	1963	13	2	0
		Type5	22	8	81.2	1783	15	1	1
		Type5	23	12	69.5	1937	16	1	1
		Type5	24	15	76.3	1767	17	3	1
		Type5	25	20	75.8	1756	14	3	1
		Type5	26	18	68.1	1684	19	2	1
		Type5	27	18	79.7	1375	13	2	1
		Type5	28	16	68.2	1744	12	1	1
Type5	29	17	81.3	1286	15	3	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Chirp Width (MHz)	Pulse width(μs)	PRI(μs)	Number of Bursts	Number of Pulses per Burst	Detection (1: Yes; 0: No)
11AC80 SISO	5530	Type5	0	5	65.2	1532	9	1	1
		Type5	1	10	71.3	1478	15	1	1
		Type5	2	5	59.6	1835	11	3	1
		Type5	3	9	75.8	1238	13	2	0
		Type5	4	7	66.7	1687	14	2	1
		Type5	5	6	82.5	1862	9	1	1
		Type5	6	8	88.9	1866	12	3	1
		Type5	7	10	87.6	1759	16	3	1
		Type5	8	10	73.5	1757	17	2	1
		Type5	9	13	62.7	1246	14	2	0
		Type5	10	13	87.4	1863	11	2	1
		Type5	11	15	75.0	1795	18	3	1
		Type5	12	15	67.3	1682	14	1	1
		Type5	13	20	55.2	1935	16	3	0
		Type5	14	20	89.3	1572	9	2	1
		Type5	15	16	91.2	1752	19	1	1
		Type5	16	16	95.3	1723	17	3	1
		Type5	17	18	67.5	1247	13	1	1
		Type5	18	17	77.5	1358	16	2	0
		Type5	19	12	64.3	1765	8	3	1
		Type5	20	11	82.4	1375	19	2	1
		Type5	21	9	74.4	1963	13	2	1
		Type5	22	8	81.2	1783	15	1	0
		Type5	23	12	69.5	1937	16	1	1
		Type5	24	15	76.3	1767	17	3	1
		Type5	25	20	75.8	1756	14	3	1
		Type5	26	18	68.1	1684	19	2	1
		Type5	27	18	79.7	1375	13	2	1
		Type5	28	16	68.2	1744	12	1	1
Type5	29	17	81.3	1286	15	3	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI(μs)	Pulses per Hop	Hopping Rate (KHz)	Hopping Sequence Length (ms)	Detection (1: Yes; 0: No)
11A	5260	Type6	0	1	333	9	0.333	300	1
		Type6	1	1	333	9	0.333	300	1
		Type6	2	1	333	9	0.333	300	1
		Type6	3	1	333	9	0.333	300	1
		Type6	4	1	333	9	0.333	300	1
		Type6	5	1	333	9	0.333	300	1
		Type6	6	1	333	9	0.333	300	1
		Type6	7	1	333	9	0.333	300	1
		Type6	8	1	333	9	0.333	300	1
		Type6	9	1	333	9	0.333	300	1
		Type6	10	1	333	9	0.333	300	1
		Type6	11	1	333	9	0.333	300	1
		Type6	12	1	333	9	0.333	300	1
		Type6	13	1	333	9	0.333	300	0
		Type6	14	1	333	9	0.333	300	1
		Type6	15	1	333	9	0.333	300	1
		Type6	16	1	333	9	0.333	300	1
		Type6	17	1	333	9	0.333	300	1
		Type6	18	1	333	9	0.333	300	0
		Type6	19	1	333	9	0.333	300	1
		Type6	20	1	333	9	0.333	300	0
		Type6	21	1	333	9	0.333	300	1
		Type6	22	1	333	9	0.333	300	1
		Type6	23	1	333	9	0.333	300	1
		Type6	24	1	333	9	0.333	300	1
		Type6	25	1	333	9	0.333	300	1
		Type6	26	1	333	9	0.333	300	1
		Type6	27	1	333	9	0.333	300	1
		Type6	28	1	333	9	0.333	300	0
Type6	29	1	333	9	0.333	300	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI(μs)	Pulses per Hop	Hopping Rate (KHz)	Hopping Sequence Length (ms)	Detection (1: Yes; 0: No)
11A	5500	Type6	0	1	333	9	0.333	300	1
		Type6	1	1	333	9	0.333	300	1
		Type6	2	1	333	9	0.333	300	1
		Type6	3	1	333	9	0.333	300	1
		Type6	4	1	333	9	0.333	300	1
		Type6	5	1	333	9	0.333	300	0
		Type6	6	1	333	9	0.333	300	1
		Type6	7	1	333	9	0.333	300	1
		Type6	8	1	333	9	0.333	300	1
		Type6	9	1	333	9	0.333	300	1
		Type6	10	1	333	9	0.333	300	1
		Type6	11	1	333	9	0.333	300	1
		Type6	12	1	333	9	0.333	300	0
		Type6	13	1	333	9	0.333	300	1
		Type6	14	1	333	9	0.333	300	1
		Type6	15	1	333	9	0.333	300	1
		Type6	16	1	333	9	0.333	300	1
		Type6	17	1	333	9	0.333	300	0
		Type6	18	1	333	9	0.333	300	1
		Type6	19	1	333	9	0.333	300	1
		Type6	20	1	333	9	0.333	300	1
		Type6	21	1	333	9	0.333	300	1
		Type6	22	1	333	9	0.333	300	1
		Type6	23	1	333	9	0.333	300	1
		Type6	24	1	333	9	0.333	300	1
		Type6	25	1	333	9	0.333	300	1
		Type6	26	1	333	9	0.333	300	1
		Type6	27	1	333	9	0.333	300	1
		Type6	28	1	333	9	0.333	300	0
Type6	29	1	333	9	0.333	300	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI(μs)	Pulses per Hop	Hopping Rate (KHz)	Hopping Sequence Length (ms)	Detection (1: Yes; 0: No)
11N40 SISO	5270	Type6	0	1	333	9	0.333	300	1
		Type6	1	1	333	9	0.333	300	1
		Type6	2	1	333	9	0.333	300	1
		Type6	3	1	333	9	0.333	300	1
		Type6	4	1	333	9	0.333	300	1
		Type6	5	1	333	9	0.333	300	1
		Type6	6	1	333	9	0.333	300	1
		Type6	7	1	333	9	0.333	300	1
		Type6	8	1	333	9	0.333	300	1
		Type6	9	1	333	9	0.333	300	1
		Type6	10	1	333	9	0.333	300	1
		Type6	11	1	333	9	0.333	300	1
		Type6	12	1	333	9	0.333	300	0
		Type6	13	1	333	9	0.333	300	0
		Type6	14	1	333	9	0.333	300	1
		Type6	15	1	333	9	0.333	300	1
		Type6	16	1	333	9	0.333	300	1
		Type6	17	1	333	9	0.333	300	0
		Type6	18	1	333	9	0.333	300	1
		Type6	19	1	333	9	0.333	300	1
		Type6	20	1	333	9	0.333	300	0
		Type6	21	1	333	9	0.333	300	1
		Type6	22	1	333	9	0.333	300	1
		Type6	23	1	333	9	0.333	300	1
		Type6	24	1	333	9	0.333	300	1
		Type6	25	1	333	9	0.333	300	0
		Type6	26	1	333	9	0.333	300	1
		Type6	27	1	333	9	0.333	300	1
		Type6	28	1	333	9	0.333	300	1
Type6	29	1	333	9	0.333	300	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI(μs)	Pulses per Hop	Hopping Rate (KHz)	Hopping Sequence Length (ms)	Detection (1: Yes; 0: No)
11N40 SISO	5510	Type6	0	1	333	9	0.333	300	1
		Type6	1	1	333	9	0.333	300	0
		Type6	2	1	333	9	0.333	300	1
		Type6	3	1	333	9	0.333	300	1
		Type6	4	1	333	9	0.333	300	1
		Type6	5	1	333	9	0.333	300	1
		Type6	6	1	333	9	0.333	300	0
		Type6	7	1	333	9	0.333	300	1
		Type6	8	1	333	9	0.333	300	1
		Type6	9	1	333	9	0.333	300	1
		Type6	10	1	333	9	0.333	300	1
		Type6	11	1	333	9	0.333	300	1
		Type6	12	1	333	9	0.333	300	1
		Type6	13	1	333	9	0.333	300	1
		Type6	14	1	333	9	0.333	300	1
		Type6	15	1	333	9	0.333	300	1
		Type6	16	1	333	9	0.333	300	0
		Type6	17	1	333	9	0.333	300	1
		Type6	18	1	333	9	0.333	300	1
		Type6	19	1	333	9	0.333	300	1
		Type6	20	1	333	9	0.333	300	1
		Type6	21	1	333	9	0.333	300	1
		Type6	22	1	333	9	0.333	300	1
		Type6	23	1	333	9	0.333	300	0
		Type6	24	1	333	9	0.333	300	1
		Type6	25	1	333	9	0.333	300	1
		Type6	26	1	333	9	0.333	300	1
		Type6	27	1	333	9	0.333	300	1
		Type6	28	1	333	9	0.333	300	1
Type6	29	1	333	9	0.333	300	1		

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI(μs)	Pulses per Hop	Hopping Rate (KHz)	Hopping Sequence Length (ms)	Detection (1: Yes; 0: No)
11AC80 SISO	5290	Type6	0	1	333	9	0.333	300	1
		Type6	1	1	333	9	0.333	300	1
		Type6	2	1	333	9	0.333	300	1
		Type6	3	1	333	9	0.333	300	1
		Type6	4	1	333	9	0.333	300	1
		Type6	5	1	333	9	0.333	300	1
		Type6	6	1	333	9	0.333	300	0
		Type6	7	1	333	9	0.333	300	1
		Type6	8	1	333	9	0.333	300	1
		Type6	9	1	333	9	0.333	300	1
		Type6	10	1	333	9	0.333	300	1
		Type6	11	1	333	9	0.333	300	0
		Type6	12	1	333	9	0.333	300	1
		Type6	13	1	333	9	0.333	300	1
		Type6	14	1	333	9	0.333	300	1
		Type6	15	1	333	9	0.333	300	1
		Type6	16	1	333	9	0.333	300	1
		Type6	17	1	333	9	0.333	300	1
		Type6	18	1	333	9	0.333	300	1
		Type6	19	1	333	9	0.333	300	1
		Type6	20	1	333	9	0.333	300	1
		Type6	21	1	333	9	0.333	300	1
		Type6	22	1	333	9	0.333	300	1
		Type6	23	1	333	9	0.333	300	1
		Type6	24	1	333	9	0.333	300	1
		Type6	25	1	333	9	0.333	300	1
		Type6	26	1	333	9	0.333	300	1
		Type6	27	1	333	9	0.333	300	1
		Type6	28	1	333	9	0.333	300	1
Type6	29	1	333	9	0.333	300	1		

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline
 400-003-0500
www.anbotek.com

Test Mode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI(μs)	Pulses per Hop	Hopping Rate (KHz)	Hopping Sequence Length (ms)	Detection (1: Yes; 0: No)
11AC80 SISO	5530	Type6	0	1	333	9	0.333	300	1
		Type6	1	1	333	9	0.333	300	1
		Type6	2	1	333	9	0.333	300	1
		Type6	3	1	333	9	0.333	300	1
		Type6	4	1	333	9	0.333	300	1
		Type6	5	1	333	9	0.333	300	1
		Type6	6	1	333	9	0.333	300	0
		Type6	7	1	333	9	0.333	300	1
		Type6	8	1	333	9	0.333	300	0
		Type6	9	1	333	9	0.333	300	1
		Type6	10	1	333	9	0.333	300	1
		Type6	11	1	333	9	0.333	300	1
		Type6	12	1	333	9	0.333	300	1
		Type6	13	1	333	9	0.333	300	1
		Type6	14	1	333	9	0.333	300	1
		Type6	15	1	333	9	0.333	300	1
		Type6	16	1	333	9	0.333	300	0
		Type6	17	1	333	9	0.333	300	1
		Type6	18	1	333	9	0.333	300	1
		Type6	19	1	333	9	0.333	300	1
		Type6	20	1	333	9	0.333	300	1
		Type6	21	1	333	9	0.333	300	0
		Type6	22	1	333	9	0.333	300	1
		Type6	23	1	333	9	0.333	300	0
		Type6	24	1	333	9	0.333	300	1
		Type6	25	1	333	9	0.333	300	1
		Type6	26	1	333	9	0.333	300	1
		Type6	27	1	333	9	0.333	300	1
		Type6	28	1	333	9	0.333	300	1
Type6	29	1	333	9	0.333	300	1		

---End---