



Above 1G (1GHz~18GHz)



Test mode: 11AC80MIMO

Test Channel:58

VERTICAL



HORIZONTALA




Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:106


VERTICAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11060.000	47.52	10.17	57.69	74.00	-16.31	peak		
2 *		11060.000	37.38	10.17	47.55	54.00	-6.45	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	50.21	-2.78	47.43	68.20	-20.77	peak		
2		5460.000	61.41	-2.67	58.74	68.20	-9.46	peak		
3 *		5460.000	51.30	-2.67	48.63	54.00	-5.37	AVG		

HORIZONTALA




Above 1G (1GHz~18GHz)


Test mode: 11AC80MIMO

Test Channel:122

VERTICAL



HORIZONTAL



Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:155


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11550.000	46.32	9.94	56.26	74.00	-17.74	peak		
2 *		11550.000	36.11	9.94	46.05	54.00	-7.95	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5650.000	58.95	-2.09	56.86	68.20	-11.34	peak		
2		5700.000	60.03	-2.19	57.84	105.20	-47.36	peak		
3		5720.000	60.27	-2.23	58.04	110.80	-52.76	peak		
4		5725.000	62.76	-2.24	60.52	122.20	-61.68	peak		
5		5850.000	59.28	-2.07	57.21	122.20	-64.99	peak		
6		5855.000	58.40	-2.04	56.36	110.80	-54.44	peak		
7		5875.000	58.45	-1.91	56.54	105.20	-48.66	peak		
8 *		5925.000	59.24	-1.59	57.65	68.20	-10.55	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11550.000	45.62	9.94	55.56	74.00	-18.44	peak		
2 *		11550.000	35.06	9.94	45.00	54.00	-9.00	AVG		

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5650.000	55.83	-2.09	53.74	68.20	-14.46	peak		
2		5700.000	56.00	-2.19	53.81	105.20	-51.39	peak		
3		5720.000	56.69	-2.23	54.46	110.80	-56.34	peak		
4		5725.000	57.85	-2.24	55.61	122.20	-66.59	peak		
5		5850.000	55.78	-2.07	53.71	122.20	-68.49	peak		
6		5855.000	56.17	-2.04	54.13	110.80	-56.67	peak		
7		5875.000	55.71	-1.91	53.80	105.20	-51.40	peak		
8 *		5925.000	55.93	-1.59	54.34	68.20	-13.86	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:36

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10360.000	46.14	9.03	55.17	68.20	-13.03	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		4500.000	50.09	-3.51	46.58	68.20	-21.62	peak		
2	*	5150.000	53.27	-1.88	51.39	68.20	-16.81	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:40

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:48

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:52

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:56

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:64

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		10640.000	46.70	9.52	56.22	74.00	-17.78	peak		
2 *		10640.000	36.31	9.52	45.83	54.00	-8.17	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1 *		5350.000	50.83	-2.78	48.05	68.20	-20.15	peak		
2		5460.000	50.47	-2.67	47.80	68.20	-20.40	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:100


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		11000.000	47.70	10.29	57.99	74.00	-16.01	peak		
2 *		11000.000	37.13	10.29	47.42	54.00	-6.58	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		5350.000	48.83	-2.78	46.05	68.20	-22.15	peak		
2		5460.000	59.83	-2.67	57.16	68.20	-11.04	peak		
3 *		5460.000	50.41	-2.67	47.74	54.00	-6.26	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11000.000	46.84	10.29	57.13	74.00	-16.87	peak		
2 *		11000.000	36.59	10.29	46.88	54.00	-7.12	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	48.71	-2.78	45.93	68.20	-22.27	peak		
2 *		5460.000	52.55	-2.67	49.88	68.20	-18.32	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:116

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:140

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:149


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11490.000	45.91	9.78	55.69	74.00	-18.31	peak		
2 *		11490.000	35.55	9.78	45.33	54.00	-8.67	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5650.000	57.50	-2.09	55.41	68.20	-12.79	peak		
2		5700.000	57.94	-2.19	55.75	105.20	-49.45	peak		
3		5720.000	62.37	-2.23	60.14	110.80	-50.66	peak		
4		5725.000	67.69	-2.24	65.45	122.20	-56.75	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11490.000	45.42	9.78	55.20	74.00	-18.80	peak		
2 *		11490.000	34.92	9.78	44.70	54.00	-9.30	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5650.000	54.52	-2.09	52.43	68.20	-15.77	peak		
2		5700.000	54.48	-2.19	52.29	105.20	-52.91	peak		
3		5720.000	54.54	-2.23	52.31	110.80	-58.49	peak		
4		5725.000	55.49	-2.24	53.25	122.20	-68.95	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:157

VERTICAL



HORIZONTAL



Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:165


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11650.000	46.17	10.24	56.41	74.00	-17.59	peak		
2 *		11650.000	35.98	10.24	46.22	54.00	-7.78	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	62.45	-2.07	60.38	122.20	-61.82	peak		
2		5855.000	56.65	-2.04	54.61	110.80	-56.19	peak		
3		5875.000	54.26	-1.91	52.35	105.20	-52.85	peak		
4 *		5925.000	54.62	-1.59	53.03	68.20	-15.17	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11650.000	45.18	10.24	55.42	74.00	-18.58	peak		
2 *		11650.000	34.86	10.24	45.10	54.00	-8.90	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	54.16	-2.07	52.09	122.20	-70.11	peak		
2		5855.000	53.15	-2.04	51.11	110.80	-59.69	peak		
3		5875.000	53.42	-1.91	51.51	105.20	-53.69	peak		
4 *		5925.000	54.06	-1.59	52.47	68.20	-15.73	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:38


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10380.000	47.04	9.06	56.10	68.20	-12.10	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		4500.000	49.70	-3.51	46.19	68.20	-22.01	peak		
2		5150.000	63.21	-1.88	61.33	68.20	-6.87	peak		
3	*	5150.000	53.02	-1.88	51.14	54.00	-2.86	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10380.000	46.23	9.06	55.29	68.20	-12.91	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		4500.000	50.00	-3.51	46.49	68.20	-21.71	peak		
2	*	5150.000	54.54	-1.88	52.66	68.20	-15.54	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:46

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:54

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)



Test mode: 11AX40MIMO

Test Channel:62

VERTICAL



HORIZONTALA



Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:102


VERTICAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11020.000	47.16	10.25	57.41	74.00	-16.59	peak		
2 *		11020.000	36.77	10.25	47.02	54.00	-6.98	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	50.58	-2.78	47.80	68.20	-20.40	peak		
2		5460.000	60.56	-2.67	57.89	68.20	-10.31	peak		
3 *		5460.000	50.36	-2.67	47.69	54.00	-6.31	AVG		

HORIZONTALA




Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:110

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:134

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11340.000	46.13	9.63	55.76	74.00	-18.24	peak		
2 *		11340.000	35.63	9.63	45.26	54.00	-8.74	AVG		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11340.000	45.23	9.63	54.86	74.00	-19.14	peak		
2 *		11340.000	34.81	9.63	44.44	54.00	-9.56	AVG		


Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:151


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11510.000	46.65	9.83	56.48	74.00	-17.52	peak		
2 *		11510.000	36.27	9.83	46.10	54.00	-7.90	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5650.000	59.24	-2.09	57.15	68.20	-11.05	peak		
2		5700.000	58.85	-2.19	56.66	105.20	-48.54	peak		
3		5720.000	62.04	-2.23	59.81	110.80	-50.99	peak		
4		5725.000	71.39	-2.24	69.15	122.20	-53.05	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11510.000	45.49	9.83	55.32	74.00	-18.68	peak		
2 *		11510.000	35.18	9.83	45.01	54.00	-8.99	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5650.000	52.86	-2.09	50.77	68.20	-17.43	peak		
2		5700.000	54.88	-2.19	52.69	105.20	-52.51	peak		
3		5720.000	55.38	-2.23	53.15	110.80	-57.65	peak		
4		5725.000	58.99	-2.24	56.75	122.20	-65.45	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:159

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11590.000	46.96	10.06	57.02	74.00	-16.98	peak	
2 *		11590.000	36.70	10.06	46.76	54.00	-7.24	AVG	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	61.10	-2.07	59.03	122.20	-63.17	peak	
2		5855.000	57.40	-2.04	55.36	110.80	-55.44	peak	
3		5875.000	55.63	-1.91	53.72	105.20	-51.48	peak	
4 *		5925.000	55.19	-1.59	53.60	68.20	-14.60	peak	

HORIZONTALA

Radiated Emission



Radiated Emission



Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:42


VERTICAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10420.000	46.66	9.12	55.78	68.20	-12.42	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		4500.000	49.71	-3.51	46.20	68.20	-22.00	peak		
2		5150.000	64.26	-1.88	62.38	68.20	-5.82	peak		
3	*	5150.000	54.32	-1.88	52.44	54.00	-1.56	AVG		

HORIZONTALA



Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:58


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10580.000	46.97	9.41	56.38	68.20	-11.82	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	58.00	-2.78	55.22	68.20	-12.98	peak		
2	*	5350.000	48.65	-2.78	45.87	54.00	-8.13	AVG		
3		5460.000	49.15	-2.67	46.48	68.20	-21.72	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10580.000	46.48	9.41	55.89	68.20	-12.31	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	54.70	-2.78	51.92	68.20	-16.28	peak		
2		5460.000	49.14	-2.67	46.47	68.20	-21.73	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:106


VERTICAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11060.000	48.64	10.17	58.81	74.00	-15.19	peak		
2 *		11060.000	38.40	10.17	48.57	54.00	-5.43	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	49.78	-2.78	47.00	68.20	-21.20	peak		
2		5460.000	59.97	-2.67	57.30	68.20	-10.90	peak		
3 *		5460.000	49.87	-2.67	47.20	54.00	-6.80	AVG		

HORIZONTALA




Above 1G (1GHz~18GHz)


Test mode: 11AX80MIMO

Test Channel:122

VERTICAL



HORIZONTAL



Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:155


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11550.000	46.19	9.94	56.13	74.00	-17.87	peak	
2 *		11550.000	35.78	9.94	45.72	54.00	-8.28	AVG	


Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5650.000	58.44	-2.09	56.35	68.20	-11.85	peak	
2		5700.000	58.52	-2.19	56.33	105.20	-48.87	peak	
3		5720.000	63.14	-2.23	60.91	110.80	-49.89	peak	
4		5725.000	67.48	-2.24	65.24	122.20	-56.96	peak	
5		5850.000	58.18	-2.07	56.11	122.20	-66.09	peak	
6		5855.000	58.88	-2.04	56.84	110.80	-53.96	peak	
7		5875.000	58.62	-1.91	56.71	105.20	-48.49	peak	
8 *		5925.000	58.43	-1.59	56.84	68.20	-11.36	peak	

HORIZONTALA

Radiated Emission



Radiated Emission





For EUT2

Above 1G (1GHz~18GHz)

Test mode:11A

Test Channel:36

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10360.000	46.99	9.03	56.02	68.20	-12.18	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	49.81	-3.51	46.30	68.20	-21.90	peak		
2	*	5150.000	54.99	-1.88	53.11	68.20	-15.09	peak		

Above 1G (1GHz~18GHz)


Test mode: 11A

Test Channel:40

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11A

Test Channel:48

VERTICAL



HORIZONTAL



Above 1G (1GHz~18GHz)

Test mode: 11A

Test Channel:52

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10520.000	47.30	9.30	56.60	68.20	-11.60	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10520.000	47.08	9.30	56.38	68.20	-11.82	peak		


Above 1G (1GHz~18GHz)

Test mode: 11A

Test Channel:56

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10560.000	48.31	9.37	57.68	68.20	-10.52	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10560.000	46.68	9.37	56.05	68.20	-12.15	peak		


Above 1G (1GHz~18GHz)

Test mode: 11A

Test Channel:64


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		10640.000	47.06	9.52	56.58	74.00	-17.42	peak		
2 *		10640.000	36.77	9.52	46.29	54.00	-7.71	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	61.06	-2.78	58.28	68.20	-9.92	peak		
2 *		5350.000	51.11	-2.78	48.33	54.00	-5.67	AVG		
3		5460.000	49.11	-2.67	46.44	68.20	-21.76	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		10640.000	45.95	9.52	55.47	74.00	-18.53	peak		
2 *		10640.000	35.81	9.52	45.33	54.00	-8.67	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1 *		5350.000	54.29	-2.78	51.51	68.20	-16.69	peak		
2		5460.000	49.24	-2.67	46.57	68.20	-21.63	peak		

Above 1G (1GHz~18GHz)

Test mode: 11A

Test Channel:100


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11000.000	47.42	10.29	57.71	74.00	-16.29	peak		
2 *		11000.000	37.03	10.29	47.32	54.00	-6.68	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	49.26	-2.78	46.48	68.20	-21.72	peak		
2		5460.000	59.19	-2.67	56.52	68.20	-11.68	peak		
3 *		5460.000	48.78	-2.67	46.11	54.00	-7.89	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11000.000	47.24	10.29	57.53	74.00	-16.47	peak		
2	*	11000.000	37.45	10.29	47.74	54.00	-6.26	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	49.55	-2.78	46.77	68.20	-21.43	peak		
2	*	5460.000	54.24	-2.67	51.57	68.20	-16.63	peak		

Above 1G (1GHz~18GHz)


Test mode: 11A

Test Channel:116

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11A

Test Channel:140

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11400.000	47.66	9.51	57.17	74.00	-16.83	peak		
2 *		11400.000	37.34	9.51	46.85	54.00	-7.15	AVG		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11400.000	47.31	9.51	56.82	74.00	-17.18	peak		
2 *		11400.000	36.85	9.51	46.36	54.00	-7.64	AVG		

Above 1G (1GHz~18GHz)

Test mode: 11A

Test Channel:149


VERTICAL

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11490.000	47.34	9.78	57.12	74.00	-16.88	peak		
2 *		11490.000	37.05	9.78	46.83	54.00	-7.17	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5650.000	55.63	-2.09	53.54	68.20	-14.66	peak		
2		5700.000	55.87	-2.19	53.68	105.20	-51.52	peak		
3		5720.000	60.13	-2.23	57.90	110.80	-52.90	peak		
4		5725.000	64.97	-2.24	62.73	122.20	-59.47	peak		

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11490.000	46.45	9.78	56.23	74.00	-17.77	peak		
2	*	11490.000	36.59	9.78	46.37	54.00	-7.63	AVG		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	52.86	-2.09	50.77	68.20	-17.43	peak		
2		5700.000	52.61	-2.19	50.42	105.20	-54.78	peak		
3		5720.000	55.45	-2.23	53.22	110.80	-57.58	peak		
4		5725.000	58.52	-2.24	56.28	122.20	-65.92	peak		

Above 1G (1GHz~18GHz)

Test mode: 11A

Test Channel:157

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11570.000	46.60	10.01	56.61	74.00	-17.39	peak		
2 *		11570.000	36.21	10.01	46.22	54.00	-7.78	AVG		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11570.000	45.76	10.01	55.77	74.00	-18.23	peak		
2 *		11570.000	35.62	10.01	45.63	54.00	-8.37	AVG		

Above 1G (1GHz~18GHz)

Test mode: 11A

Test Channel:165

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11650.000	45.27	10.24	55.51	74.00	-18.49	peak		
2 *		11650.000	35.42	10.24	45.66	54.00	-8.34	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5850.000	62.91	-2.07	60.84	122.20	-61.36	peak		
2		5855.000	59.39	-2.04	57.35	110.80	-53.45	peak		
3		5875.000	54.34	-1.91	52.43	105.20	-52.77	peak		
4 *		5925.000	53.32	-1.59	51.73	68.20	-16.47	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11650.000	44.36	10.24	54.60	74.00	-19.40	peak		
2 *		11650.000	33.88	10.24	44.12	54.00	-9.88	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	58.81	-2.07	56.74	122.20	-65.46	peak		
2		5855.000	55.84	-2.04	53.80	110.80	-57.00	peak		
3		5875.000	53.34	-1.91	51.43	105.20	-53.77	peak		
4 *		5925.000	54.18	-1.59	52.59	68.20	-15.61	peak		

Above 1G (1GHz~18GHz)


Test mode: 11N20MIMO

Test Channel:36

VERTICAL





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10360.000	46.88	9.03	55.91	68.20	-12.29	peak		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	49.85	-3.51	46.34	68.20	-21.86	peak		
2		5150.000	67.21	-1.88	65.33	68.20	-2.87	peak		
3	*	5150.000	55.62	-1.88	53.74	54.00	-0.26	AVG		

HORIZONTALA




Above 1G (1GHz~18GHz)


Test mode: 11N20MIMO

Test Channel:40

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11N20MIMO

Test Channel:48

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11N20MIMO

Test Channel:52

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11N20MIMO

Test Channel:56

VERTICAL



HORIZONTAL



Above 1G (1GHz~18GHz)

Test mode: 11N20MIMO

Test Channel:64


VERTICAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10640.000	47.75	9.52	57.27	74.00	-16.73	peak		
2 *		10640.000	37.51	9.52	47.03	54.00	-6.97	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	63.73	-2.78	60.95	68.20	-7.25	peak		
2 *		5350.000	52.90	-2.78	50.12	54.00	-3.88	AVG		
3		5460.000	49.65	-2.67	46.98	68.20	-21.22	peak		

HORIZONTAL



Above 1G (1GHz~18GHz)

Test mode: 11N20MIMO

Test Channel:100


VERTICAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11000.000	46.82	10.29	57.11	74.00	-16.89	peak		
2	*	11000.000	36.46	10.29	46.75	54.00	-7.25	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	50.47	-2.78	47.69	68.20	-20.51	peak		
2		5460.000	59.41	-2.67	56.74	68.20	-11.46	peak		
3	*	5460.000	48.72	-2.67	46.05	54.00	-7.95	AVG		

HORIZONTALA



Above 1G (1GHz~18GHz)

Test mode: 11N20MIMO

Test Channel:116

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11160.000	45.96	9.98	55.94	74.00	-18.06	peak		
2	*	11160.000	35.35	9.98	45.33	54.00	-8.67	AVG		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11160.000	44.24	9.98	54.22	74.00	-19.78	peak		
2	*	11160.000	34.03	9.98	44.01	54.00	-9.99	AVG		

Above 1G (1GHz~18GHz)

Test mode: 11N20MIMO

Test Channel:140

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11400.000	47.27	9.51	56.78	74.00	-17.22	peak		
2 *		11400.000	36.84	9.51	46.35	54.00	-7.65	AVG		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11400.000	45.62	9.51	55.13	74.00	-18.87	peak		
2 *		11400.000	35.47	9.51	44.98	54.00	-9.02	AVG		


Above 1G (1GHz~18GHz)

Test mode: 11N20MIMO

Test Channel:149


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11490.000	47.42	9.78	57.20	74.00	-16.80	peak		
2 *		11490.000	38.12	9.78	47.90	54.00	-6.10	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5650.000	58.40	-2.09	56.31	68.20	-11.89	peak		
2		5700.000	57.60	-2.19	55.41	105.20	-49.79	peak		
3		5720.000	59.84	-2.23	57.61	110.80	-53.19	peak		
4		5725.000	65.19	-2.24	62.95	122.20	-59.25	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11490.000	46.28	9.78	56.06	74.00	-17.94	peak		
2 *		11490.000	35.87	9.78	45.65	54.00	-8.35	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5650.000	53.53	-2.09	51.44	68.20	-16.76	peak		
2		5700.000	53.34	-2.19	51.15	105.20	-54.05	peak		
3		5720.000	53.36	-2.23	51.13	110.80	-59.67	peak		
4		5725.000	60.94	-2.24	58.70	122.20	-63.50	peak		

Above 1G (1GHz~18GHz)


Test mode: 11N20MIMO

Test Channel:157

VERTICAL



HORIZONTAL



Above 1G (1GHz~18GHz)

Test mode: 11N20MIMO

Test Channel:165


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11650.000	45.40	10.24	55.64	74.00	-18.36	peak	
2 *		11650.000	34.92	10.24	45.16	54.00	-8.84	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	63.93	-2.07	61.86	122.20	-60.34	peak	
2		5855.000	58.81	-2.04	56.77	110.80	-54.03	peak	
3		5875.000	54.68	-1.91	52.77	105.20	-52.43	peak	
4 *		5925.000	54.31	-1.59	52.72	68.20	-15.48	peak	

HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11650.000	43.79	10.24	54.03	74.00	-19.97	peak		
2 *		11650.000	33.49	10.24	43.73	54.00	-10.27	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5850.000	57.77	-2.07	55.70	122.20	-66.50	peak		
2		5855.000	53.30	-2.04	51.26	110.80	-59.54	peak		
3		5875.000	49.40	-1.91	47.49	105.20	-57.71	peak		
4 *		5925.000	49.08	-1.59	47.49	68.20	-20.71	peak		

Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO

Test Channel:38


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10380.000	48.18	9.06	57.24	68.20	-10.96	peak		


Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	50.69	-3.51	47.18	68.20	-21.02	peak		
2		5150.000	64.46	-1.88	62.58	68.20	-5.62	peak		
3	*	5150.000	54.42	-1.88	52.54	54.00	-1.46	AVG		

HORIZONTALA

Radiated Emission



Radiated Emission




Above 1G (1GHz~18GHz)


Test mode: 11N40MIMO

Test Channel:46

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11N40MIMO

Test Channel:54

VERTICAL



HORIZONTAL



Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO

Test Channel:62


VERTICAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		10620.000	46.83	9.48	56.31	74.00	-17.69	peak	
2 *		10620.000	36.55	9.48	46.03	54.00	-7.97	AVG	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	61.99	-2.78	59.21	68.20	-8.99	peak	
2 *		5350.000	52.61	-2.78	49.83	54.00	-4.17	AVG	
3		5460.000	48.89	-2.67	46.22	68.20	-21.98	peak	

HORIZONTALA




Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO

Test Channel:102


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11020.000	47.15	10.25	57.40	74.00	-16.60	peak		
2 *		11020.000	37.31	10.25	47.56	54.00	-6.44	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	49.81	-2.78	47.03	68.20	-21.17	peak		
2		5460.000	63.08	-2.67	60.41	68.20	-7.79	peak		
3 *		5460.000	52.87	-2.67	50.20	54.00	-3.80	AVG		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11020.000	46.10	10.25	56.35	74.00	-17.65	peak		
2 *		11020.000	37.07	10.25	47.32	54.00	-6.68	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	49.65	-2.78	46.87	68.20	-21.33	peak		
2 *		5460.000	52.08	-2.67	49.41	68.20	-18.79	peak		

Above 1G (1GHz~18GHz)


Test mode: 11N40MIMO

Test Channel:110

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11N40MIMO

Test Channel:134

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11N40MIMO

Test Channel:151

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11510.000	46.22	9.83	56.05	74.00	-17.95	peak		
2 *		11510.000	36.17	9.83	46.00	54.00	-8.00	AVG		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5650.000	59.70	-2.09	57.61	68.20	-10.59	peak		
2		5700.000	58.69	-2.19	56.50	105.20	-48.70	peak		
3		5720.000	64.50	-2.23	62.27	110.80	-48.53	peak		
4		5725.000	69.04	-2.24	66.80	122.20	-55.40	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11510.000	46.72	9.83	56.55	74.00	-17.45	peak		
2 *		11510.000	36.30	9.83	46.13	54.00	-7.87	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5650.000	55.15	-2.09	53.06	68.20	-15.14	peak		
2		5700.000	54.82	-2.19	52.63	105.20	-52.57	peak		
3		5720.000	56.54	-2.23	54.31	110.80	-56.49	peak		
4		5725.000	60.81	-2.24	58.57	122.20	-63.63	peak		

Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO

Test Channel:159

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11590.000	47.58	10.06	57.64	74.00	-16.36	peak	
2 *		11590.000	37.46	10.06	47.52	54.00	-6.48	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	62.48	-2.07	60.41	122.20	-61.79	peak	
2		5855.000	59.26	-2.04	57.22	110.80	-53.58	peak	
3		5875.000	58.07	-1.91	56.16	105.20	-49.04	peak	
4 *		5925.000	57.29	-1.59	55.70	68.20	-12.50	peak	

HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11590.000	46.61	10.06	56.67	74.00	-17.33	peak		
2	*	11590.000	36.49	10.06	46.55	54.00	-7.45	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	54.90	-2.07	52.83	122.20	-69.37	peak		
2		5855.000	53.73	-2.04	51.69	110.80	-59.11	peak		
3		5875.000	53.13	-1.91	51.22	105.20	-53.98	peak		
4	*	5925.000	54.03	-1.59	52.44	68.20	-15.76	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:36

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10360.000	48.51	9.03	57.54	68.20	-10.66	peak	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	50.73	-3.51	47.22	68.20	-20.98	peak	
2		5150.000	64.78	-1.88	62.90	68.20	-5.30	peak	
3	*	5150.000	53.98	-1.88	52.10	54.00	-1.90	AVG	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10360.000	47.22	9.03	56.25	68.20	-11.95	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	50.98	-3.51	47.47	68.20	-20.73	peak		
2	*	5150.000	54.35	-1.88	52.47	68.20	-15.73	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:40

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:48

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:52

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:56

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO

Test Channel:64


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		10640.000	48.41	9.52	57.93	74.00	-16.07	peak	
2 *		10640.000	37.80	9.52	47.32	54.00	-6.68	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree
1		5350.000	59.01	-2.78	56.23	68.20	-11.97	peak	
2 *		5350.000	49.00	-2.78	46.22	54.00	-7.78	AVG	
3		5460.000	49.77	-2.67	47.10	68.20	-21.10	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10640.000	46.01	9.52	55.53	74.00	-18.47	peak		
2 *		10640.000	35.81	9.52	45.33	54.00	-8.67	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1 *		5350.000	55.19	-2.78	52.41	68.20	-15.79	peak		
2		5460.000	49.35	-2.67	46.68	68.20	-21.52	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO

Test Channel:100


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11000.000	49.57	10.29	59.86	74.00	-14.14	peak		
2 *		11000.000	39.28	10.29	49.57	54.00	-4.43	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1		5350.000	48.98	-2.78	46.20	68.20	-22.00	peak		
2		5460.000	60.02	-2.67	57.35	68.20	-10.85	peak		
3 *		5460.000	50.19	-2.67	47.52	54.00	-6.48	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11000.000	47.71	10.29	58.00	74.00	-16.00	peak		
2 *		11000.000	37.37	10.29	47.66	54.00	-6.34	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1		5350.000	50.46	-2.78	47.68	68.20	-20.52	peak		
2 *		5460.000	52.49	-2.67	49.82	68.20	-18.38	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:116

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:140

VERTICAL



HORIZONTAL



Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO

Test Channel:149


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11490.000	45.55	9.78	55.33	74.00	-18.67	peak		
2	*	11490.000	35.35	9.78	45.13	54.00	-8.87	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1	*	5650.000	57.12	-2.09	55.03	68.20	-13.17	peak		
2		5700.000	57.74	-2.19	55.55	105.20	-49.65	peak		
3		5720.000	61.90	-2.23	59.67	110.80	-51.13	peak		
4		5725.000	65.55	-2.24	63.31	122.20	-58.89	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11490.000	44.60	9.78	54.38	74.00	-19.62	peak		
2 *		11490.000	34.40	9.78	44.18	54.00	-9.82	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1 *		5650.000	53.91	-2.09	51.82	68.20	-16.38	peak		
2		5700.000	54.44	-2.19	52.25	105.20	-52.95	peak		
3		5720.000	54.24	-2.23	52.01	110.80	-58.79	peak		
4		5725.000	59.25	-2.24	57.01	122.20	-65.19	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO

Test Channel:157

VERTICAL



HORIZONTAL

