




Above 1G (1GHz~18GHz)      Test mode: 11N40MIMO      Test Channel:62

VERTICAL




## HORIZONTAL

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1		10620.000	48.97	9.48	58.45	74.00	-15.55			peak
2		10620.000	40.65	9.48	50.13	54.00	-3.87			AVG
3		15930.000	49.28	9.94	59.22	74.00	-14.78			peak
4 *		15930.000	40.50	9.94	50.44	54.00	-3.56			AVG

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1		5350.000	50.94	-2.78	48.16	68.20	-20.04			peak
2 *		5460.000	51.43	-2.67	48.76	68.20	-19.44			peak


Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO

Test Channel:102


VERTICAL

**Radiated Emission**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11020.000	51.84	10.25	62.09	74.00	-11.91			peak
2 *		11020.000	42.89	10.25	53.14	54.00	-0.86			AVG
3		16530.000	51.27	9.91	61.18	68.20	-7.02			peak


**Radiated Emission**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	50.14	-2.78	47.36	68.20	-20.84			peak
2		5460.000	57.62	-2.67	54.95	68.20	-13.25			peak
3 *		5460.000	52.12	-2.67	49.45	54.00	-4.55			AVG


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11020.000	50.95	10.25	61.20	74.00	-12.80	peak	
2 *		11020.000	41.86	10.25	52.11	54.00	-1.89	AVG	
3		16530.000	49.24	9.91	59.15	68.20	-9.05	peak	

### Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1 *		5350.000	50.77	-2.78	47.99	68.20	-20.21	peak	
2		5460.000	50.51	-2.67	47.84	68.20	-20.36	peak	

Above 1G (1GHz~18GHz)


Test mode: 11N40MIMO

Test Channel:118

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO

Test Channel:134

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11340.000	49.39	9.63	59.02	74.00	-14.98	peak		
2 *		11340.000	40.39	9.63	50.02	54.00	-3.98	AVG		
3		17010.000	51.37	10.62	61.99	68.20	-6.21	peak		

HORIZONTAL

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11340.000	48.11	9.63	57.74	74.00	-16.26	peak		
2 *		11340.000	38.40	9.63	48.03	54.00	-5.97	AVG		
3		17010.000	49.68	10.62	60.30	68.20	-7.90	peak		

Above 1G (1GHz~18GHz)


Test mode: 11N40MIMO

Test Channel:151

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11510.000	48.84	9.83	58.67	74.00	-15.33	peak		
2 *		11510.000	40.29	9.83	50.12	54.00	-3.88	AVG		
3		17265.000	48.38	11.85	60.23	68.20	-7.97	peak		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5650.000	53.46	-2.09	51.37	68.20	-16.83	peak		
2		5700.000	54.04	-2.19	51.85	105.20	-53.35	peak		
3		5720.000	55.17	-2.23	52.94	110.80	-57.86	peak		
4		5725.000	56.39	-2.24	54.15	122.20	-68.05	peak		


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11510.000	45.77	9.83	55.60	74.00	-18.40	peak	
2 *		11510.000	36.63	9.83	46.46	54.00	-7.54	AVG	
3		17265.000	46.55	11.85	58.40	68.20	-9.80	peak	

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1 *		5650.000	54.01	-2.09	51.92	68.20	-16.28	peak	
2		5700.000	54.89	-2.19	52.70	105.20	-52.50	peak	
3		5720.000	53.68	-2.23	51.45	110.80	-59.35	peak	
4		5725.000	54.14	-2.24	51.90	122.20	-70.30	peak	




Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO

Test Channel:159


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11590.000	46.64	10.06	56.70	74.00	-17.30	peak		
2 *		11590.000	38.04	10.06	48.10	54.00	-5.90	AVG		
3		17385.000	46.40	12.43	58.83	68.20	-9.37	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5650.000	53.46	-2.09	51.37	68.20	-16.83	peak		
2		5700.000	54.04	-2.19	51.85	105.20	-53.35	peak		
3		5720.000	55.17	-2.23	52.94	110.80	-57.86	peak		
4		5725.000	56.39	-2.24	54.15	122.20	-68.05	peak		


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11590.000	45.95	10.06	56.01	74.00	-17.99	peak		
2 *		11590.000	37.15	10.06	47.21	54.00	-6.79	AVG		
3		17385.000	46.09	12.43	58.52	68.20	-9.68	peak		

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5650.000	54.01	-2.09	51.92	68.20	-16.28	peak		
2		5700.000	54.89	-2.19	52.70	105.20	-52.50	peak		
3		5720.000	53.68	-2.23	51.45	110.80	-59.35	peak		
4		5725.000	54.14	-2.24	51.90	122.20	-70.30	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO

Test Channel:36


VERTICAL

**Radiated Emission**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10360.000	54.80	9.03	63.83	68.20	-4.37	peak		
2		15540.000	56.96	10.10	67.06	74.00	-6.94	peak		
3 *		15540.000	43.64	10.10	53.74	54.00	-0.26	AVG		


**Radiated Emission**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	49.73	-3.51	46.22	68.20	-21.98	peak		
2		5150.000	57.75	-1.88	55.87	68.20	-12.33	peak		
3 *		5150.000	52.75	-1.88	50.87	54.00	-3.13	AVG		


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10360.000	52.10	9.03	61.13	68.20	-7.07	peak		
2		15540.000	53.75	10.10	63.85	74.00	-10.15	peak		
3 *		15540.000	42.04	10.10	52.14	54.00	-1.86	AVG		

### Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	49.48	-3.51	45.97	68.20	-22.23	peak		
2 *		5150.000	50.20	-1.88	48.32	68.20	-19.88	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:40

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:48

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:52

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:56

VERTICAL



HORIZONTAL







Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO


Test Channel:64

VERTICAL




## HORIZONTAL

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		10640.000	50.54	9.52	60.06	74.00	-13.94	peak	
2		10640.000	42.59	9.52	52.11	54.00	-1.89	AVG	
3		15960.000	51.10	9.93	61.03	74.00	-12.97	peak	
4 *		15960.000	42.50	9.93	52.43	54.00	-1.57	AVG	

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	50.64	-2.78	47.86	68.20	-20.34	peak	
2 *		5460.000	51.04	-2.67	48.37	68.20	-19.83	peak	


Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO

Test Channel:100


VERTICAL

**Radiated Emission**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11000.000	52.44	10.29	62.73	74.00	-11.27	peak		
2 *		11000.000	42.78	10.29	53.07	54.00	-0.93	AVG		
3		16500.000	54.56	9.91	64.47	68.20	-3.73	peak		


**Radiated Emission**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	51.53	-2.78	48.75	68.20	-19.45	peak		
2		5460.000	52.07	-2.67	49.40	68.20	-18.80	peak		
3 *		5460.000	58.57	-2.67	55.90	68.20	-12.30	peak		


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11000.000	51.99	10.29	62.28	74.00	-11.72	peak		
2 *		11000.000	41.91	10.29	52.20	54.00	-1.80	AVG		
3		16500.000	53.47	9.91	63.38	68.20	-4.82	peak		

### Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	50.87	-2.78	48.09	68.20	-20.11	peak		
2 *		5460.000	50.97	-2.67	48.30	68.20	-19.90	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:116

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:140

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO

Test Channel:149


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11490.000	56.35	9.78	66.13	74.00	-7.87			peak
2	*	11490.000	43.65	9.78	53.43	54.00	-0.57			AVG
3		17235.000	54.60	11.71	66.31	68.20	-1.89			peak


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	54.30	-2.09	52.21	68.20	-15.99			peak
2		5700.000	53.91	-2.19	51.72	105.20	-53.48			peak
3		5720.000	54.20	-2.23	51.97	110.80	-58.83			peak
4		5725.000	55.09	-2.24	52.85	122.20	-69.35			peak


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11490.000	53.27	9.78	63.05	74.00	-10.95	peak	
2 *		11490.000	42.38	9.78	52.16	54.00	-1.84	AVG	
3		17235.000	51.83	11.71	63.54	68.20	-4.66	peak	

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1 *		5650.000	53.97	-2.09	51.88	68.20	-16.32	peak	
2		5700.000	53.77	-2.19	51.58	105.20	-53.62	peak	
3		5720.000	53.52	-2.23	51.29	110.80	-59.51	peak	
4		5725.000	53.34	-2.24	51.10	122.20	-71.10	peak	




Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:157

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO

Test Channel:165


VERTICAL

**Radiated Emission**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11650.000	56.06	10.24	66.30	74.00	-7.70	peak	
2 *		11650.000	42.90	10.24	53.14	54.00	-0.86	AVG	
3		17475.000	53.91	12.92	66.83	68.20	-1.37	peak	


**Radiated Emission**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	53.70	-2.07	51.63	122.20	-70.57	peak	
2		5855.000	53.62	-2.04	51.58	110.80	-59.22	peak	
3		5875.000	52.87	-1.91	50.96	105.20	-54.24	peak	
4 *		5925.000	52.47	-1.59	50.88	68.20	-17.32	peak	


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11650.000	53.92	10.24	64.16	74.00	-9.84	peak	
2	*	11650.000	41.99	10.24	52.23	54.00	-1.77	AVG	
3		17475.000	51.78	12.92	64.70	68.20	-3.50	peak	

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	53.16	-2.07	51.09	122.20	-71.11	peak	
2		5855.000	52.93	-2.04	50.89	110.80	-59.91	peak	
3		5875.000	53.18	-1.91	51.27	105.20	-53.93	peak	
4	*	5925.000	53.33	-1.59	51.74	68.20	-16.46	peak	


Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:38


VERTICAL

**Radiated Emission**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		10380.000	52.74	9.06	61.80	68.20	-6.40	peak	
2		15570.000	52.37	10.09	62.46	74.00	-11.54	peak	
3 *		15570.000	43.14	10.09	53.23	54.00	-0.77	AVG	


**Radiated Emission**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	49.54	-3.51	46.03	68.20	-22.17	peak	
2		5150.000	57.42	-1.88	55.54	68.20	-12.66	peak	
3 *		5150.000	54.42	-1.88	52.54	54.00	-1.46	AVG	


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		10380.000	51.44	9.06	60.50	68.20	-7.70	peak			
2		15570.000	50.48	10.09	60.57	74.00	-13.43	peak			
3	*	15570.000	42.05	10.09	52.14	54.00	-1.86	AVG			

### Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	49.65	-3.51	46.14	68.20	-22.06	peak			
2	*	5150.000	51.50	-1.88	49.62	68.20	-18.58	peak			

Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:46

VERTICAL




HORIZONTAL




Above 1G (1GHz~18GHz)	Test mode: 11AC40MIMO	Test Channel:54
-----------------------	-----------------------	-----------------

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:62


VERTICAL






## HORIZONTAL

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10620.000	49.80	9.48	59.28	74.00	-14.72			peak
2 *		10620.000	40.66	9.48	50.14	54.00	-3.86			AVG
3		15930.000	49.24	9.94	59.18	74.00	-14.82			peak
4		15930.000	40.18	9.94	50.12	54.00	-3.88			AVG

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	50.12	-2.78	47.34	68.20	-20.86			peak
2 *		5460.000	50.64	-2.67	47.97	68.20	-20.23			peak


Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:102


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11020.000	51.20	10.25	61.45	74.00	-12.55	peak	
2 *		11020.000	42.81	10.25	53.06	54.00	-0.94	AVG	
3		16530.000	51.16	9.91	61.07	68.20	-7.13	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	50.78	-2.78	48.00	68.20	-20.20	peak	
2		5460.000	58.40	-2.67	55.73	68.20	-12.47	peak	
3 *		5460.000	53.40	-2.67	50.73	54.00	-3.27	AVG	


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11020.000	49.53	10.25	59.78	74.00	-14.22	peak	
2	*	11020.000	41.97	10.25	52.22	54.00	-1.78	AVG	
3		16530.000	50.25	9.91	60.16	68.20	-8.04	peak	

### Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	49.37	-2.78	46.59	68.20	-21.61	peak	
2	*	5460.000	49.27	-2.67	46.60	68.20	-21.60	peak	

Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:118

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:134

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO


Test Channel:151

VERTICAL




## HORIZONTAL

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1		11510.000	49.99	9.83	59.82	74.00	-14.18	peak		
2 *		11510.000	42.31	9.83	52.14	54.00	-1.86	AVG		
3		17265.000	48.78	11.85	60.63	68.20	-7.57	peak		

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1 *		5650.000	53.31	-2.09	51.22	68.20	-16.98	peak		
2		5700.000	53.33	-2.19	51.14	105.20	-54.06	peak		
3		5720.000	53.44	-2.23	51.21	110.80	-59.59	peak		
4		5725.000	53.09	-2.24	50.85	122.20	-71.35	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:159


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11590.000	52.62	10.06	62.68	74.00	-11.32	peak		
2	*	11590.000	43.41	10.06	53.47	54.00	-0.53	AVG		
3		17385.000	50.07	12.43	62.50	68.20	-5.70	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	52.77	-2.07	50.70	122.20	-71.50	peak		
2		5855.000	53.36	-2.04	51.32	110.80	-59.48	peak		
3		5875.000	53.43	-1.91	51.52	105.20	-53.68	peak		
4	*	5925.000	53.52	-1.59	51.93	68.20	-16.27	peak		




## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11590.000	49.52	10.06	59.58	74.00	-14.42	peak	
2 *		11590.000	41.57	10.06	51.63	54.00	-2.37	AVG	
3		17385.000	48.67	12.43	61.10	68.20	-7.10	peak	

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	53.49	-2.07	51.42	122.20	-70.78	peak	
2		5855.000	54.61	-2.04	52.57	110.80	-58.23	peak	
3		5875.000	53.62	-1.91	51.71	105.20	-53.49	peak	
4 *		5925.000	54.20	-1.59	52.61	68.20	-15.59	peak	


Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:42


VERTICAL

**Radiated Emission**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10420.000	49.64	9.12	58.76	68.20	-9.44	peak		
2		15630.000	49.91	10.06	59.97	74.00	-14.03	peak		
3	*	15630.000	40.26	10.06	50.32	54.00	-3.68	AVG		


**Radiated Emission**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	49.39	-3.51	45.88	68.20	-22.32	peak		
2		5150.000	58.35	-1.88	56.47	68.20	-11.73	peak		
3	*	5150.000	54.35	-1.88	52.47	54.00	-1.53	AVG		


## HORIZONTAL

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10420.000	47.90	9.12	57.02	68.20	-11.18	peak		
2		15630.000	48.42	10.06	58.48	74.00	-15.52	peak		
3 *		15630.000	39.16	10.06	49.22	54.00	-4.78	AVG		

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	49.34	-3.51	45.83	68.20	-22.37	peak		
2 *		5150.000	51.49	-1.88	49.61	68.20	-18.59	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:58


VERTICAL

**Radiated Emission**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10580.000	51.29	9.41	60.70	68.20	-7.50	peak		
2		15870.000	50.65	9.96	60.61	74.00	-13.39	peak		
3 *		15870.000	42.65	9.96	52.61	54.00	-1.39	AVG		

**Radiated Emission**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	59.25	-2.78	56.47	68.20	-11.73	peak		
2 *		5350.000	53.25	-2.78	50.47	54.00	-3.53	AVG		
3		5460.000	50.68	-2.67	48.01	68.20	-20.19	peak		


## HORIZONTAL

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10580.000	49.70	9.41	59.11	68.20	-9.09	peak		
2		15870.000	49.74	9.96	59.70	74.00	-14.30	peak		
3 *		15870.000	41.45	9.96	51.41	54.00	-2.59	AVG		

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	50.52	-2.78	47.74	68.20	-20.46	peak		
2 *		5460.000	50.80	-2.67	48.13	68.20	-20.07	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:106


VERTICAL

**Radiated Emission**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11060.000	50.16	10.17	60.33	74.00	-13.67	peak		
2 *		11060.000	42.16	10.17	52.33	54.00	-1.67	AVG		
3		16590.000	50.54	9.90	60.44	68.20	-7.76	peak		


**Radiated Emission**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	49.80	-2.78	47.02	68.20	-21.18	peak		
2		5460.000	59.41	-2.67	56.74	68.20	-11.46	peak		
3 *		5460.000	55.69	-2.67	53.02	54.00	-0.98	AVG		


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11060.000	49.46	10.17	59.63	74.00	-14.37			peak
2 *		11060.000	41.09	10.17	51.26	54.00	-2.74			AVG
3		16590.000	48.69	9.90	58.59	68.20	-9.61			peak

### Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	50.86	-2.78	48.08	68.20	-20.12			peak
2 *		5460.000	50.89	-2.67	48.22	68.20	-19.98			peak

Above 1G (1GHz~18GHz)


Test mode: 11AC80MIMO

Test Channel:122

VERTICAL



HORIZONTAL






Above 1G (1GHz~18GHz)


Test mode: 11AC80MIMO

Test Channel:155

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11550.000	49.16	9.94	59.10	74.00	-14.90			peak
2	*	11550.000	41.19	9.94	51.13	54.00	-2.87			AVG
3		17325.000	49.77	12.15	61.92	68.20	-6.28			peak



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5650.000	53.08	-2.09	50.99	68.20	-17.21			peak
2		5700.000	53.63	-2.19	51.44	105.20	-53.76			peak
3		5720.000	57.60	-2.23	55.37	110.80	-55.43			peak
4		5725.000	61.98	-2.24	59.74	122.20	-62.46			peak
5		5850.000	53.98	-2.07	51.91	122.20	-70.29			peak
6		5855.000	53.99	-2.04	51.95	110.80	-58.85			peak
7		5875.000	53.94	-1.91	52.03	105.20	-53.17			peak
8	*	5925.000	53.15	-1.59	51.56	68.20	-16.64			peak


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11550.000	47.83	9.94	57.77	74.00	-16.23	peak		
2	*	11550.000	39.72	9.94	49.66	54.00	-4.34	AVG		
3		17325.000	48.33	12.15	60.48	68.20	-7.72	peak		

### Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	54.04	-2.09	51.95	68.20	-16.25	peak		
2		5700.000	52.88	-2.19	50.69	105.20	-54.51	peak		
3		5720.000	54.33	-2.23	52.10	110.80	-58.70	peak		
4		5725.000	55.45	-2.24	53.21	122.20	-68.99	peak		
5		5850.000	54.01	-2.07	51.94	122.20	-70.26	peak		
6		5855.000	53.04	-2.04	51.00	110.80	-59.80	peak		
7		5875.000	52.88	-1.91	50.97	105.20	-54.23	peak		
8		5925.000	52.85	-1.59	51.26	68.20	-16.94	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:36

VERTICAL




## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		10360.000	53.47	9.03	62.50	68.20	-5.70	peak	
2		15540.000	52.19	10.10	62.29	74.00	-11.71	peak	
3	*	15540.000	42.23	10.10	52.33	54.00	-1.67	AVG	

### Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	49.34	-3.51	45.83	68.20	-22.37	peak	
2	*	5150.000	50.16	-1.88	48.28	68.20	-19.92	peak	

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:40

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:48

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		10480.000	52.42	9.24	61.66	68.20	-6.54	peak	
2		15720.000	54.50	10.03	64.53	74.00	-9.47	peak	
3	*	15720.000	43.60	10.03	53.63	54.00	-0.37	AVG	

HORIZONTAL

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		10480.000	50.70	9.24	59.94	68.20	-8.26	peak	
2		15720.000	53.30	10.03	63.33	74.00	-10.67	peak	
3	*	15720.000	42.10	10.03	52.13	54.00	-1.87	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:52

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:56

VERTICAL



HORIZONTAL







Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:64

VERTICAL




## HORIZONTAL

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1		10640.000	49.08	9.52	58.60	74.00	-15.40			peak
2		10640.000	39.61	9.52	49.13	54.00	-4.87			AVG
3		15960.000	50.52	9.93	60.45	74.00	-13.55			peak
4 *		15960.000	41.73	9.93	51.66	54.00	-2.34			AVG

### Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1		5350.000	50.55	-2.78	47.77	68.20	-20.43			peak
2 *		5460.000	50.49	-2.67	47.82	68.20	-20.38			peak

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:100

VERTICAL




## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11000.000	51.07	10.29	61.36	74.00	-12.64	peak		
2	*	11000.000	41.82	10.29	52.11	54.00	-1.89	AVG		
3		16500.000	50.74	9.91	60.65	68.20	-7.55	peak		

### Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	50.61	-2.78	47.83	68.20	-20.37	peak		
2	*	5460.000	51.00	-2.67	48.33	68.20	-19.87	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:116

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:140

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:149


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1		11490.000	56.24	9.78	66.02	74.00	-7.98	peak		
2 *		11490.000	43.54	9.78	53.32	54.00	-0.68	AVG		
3		17235.000	54.91	11.71	66.62	68.20	-1.58	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1 *		5650.000	54.02	-2.09	51.93	68.20	-16.27	peak		
2		5700.000	53.38	-2.19	51.19	105.20	-54.01	peak		
3		5720.000	54.16	-2.23	51.93	110.80	-58.87	peak		
4		5725.000	56.50	-2.24	54.26	122.20	-67.94	peak		


## HORIZONTAL

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11490.000	55.12	9.78	64.90	74.00	-9.10	peak	
2 *		11490.000	42.85	9.78	52.63	54.00	-1.37	AVG	
3		17235.000	53.46	11.71	65.17	68.20	-3.03	peak	

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1 *		5650.000	53.66	-2.09	51.57	68.20	-16.63	peak	
2		5700.000	53.90	-2.19	51.71	105.20	-53.49	peak	
3		5720.000	53.31	-2.23	51.08	110.80	-59.72	peak	
4		5725.000	53.58	-2.24	51.34	122.20	-70.86	peak	




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:157

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:165


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11650.000	55.82	10.24	66.06	74.00	-7.94			peak
2	*	11650.000	43.17	10.24	53.41	54.00	-0.59			AVG
3		17475.000	53.40	12.92	66.32	68.20	-1.88			peak


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	54.68	-2.07	52.61	122.20	-69.59			peak
2		5855.000	53.15	-2.04	51.11	110.80	-59.69			peak
3		5875.000	53.51	-1.91	51.60	105.20	-53.60			peak
4	*	5925.000	54.33	-1.59	52.74	68.20	-15.46			peak


## HORIZONTAL

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11650.000	55.45	10.24	65.69	74.00	-8.31			peak
2 *		11650.000	42.52	10.24	52.76	54.00	-1.24			AVG
3		17475.000	53.02	12.92	65.94	68.20	-2.26			peak

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	53.14	-2.07	51.07	122.20	-71.13			peak
2		5855.000	53.52	-2.04	51.48	110.80	-59.32			peak
3		5875.000	52.80	-1.91	50.89	105.20	-54.31			peak
4 *		5925.000	52.59	-1.59	51.00	68.20	-17.20			peak


Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:38


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10380.000	52.10	9.06	61.16	68.20	-7.04	peak		
2		15570.000	50.30	10.09	60.39	74.00	-13.61	peak		
3 *		15570.000	41.58	10.09	51.67	54.00	-2.33	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	48.77	-3.51	45.26	68.20	-22.94	peak		
2		5150.000	58.91	-1.88	57.03	68.20	-11.17	peak		
3 *		5150.000	52.91	-1.88	51.03	54.00	-2.97	AVG		


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10380.000	51.00	9.06	60.06	68.20	-8.14	peak		
2		15570.000	48.93	10.09	59.02	74.00	-14.98	peak		
3 *		15570.000	40.25	10.09	50.34	54.00	-3.66	AVG		

### Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	49.25	-3.51	45.74	68.20	-22.46	peak		
2 *		5150.000	52.01	-1.88	50.13	68.20	-18.07	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:46

VERTICAL



HORIZONTAL

