


Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:54

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:62


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10620.000	51.06	9.48	60.54	74.00	-13.46			peak
2		15930.000	49.94	9.94	59.88	74.00	-14.12			peak
3	*	15930.000	40.19	9.94	50.13	54.00	-3.87			AVG


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	59.22	-2.78	56.44	68.20	-11.76			peak
2	*	5350.000	52.22	-2.78	49.44	54.00	-4.56			AVG
3		5460.000	49.08	-2.67	46.41	68.20	-21.79			peak


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10620.000	49.58	9.48	59.06	74.00	-14.94			peak
2		15930.000	48.88	9.94	58.82	74.00	-15.18			peak
3 *		15930.000	39.53	9.94	49.47	54.00	-4.53			AVG

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5350.000	51.48	-2.78	48.70	68.20	-19.50			peak
2		5460.000	51.20	-2.67	48.53	68.20	-19.67			peak


Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:102


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11020.000	51.89	10.25	62.14	74.00	-11.86	peak	
2 *		11020.000	42.43	10.25	52.68	54.00	-1.32	AVG	
3		16530.000	53.26	9.91	63.17	68.20	-5.03	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	51.02	-2.78	48.24	68.20	-19.96	peak	
2		5460.000	57.46	-2.67	54.79	68.20	-13.41	peak	
3 *		5460.000	52.46	-2.67	49.79	54.00	-4.21	AVG	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		11020.000	49.01	10.25	59.26	74.00	-14.74	peak			
2	*	11020.000	39.88	10.25	50.13	54.00	-3.87	AVG			
3		16530.000	49.69	9.91	59.60	68.20	-8.60	peak			

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	50.34	-2.78	47.56	68.20	-20.64	peak			
2	*	5460.000	50.44	-2.67	47.77	68.20	-20.43	peak			

Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:118

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:134

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO


Test Channel:151

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11510.000	48.29	9.83	58.12	74.00	-15.88	peak		
2 *		11510.000	39.48	9.83	49.31	54.00	-4.69	AVG		
3		17265.000	48.83	11.85	60.68	68.20	-7.52	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5650.000	54.00	-2.09	51.91	68.20	-16.29	peak		
2		5700.000	54.32	-2.19	52.13	105.20	-53.07	peak		
3		5720.000	54.06	-2.23	51.83	110.80	-58.97	peak		
4		5725.000	54.05	-2.24	51.81	122.20	-70.39	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:159


VERTICAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11590.000	52.00	10.06	62.06	74.00	-11.94	peak	
2	*	11590.000	42.78	10.06	52.84	54.00	-1.16	AVG	
3		17385.000	52.41	12.43	64.84	68.20	-3.36	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	52.98	-2.07	50.91	122.20	-71.29	peak	
2		5855.000	53.06	-2.04	51.02	110.80	-59.78	peak	
3		5875.000	52.49	-1.91	50.58	105.20	-54.62	peak	
4	*	5925.000	53.35	-1.59	51.76	68.20	-16.44	peak	

HORIZONTALA




Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:42


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10420.000	49.57	9.12	58.69	68.20	-9.51	peak		
2		15630.000	49.78	10.06	59.84	74.00	-14.16	peak		
3 *		15630.000	40.25	10.06	50.31	54.00	-3.69	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	49.53	-3.51	46.02	68.20	-22.18	peak		
2		5150.000	57.73	-1.88	55.85	68.20	-12.35	peak		
3 *		5150.000	53.23	-1.88	51.35	54.00	-2.65	AVG		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1		10420.000	47.85	9.12	56.97	68.20	-11.23	peak		
2		15630.000	47.19	10.06	57.25	74.00	-16.75	peak		
3	*	15630.000	38.45	10.06	48.51	54.00	-5.49	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1		4500.000	49.64	-3.51	46.13	68.20	-22.07	peak		
2	*	5150.000	50.20	-1.88	48.32	68.20	-19.88	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:58


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10580.000	51.92	9.41	61.33	68.20	-6.87	peak		
2		15870.000	52.20	9.96	62.16	74.00	-11.84	peak		
3 *		15870.000	43.24	9.96	53.20	54.00	-0.80	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	59.04	-2.78	56.26	68.20	-11.94	peak		
2 *		5350.000	53.04	-2.78	50.26	54.00	-3.74	AVG		
3		5460.000	49.89	-2.67	47.22	68.20	-20.98	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10580.000	49.16	9.41	58.57	68.20	-9.63	peak		
2		15870.000	49.67	9.96	59.63	74.00	-14.37	peak		
3 *		15870.000	40.81	9.96	50.77	54.00	-3.23	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5350.000	51.40	-2.78	48.62	68.20	-19.58	peak		
2		5460.000	50.21	-2.67	47.54	68.20	-20.66	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:106


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11060.000	49.76	10.17	59.93	74.00	-14.07	peak	
2 *		11060.000	40.46	10.17	50.63	54.00	-3.37	AVG	
3		16590.000	50.05	9.90	59.95	68.20	-8.25	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	50.37	-2.78	47.59	68.20	-20.61	peak	
2		5460.000	58.15	-2.67	55.48	68.20	-12.72	peak	
3 *		5460.000	52.15	-2.67	49.48	54.00	-4.52	AVG	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11060.000	46.91	10.17	57.08	74.00	-16.92	peak	
2	*	11060.000	38.46	10.17	48.63	54.00	-5.37	AVG	
3		16590.000	47.28	9.90	57.18	68.20	-11.02	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	50.41	-2.78	47.63	68.20	-20.57	peak	
2	*	5460.000	51.16	-2.67	48.49	68.20	-19.71	peak	

Above 1G (1GHz~18GHz)


Test mode: 11AX80MIMO

Test Channel:122

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:155


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11550.000	49.10	9.94	59.04	74.00	-14.96	peak		
2 *		11550.000	40.42	9.94	50.36	54.00	-3.64	AVG		
3		17325.000	50.95	12.15	63.10	68.20	-5.10	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5650.000	53.03	-2.09	50.94	68.20	-17.26	peak		
2		5700.000	52.52	-2.19	50.33	105.20	-54.87	peak		
3		5720.000	58.71	-2.23	56.48	110.80	-54.32	peak		
4		5725.000	60.38	-2.24	58.14	122.20	-64.06	peak		
5		5850.000	53.45	-2.07	51.38	122.20	-70.82	peak		
6		5855.000	53.16	-2.04	51.12	110.80	-59.68	peak		
7		5875.000	53.17	-1.91	51.26	105.20	-53.94	peak		
8 *		5925.000	52.82	-1.59	51.23	68.20	-16.97	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11550.000	47.07	9.94	57.01	74.00	-16.99	peak		
2 *		11550.000	38.33	9.94	48.27	54.00	-5.73	AVG		
3		17325.000	48.98	12.15	61.13	68.20	-7.07	peak		

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5650.000	53.39	-2.09	51.30	68.20	-16.90	peak		
2		5700.000	54.72	-2.19	52.53	105.20	-52.67	peak		
3		5720.000	54.00	-2.23	51.77	110.80	-59.03	peak		
4		5725.000	54.30	-2.24	52.06	122.20	-70.14	peak		
5		5850.000	53.23	-2.07	51.16	122.20	-71.04	peak		
6		5855.000	53.11	-2.04	51.07	110.80	-59.73	peak		
7		5875.000	53.27	-1.91	51.36	105.20	-53.84	peak		
8 *		5925.000	53.43	-1.59	51.84	68.20	-16.36	peak		

EUT8


Above 1G (1GHz~18GHz)	Test mode:11A	Test Channel:36
-----------------------	---------------	-----------------

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10360.000	44.41	9.21	53.62	68.20	-14.58	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5150.000	52.99	-0.83	52.16	68.20	-16.04	peak		

Above 1G (1GHz~18GHz)

Test mode: 11A


Test Channel:40

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10400.000	46.85	9.26	56.11	68.20	-12.09	peak	

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10400.000	44.41	9.26	53.67	68.20	-14.53	peak	

Above 1G (1GHz~18GHz)

Test mode: 11A


Test Channel:48

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10480.000	46.86	9.37	56.23	68.20	-11.97	peak	

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10480.000	44.89	9.37	54.26	68.20	-13.94	peak	

Above 1G (1GHz~18GHz)

Test mode: 11A


Test Channel:52

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10520.000	46.68	9.41	56.09	68.20	-12.11	peak		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10520.000	43.81	9.41	53.22	68.20	-14.98	peak		

Above 1G (1GHz~18GHz)


Test mode: 11A

Test Channel:56

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11A

Test Channel:64

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		10640.000	47.06	9.58	56.64	74.00	-17.36	peak	
2 *		10640.000	37.65	9.58	47.23	54.00	-6.77	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	57.01	-0.70	56.31	68.20	-11.89	peak	
2 *		5350.000	49.37	-0.70	48.67	54.00	-5.33	AVG	
3		5460.000	46.82	-0.69	46.13	68.20	-22.07	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10640.000	43.48	9.58	53.06	74.00	-20.94	peak			

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5335.000	50.76	-0.70	50.06	68.20	-18.14	peak			
2		5460.000	45.74	-0.69	45.05	68.20	-23.15	peak			

Above 1G (1GHz~18GHz)


Test mode: 11A

Test Channel:100

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11000.000	46.89	10.18	57.07	74.00	-16.93	peak	
2 *		11000.000	38.36	10.18	48.54	54.00	-5.46	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.70	-0.70	44.00	68.20	-24.20	peak	
2		5460.000	56.39	-0.69	55.70	68.20	-12.50	peak	
3 *		5460.000	48.01	-0.69	47.32	54.00	-6.68	AVG	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11000.000	42.62	10.18	52.80	74.00	-21.20	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	45.18	-0.70	44.48	68.20	-23.72	peak		
2	*	5460.000	52.68	-0.69	51.99	68.20	-16.21	peak		

Above 1G (1GHz~18GHz)

Test mode: 11A


Test Channel:116

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11160.000	46.18	9.88	56.06	74.00	-17.94	peak		
2	*	11160.000	37.93	9.88	47.81	54.00	-6.19	AVG		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11160.000	43.67	9.88	53.55	74.00	-20.45	peak		

Above 1G (1GHz~18GHz)


Test mode: 11A

Test Channel:140

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11A

Test Channel:149

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11490.000	46.59	9.70	56.29	74.00	-17.71	peak	
2 *		11490.000	37.96	9.70	47.66	54.00	-6.34	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1 *		5650.000	53.14	-0.84	52.30	68.20	-15.90	peak	
2		5700.000	53.13	-0.90	52.23	105.20	-52.97	peak	
3		5720.000	56.03	-0.92	55.11	110.80	-55.69	peak	
4		5725.000	65.66	-0.92	64.74	122.20	-57.46	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11490.000	42.63	9.70	52.33	74.00	-21.67	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	52.60	-0.84	51.76	68.20	-16.44	peak		
2		5700.000	53.49	-0.90	52.59	105.20	-52.61	peak		
3		5720.000	53.67	-0.92	52.75	110.80	-58.05	peak		
4		5725.000	55.98	-0.92	55.06	122.20	-67.14	peak		

Above 1G (1GHz~18GHz)

Test mode: 11A


Test Channel:157

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11570.000	47.70	9.94	57.64	74.00	-16.36	peak		
2 *		11570.000	38.43	9.94	48.37	54.00	-5.63	AVG		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		11570.000	43.40	9.94	53.34	74.00	-20.66	peak		

Above 1G (1GHz~18GHz)


Test mode: 11A

Test Channel:165

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11650.000	45.40	10.18	55.58	74.00	-18.42	peak	
2 *		11650.000	36.66	10.18	46.84	54.00	-7.16	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	58.08	-0.76	57.32	122.20	-64.88	peak	
2		5855.000	52.76	-0.74	52.02	110.80	-58.78	peak	
3		5875.000	53.72	-0.64	53.08	105.20	-52.12	peak	
4 *		5925.000	54.09	-0.39	53.70	68.20	-14.50	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11650.000	42.16	10.18	52.34	74.00	-21.66	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	52.95	-0.76	52.19	122.20	-70.01	peak	
2		5855.000	52.87	-0.74	52.13	110.80	-58.67	peak	
3		5875.000	53.77	-0.64	53.13	105.20	-52.07	peak	
4	*	5925.000	53.65	-0.39	53.26	68.20	-14.94	peak	

Above 1G (1GHz~18GHz)


Test mode: 11N20MIMO

Test Channel:36

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10360.000	47.50	9.21	56.71	68.20	-11.49 peak		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	47.81	-2.83	44.98	68.20	-23.22 peak		
2		5150.000	58.91	-0.83	58.08	68.20	-10.12 peak		
3	*	5150.000	50.96	-0.83	50.13	54.00	-3.87 AVG		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10360.000	43.33	9.21	52.54	68.20	-15.66	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	46.77	-2.83	43.94	68.20	-24.26	peak	
2	*	5150.000	52.74	-0.83	51.91	68.20	-16.29	peak	

Above 1G (1GHz~18GHz)

Test mode: 11N20MIMO


Test Channel:40

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10400.000	46.16	9.26	55.42	68.20	-12.78	peak		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10400.000	43.60	9.26	52.86	68.20	-15.34	peak		

Above 1G (1GHz~18GHz)

Test mode: 11N20MIMO


Test Channel:48

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10480.000	46.74	9.37	56.11	68.20	-12.09	peak		


HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10480.000	42.87	9.37	52.24	68.20	-15.96	peak		


Above 1G (1GHz~18GHz)	Test mode: 11N20MIMO	Test Channel:52
-----------------------	----------------------	-----------------

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10520.000	46.65	9.41	56.06	68.20	-12.14	peak		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10520.000	43.08	9.41	52.49	68.20	-15.71	peak		

Above 1G (1GHz~18GHz)

Test mode: 11N20MIMO


Test Channel:56

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10560.000	47.08	9.46	56.54	68.20	-11.66	peak		

HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10560.000	43.23	9.46	52.69	68.20	-15.51	peak		


Above 1G (1GHz~18GHz)

Test mode: 11N20MIMO

Test Channel:64


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10640.000	47.57	9.58	57.15	74.00	-16.85	peak		
2 *		10640.000	38.95	9.58	48.53	54.00	-5.47	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	56.89	-0.70	56.19	68.20	-12.01	peak		
2 *		5350.000	49.14	-0.70	48.44	54.00	-5.56	AVG		
3		5460.000	46.15	-0.69	45.46	68.20	-22.74	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10640.000	43.32	9.58	52.90	74.00	-21.10	peak		

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5350.000	51.65	-0.70	50.95	68.20	-17.25	peak		
2		5460.000	46.02	-0.69	45.33	68.20	-22.87	peak		

Above 1G (1GHz~18GHz)

Test mode: 11N20MIMO


Test Channel:100

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11000.000	43.21	10.18	53.39	74.00	-20.61	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	45.00	-0.70	44.30	68.20	-23.90	peak	
2	*	5460.000	51.93	-0.69	51.24	68.20	-16.96	peak	

Above 1G (1GHz~18GHz)

Test mode: 11N20MIMO


Test Channel:116

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11160.000	47.35	9.88	57.23	74.00	-16.77	peak	
2	*	11160.000	38.51	9.88	48.39	54.00	-5.61	AVG	

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11160.000	43.43	9.88	53.31	54.00	-0.69	AVG	

Above 1G (1GHz~18GHz)

Test mode: 11N20MIMO


Test Channel:140

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11400.000	46.96	9.43	56.39	74.00	-17.61	peak		
2 *		11400.000	38.16	9.43	47.59	54.00	-6.41	AVG		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		11400.000	43.50	9.43	52.93	74.00	-21.07	peak		

Above 1G (1GHz~18GHz)


Test mode: 11N20MIMO

Test Channel:149

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11490.000	46.64	9.70	56.34	74.00	-17.66	peak	
2 *		11490.000	38.26	9.70	47.96	54.00	-6.04	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1 *		5650.000	53.15	-0.84	52.31	68.20	-15.89	peak	
2		5700.000	53.32	-0.90	52.42	105.20	-52.78	peak	
3		5720.000	59.88	-0.92	58.96	110.80	-51.84	peak	
4		5725.000	67.34	-0.92	66.42	122.20	-55.78	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11490.000	43.22	9.70	52.92	74.00	-21.08	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	53.28	-0.84	52.44	68.20	-15.76	peak	
2		5700.000	52.86	-0.90	51.96	105.20	-53.24	peak	
3		5720.000	53.44	-0.92	52.52	110.80	-58.28	peak	
4		5725.000	54.32	-0.92	53.40	122.20	-68.80	peak	

Above 1G (1GHz~18GHz)

Test mode: 11N20MIMO


Test Channel:157

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11570.000	46.97	9.94	56.91	74.00	-17.09	peak		
2 *		11570.000	37.50	9.94	47.44	54.00	-6.56	AVG		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		11570.000	42.62	9.94	52.56	74.00	-21.44	peak		

Above 1G (1GHz~18GHz)


Test mode: 11N20MIMO

Test Channel:165

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11650.000	45.59	10.18	55.77	74.00	-18.23	peak	
2 *		11650.000	36.43	10.18	46.61	54.00	-7.39	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	57.25	-0.76	56.49	122.20	-65.71	peak	
2		5855.000	52.86	-0.74	52.12	110.80	-58.68	peak	
3		5875.000	53.57	-0.64	52.93	105.20	-52.27	peak	
4 *		5925.000	53.03	-0.39	52.64	68.20	-15.56	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11650.000	42.72	10.18	52.90	74.00	-21.10	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	52.75	-0.76	51.99	122.20	-70.21	peak	
2		5855.000	52.58	-0.74	51.84	110.80	-58.96	peak	
3		5875.000	53.09	-0.64	52.45	105.20	-52.75	peak	
4	*	5925.000	53.59	-0.39	53.20	68.20	-15.00	peak	

Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO

Test Channel:38

VERTICAL




HORIZONTAL

Radiated Emission



Radiated Emission




Above 1G (1GHz~18GHz)


Test mode: 11N40MIMO

Test Channel:46

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11N40MIMO

Test Channel:54

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11N40MIMO

Test Channel:62

VERTICAL





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		10620.000	47.73	9.54	57.27	74.00	-16.73	peak	
2 *		10620.000	39.25	9.54	48.79	54.00	-5.21	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	57.63	-0.70	56.93	68.20	-11.27	peak	
2 *		5350.000	49.29	-0.70	48.59	54.00	-5.41	AVG	
3		5460.000	45.69	-0.69	45.00	68.20	-23.20	peak	

HORIZONTALA




Above 1G (1GHz~18GHz)


Test mode: 11N40MIMO

Test Channel:102

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11020.000	46.69	10.15	56.84	74.00	-17.16	peak		
2	*	11020.000	37.78	10.15	47.93	54.00	-6.07	AVG		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	45.13	-0.70	44.43	68.20	-23.77	peak		
2		5460.000	58.20	-0.69	57.51	68.20	-10.69	peak		
3	*	5460.000	50.53	-0.69	49.84	54.00	-4.16	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11020.000	42.60	10.15	52.75	74.00	-21.25	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	44.97	-0.70	44.27	68.20	-23.93	peak		
2	*	5460.000	51.66	-0.69	50.97	68.20	-17.23	peak		

Above 1G (1GHz~18GHz)


Test mode: 11N40MIMO

Test Channel:118

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11N40MIMO

Test Channel:134

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11N40MIMO

Test Channel:151

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11510.000	46.99	9.76	56.75	74.00	-17.25	peak	
2	*	11510.000	37.86	9.76	47.62	54.00	-6.38	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	52.97	-0.84	52.13	68.20	-16.07	peak	
2		5700.000	53.41	-0.90	52.51	105.20	-52.69	peak	
3		5720.000	68.42	-0.92	67.50	110.80	-43.30	peak	
4		5725.000	68.64	-0.92	67.72	122.20	-54.48	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11510.000	43.30	9.76	53.06	74.00	-20.94	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	52.64	-0.84	51.80	68.20	-16.40	peak	
2		5700.000	53.38	-0.90	52.48	105.20	-52.72	peak	
3		5720.000	58.83	-0.92	57.91	110.80	-52.89	peak	
4		5725.000	58.86	-0.92	57.94	122.20	-64.26	peak	

Above 1G (1GHz~18GHz)


Test mode: 11N40MIMO

Test Channel:159

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11590.000	46.05	9.99	56.04	74.00	-17.96	peak	
2	*	11590.000	37.34	9.99	47.33	54.00	-6.67	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	54.24	-0.76	53.48	122.20	-68.72	peak	
2		5855.000	53.57	-0.74	52.83	110.80	-57.97	peak	
3		5875.000	53.90	-0.64	53.26	105.20	-51.94	peak	
4	*	5925.000	53.67	-0.39	53.28	68.20	-14.92	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11590.000	42.53	9.99	52.52	74.00	-21.48	peak		

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5850.000	53.06	-0.76	52.30	122.20	-69.90	peak		
2		5855.000	53.05	-0.74	52.31	110.80	-58.49	peak		
3		5875.000	52.72	-0.64	52.08	105.20	-53.12	peak		
4	*	5925.000	53.53	-0.39	53.14	68.20	-15.06	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO


Test Channel:36

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10360.000	43.96	9.21	53.17	68.20	-15.03	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	48.29	-2.83	45.46	68.20	-22.74	peak		
2	*	5150.000	52.98	-0.83	52.15	68.20	-16.05	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO


Test Channel:40

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10400.000	46.97	9.26	56.23	68.20	-11.97	peak		


HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10400.000	43.27	9.26	52.53	68.20	-15.67	peak		


Above 1G (1GHz~18GHz)	Test mode: 11AC20MIMO	Test Channel:48
-----------------------	-----------------------	-----------------

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10480.000	48.87	8.12	56.99	68.20	-11.21	peak	

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10480.000	46.25	8.12	54.37	68.20	-13.83	peak	

Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:52

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO


Test Channel:56

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10560.000	47.94	8.26	56.20	68.20	-12.00	peak	

HORIZONTAL





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10560.000	45.04	8.26	53.30	68.20	-14.90	peak	

Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO


Test Channel:64

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10640.000	44.88	8.34	53.22	74.00	-20.78	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5350.000	49.99	-0.70	49.29	68.20	-18.91	peak		
2		5460.000	46.01	-0.69	45.32	68.20	-22.88	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO

Test Channel:100


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11000.000	49.35	8.28	57.63	74.00	-16.37	peak		
2 *		11000.000	40.65	8.28	48.93	54.00	-5.07	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	45.83	-0.70	45.13	68.20	-23.07	peak		
2		5460.000	57.46	-0.69	56.77	68.20	-11.43	peak		
3 *		5460.000	49.29	-0.69	48.60	54.00	-5.40	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11000.000	44.15	8.28	52.43	74.00	-21.57	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	44.60	-0.70	43.90	68.20	-24.30	peak		
2	*	5460.000	50.91	-0.69	50.22	68.20	-17.98	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:116

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO


Test Channel:140

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11400.000	49.12	8.14	57.26	74.00	-16.74	peak		
2 *		11400.000	40.38	8.14	48.52	54.00	-5.48	AVG		

HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		11400.000	45.44	8.14	53.58	74.00	-20.42	peak		