


Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:149

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11490.000	48.88	8.04	56.92	74.00	-17.08	peak	
2	*	11490.000	39.87	8.04	47.91	54.00	-6.09	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	53.87	-0.84	53.03	68.20	-15.17	peak	
2		5700.000	52.27	-0.90	51.37	105.20	-53.83	peak	
3		5720.000	59.41	-0.92	58.49	110.80	-52.31	peak	
4		5725.000	68.11	-0.92	67.19	122.20	-55.01	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11490.000	44.54	8.04	52.58	74.00	-21.42	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	53.64	-0.84	52.80	68.20	-15.40	peak	
2		5700.000	52.72	-0.90	51.82	105.20	-53.38	peak	
3		5720.000	54.67	-0.92	53.75	110.80	-57.05	peak	
4		5725.000	59.88	-0.92	58.96	122.20	-63.24	peak	

Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:157

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:165

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11570.000	49.02	7.96	56.98	74.00	-17.02	peak	
2	*	11570.000	39.40	7.96	47.36	54.00	-6.64	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	62.61	-0.76	61.85	122.20	-60.35	peak	
2		5855.000	53.43	-0.74	52.69	110.80	-58.11	peak	
3		5875.000	54.18	-0.64	53.54	105.20	-51.66	peak	
4	*	5925.000	53.33	-0.39	52.94	68.20	-15.26	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm
1	*	11650.000	44.89	7.88	52.77	74.00	-21.23	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm
1		5850.000	52.74	-0.76	51.98	122.20	-70.22	peak	
2		5855.000	52.32	-0.74	51.58	110.80	-59.22	peak	
3		5875.000	53.45	-0.64	52.81	105.20	-52.39	peak	
4	*	5925.000	53.13	-0.39	52.74	68.20	-15.46	peak	

Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:38

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10380.000	48.55	7.94	56.49	68.20	-11.71	peak		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	47.07	-2.83	44.24	68.20	-23.96	peak		
2		5150.000	57.61	-0.83	56.78	68.20	-11.42	peak		
3	*	5150.000	49.20	-0.83	48.37	54.00	-5.63	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10380.000	46.25	7.94	54.19	68.20	-14.01	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		4500.000	46.78	-2.83	43.95	68.20	-24.25	peak		
2	*	5150.000	53.75	-0.83	52.92	68.20	-15.28	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:46

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:54

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:62

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10620.000	49.04	8.33	57.37	74.00	-16.63	peak		
2 *		10620.000	40.11	8.33	48.44	54.00	-5.56	AVG		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	56.26	-0.70	55.56	68.20	-12.64	peak		
2 *		5350.000	48.08	-0.70	47.38	54.00	-6.62	AVG		
3		5460.000	44.77	-0.69	44.08	68.20	-24.12	peak		


HORIZONTALA

Radiated Emission



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
	MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm
1 *	10620.000	44.97	8.33	53.30	74.00	-20.70	peak	

Radiated Emission




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
	MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm
1 *	5350.000	52.20	-0.70	51.50	68.20	-16.70	peak	
2	5460.000	45.96	-0.69	45.27	68.20	-22.93	peak	

Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:102

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11020.000	48.45	8.28	56.73	74.00	-17.27	peak		
2 *		11020.000	39.26	8.28	47.54	54.00	-6.46	AVG		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	45.76	-0.70	45.06	68.20	-23.14	peak		
2		5460.000	57.17	-0.69	56.48	68.20	-11.72	peak		
3 *		5460.000	49.04	-0.69	48.35	54.00	-5.65	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11020.000	44.84	8.28	53.12	74.00	-20.88	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	45.14	-0.70	44.44	68.20	-23.76	peak	
2	*	5460.000	52.84	-0.69	52.15	68.20	-16.05	peak	


Above 1G (1GHz~18GHz)	Test mode: 11AC40MIMO	Test Channel:118
-----------------------	-----------------------	------------------

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11180.000	48.24	8.21	56.45	74.00	-17.55	peak		
2	*	11180.000	39.85	8.21	48.06	54.00	-5.94	AVG		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11180.000	44.97	8.21	53.18	74.00	-20.82	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:134

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:151


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11510.000	48.52	8.03	56.55	74.00	-17.45	peak	
2 *		11510.000	39.77	8.03	47.80	54.00	-6.20	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1 *		5650.000	53.41	-0.84	52.57	68.20	-15.63	peak	
2		5700.000	52.92	-0.90	52.02	105.20	-53.18	peak	
3		5720.000	69.78	-0.92	68.86	110.80	-41.94	peak	
4		5725.000	72.40	-0.92	71.48	122.20	-50.72	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11510.000	45.37	8.03	53.40	74.00	-20.60	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	52.57	-0.84	51.73	68.20	-16.47	peak	
2		5700.000	52.95	-0.90	52.05	105.20	-53.15	peak	
3		5720.000	62.42	-0.92	61.50	110.80	-49.30	peak	
4		5725.000	64.80	-0.92	63.88	122.20	-58.32	peak	


Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:159


VERTICAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11590.000	48.79	7.94	56.73	74.00	-17.27			peak
2 *		11590.000	40.20	7.94	48.14	54.00	-5.86			AVG

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	53.03	-0.76	52.27	122.20	-69.93			peak
2		5855.000	52.93	-0.74	52.19	110.80	-58.61			peak
3		5875.000	54.26	-0.64	53.62	105.20	-51.58			peak
4 *		5925.000	53.84	-0.39	53.45	68.20	-14.75			peak

HORIZONTALA




Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:42


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10420.000	48.82	8.01	56.83	68.20	-11.37	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	45.98	-2.83	43.15	68.20	-25.05	peak		
2		5150.000	56.87	-0.83	56.04	68.20	-12.16	peak		
3	*	5150.000	49.29	-0.83	48.46	54.00	-5.54	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10420.000	45.04	8.01	53.05	68.20	-15.15	peak		

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		4500.000	46.50	-2.83	43.67	68.20	-24.53	peak		
2	*	5150.000	52.87	-0.83	52.04	68.20	-16.16	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO


Test Channel:58

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10580.000	45.05	8.31	53.36	68.20	-14.84	peak		


Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5350.000	52.21	-0.70	51.51	68.20	-16.69	peak		
2		5460.000	45.62	-0.69	44.93	68.20	-23.27	peak		

Above 1G (1GHz~18GHz)	Test mode: 11AC80MIMO	Test Channel:106
-----------------------	-----------------------	------------------

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11060.000	48.68	8.26	56.94	74.00	-17.06	peak	
2 *		11060.000	39.31	8.26	47.57	54.00	-6.43	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	45.67	-0.70	44.97	68.20	-23.23	peak	
2		5460.000	57.31	-0.69	56.62	68.20	-11.58	peak	
3 *		5460.000	49.20	-0.69	48.51	54.00	-5.49	AVG	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11060.000	45.25	8.26	53.51	74.00	-20.49	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	45.69	-0.70	44.99	68.20	-23.21	peak		
2	*	5460.000	52.56	-0.69	51.87	68.20	-16.33	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO


Test Channel:122

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11220.000	48.91	8.21	57.12	74.00	-16.88	peak		
2	*	11220.000	40.12	8.21	48.33	54.00	-5.67	AVG		

HORIZONTAL





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11220.000	45.10	8.21	53.31	74.00	-20.69	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO


Test Channel:155

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11550.000	45.40	7.98	53.38	74.00	-20.62	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5650.000	52.32	-0.84	51.48	68.20	-16.72	peak	
2		5700.000	58.63	-0.90	57.73	105.20	-47.47	peak	
3		5720.000	61.42	-0.92	60.50	110.80	-50.30	peak	
4		5725.000	60.54	-0.92	59.62	122.20	-62.58	peak	
5		5850.000	54.95	-0.76	54.19	122.20	-68.01	peak	
6		5855.000	53.33	-0.74	52.59	110.80	-58.21	peak	
7		5875.000	53.37	-0.64	52.73	105.20	-52.47	peak	
8	*	5925.000	54.23	-0.39	53.84	68.20	-14.36	peak	

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:36

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10360.000	48.60	7.90	56.50	68.20	-11.70	peak	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	47.06	-2.83	44.23	68.20	-23.97	peak	
2		5150.000	57.23	-0.83	56.40	68.20	-11.80	peak	
3	*	5150.000	49.20	-0.83	48.37	54.00	-5.63	AVG	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10360.000	45.03	7.90	52.93	68.20	-15.27	peak			

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	46.70	-2.83	43.87	68.20	-24.33	peak			
2	*	5150.000	52.06	-0.83	51.23	68.20	-16.97	peak			

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:40

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10400.000	48.92	7.97	56.89	68.20	-11.31	peak		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10400.000	45.30	7.97	53.27	68.20	-14.93	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:48

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10480.000	47.42	8.12	55.54	68.20	-12.66	peak	

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10480.000	44.11	8.12	52.23	68.20	-15.97	peak	

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:52

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:56

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10560.000	48.21	8.26	56.47	68.20	-11.73	peak	

HORIZONTAL





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10560.000	44.83	8.26	53.09	68.20	-15.11	peak	

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:64

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10640.000	45.13	8.34	53.47	74.00	-20.53	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5350.000	51.68	-0.70	50.98	68.20	-17.22	peak	
2		5460.000	46.26	-0.69	45.57	68.20	-22.63	peak	

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:100

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11000.000	47.97	8.28	56.25	74.00	-17.75	peak	
2 *		11000.000	39.75	8.28	48.03	54.00	-5.97	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.51	-0.70	43.81	68.20	-24.39	peak	
2		5460.000	56.36	-0.69	55.67	68.20	-12.53	peak	
3 *		5460.000	48.03	-0.69	47.34	54.00	-6.66	AVG	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11000.000	44.54	8.28	52.82	74.00	-21.18	peak			

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	44.79	-0.70	44.09	68.20	-24.11	peak			
2	*	5460.000	51.08	-0.69	50.39	68.20	-17.81	peak			

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:116

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11160.000	48.57	8.22	56.79	74.00	-17.21 peak		
2 *		11160.000	40.02	8.22	48.24	54.00	-5.76 AVG		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1 *		11160.000	44.59	8.22	52.81	74.00	-21.19 peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:140

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:149

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11490.000	45.79	8.04	53.83	74.00	-20.17	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	52.75	-0.84	51.91	68.20	-16.29	peak	
2		5700.000	52.87	-0.90	51.97	105.20	-53.23	peak	
3		5720.000	54.05	-0.92	53.13	110.80	-57.67	peak	
4		5725.000	53.87	-0.92	52.95	122.20	-69.25	peak	

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:157

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11570.000	49.40	7.96	57.36	74.00	-16.64	peak		
2	*	11570.000	40.67	7.96	48.63	54.00	-5.37	AVG		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11570.000	45.06	7.96	53.02	74.00	-20.98	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:165

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11650.000	48.19	7.88	56.07	74.00	-17.93	peak	
2	*	11650.000	39.34	7.88	47.22	54.00	-6.78	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	57.41	-0.76	56.65	122.20	-65.55	peak	
2		5855.000	52.71	-0.74	51.97	110.80	-58.83	peak	
3		5875.000	52.15	-0.64	51.51	105.20	-53.69	peak	
4	*	5925.000	53.56	-0.39	53.17	68.20	-15.03	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm
1	*	11650.000	45.11	7.88	52.99	74.00	-21.01	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm
1		5850.000	52.38	-0.76	51.62	122.20	-70.58	peak	
2		5855.000	52.39	-0.74	51.65	110.80	-59.15	peak	
3		5875.000	52.76	-0.64	52.12	105.20	-53.08	peak	
4	*	5925.000	53.26	-0.39	52.87	68.20	-15.33	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10380.000	48.20	7.94	56.14	68.20	-12.06	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	46.13	-2.83	43.30	68.20	-24.90	peak	
2		5150.000	58.09	-0.83	57.26	68.20	-10.94	peak	
3	*	5150.000	50.54	-0.83	49.71	54.00	-4.29	AVG	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10380.000	45.12	7.94	53.06	68.20	-15.14	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	47.42	-2.83	44.59	68.20	-23.61	peak	
2	*	5150.000	52.64	-0.83	51.81	68.20	-16.39	peak	


Above 1G (1GHz~18GHz)	Test mode: 11AX40MIMO	Test Channel:46
-----------------------	-----------------------	-----------------

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10460.000	47.97	8.08	56.05	68.20	-12.15	peak	

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10460.000	45.80	8.08	53.88	68.20	-14.32	peak	

Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:54

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO


Test Channel:62

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10620.000	44.61	8.33	52.94	74.00	-21.06	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5350.000	51.91	-0.70	51.21	68.20	-16.99	peak		
2		5460.000	46.77	-0.69	46.08	68.20	-22.12	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:102

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11020.000	48.43	8.28	56.71	74.00	-17.29	peak	
2 *		11020.000	39.31	8.28	47.59	54.00	-6.41	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	45.58	-0.70	44.88	68.20	-23.32	peak	
2		5460.000	57.15	-0.69	56.46	68.20	-11.74	peak	
3 *		5460.000	48.93	-0.69	48.24	54.00	-5.76	AVG	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11020.000	45.00	8.28	53.28	74.00	-20.72	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	44.73	-0.70	44.03	68.20	-24.17	peak		
2	*	5460.000	52.64	-0.69	51.95	68.20	-16.25	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO


Test Channel:118

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11180.000	48.35	8.21	56.56	74.00	-17.44	peak		
2	*	11180.000	39.42	8.21	47.63	54.00	-6.37	AVG		

HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11180.000	44.91	8.21	53.12	74.00	-20.88	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:134

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11340.000	48.47	8.16	56.63	74.00	-17.37	peak	
2	*	11340.000	39.61	8.16	47.77	54.00	-6.23	AVG	

HORIZONTAL

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11340.000	44.89	8.16	53.05	74.00	-20.95	peak	

Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:151

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11510.000	48.06	8.03	56.09	74.00	-17.91	peak	
2 *		11510.000	39.50	8.03	47.53	54.00	-6.47	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1 *		5650.000	53.25	-0.84	52.41	68.20	-15.79	peak	
2		5700.000	52.42	-0.90	51.52	105.20	-53.68	peak	
3		5720.000	67.06	-0.92	66.14	110.80	-44.66	peak	
4		5725.000	68.43	-0.92	67.51	122.20	-54.69	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11510.000	45.24	8.03	53.27	74.00	-20.73	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	52.86	-0.84	52.02	68.20	-16.18	peak		
2		5700.000	53.79	-0.90	52.89	105.20	-52.31	peak		
3		5720.000	58.52	-0.92	57.60	110.80	-53.20	peak		
4		5725.000	59.37	-0.92	58.45	122.20	-63.75	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:159

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11590.000	48.11	7.94	56.05	74.00	-17.95	peak	
2	*	11590.000	39.67	7.94	47.61	54.00	-6.39	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	53.68	-0.76	52.92	122.20	-69.28	peak	
2		5855.000	52.61	-0.74	51.87	110.80	-58.93	peak	
3		5875.000	53.51	-0.64	52.87	105.20	-52.33	peak	
4	*	5925.000	52.87	-0.39	52.48	68.20	-15.72	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11590.000	45.78	7.94	53.72	74.00	-20.28	peak	


Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	52.83	-0.76	52.07	122.20	-70.13	peak	
2		5855.000	52.72	-0.74	51.98	110.80	-58.82	peak	
3		5875.000	52.09	-0.64	51.45	105.20	-53.75	peak	
4	*	5925.000	53.57	-0.39	53.18	68.20	-15.02	peak	

Above 1G (1GHz~18GHz)	Test mode: 11AX80MIMO	Test Channel:42
-----------------------	-----------------------	-----------------

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10420.000	48.44	8.01	56.45	68.20	-11.75	peak	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	46.36	-2.83	43.53	68.20	-24.67	peak	
2		5150.000	58.64	-0.83	57.81	68.20	-10.39	peak	
3	*	5150.000	49.20	-0.83	48.37	54.00	-5.63	AVG	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1	*	10420.000	45.12	8.01	53.13	68.20	-15.07	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1		4500.000	47.73	-2.83	44.90	68.20	-23.30	peak		
2	*	5150.000	52.97	-0.83	52.14	68.20	-16.06	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:58


VERTICAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1 *		10580.000	47.82	8.31	56.13	68.20	-12.07	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	57.24	-0.70	56.54	68.20	-11.66	peak	
2 *		5350.000	48.85	-0.70	48.15	54.00	-5.85	AVG	
3		5460.000	45.39	-0.69	44.70	68.20	-23.50	peak	

HORIZONTALA




Above 1G (1GHz~18GHz)


Test mode: 11AX80MIMO

Test Channel:106

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11060.000	48.13	8.26	56.39	74.00	-17.61	peak	
2 *		11060.000	39.09	8.26	47.35	54.00	-6.65	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.95	-0.70	44.25	68.20	-23.95	peak	
2		5460.000	58.85	-0.69	58.16	68.20	-10.04	peak	
3 *		5460.000	50.66	-0.69	49.97	54.00	-4.03	AVG	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11060.000	45.16	8.26	53.42	74.00	-20.58	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	45.37	-0.70	44.67	68.20	-23.53	peak		
2	*	5460.000	51.13	-0.69	50.44	68.20	-17.76	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX80MIMO

Test Channel:122

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11550.000	49.17	7.98	57.15	74.00	-16.85	peak	
2 *		11550.000	40.45	7.98	48.43	54.00	-5.57	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5650.000	52.56	-0.84	51.72	68.20	-16.48	peak	
2		5700.000	63.19	-0.90	62.29	105.20	-42.91	peak	
3		5720.000	63.20	-0.92	62.28	110.80	-48.52	peak	
4		5725.000	63.54	-0.92	62.62	122.20	-59.58	peak	
5		5850.000	61.20	-0.76	60.44	122.20	-61.76	peak	
6		5855.000	60.38	-0.74	59.64	110.80	-51.16	peak	
7		5875.000	55.83	-0.64	55.19	105.20	-50.01	peak	
8 *		5925.000	53.47	-0.39	53.08	68.20	-15.12	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11550.000	45.18	7.98	53.16	74.00	-20.84	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	53.82	-0.84	52.98	68.20	-15.22	peak	
2		5700.000	55.09	-0.90	54.19	105.20	-51.01	peak	
3		5720.000	58.48	-0.92	57.56	110.80	-53.24	peak	
4		5725.000	60.38	-0.92	59.46	122.20	-62.74	peak	
5		5850.000	57.98	-0.76	57.22	122.20	-64.98	peak	
6		5855.000	57.77	-0.74	57.03	110.80	-53.77	peak	
7		5875.000	54.16	-0.64	53.52	105.20	-51.68	peak	
8		5925.000	52.04	-0.39	51.65	68.20	-16.55	peak	

The high frequency, which started from 18GHz to 40GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

3.3 Spectrum Bandwidth

3.3.1 Limit

FCC Part15, Subpart E (15.407)			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(a)	26 dB Bandwidth	-	5150-5250
	26 dB Bandwidth	-	5250-5350
15.407(e)	26 dB Bandwidth	-	5470-5725
	26 dB Bandwidth	-	5725-5850
	6 dB Bandwidth	Minimum 500 kHz	5725-5850

3.3.2 Test Procedure

Test Method	
<input checked="" type="radio"/> Conducted Measurement	<input type="radio"/> Radiated Measurement
Test Channels	
<input checked="" type="radio"/> Lowest, Middle and Highest Channel	<input type="radio"/> Lowest and Highest Channel
Environmental conditions	
<input checked="" type="radio"/> Normal	<input type="radio"/> Normal and Extreme
Note: ●:Test ○:No Test	

a) The EUT was directly connected to the tonscend test system and antenna output port as show in the block diagram below.

b) the spectrum analyser is set as follow:

For 26 dB Bandwidth


Centre Frequency	The centre frequency of the channel under test
RBW	$\geq 1\% \times$ Nominal Channel Bandwidth
VBW	$\geq 3 \times$ RBW
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

For 6 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	100 kHz
VBW	300 kHz
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

- c) Wait for the trace to stabilize then find the peak value of the trace and place the analyser marker on this peak.
- d) Use the -26/-6dB bandwidth function of the spectrum analyser to measure the -26/-6dB Bandwidth of the EUT. This value shall be recorded.
- e) Make sure that the power envelope is sufficiently above the noise floor of the analyser to avoid the noise signals left and right from the power envelope being taken into account by this measurement.

3.3.3 Test Setup



3.3.4 Test Result

3.3.5.1 26 dB Bandwidth


Test Mode	Antenna	Freq(MHz)	26dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	18.280	5170.960	5189.240	---	---
	Ant2	5180	18.200	5170.960	5189.160	---	---
	Ant1	5200	18.240	5190.880	5209.120	---	---
	Ant2	5200	18.320	5190.840	5209.160	---	---
	Ant1	5240	18.080	5231.000	5249.080	---	---
	Ant2	5240	18.400	5230.720	5249.120	---	---
	Ant1	5260	17.920	5251.080	5269.000	---	---
	Ant2	5260	18.000	5251.120	5269.120	---	---
	Ant1	5280	18.560	5270.640	5289.200	---	---
	Ant2	5280	18.480	5270.560	5289.040	---	---
	Ant1	5320	18.160	5310.960	5329.120	---	---
	Ant2	5320	18.160	5310.920	5329.080	---	---
	Ant1	5500	18.000	5490.960	5508.960	---	---
	Ant2	5500	18.120	5491.000	5509.120	---	---
	Ant1	5580	18.320	5570.960	5589.280	---	---
	Ant2	5580	18.240	5570.920	5589.160	---	---
	Ant1	5700	18.600	5690.800	5709.400	---	---
	Ant2	5700	18.520	5690.600	5709.120	---	---
	Ant1	5745	18.200	5735.840	5754.040	---	---
	Ant2	5745	18.280	5735.880	5754.160	---	---
	Ant1	5785	18.360	5775.840	5794.200	---	---
	Ant2	5785	18.000	5775.880	5793.880	---	---
	Ant1	5825	18.160	5815.880	5834.040	---	---
	Ant2	5825	18.320	5815.640	5833.960	---	---
11N20MIMO	Ant1	5180	19.160	5170.360	5189.520	---	---
	Ant2	5180	19.080	5170.440	5189.520	---	---
	Ant1	5200	19.240	5190.440	5209.680	---	---
	Ant2	5200	19.040	5190.560	5209.600	---	---
	Ant1	5240	19.320	5230.320	5249.640	---	---
	Ant2	5240	18.600	5230.960	5249.560	---	---
	Ant1	5260	19.360	5250.240	5269.600	---	---
	Ant2	5260	19.160	5250.200	5269.360	---	---
	Ant1	5280	19.160	5270.400	5289.560	---	---
	Ant2	5280	19.160	5270.480	5289.640	---	---
	Ant1	5320	19.440	5310.240	5329.680	---	---
	Ant2	5320	19.400	5310.240	5329.640	---	---
	Ant1	5500	19.240	5490.320	5509.560	---	---
	Ant2	5500	19.280	5490.320	5509.600	---	---

	Ant1	5580	19.240	5570.240	5589.480	---	---
	Ant2	5580	19.200	5570.320	5589.520	---	---
	Ant1	5700	19.320	5690.400	5709.720	---	---
	Ant2	5700	19.080	5690.520	5709.600	---	---
	Ant1	5745	19.160	5735.520	5754.680	---	---
	Ant2	5745	19.320	5735.240	5754.560	---	---
	Ant1	5785	19.320	5775.320	5794.640	---	---
	Ant2	5785	19.280	5775.400	5794.680	---	---
	Ant1	5825	19.240	5815.320	5834.560	---	---
	Ant2	5825	19.080	5815.360	5834.440	---	---
11N40MIMO	Ant1	5190	38.480	5170.720	5209.200	---	---
	Ant2	5190	38.480	5170.720	5209.200	---	---
	Ant1	5230	38.560	5210.800	5249.360	---	---
	Ant2	5230	38.400	5210.720	5249.120	---	---
	Ant1	5270	38.560	5250.560	5289.120	---	---
	Ant2	5270	38.640	5250.480	5289.120	---	---
	Ant1	5310	38.320	5290.880	5329.200	---	---
	Ant2	5310	38.400	5290.720	5329.120	---	---
	Ant1	5510	38.560	5490.880	5529.440	---	---
	Ant2	5510	38.240	5490.800	5529.040	---	---
	Ant1	5550	38.640	5530.640	5569.280	---	---
	Ant2	5550	38.400	5530.800	5569.200	---	---
	Ant1	5670	38.720	5650.800	5689.520	---	---
	Ant2	5670	38.400	5650.720	5689.120	---	---
	Ant1	5755	38.640	5735.640	5774.280	---	---
	Ant2	5755	38.560	5735.560	5774.120	---	---
	Ant1	5795	38.480	5775.800	5814.280	---	---
	Ant2	5795	38.480	5775.720	5814.200	---	---
11AC20MIMO	Ant1	5180	19.360	5170.280	5189.640	---	---
	Ant2	5180	19.080	5170.520	5189.600	---	---
	Ant1	5200	19.240	5190.360	5209.600	---	---
	Ant2	5200	19.120	5190.360	5209.480	---	---
	Ant1	5240	19.200	5230.480	5249.680	---	---
	Ant2	5240	19.200	5230.400	5249.600	---	---
	Ant1	5260	19.240	5250.400	5269.640	---	---
	Ant2	5260	19.400	5250.360	5269.760	---	---
	Ant1	5280	19.040	5270.440	5289.480	---	---
	Ant2	5280	19.560	5270.160	5289.720	---	---
	Ant1	5320	19.440	5310.120	5329.560	---	---
	Ant2	5320	19.360	5310.360	5329.720	---	---
	Ant1	5500	19.360	5490.280	5509.640	---	---

	Ant2	5500	19.240	5490.480	5509.720	---	---
	Ant1	5580	19.360	5570.240	5589.600	---	---
	Ant2	5580	19.120	5570.400	5589.520	---	---
	Ant1	5700	19.480	5690.120	5709.600	---	---
	Ant2	5700	19.480	5690.280	5709.760	---	---
	Ant1	5745	19.160	5735.440	5754.600	---	---
	Ant2	5745	19.120	5735.480	5754.600	---	---
	Ant1	5785	19.120	5775.440	5794.560	---	---
	Ant2	5785	19.120	5775.480	5794.600	---	---
	Ant1	5825	19.200	5815.360	5834.560	---	---
Ant2	5825	19.160	5815.320	5834.480	---	---	
11AC40MIMO	Ant1	5190	38.480	5170.640	5209.120	---	---
	Ant2	5190	38.480	5170.720	5209.200	---	---
	Ant1	5230	38.400	5210.880	5249.280	---	---
	Ant2	5230	38.480	5210.800	5249.280	---	---
	Ant1	5270	38.480	5250.800	5289.280	---	---
	Ant2	5270	38.080	5250.880	5288.960	---	---
	Ant1	5310	38.480	5290.720	5329.200	---	---
	Ant2	5310	38.240	5290.960	5329.200	---	---
	Ant1	5510	38.640	5490.800	5529.440	---	---
	Ant2	5510	38.400	5490.640	5529.040	---	---
	Ant1	5550	38.800	5530.720	5569.520	---	---
	Ant2	5550	38.400	5530.720	5569.120	---	---
	Ant1	5670	38.640	5650.640	5689.280	---	---
	Ant2	5670	38.400	5650.800	5689.200	---	---
	Ant1	5755	37.840	5736.040	5773.880	---	---
	Ant2	5755	38.240	5735.960	5774.200	---	---
Ant1	5795	38.640	5775.720	5814.360	---	---	
Ant2	5795	38.160	5775.880	5814.040	---	---	
11AC80MIMO	Ant1	5210	84.480	5167.120	5251.600	---	---
	Ant2	5210	82.720	5168.240	5250.960	---	---
	Ant1	5290	83.040	5249.040	5332.080	---	---
	Ant2	5290	83.680	5247.920	5331.600	---	---
	Ant1	5530	83.040	5488.560	5571.600	---	---
	Ant2	5530	83.680	5488.080	5571.760	---	---
	Ant1	5610	83.360	5568.240	5651.600	---	---
	Ant2	5610	83.520	5568.080	5651.600	---	---
	Ant1	5775	82.720	5733.560	5816.280	---	---
	Ant2	5775	84.640	5732.600	5817.240	---	---
11AX20MIMO	Ant1	5180	20.000	5170.160	5190.160	---	---
	Ant2	5180	19.720	5170.080	5189.800	---	---

	Ant1	5200	19.920	5190.040	5209.960	---	---
	Ant2	5200	20.200	5189.840	5210.040	---	---
	Ant1	5240	20.040	5230.000	5250.040	---	---
	Ant2	5240	19.960	5230.000	5249.960	---	---
	Ant1	5260	19.760	5250.040	5269.800	---	---
	Ant2	5260	20.360	5249.800	5270.160	---	---
	Ant1	5280	20.200	5270.000	5290.200	---	---
	Ant2	5280	19.840	5270.000	5289.840	---	---
	Ant1	5320	20.040	5310.000	5330.040	---	---
	Ant2	5320	19.680	5310.120	5329.800	---	---
	Ant1	5500	19.920	5490.000	5509.920	---	---
	Ant2	5500	20.160	5489.800	5509.960	---	---
	Ant1	5580	20.040	5569.960	5590.000	---	---
	Ant2	5580	20.040	5569.960	5590.000	---	---
	Ant1	5700	20.040	5690.000	5710.040	---	---
	Ant2	5700	20.080	5689.760	5709.840	---	---
	Ant1	5745	20.040	5735.120	5755.160	---	---
	Ant2	5745	19.960	5735.040	5755.000	---	---
	Ant1	5785	19.880	5774.960	5794.840	---	---
	Ant2	5785	20.040	5774.960	5795.000	---	---
Ant1	5825	20.280	5814.800	5835.080	---	---	
Ant2	5825	20.120	5814.920	5835.040	---	---	
11AX40MIMO	Ant1	5190	39.440	5170.240	5209.680	---	---
	Ant2	5190	39.520	5170.240	5209.760	---	---
	Ant1	5230	39.360	5210.400	5249.760	---	---
	Ant2	5230	39.680	5210.160	5249.840	---	---
	Ant1	5270	39.280	5250.400	5289.680	---	---
	Ant2	5270	39.120	5250.400	5289.520	---	---
	Ant1	5310	39.760	5290.160	5329.920	---	---
	Ant2	5310	39.920	5290.000	5329.920	---	---
	Ant1	5510	39.600	5490.160	5529.760	---	---
	Ant2	5510	40.080	5489.760	5529.840	---	---
	Ant1	5550	39.360	5530.240	5569.600	---	---
	Ant2	5550	39.760	5530.080	5569.840	---	---
	Ant1	5670	39.440	5650.320	5689.760	---	---
	Ant2	5670	39.600	5650.240	5689.840	---	---
	Ant1	5755	39.840	5735.160	5775.000	---	---
	Ant2	5755	39.360	5735.400	5774.760	---	---
	Ant1	5795	39.680	5775.240	5814.920	---	---
	Ant2	5795	39.200	5775.400	5814.600	---	---
11AX80MIMO	Ant1	5210	79.840	5170.000	5249.840	---	---

	Ant2	5210	80.320	5169.840	5250.160	---	---
	Ant1	5290	80.480	5249.520	5330.000	---	---
	Ant2	5290	81.280	5249.360	5330.640	---	---
	Ant1	5530	79.840	5490.000	5569.840	---	---
	Ant2	5530	81.280	5489.200	5570.480	---	---
	Ant1	5610	80.320	5569.840	5650.160	---	---
	Ant2	5610	79.840	5570.160	5650.000	---	---
	Ant1	5775	80.480	5734.680	5815.160	---	---
	Ant2	5775	80.320	5734.840	5815.160	---	---



11A_Ant2_5180



11A_Ant1_5200



11A_Ant2_5200




11A_Ant1_5240



11A_Ant2_5240



11A_Ant1_5260



11A_Ant2_5260



11A_Ant1_5280



11A_Ant2_5280



11A_Ant1_5320

