

Product:RGB Wireless charging for car mount

Model Number:MI-QIP12,MIC-QIP12



Input: DC 5V 2A, 9V 1.67A

Wireless Charger Output: 5W, 7.5W, 10W

#### 1.LED Indicators

Flowing RGB lights indicate the mount is powered and ready to charge your device. Breathing RGB lights indicate your device is in place and charging successfully.

Compatible with:

iPhone 13,13 Pro,13 Pro Max,13 mini,12,12 Pro,12 Pro Max,12 mini,

11,11 Pro,11 Pro Max,X/XS,XS Max,XR,8,8 Plus

Samsung Galaxy S21+5G,21 Ultra 5G,21 5G, 20,20+,20 Ultra,,10e,10,10+,9,9+.

Galaxy Note 20,10,9,8,Google Pixel",2,3,4,5,XL and all other Qi enabled devices up to 4"wide

\*Devices Not Included

## ICID

### ISED Canada Statement:

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development

Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- 1) this device may not cause interference and
- 2) this device must accept any interference, including interference that may cause undesired operation of the device.

Radiation Exposure: This equipment complies with Canada radiation exposure limits set forth for an uncontrolled environment

### RF Exposure Statement

To maintain compliance with IC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance of 10cm the radiator your body. This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter

#### Déclaration de l'ISED Canada :

Cet appareil contient des émetteurs / récepteurs exempts de licence se conformer à l'innovation, la science et le développement économique Les RSS du Canada exempts de licence. Leur fonctionnement suivant deux conditions:

- 1) cet appareil ne peut pas causer d'interférences et
- 2) ce dispositif doit accepter toute interférence, y compris peut provoquer le fonctionnement indésirable de l'appareil.

Exposition aux rayonnements : Cet équipement est conforme aux radiations du Canada limites d'exposition pour un environnement incontrôlé non contrôlé d'exposition RF

Pour maintenir le respect des guides d'exposition RF d'IC, l'équipement doit être installé et actionné avec une distance minimale de 10cm le radiateur de votre corps. Cet appareil et ses antennes ne doivent pas être co-localisés ou en opération en conjonction avec toute autre antenne ou émetteur

---

## FCC

### FCC Warning Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- - Reorient or relocate the receiving antenna.
- - Increase the separation between the equipment and receiver.
- - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- - Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

### RF Exposure Statement

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance of 20cm the radiator your body. This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter