







## Appendix D: UNII Band 1



### Duty Cycle



Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	97.78	0.1	0.73
NVNT	a	5200	Ant1	97.78	0.1	0.73
NVNT	a	5240	Ant1	97.71	0.1	0.73
NVNT	n20	5180	Ant1	97.63	0.1	0.78
NVNT	n20	5200	Ant1	97.63	0.1	0.78
NVNT	n20	5240	Ant1	97.63	0.1	0.78
NVNT	n40	5190	Ant1	95.22	0.21	1.57
NVNT	n40	5230	Ant1	64.44	1.91	1.57
NVNT	ac20	5180	Ant1	97.57	0.11	0.78
NVNT	ac20	5200	Ant1	97.57	0.11	0.78
NVNT	ac20	5240	Ant1	97.65	0.1	0.78
NVNT	ac40	5190	Ant1	95.39	0.2	1.56
NVNT	ac40	5230	Ant1	95.39	0.2	1.56
NVNT	ax20	5180	Ant1	96.88	0.14	1.01
NVNT	ax20	5200	Ant1	96.98	0.13	1.01
NVNT	ax20	5240	Ant1	96.98	0.13	1.01
NVNT	ax40	5190	Ant1	94.35	0.25	1.93
NVNT	ax40	5230	Ant1	94.18	0.26	1.93















































































### -26dB Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	27.597	0.5	Pass
NVNT	a	5200	Ant1	26.151	0.5	Pass
NVNT	a	5240	Ant1	27.66	0.5	Pass
NVNT	n20	5180	Ant1	28.416	0.5	Pass
NVNT	n20	5200	Ant1	28.698	0.5	Pass
NVNT	n20	5240	Ant1	28.734	0.5	Pass
NVNT	n40	5190	Ant1	45.546	0.5	Pass
NVNT	n40	5230	Ant1	45.594	0.5	Pass
NVNT	ac20	5180	Ant1	27.453	0.5	Pass
NVNT	ac20	5200	Ant1	29.763	0.5	Pass
NVNT	ac20	5240	Ant1	29.817	0.5	Pass
NVNT	ac40	5190	Ant1	46.056	0.5	Pass
NVNT	ac40	5230	Ant1	46.812	0.5	Pass
NVNT	ax20	5180	Ant1	27.327	0.5	Pass
NVNT	ax20	5200	Ant1	26.526	0.5	Pass
NVNT	ax20	5240	Ant1	29.121	0.5	Pass
NVNT	ax40	5190	Ant1	44.898	0.5	Pass
NVNT	ax40	5230	Ant1	44.82	0.5	Pass







































## Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.81
NVNT	a	5200	Ant1	16.846
NVNT	a	5240	Ant1	16.918
NVNT	n20	5180	Ant1	18.058
NVNT	n20	5200	Ant1	18.094
NVNT	n20	5240	Ant1	18.136
NVNT	n40	5190	Ant1	36.846
NVNT	n40	5230	Ant1	36.806
NVNT	ac20	5180	Ant1	18.13
NVNT	ac20	5200	Ant1	18.13
NVNT	ac20	5240	Ant1	20.548
NVNT	ac40	5190	Ant1	36.776
NVNT	ac40	5230	Ant1	36.736
NVNT	ax20	5180	Ant1	20.374
NVNT	ax20	5200	Ant1	20.314
NVNT	ax20	5240	Ant1	20.464
NVNT	ax40	5190	Ant1	38.066
NVNT	ax40	5230	Ant1	38.066





































### Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	15.83	0.1	15.93	24	Pass
NVNT	a	5200	Ant1	15.38	0.1	15.48	24	Pass
NVNT	a	5240	Ant1	15.45	0.1	15.55	24	Pass
NVNT	n20	5180	Ant1	15.15	0.1	15.25	24	Pass
NVNT	n20	5200	Ant1	15.25	0.1	15.35	24	Pass
NVNT	n20	5240	Ant1	15.34	0.1	15.44	24	Pass
NVNT	n40	5190	Ant1	14.9	0.21	15.11	24	Pass
NVNT	n40	5190	Ant1	11.94	0.21	12.15	24	Pass
NVNT	n40	5230	Ant1	10.5	1.91	12.41	24	Pass
NVNT	ac20	5180	Ant1	15.16	0.11	15.27	24	Pass
NVNT	ac20	5200	Ant1	15.25	0.11	15.36	24	Pass
NVNT	ac20	5240	Ant1	15.4	0.1	15.5	24	Pass
NVNT	ac40	5190	Ant1	11.9	0.2	12.1	24	Pass
NVNT	ac40	5230	Ant1	12.01	0.2	12.21	24	Pass
NVNT	ax20	5180	Ant1	15.08	0.14	15.22	24	Pass
NVNT	ax20	5200	Ant1	15.25	0.13	15.38	24	Pass
NVNT	ax20	5240	Ant1	15.37	0.13	15.5	24	Pass
NVNT	ax40	5190	Ant1	11.88	0.25	12.13	24	Pass
NVNT	ax40	5230	Ant1	12.07	0.26	12.33	24	Pass



### Maximum Power Spectral Density Level



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	3.88	0.1	3.98	11	Pass
NVNT	a	5200	Ant1	3.58	0.1	3.68	11	Pass
NVNT	a	5240	Ant1	3.59	0.1	3.69	11	Pass
NVNT	n20	5180	Ant1	3	0.1	3.1	11	Pass
NVNT	n20	5200	Ant1	3.21	0.1	3.31	11	Pass
NVNT	n20	5240	Ant1	3.31	0.1	3.41	11	Pass
NVNT	n40	5190	Ant1	-3.61	0.21	-3.4	11	Pass
NVNT	n40	5230	Ant1	-4.09	1.91	-2.18	11	Pass
NVNT	ac20	5180	Ant1	3.17	0.11	3.28	11	Pass
NVNT	ac20	5200	Ant1	3.04	0.11	3.15	11	Pass
NVNT	ac20	5240	Ant1	3.19	0.1	3.29	11	Pass
NVNT	ac40	5190	Ant1	-3.29	0.2	-3.09	11	Pass
NVNT	ac40	5230	Ant1	-3.45	0.2	-3.25	11	Pass
NVNT	ax20	5180	Ant1	2.43	0.14	2.57	11	Pass
NVNT	ax20	5200	Ant1	2.63	0.13	2.76	11	Pass
NVNT	ax20	5240	Ant1	2.99	0.13	3.12	11	Pass
NVNT	ax40	5190	Ant1	-4.12	0.25	-3.87	11	Pass
NVNT	ax40	5230	Ant1	-4.1	0.26	-3.84	11	Pass

































## Frequency Stability

Condition	Mode	Time (mins)	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C 90V	a	0	5180	Ant1	5180.06	60000	11.58	25	Pass
20C 120V	a	0	5180	Ant1	5180.04	40000	7.72	25	Pass
20C 264V	a	0	5180	Ant1	5180.06	60000	11.58	25	Pass
-20C 120V	a	0	5180	Ant1	5180.06	60000	11.58	25	Pass
-10C 120V	a	0	5180	Ant1	5180.04	40000	7.72	25	Pass
0C 120V	a	0	5180	Ant1	5180.06	60000	11.58	25	Pass
10C 120V	a	0	5180	Ant1	5180.04	40000	7.72	25	Pass
30C 120V	a	0	5180	Ant1	5180.06	60000	11.58	25	Pass
40C 120V	a	0	5180	Ant1	5180.06	60000	11.58	25	Pass
50C 120V	a	0	5180	Ant1	5180.04	40000	7.72	25	Pass
20C 90V	a	0	5200	Ant1	5200.04	40000	7.69	25	Pass
20C 120V	a	0	5200	Ant1	5200.06	60000	11.54	25	Pass
20C 264V	a	0	5200	Ant1	5200.06	60000	11.54	25	Pass
-20C 120V	a	0	5200	Ant1	5200.04	40000	7.69	25	Pass
-10C 120V	a	0	5200	Ant1	5200.06	60000	11.54	25	Pass
0C 120V	a	0	5200	Ant1	5200.04	40000	7.69	25	Pass
10C 120V	a	0	5200	Ant1	5200.08	80000	15.38	25	Pass
30C 120V	a	0	5200	Ant1	5200.04	40000	7.69	25	Pass
40C 120V	a	0	5200	Ant1	5200.06	60000	11.54	25	Pass
50C 120V	a	0	5200	Ant1	5200.06	60000	11.54	25	Pass
20C 90V	a	0	5240	Ant1	5240.04	40000	7.63	25	Pass
20C 120V	a	0	5240	Ant1	5240.06	60000	11.45	25	Pass
20C 264V	a	0	5240	Ant1	5240.04	40000	7.63	25	Pass
-20C 120V	a	0	5240	Ant1	5240.04	40000	7.63	25	Pass
-10C 120V	a	0	5240	Ant1	5240.06	60000	11.45	25	Pass
0C 120V	a	0	5240	Ant1	5240.06	60000	11.45	25	Pass
10C 120V	a	0	5240	Ant1	5240.06	60000	11.45	25	Pass
30C 120V	a	0	5240	Ant1	5240.06	60000	11.45	25	Pass
40C 120V	a	0	5240	Ant1	5240.08	80000	15.27	25	Pass
50C 120V	a	0	5240	Ant1	5240.04	40000	7.63	25	Pass



20C 90V	n20	0	5180	Ant1	5180.04	40000	7.72	25	Pass
20C 120V	n20	0	5180	Ant1	5180.04	40000	7.72	25	Pass
20C 264V	n20	0	5180	Ant1	5180.06	60000	11.58	25	Pass
-20C 120V	n20	0	5180	Ant1	5180.06	60000	11.58	25	Pass
-10C 120V	n20	0	5180	Ant1	5180.04	40000	7.72	25	Pass
0C 120V	n20	0	5180	Ant1	5180.04	40000	7.72	25	Pass
10C 120V	n20	0	5180	Ant1	5180.06	60000	11.58	25	Pass
30C 120V	n20	0	5180	Ant1	5180.06	60000	11.58	25	Pass
40C 120V	n20	0	5180	Ant1	5180.06	60000	11.58	25	Pass
50C 120V	n20	0	5180	Ant1	5180.06	60000	11.58	25	Pass
20C 90V	n20	0	5200	Ant1	5200.06	60000	11.54	25	Pass
20C 120V	n20	0	5200	Ant1	5200.08	80000	15.38	25	Pass
20C 264V	n20	0	5200	Ant1	5200.06	60000	11.54	25	Pass
-20C 120V	n20	0	5200	Ant1	5200.06	60000	11.54	25	Pass
-10C 120V	n20	0	5200	Ant1	5200.08	80000	15.38	25	Pass
0C 120V	n20	0	5200	Ant1	5200.06	60000	11.54	25	Pass
10C 120V	n20	0	5200	Ant1	5200.06	60000	11.54	25	Pass
30C 120V	n20	0	5200	Ant1	5200.06	60000	11.54	25	Pass
40C 120V	n20	0	5200	Ant1	5200.04	40000	7.69	25	Pass
50C 120V	n20	0	5200	Ant1	5200.04	40000	7.69	25	Pass
20C 90V	n20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
20C 120V	n20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
20C 264V	n20	0	5240	Ant1	5240.08	80000	15.27	25	Pass
-20C 120V	n20	0	5240	Ant1	5240.04	40000	7.63	25	Pass
-10C 120V	n20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
0C 120V	n20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
10C 120V	n20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
30C 120V	n20	0	5240	Ant1	5240.04	40000	7.63	25	Pass
40C 120V	n20	0	5240	Ant1	5240.04	40000	7.63	25	Pass
50C 120V	n20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
NVNT	n40	0	5190	Ant1	5190.08	80000	15.41	25	Pass
50C 120V	n40	0	5230	Ant1	5230.04	40000	7.65	25	Pass
40C 120V	n40	0	5230	Ant1	5230.04	40000	7.65	25	Pass
30C 120V	n40	0	5230	Ant1	5230.04	40000	7.65	25	Pass
10C 120V	n40	0	5230	Ant1	5230.04	40000	7.65	25	Pass



Global Testing Group

REPORT NUMBER: E01A23030560F00104

0C 120V	n40	0	5230	Ant1	5230.04	40000	7.65	25	Pass
-10C 120V	n40	0	5230	Ant1	5230.04	40000	7.65	25	Pass
-20C 120V	n40	0	5230	Ant1	5230.08	80000	15.3	25	Pass
20C 264V	n40	0	5230	Ant1	5230.04	40000	7.65	25	Pass
20C 120V	n40	0	5230	Ant1	5230.04	40000	7.65	25	Pass
20C 90V	n40	0	5230	Ant1	5230.08	80000	15.3	25	Pass
50C 120V	n40	0	5190	Ant1	5190.08	80000	15.41	25	Pass
40C 120V	n40	0	5190	Ant1	5190.08	80000	15.41	25	Pass
30C 120V	n40	0	5190	Ant1	5190.04	40000	7.71	25	Pass
10C 120V	n40	0	5190	Ant1	5190.04	40000	7.71	25	Pass
0C 120V	n40	0	5190	Ant1	5190.04	40000	7.71	25	Pass
-10C 120V	n40	0	5190	Ant1	5190.04	40000	7.71	25	Pass
-20C 120V	n40	0	5190	Ant1	5190.04	40000	7.71	25	Pass
20C 264V	n40	0	5190	Ant1	5190.04	40000	7.71	25	Pass
20C 120V	n40	0	5190	Ant1	5190.04	40000	7.71	25	Pass
20C 90V	n40	0	5190	Ant1	5190.04	40000	7.71	25	Pass
20C 90V	ac20	0	5180	Ant1	5180.06	60000	11.58	25	Pass
20C 120V	ac20	0	5180	Ant1	5180.08	80000	15.44	25	Pass
20C 264V	ac20	0	5180	Ant1	5180.04	40000	7.72	25	Pass
-20C 120V	ac20	0	5180	Ant1	5180.06	60000	11.58	25	Pass
-10C 120V	ac20	0	5180	Ant1	5180.08	80000	15.44	25	Pass
0C 120V	ac20	0	5180	Ant1	5180.04	40000	7.72	25	Pass
10C 120V	ac20	0	5180	Ant1	5180.04	40000	7.72	25	Pass
30C 120V	ac20	0	5180	Ant1	5180.04	40000	7.72	25	Pass
40C 120V	ac20	0	5180	Ant1	5180.06	60000	11.58	25	Pass
50C 120V	ac20	0	5180	Ant1	5180.04	40000	7.72	25	Pass
NVNT	ac20	0	5200	Ant1	5200.06	60000	11.54	25	Pass
NVNT	ac20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
50C 120V	ac20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
40C 120V	ac20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
30C 120V	ac20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
10C 120V	ac20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
0C 120V	ac20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
-10C 120V	ac20	0	5240	Ant1	5240.06	60000	11.45	25	Pass



-20C 120V	ac20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
20C 264V	ac20	0	5240	Ant1	5240.04	40000	7.63	25	Pass
20C 120V	ac20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
20C 90V	ac20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
50C 120V	ac20	0	5200	Ant1	5200.04	40000	7.69	25	Pass
40C 120V	ac20	0	5200	Ant1	5200.06	60000	11.54	25	Pass
30C 120V	ac20	0	5200	Ant1	5200.04	40000	7.69	25	Pass
10C 120V	ac20	0	5200	Ant1	5200.06	60000	11.54	25	Pass
0C 120V	ac20	0	5200	Ant1	5200.06	60000	11.54	25	Pass
-10C 120V	ac20	0	5200	Ant1	5200.04	40000	7.69	25	Pass
-20C 120V	ac20	0	5200	Ant1	5200.04	40000	7.69	25	Pass
20C 264V	ac20	0	5200	Ant1	5200.04	40000	7.69	25	Pass
20C 120V	ac20	0	5200	Ant1	5200.06	60000	11.54	25	Pass
20C 90V	ac20	0	5200	Ant1	5200.06	60000	11.54	25	Pass
20C 90V	ac40	0	5190	Ant1	5190.08	80000	15.41	25	Pass
20C 120V	ac40	0	5190	Ant1	5190.08	80000	15.41	25	Pass
20C 264V	ac40	0	5190	Ant1	5190.08	80000	15.41	25	Pass
-20C 120V	ac40	0	5190	Ant1	5190.08	80000	15.41	25	Pass
-10C 120V	ac40	0	5190	Ant1	5190.04	40000	7.71	25	Pass
0C 120V	ac40	0	5190	Ant1	5190.08	80000	15.41	25	Pass
10C 120V	ac40	0	5190	Ant1	5190.04	40000	7.71	25	Pass
30C 120V	ac40	0	5190	Ant1	5190.04	40000	7.71	25	Pass
40C 120V	ac40	0	5190	Ant1	5190.08	80000	15.41	25	Pass
50C 120V	ac40	0	5190	Ant1	5190.04	40000	7.71	25	Pass
20C 90V	ac40	0	5230	Ant1	5230.04	40000	7.65	25	Pass
20C 120V	ac40	0	5230	Ant1	5230.08	80000	15.3	25	Pass
20C 264V	ac40	0	5230	Ant1	5230.04	40000	7.65	25	Pass
-20C 120V	ac40	0	5230	Ant1	5230.08	80000	15.3	25	Pass
-10C 120V	ac40	0	5230	Ant1	5230.04	40000	7.65	25	Pass
0C 120V	ac40	0	5230	Ant1	5230.08	80000	15.3	25	Pass
10C 120V	ac40	0	5230	Ant1	5230.04	40000	7.65	25	Pass
30C 120V	ac40	0	5230	Ant1	5230.04	40000	7.65	25	Pass
40C 120V	ac40	0	5230	Ant1	5230.08	80000	15.3	25	Pass
50C 120V	ac40	0	5230	Ant1	5230.04	40000	7.65	25	Pass



NVNT	ax20	0	5180	Ant1	5180.06	60000	11.58	25	Pass
NVNT	ax20	0	5200	Ant1	5200.06	60000	11.54	25	Pass
NVNT	ax20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
50C 120V	ax20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
40C 120V	ax20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
30C 120V	ax20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
10C 120V	ax20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
0C 120V	ax20	0	5240	Ant1	5240.04	40000	7.63	25	Pass
-10C 120V	ax20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
-20C 120V	ax20	0	5240	Ant1	5240.04	40000	7.63	25	Pass
20C 264V	ax20	0	5240	Ant1	5240.04	40000	7.63	25	Pass
20C 120V	ax20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
20C 90V	ax20	0	5240	Ant1	5240.06	60000	11.45	25	Pass
50C 120V	ax20	0	5200	Ant1	5200.06	60000	11.54	25	Pass
40C 120V	ax20	0	5200	Ant1	5200.04	40000	7.69	25	Pass
30C 120V	ax20	0	5200	Ant1	5200.06	60000	11.54	25	Pass
10C 120V	ax20	0	5200	Ant1	5200.06	60000	11.54	25	Pass
0C 120V	ax20	0	5200	Ant1	5200.06	60000	11.54	25	Pass
-10C 120V	ax20	0	5200	Ant1	5200.06	60000	11.54	25	Pass
-20C 120V	ax20	0	5200	Ant1	5200.06	60000	11.54	25	Pass
20C 264V	ax20	0	5200	Ant1	5200.06	60000	11.54	25	Pass
20C 120V	ax20	0	5200	Ant1	5200.04	40000	7.69	25	Pass
20C 90V	ax20	0	5200	Ant1	5200.04	40000	7.69	25	Pass
50C 120V	ax20	0	5180	Ant1	5180.06	60000	11.58	25	Pass
40C 120V	ax20	0	5180	Ant1	5180.06	60000	11.58	25	Pass
30C 120V	ax20	0	5180	Ant1	5180.06	60000	11.58	25	Pass
10C 120V	ax20	0	5180	Ant1	5180.06	60000	11.58	25	Pass
0C 120V	ax20	0	5180	Ant1	5180.06	60000	11.58	25	Pass
-10C 120V	ax20	0	5180	Ant1	5180.04	40000	7.72	25	Pass
-20C 120V	ax20	0	5180	Ant1	5180.06	60000	11.58	25	Pass
20C 264V	ax20	0	5180	Ant1	5180.06	60000	11.58	25	Pass
20C 120V	ax20	0	5180	Ant1	5180.06	60000	11.58	25	Pass
20C 90V	ax20	0	5180	Ant1	5180.06	60000	11.58	25	Pass
20C 90V	ax40	0	5190	Ant1	5190.08	80000	15.41	25	Pass
20C 120V	ax40	0	5190	Ant1	5190.08	80000	15.41	25	Pass





Global Testing Group

REPORT NUMBER: E01A23030560F00104

20C 264V	ax40	0	5190	Ant1	5190.08	80000	15.41	25	Pass
-20C 120V	ax40	0	5190	Ant1	5190.08	80000	15.41	25	Pass
-10C 120V	ax40	0	5190	Ant1	5190.08	80000	15.41	25	Pass
0C 120V	ax40	0	5190	Ant1	5190.08	80000	15.41	25	Pass
10C 120V	ax40	0	5190	Ant1	5190.08	80000	15.41	25	Pass
30C 120V	ax40	0	5190	Ant1	5190.08	80000	15.41	25	Pass
40C 120V	ax40	0	5190	Ant1	5190.08	80000	15.41	25	Pass
50C 120V	ax40	0	5190	Ant1	5190.08	80000	15.41	25	Pass
NVNT	ax40	0	5230	Ant1	5230.08	80000	15.3	25	Pass