



Appendix D: UNII Band 2-A


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	Ant1	93.37	0.3	0.73
NVNT	a	5280	Ant1	97.78	0.1	0.73
NVNT	a	5320	Ant1	97.71	0.1	0.73
NVNT	n20	5260	Ant1	97.63	0.1	0.78
NVNT	n20	5280	Ant1	97.56	0.11	0.78
NVNT	n20	5320	Ant1	97.56	0.11	0.78
NVNT	n40	5270	Ant1	95.22	0.21	1.57
NVNT	n40	5310	Ant1	95.37	0.21	1.57
NVNT	ac20	5260	Ant1	97.57	0.11	0.78
NVNT	ac20	5280	Ant1	97.65	0.1	0.78
NVNT	ac20	5320	Ant1	97.57	0.11	0.78
NVNT	ac40	5270	Ant1	95.39	0.2	1.56
NVNT	ac40	5310	Ant1	95.25	0.21	1.56
NVNT	ax20	5260	Ant1	96.88	0.14	1.01
NVNT	ax20	5280	Ant1	96.88	0.14	1.01
NVNT	ax20	5320	Ant1	96.98	0.13	1.01
NVNT	ax40	5270	Ant1	94.18	0.26	1.93
NVNT	ax40	5310	Ant1	94.17	0.26	1.93







Date: 5 JUN.2023 13:30:09





Date: 5 JUN.2023 13:30:09




Date: 5 JUN. 2023 13:33:06




Date: 5 JUN. 2023 13:33:06








Date: 5 JUN 2023 13:38:45




Date: 5 JUN 2023 13:38:45







Date: 5 JUN.2023 14:08:39





Date: 5 JUN.2023 14:08:39




Date: 5.JUN.2023 14:12:46




Date: 5.JUN.2023 14:12:46







Date: 5 JUN.2023 13:48:43




Date: 5 JUN.2023 13:48:43




Date: 5.JUN.2023 13:51:47




Date: 5.JUN.2023 13:51:47




Date: 5.JUN.2023 14:18:43




Date: 5.JUN.2023 14:18:43




Date: 5 JUN.2023 14:23:08




Date: 5 JUN.2023 14:24:06




Date: 5 JUN.2023 14:24:06




Date: 5 JUN.2023 13:58:23




Date: 5 JUN 2023 13:58:23




Date: 5 JUN 2023 14:02:34




Date: 5.JUN.2023 14:02:34




Date: 5.JUN.2023 14:05:56




Date: 5 JUN. 2023 14:05:56





Date: 5 JUN. 2023 14:27:31



Date: 5 JUN. 2023 14:27:41







Date: 5 JUN. 2023 14:27:41







-26dB Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant1	29.415	0.5	Pass
NVNT	a	5280	Ant1	29.706	0.5	Pass
NVNT	a	5320	Ant1	29.769	0.5	Pass
NVNT	n20	5260	Ant1	29.466	0.5	Pass
NVNT	n20	5280	Ant1	29.319	0.5	Pass
NVNT	n20	5320	Ant1	29.595	0.5	Pass
NVNT	n40	5270	Ant1	49.332	0.5	Pass
NVNT	n40	5310	Ant1	57.27	0.5	Pass
NVNT	ac20	5260	Ant1	29.811	0.5	Pass
NVNT	ac20	5280	Ant1	29.841	0.5	Pass
NVNT	ac20	5320	Ant1	29.916	0.5	Pass
NVNT	ac40	5270	Ant1	45.942	0.5	Pass
NVNT	ac40	5310	Ant1	45.318	0.5	Pass
NVNT	ax20	5260	Ant1	28.671	0.5	Pass
NVNT	ax20	5280	Ant1	29.286	0.5	Pass
NVNT	ax20	5320	Ant1	29.451	0.5	Pass
NVNT	ax40	5270	Ant1	45.492	0.5	Pass
NVNT	ax40	5310	Ant1	45.012	0.5	Pass



































Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5260	Ant1	16.822
NVNT	a	5280	Ant1	17.026
NVNT	a	5320	Ant1	17.008
NVNT	n20	5260	Ant1	18.19
NVNT	n20	5280	Ant1	18.214
NVNT	n20	5320	Ant1	18.202
NVNT	n40	5270	Ant1	36.996
NVNT	n40	5310	Ant1	37.116
NVNT	ac20	5260	Ant1	18.256
NVNT	ac20	5280	Ant1	18.25
NVNT	ac20	5320	Ant1	18.25
NVNT	ac40	5270	Ant1	36.726
NVNT	ac40	5310	Ant1	36.796
NVNT	ax20	5260	Ant1	19.192
NVNT	ax20	5280	Ant1	19.168
NVNT	ax20	5320	Ant1	19.18
NVNT	ax40	5270	Ant1	38.036
NVNT	ax40	5310	Ant1	38.026































Maximum Conducted Output Power



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	15.18	0.3	15.48	24	Pass
NVNT	a	5280	Ant1	14.88	0.1	14.98	24	Pass
NVNT	a	5320	Ant1	14.08	0.1	14.18	24	Pass
NVNT	n20	5260	Ant1	15.06	0.1	15.16	24	Pass
NVNT	n20	5280	Ant1	14.66	0.11	14.77	24	Pass
NVNT	n20	5320	Ant1	14.06	0.11	14.17	24	Pass
NVNT	n40	5270	Ant1	14.88	0.21	15.09	24	Pass
NVNT	n40	5310	Ant1	14.14	0.21	14.35	24	Pass
NVNT	ac20	5260	Ant1	15.14	0.11	15.25	24	Pass
NVNT	ac20	5280	Ant1	14.79	0.1	14.89	24	Pass
NVNT	ac20	5320	Ant1	13.99	0.11	14.1	24	Pass
NVNT	ac40	5270	Ant1	11.98	0.2	12.18	24	Pass
NVNT	ac40	5310	Ant1	11.15	0.21	11.36	24	Pass
NVNT	ax20	5260	Ant1	15.1	0.14	15.24	24	Pass
NVNT	ax20	5280	Ant1	14.9	0	14.9	24	Pass
NVNT	ax20	5320	Ant1	14.4	0.13	14.53	24	Pass
NVNT	ax40	5270	Ant1	8.3	0.26	8.56	24	Pass
NVNT	ax40	5310	Ant1	7.48	0.26	7.74	24	Pass



Maximum Power Spectral Density Level



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	3.64	0.3	3.94	11	Pass
NVNT	a	5280	Ant1	2.98	0.1	3.08	11	Pass
NVNT	a	5320	Ant1	2.44	0.1	2.54	11	Pass
NVNT	n20	5260	Ant1	3.07	0.1	3.17	11	Pass
NVNT	n20	5280	Ant1	2.81	0.11	2.92	11	Pass
NVNT	n20	5320	Ant1	2.07	0.11	2.18	11	Pass
NVNT	n40	5270	Ant1	-0.03	0.21	0.18	11	Pass
NVNT	n40	5310	Ant1	-1.08	0.21	-0.87	11	Pass
NVNT	ac20	5260	Ant1	3.08	0.11	3.19	11	Pass
NVNT	ac20	5280	Ant1	3.01	0.1	3.11	11	Pass
NVNT	ac20	5320	Ant1	1.85	0.11	1.96	11	Pass
NVNT	ac40	5270	Ant1	-3.71	0.2	-3.51	11	Pass
NVNT	ac40	5310	Ant1	-4.16	0.21	-3.95	11	Pass
NVNT	ax20	5260	Ant1	2.64	0.14	2.78	11	Pass
NVNT	ax20	5280	Ant1	2.45	0.14	2.59	11	Pass
NVNT	ax20	5320	Ant1	1.79	0.13	1.92	11	Pass
NVNT	ax40	5270	Ant1	-4.2	0.26	-3.94	11	Pass
NVNT	ax40	5310	Ant1	-4.69	0.26	-4.43	11	Pass



























Frequency Stability

Condition	Mode	Time (mins)	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C 90V	a	0	5260	Ant1	5260.06	60000	11.41	25	Pass
20C 120V	a	0	5260	Ant1	5260.06	60000	11.41	25	Pass
20C 264V	a	0	5260	Ant1	5260.06	60000	11.41	25	Pass
-20C 120V	a	0	5260	Ant1	5260.06	60000	11.41	25	Pass
-10C 120V	a	0	5260	Ant1	5260.06	60000	11.41	25	Pass
0C 120V	a	0	5260	Ant1	5260.06	60000	11.41	25	Pass
10C 120V	a	0	5260	Ant1	5260.08	80000	15.21	25	Pass
30C 120V	a	0	5260	Ant1	5260.08	80000	15.21	25	Pass
40C 120V	a	0	5260	Ant1	5260.04	40000	7.6	25	Pass
50C 120V	a	0	5260	Ant1	5260.08	80000	15.21	25	Pass
20C 90V	a	0	5280	Ant1	5280.04	40000	7.58	25	Pass
20C 120V	a	0	5280	Ant1	5280.04	40000	7.58	25	Pass
20C 264V	a	0	5280	Ant1	5280.06	60000	11.36	25	Pass
-20C 120V	a	0	5280	Ant1	5280.06	60000	11.36	25	Pass
-10C 120V	a	0	5280	Ant1	5280.06	60000	11.36	25	Pass
0C 120V	a	0	5280	Ant1	5280.08	80000	15.15	25	Pass
10C 120V	a	0	5280	Ant1	5280.06	60000	11.36	25	Pass
30C 120V	a	0	5280	Ant1	5280.06	60000	11.36	25	Pass
40C 120V	a	0	5280	Ant1	5280.04	40000	7.58	25	Pass
50C 120V	a	0	5280	Ant1	5280.06	60000	11.36	25	Pass
20C 90V	a	0	5320	Ant1	5320.06	60000	11.28	25	Pass
20C 120V	a	0	5320	Ant1	5320.06	60000	11.28	25	Pass
20C 264V	a	0	5320	Ant1	5320.04	40000	7.52	25	Pass
-20C 120V	a	0	5320	Ant1	5320.06	60000	11.28	25	Pass
-10C 120V	a	0	5320	Ant1	5320.06	60000	11.28	25	Pass
0C 120V	a	0	5320	Ant1	5320.04	40000	7.52	25	Pass
10C 120V	a	0	5320	Ant1	5320.04	40000	7.52	25	Pass
30C 120V	a	0	5320	Ant1	5320.06	60000	11.28	25	Pass
40C 120V	a	0	5320	Ant1	5320.06	60000	11.28	25	Pass
50C 120V	a	0	5320	Ant1	5320.04	40000	7.52	25	Pass



20C 90V	n20	0	5260	Ant1	5260.06	60000	11.41	25	Pass
20C 120V	n20	0	5260	Ant1	5260.04	40000	7.6	25	Pass
20C 264V	n20	0	5260	Ant1	5260.04	40000	7.6	25	Pass
-20C 120V	n20	0	5260	Ant1	5260.04	40000	7.6	25	Pass
-10C 120V	n20	0	5260	Ant1	5260.04	40000	7.6	25	Pass
0C 120V	n20	0	5260	Ant1	5260.06	60000	11.41	25	Pass
10C 120V	n20	0	5260	Ant1	5260.08	80000	15.21	25	Pass
30C 120V	n20	0	5260	Ant1	5260.06	60000	11.41	25	Pass
40C 120V	n20	0	5260	Ant1	5260.04	40000	7.6	25	Pass
50C 120V	n20	0	5260	Ant1	5260.06	60000	11.41	25	Pass
20C 90V	n20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
20C 120V	n20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
20C 264V	n20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
-20C 120V	n20	0	5280	Ant1	5280.04	40000	7.58	25	Pass
-10C 120V	n20	0	5280	Ant1	5280.04	40000	7.58	25	Pass
0C 120V	n20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
10C 120V	n20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
30C 120V	n20	0	5280	Ant1	5280.04	40000	7.58	25	Pass
40C 120V	n20	0	5280	Ant1	5280.04	40000	7.58	25	Pass
50C 120V	n20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
20C 90V	n20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
20C 120V	n20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
20C 264V	n20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
-20C 120V	n20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
-10C 120V	n20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
0C 120V	n20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
10C 120V	n20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
30C 120V	n20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
40C 120V	n20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
50C 120V	n20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
20C 90V	n40	0	5270	Ant1	5270.08	80000	15.18	25	Pass
20C 120V	n40	0	5270	Ant1	5270.04	40000	7.59	25	Pass
20C 264V	n40	0	5270	Ant1	5270.04	40000	7.59	25	Pass
-20C 120V	n40	0	5270	Ant1	5270.08	80000	15.18	25	Pass



-10C 120V	n40	0	5270	Ant1	5270.04	40000	7.59	25	Pass
0C 120V	n40	0	5270	Ant1	5270.04	40000	7.59	25	Pass
10C 120V	n40	0	5270	Ant1	5270.04	40000	7.59	25	Pass
30C 120V	n40	0	5270	Ant1	5270.08	80000	15.18	25	Pass
40C 120V	n40	0	5270	Ant1	5270.04	40000	7.59	25	Pass
50C 120V	n40	0	5270	Ant1	5270.08	80000	15.18	25	Pass
20C 90V	n40	0	5310	Ant1	5310.04	40000	7.53	25	Pass
20C 120V	n40	0	5310	Ant1	5310.04	40000	7.53	25	Pass
20C 264V	n40	0	5310	Ant1	5310.04	40000	7.53	25	Pass
-20C 120V	n40	0	5310	Ant1	5310.04	40000	7.53	25	Pass
-10C 120V	n40	0	5310	Ant1	5310.04	40000	7.53	25	Pass
0C 120V	n40	0	5310	Ant1	5310.04	40000	7.53	25	Pass
10C 120V	n40	0	5310	Ant1	5310.08	80000	15.07	25	Pass
30C 120V	n40	0	5310	Ant1	5310.04	40000	7.53	25	Pass
40C 120V	n40	0	5310	Ant1	5310.04	40000	7.53	25	Pass
50C 120V	n40	0	5310	Ant1	5310.08	80000	15.07	25	Pass
20C 90V	ac20	0	5260	Ant1	5260.06	60000	11.41	25	Pass
20C 120V	ac20	0	5260	Ant1	5260.04	40000	7.6	25	Pass
20C 264V	ac20	0	5260	Ant1	5260.08	80000	15.21	25	Pass
-20C 120V	ac20	0	5260	Ant1	5260.06	60000	11.41	25	Pass
-10C 120V	ac20	0	5260	Ant1	5260.06	60000	11.41	25	Pass
0C 120V	ac20	0	5260	Ant1	5260.06	60000	11.41	25	Pass
10C 120V	ac20	0	5260	Ant1	5260.06	60000	11.41	25	Pass
30C 120V	ac20	0	5260	Ant1	5260.06	60000	11.41	25	Pass
40C 120V	ac20	0	5260	Ant1	5260.04	40000	7.6	25	Pass
50C 120V	ac20	0	5260	Ant1	5260.04	40000	7.6	25	Pass
20C 90V	ac20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
20C 120V	ac20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
20C 264V	ac20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
-20C 120V	ac20	0	5280	Ant1	5280.04	40000	7.58	25	Pass
-10C 120V	ac20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
0C 120V	ac20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
10C 120V	ac20	0	5280	Ant1	5280.04	40000	7.58	25	Pass
30C 120V	ac20	0	5280	Ant1	5280.06	60000	11.36	25	Pass



40C 120V	ac20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
50C 120V	ac20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
20C 90V	ac20	0	5320	Ant1	5320.04	40000	7.52	25	Pass
20C 120V	ac20	0	5320	Ant1	5320.08	80000	15.04	25	Pass
20C 264V	ac20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
-20C 120V	ac20	0	5320	Ant1	5320.04	40000	7.52	25	Pass
-10C 120V	ac20	0	5320	Ant1	5320.04	40000	7.52	25	Pass
0C 120V	ac20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
10C 120V	ac20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
30C 120V	ac20	0	5320	Ant1	5320.04	40000	7.52	25	Pass
40C 120V	ac20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
50C 120V	ac20	0	5320	Ant1	5320.04	40000	7.52	25	Pass
20C 90V	ac40	0	5270	Ant1	5270.04	40000	7.59	25	Pass
20C 120V	ac40	0	5270	Ant1	5270.04	40000	7.59	25	Pass
20C 264V	ac40	0	5270	Ant1	5270.04	40000	7.59	25	Pass
-20C 120V	ac40	0	5270	Ant1	5270.04	40000	7.59	25	Pass
-10C 120V	ac40	0	5270	Ant1	5270.08	80000	15.18	25	Pass
0C 120V	ac40	0	5270	Ant1	5270.08	80000	15.18	25	Pass
10C 120V	ac40	0	5270	Ant1	5270.04	40000	7.59	25	Pass
30C 120V	ac40	0	5270	Ant1	5270.08	80000	15.18	25	Pass
40C 120V	ac40	0	5270	Ant1	5270.04	40000	7.59	25	Pass
50C 120V	ac40	0	5270	Ant1	5270.04	40000	7.59	25	Pass
20C 90V	ac40	0	5310	Ant1	5310.04	40000	7.53	25	Pass
20C 120V	ac40	0	5310	Ant1	5310.04	40000	7.53	25	Pass
20C 264V	ac40	0	5310	Ant1	5310.04	40000	7.53	25	Pass
-20C 120V	ac40	0	5310	Ant1	5310.04	40000	7.53	25	Pass
-10C 120V	ac40	0	5310	Ant1	5310.04	40000	7.53	25	Pass
0C 120V	ac40	0	5310	Ant1	5310.04	40000	7.53	25	Pass
10C 120V	ac40	0	5310	Ant1	5310.04	40000	7.53	25	Pass
30C 120V	ac40	0	5310	Ant1	5310.04	40000	7.53	25	Pass
40C 120V	ac40	0	5310	Ant1	5310.04	40000	7.53	25	Pass
50C 120V	ac40	0	5310	Ant1	5310.04	40000	7.53	25	Pass
20C 90V	ax20	0	5260	Ant1	5260.06	60000	11.41	25	Pass
20C 120V	ax20	0	5260	Ant1	5260.06	60000	11.41	25	Pass
20C 264V	ax20	0	5260	Ant1	5260.06	60000	11.41	25	Pass



-20C 120V	ax20	0	5260	Ant1	5260.06	60000	11.41	25	Pass
-10C 120V	ax20	0	5260	Ant1	5260.06	60000	11.41	25	Pass
0C 120V	ax20	0	5260	Ant1	5260.06	60000	11.41	25	Pass
10C 120V	ax20	0	5260	Ant1	5260.06	60000	11.41	25	Pass
30C 120V	ax20	0	5260	Ant1	5260.06	60000	11.41	25	Pass
40C 120V	ax20	0	5260	Ant1	5260.06	60000	11.41	25	Pass
50C 120V	ax20	0	5260	Ant1	5260.06	60000	11.41	25	Pass
20C 90V	ax20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
20C 120V	ax20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
20C 264V	ax20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
-20C 120V	ax20	0	5280	Ant1	5280.08	80000	15.15	25	Pass
-10C 120V	ax20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
0C 120V	ax20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
10C 120V	ax20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
30C 120V	ax20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
40C 120V	ax20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
50C 120V	ax20	0	5280	Ant1	5280.06	60000	11.36	25	Pass
20C 90V	ax20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
20C 120V	ax20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
20C 264V	ax20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
-20C 120V	ax20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
-10C 120V	ax20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
0C 120V	ax20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
10C 120V	ax20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
30C 120V	ax20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
40C 120V	ax20	0	5320	Ant1	5320.04	40000	7.52	25	Pass
50C 120V	ax20	0	5320	Ant1	5320.06	60000	11.28	25	Pass
20C 90V	ax40	0	5270	Ant1	5270.08	80000	15.18	25	Pass
20C 120V	ax40	0	5270	Ant1	5270.08	80000	15.18	25	Pass
20C 264V	ax40	0	5270	Ant1	5270.08	80000	15.18	25	Pass
-20C 120V	ax40	0	5270	Ant1	5270.08	80000	15.18	25	Pass
-10C 120V	ax40	0	5270	Ant1	5270.08	80000	15.18	25	Pass
0C 120V	ax40	0	5270	Ant1	5270.08	80000	15.18	25	Pass



Global Testing Group

REPORT NUMBER: E01A23030560F00104

10C 120V	ax40	0	5270	Ant1	5270.08	80000	15.18	25	Pass
30C 120V	ax40	0	5270	Ant1	5270.08	80000	15.18	25	Pass
40C 120V	ax40	0	5270	Ant1	5270.08	80000	15.18	25	Pass
50C 120V	ax40	0	5270	Ant1	5270.08	80000	15.18	25	Pass
20C 90V	ax40	0	5310	Ant1	5310.08	80000	15.07	25	Pass
20C 120V	ax40	0	5310	Ant1	5310.08	80000	15.07	25	Pass
20C 264V	ax40	0	5310	Ant1	5310.08	80000	15.07	25	Pass
-20C 120V	ax40	0	5310	Ant1	5310.08	80000	15.07	25	Pass
-10C 120V	ax40	0	5310	Ant1	5310.08	80000	15.07	25	Pass
0C 120V	ax40	0	5310	Ant1	5310.08	80000	15.07	25	Pass
10C 120V	ax40	0	5310	Ant1	5310.08	80000	15.07	25	Pass
30C 120V	ax40	0	5310	Ant1	5310.08	80000	15.07	25	Pass
40C 120V	ax40	0	5310	Ant1	5310.08	80000	15.07	25	Pass
50C 120V	ax40	0	5310	Ant1	5310.08	80000	15.07	25	Pass