









Appendix D: UNII Band 3


Duty Cycle



Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant1	93.31	0.3	0.73
NVNT	a	5785	Ant1	93.24	0.3	0.73
NVNT	a	5825	Ant1	97.71	0.1	0.73
NVNT	n20	5745	Ant1	97.56	0.11	0.78
NVNT	n20	5785	Ant1	97.56	0.11	0.78
NVNT	n20	5825	Ant1	97.56	0.11	0.78
NVNT	n40	5755	Ant1	95.22	0.21	1.57
NVNT	n40	5795	Ant1	95.22	0.21	1.57
NVNT	ac20	5745	Ant1	97.65	0.1	0.78
NVNT	ac20	5785	Ant1	97.57	0.11	0.78
NVNT	ac20	5825	Ant1	97.57	0.11	0.78
NVNT	ac40	5755	Ant1	95.39	0.2	1.56
NVNT	ac40	5795	Ant1	95.39	0.2	1.56
NVNT	ax20	5745	Ant1	96.98	0.13	1.01
NVNT	ax20	5785	Ant1	96.88	0.14	1.01
NVNT	ax20	5825	Ant1	96.88	0.14	1.01
NVNT	ax40	5755	Ant1	84.09	0.75	1.93
NVNT	ax40	5795	Ant1	94.35	0.25	1.93



































-6dB Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.311	0.5	Pass
NVNT	a	5785	Ant1	16.305	0.5	Pass
NVNT	a	5825	Ant1	16.311	0.5	Pass
NVNT	n20	5745	Ant1	17.559	0.5	Pass
NVNT	n20	5785	Ant1	17.565	0.5	Pass
NVNT	n20	5825	Ant1	17.553	0.5	Pass
NVNT	n40	5755	Ant1	35.898	0.5	Pass
NVNT	n40	5795	Ant1	36.3	0.5	Pass
NVNT	ac20	5745	Ant1	17.562	0.5	Pass
NVNT	ac20	5785	Ant1	17.571	0.5	Pass
NVNT	ac20	5825	Ant1	17.559	0.5	Pass
NVNT	ac40	5755	Ant1	36.048	0.5	Pass
NVNT	ac40	5795	Ant1	36.318	0.5	Pass
NVNT	ax20	5745	Ant1	18.963	0.5	Pass
NVNT	ax20	5785	Ant1	18.975	0.5	Pass
NVNT	ax20	5825	Ant1	18.948	0.5	Pass
NVNT	ax40	5755	Ant1	37.842	0.5	Pass
NVNT	ax40	5795	Ant1	37.836	0.5	Pass





































Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.828
NVNT	a	5785	Ant1	17.986
NVNT	a	5825	Ant1	16.786
NVNT	n20	5745	Ant1	18.46
NVNT	n20	5785	Ant1	18.07
NVNT	n20	5825	Ant1	17.998
NVNT	n20	5825	Ant1	18.022
NVNT	n40	5755	Ant1	36.776
NVNT	n40	5795	Ant1	36.908
NVNT	ac20	5745	Ant1	18.106
NVNT	ac20	5785	Ant1	18.124
NVNT	ac20	5825	Ant1	18.07
NVNT	ac40	5755	Ant1	36.776
NVNT	ac40	5795	Ant1	36.836
NVNT	ax20	5745	Ant1	19.126
NVNT	ax20	5785	Ant1	19.138
NVNT	ax20	5825	Ant1	19.12
NVNT	ax40	5755	Ant1	38.072
NVNT	ax40	5795	Ant1	38.096



































Maximum Conducted Output Power



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	11.81	0.3	12.11	30	Pass
NVNT	a	5785	Ant1	11.03	0.3	11.33	30	Pass
NVNT	a	5825	Ant1	10.79	0.1	10.89	30	Pass
NVNT	n20	5745	Ant1	11.73	0.11	11.84	30	Pass
NVNT	n20	5785	Ant1	11.13	0.11	11.24	30	Pass
NVNT	n20	5825	Ant1	10.71	0.11	10.82	30	Pass
NVNT	n40	5755	Ant1	11.24	0.21	11.45	30	Pass
NVNT	n40	5795	Ant1	10.93	0.21	11.14	30	Pass
NVNT	ac20	5745	Ant1	10.81	0.11	10.91	30	Pass
NVNT	ac20	5785	Ant1	11.09	0.11	11.2	30	Pass
NVNT	ac20	5825	Ant1	10.64	0.11	10.75	30	Pass
NVNT	ac40	5755	Ant1	11.16	0.2	11.36	30	Pass
NVNT	ac40	5795	Ant1	10.69	0.2	10.89	30	Pass
NVNT	ax20	5745	Ant1	11.58	0.13	11.71	30	Pass
NVNT	ax20	5785	Ant1	11	0.14	11.14	30	Pass
NVNT	ax20	5825	Ant1	10.63	0.14	10.77	30	Pass
NVNT	ax40	5755	Ant1	10.7	0.75	11.45	30	Pass
NVNT	ax40	5795	Ant1	10.72	0.25	10.97	30	Pass







Maximum Power Spectral Density Level



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-2.38	0.3	-2.08	30	Pass
NVNT	a	5785	Ant1	-3.62	0.3	-3.32	30	Pass
NVNT	a	5825	Ant1	-3.69	0.1	-3.59	30	Pass
NVNT	n20	5745	Ant1	-2.84	0.11	-2.73	30	Pass
NVNT	n20	5785	Ant1	-4.23	0.11	-4.12	30	Pass
NVNT	n20	5825	Ant1	-4.19	0.11	-4.08	30	Pass
NVNT	n40	5755	Ant1	-7.64	0.21	-7.43	30	Pass
NVNT	n40	5795	Ant1	-7.92	0.21	-7.71	30	Pass
NVNT	ac20	5745	Ant1	-3.47	0.1	-3.37	30	Pass
NVNT	ac20	5785	Ant1	-4.46	0.11	-4.35	30	Pass
NVNT	ac20	5825	Ant1	-4.52	0.11	-4.41	30	Pass
NVNT	ac40	5755	Ant1	-6.71	0.2	-6.51	30	Pass
NVNT	ac40	5795	Ant1	-7.87	0.2	-7.67	30	Pass
NVNT	ax20	5745	Ant1	-3.57	0.13	-3.44	30	Pass
NVNT	ax20	5785	Ant1	-5.38	0.14	-5.24	30	Pass
NVNT	ax20	5825	Ant1	-5	0.14	-4.86	30	Pass
NVNT	ax40	5755	Ant1	-11.06	0.75	-10.31	30	Pass
NVNT	ax40	5795	Ant1	-11.14	0.25	-10.89	30	Pass





























Frequency Stability

Condition	Mode	Time (mins)	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C 90V	a	0	5745	Ant1	5745.06	60000	10.44	25	Pass
20C 120V	a	0	5745	Ant1	5745.06	60000	10.44	25	Pass
20C 264V	a	0	5745	Ant1	5745.06	60000	10.44	25	Pass
-20C 120V	a	0	5745	Ant1	5745.06	60000	10.44	25	Pass
-10C 120V	a	0	5745	Ant1	5745.06	60000	10.44	25	Pass
0C 120V	a	0	5745	Ant1	5745.06	60000	10.44	25	Pass
10C 120V	a	0	5745	Ant1	5745.04	40000	6.96	25	Pass
30C 120V	a	0	5745	Ant1	5745.06	60000	10.44	25	Pass
40C 120V	a	0	5745	Ant1	5745.06	60000	10.44	25	Pass
50C 120V	a	0	5745	Ant1	5745.08	80000	13.93	25	Pass
20C 90V	a	0	5785	Ant1	5785.06	60000	10.37	25	Pass
20C 120V	a	0	5785	Ant1	5785.08	80000	13.83	25	Pass
20C 264V	a	0	5785	Ant1	5785.06	60000	10.37	25	Pass
-20C 120V	a	0	5785	Ant1	5785.08	80000	13.83	25	Pass
-10C 120V	a	0	5785	Ant1	5785.06	60000	10.37	25	Pass
0C 120V	a	0	5785	Ant1	5785.08	80000	13.83	25	Pass
10C 120V	a	0	5785	Ant1	5785.08	80000	13.83	25	Pass
30C 120V	a	0	5785	Ant1	5785.08	80000	13.83	25	Pass
40C 120V	a	0	5785	Ant1	5785.08	80000	13.83	25	Pass
50C 120V	a	0	5785	Ant1	5785.08	80000	13.83	25	Pass
20C 90V	a	0	5825	Ant1	5825.08	80000	13.73	25	Pass
20C 120V	a	0	5825	Ant1	5825.08	80000	13.73	25	Pass
20C 264V	a	0	5825	Ant1	5825.08	80000	13.73	25	Pass
-20C 120V	a	0	5825	Ant1	5825.06	60000	10.3	25	Pass
-10C 120V	a	0	5825	Ant1	5825.08	80000	13.73	25	Pass
0C 120V	a	0	5825	Ant1	5825.08	80000	13.73	25	Pass
10C 120V	a	0	5825	Ant1	5825.06	60000	10.3	25	Pass
30C 120V	a	0	5825	Ant1	5825.06	60000	10.3	25	Pass
40C 120V	a	0	5825	Ant1	5825.08	80000	13.73	25	Pass
50C 120V	a	0	5825	Ant1	5825.08	80000	13.73	25	Pass



Global Testing Group

REPORT NUMBER: E01A23030560F00104

20C 90V	n20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
20C 120V	n20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
20C 264V	n20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
-20C 120V	n20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
-10C 120V	n20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
0C 120V	n20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
10C 120V	n20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
30C 120V	n20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
40C 120V	n20	0	5745	Ant1	5745.08	80000	13.93	25	Pass
50C 120V	n20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
20C 90V	n20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
20C 120V	n20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
20C 264V	n20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
-20C 120V	n20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
-10C 120V	n20	0	5785	Ant1	5785.1	100000	17.29	25	Pass
0C 120V	n20	0	5785	Ant1	5785.08	80000	13.83	25	Pass
10C 120V	n20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
30C 120V	n20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
40C 120V	n20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
50C 120V	n20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
20C 90V	n20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
20C 120V	n20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
20C 264V	n20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
-20C 120V	n20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
-10C 120V	n20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
0C 120V	n20	0	5825	Ant1	5825.08	80000	13.73	25	Pass
10C 120V	n20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
30C 120V	n20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
40C 120V	n20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
50C 120V	n20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
20C 90V	n40	0	5755	Ant1	5755.04	40000	6.95	25	Pass
20C 120V	n40	0	5755	Ant1	5755.04	40000	6.95	25	Pass
20C 264V	n40	0	5755	Ant1	5755	0	0	25	Pass
-20C 120V	n40	0	5755	Ant1	5755.08	80000	13.9	25	Pass



Global Testing Group

REPORT NUMBER: E01A23030560F00104

-10C 120V	n40	0	5755	Ant1	5755.04	40000	6.95	25	Pass
0C 120V	n40	0	5755	Ant1	5755.04	40000	6.95	25	Pass
10C 120V	n40	0	5755	Ant1	5755.04	40000	6.95	25	Pass
30C 120V	n40	0	5755	Ant1	5755.04	40000	6.95	25	Pass
40C 120V	n40	0	5755	Ant1	5755.04	40000	6.95	25	Pass
50C 120V	n40	0	5755	Ant1	5755.04	40000	6.95	25	Pass
20C 90V	n40	0	5795	Ant1	5795.04	40000	6.9	25	Pass
20C 120V	n40	0	5795	Ant1	5795.08	80000	13.81	25	Pass
20C 264V	n40	0	5795	Ant1	5795.04	40000	6.9	25	Pass
-20C 120V	n40	0	5795	Ant1	5795.08	80000	13.81	25	Pass
-10C 120V	n40	0	5795	Ant1	5795.04	40000	6.9	25	Pass
0C 120V	n40	0	5795	Ant1	5795.08	80000	13.81	25	Pass
10C 120V	n40	0	5795	Ant1	5795.08	80000	13.81	25	Pass
30C 120V	n40	0	5795	Ant1	5795.04	40000	6.9	25	Pass
40C 120V	n40	0	5795	Ant1	5795.08	80000	13.81	25	Pass
50C 120V	n40	0	5795	Ant1	5795.04	40000	6.9	25	Pass
20C 90V	ac20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
20C 120V	ac20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
20C 264V	ac20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
-20C 120V	ac20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
-10C 120V	ac20	0	5745	Ant1	5745.08	80000	13.93	25	Pass
0C 120V	ac20	0	5745	Ant1	5745.08	80000	13.93	25	Pass
10C 120V	ac20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
30C 120V	ac20	0	5745	Ant1	5745.08	80000	13.93	25	Pass
40C 120V	ac20	0	5745	Ant1	5745.08	80000	13.93	25	Pass
50C 120V	ac20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
20C 90V	ac20	0	5785	Ant1	5785.08	80000	13.83	25	Pass
20C 120V	ac20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
20C 264V	ac20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
-20C 120V	ac20	0	5785	Ant1	5785.04	40000	6.91	25	Pass
-10C 120V	ac20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
0C 120V	ac20	0	5785	Ant1	5785.08	80000	13.83	25	Pass
10C 120V	ac20	0	5785	Ant1	5785.08	80000	13.83	25	Pass
30C 120V	ac20	0	5785	Ant1	5785.06	60000	10.37	25	Pass



Global Testing Group

REPORT NUMBER: E01A23030560F00104

40C 120V	ac20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
50C 120V	ac20	0	5785	Ant1	5785.08	80000	13.83	25	Pass
20C 90V	ac20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
20C 120V	ac20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
20C 264V	ac20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
-20C 120V	ac20	0	5825	Ant1	5825.08	80000	13.73	25	Pass
-10C 120V	ac20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
0C 120V	ac20	0	5825	Ant1	5825.08	80000	13.73	25	Pass
10C 120V	ac20	0	5825	Ant1	5825.08	80000	13.73	25	Pass
30C 120V	ac20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
40C 120V	ac20	0	5825	Ant1	5825.08	80000	13.73	25	Pass
50C 120V	ac20	0	5825	Ant1	5825.04	40000	6.87	25	Pass
20C 90V	ac40	0	5755	Ant1	5755.04	40000	6.95	25	Pass
20C 120V	ac40	0	5755	Ant1	5755.04	40000	6.95	25	Pass
20C 264V	ac40	0	5755	Ant1	5755.08	80000	13.9	25	Pass
-20C 120V	ac40	0	5755	Ant1	5755.04	40000	6.95	25	Pass
-10C 120V	ac40	0	5755	Ant1	5755.04	40000	6.95	25	Pass
0C 120V	ac40	0	5755	Ant1	5755.04	40000	6.95	25	Pass
10C 120V	ac40	0	5755	Ant1	5755.04	40000	6.95	25	Pass
30C 120V	ac40	0	5755	Ant1	5755.04	40000	6.95	25	Pass
40C 120V	ac40	0	5755	Ant1	5755.04	40000	6.95	25	Pass
50C 120V	ac40	0	5755	Ant1	5755.08	80000	13.9	25	Pass
20C 90V	ac40	0	5795	Ant1	5795.08	80000	13.81	25	Pass
20C 120V	ac40	0	5795	Ant1	5795.12	120000	20.71	25	Pass
20C 264V	ac40	0	5795	Ant1	5795.04	40000	6.9	25	Pass
-20C 120V	ac40	0	5795	Ant1	5795.04	40000	6.9	25	Pass
-10C 120V	ac40	0	5795	Ant1	5795.04	40000	6.9	25	Pass
0C 120V	ac40	0	5795	Ant1	5795.08	80000	13.81	25	Pass
10C 120V	ac40	0	5795	Ant1	5795.08	80000	13.81	25	Pass
30C 120V	ac40	0	5795	Ant1	5795.12	120000	20.71	25	Pass
40C 120V	ac40	0	5795	Ant1	5795.08	80000	13.81	25	Pass
50C 120V	ac40	0	5795	Ant1	5795.12	120000	20.71	25	Pass
20C 90V	ax20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
20C 120V	ax20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
20C 264V	ax20	0	5745	Ant1	5745.06	60000	10.44	25	Pass



Global Testing Group

REPORT NUMBER: E01A23030560F00104

-20C 120V	ax20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
-10C 120V	ax20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
0C 120V	ax20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
10C 120V	ax20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
30C 120V	ax20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
40C 120V	ax20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
50C 120V	ax20	0	5745	Ant1	5745.06	60000	10.44	25	Pass
20C 90V	ax20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
20C 120V	ax20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
20C 264V	ax20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
-20C 120V	ax20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
-10C 120V	ax20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
0C 120V	ax20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
10C 120V	ax20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
30C 120V	ax20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
40C 120V	ax20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
50C 120V	ax20	0	5785	Ant1	5785.06	60000	10.37	25	Pass
20C 90V	ax20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
20C 120V	ax20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
20C 264V	ax20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
-20C 120V	ax20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
-10C 120V	ax20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
0C 120V	ax20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
10C 120V	ax20	0	5825	Ant1	5825.08	80000	13.73	25	Pass
30C 120V	ax20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
40C 120V	ax20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
50C 120V	ax20	0	5825	Ant1	5825.06	60000	10.3	25	Pass
20C 90V	ax40	0	5755	Ant1	5755.08	80000	13.9	25	Pass
20C 120V	ax40	0	5755	Ant1	5755.08	80000	13.9	25	Pass
20C 264V	ax40	0	5755	Ant1	5755.08	80000	13.9	25	Pass
-20C 120V	ax40	0	5755	Ant1	5755.08	80000	13.9	25	Pass
-10C 120V	ax40	0	5755	Ant1	5755.08	80000	13.9	25	Pass
0C 120V	ax40	0	5755	Ant1	5755.08	80000	13.9	25	Pass



Global Testing Group

REPORT NUMBER: E01A23030560F00104

10C 120V	ax40	0	5755	Ant1	5755.08	80000	13.9	25	Pass
30C 120V	ax40	0	5755	Ant1	5755.08	80000	13.9	25	Pass
40C 120V	ax40	0	5755	Ant1	5755.08	80000	13.9	25	Pass
50C 120V	ax40	0	5755	Ant1	5755.08	80000	13.9	25	Pass
20C 90V	ax40	0	5795	Ant1	5795.08	80000	13.81	25	Pass
20C 120V	ax40	0	5795	Ant1	5795.08	80000	13.81	25	Pass
20C 264V	ax40	0	5795	Ant1	5795.08	80000	13.81	25	Pass
-20C 120V	ax40	0	5795	Ant1	5795.08	80000	13.81	25	Pass
-10C 120V	ax40	0	5795	Ant1	5795.08	80000	13.81	25	Pass
0C 120V	ax40	0	5795	Ant1	5795.08	80000	13.81	25	Pass
10C 120V	ax40	0	5795	Ant1	5795.08	80000	13.81	25	Pass
30C 120V	ax40	0	5795	Ant1	5795.08	80000	13.81	25	Pass
40C 120V	ax40	0	5795	Ant1	5795.08	80000	13.81	25	Pass
50C 120V	ax40	0	5795	Ant1	5795.08	80000	13.81	25	Pass