MPE ESTIMATION

FCC ID: 2A24P-MGC1

1, Limit for General Population/ Uncontrolled Exposures

| Frequency | Power density (mW/cm ²) | Averaging time(minutes) | | |
|--------------|-------------------------------------|-------------------------|--|--|
| 300MHz1.5GHz | F/1500 | 30 | | |
| 1.5GHz100GHz | 1.0 | 30 | | |

2, Estimation Result

| Mode | Max PK Output power(dBm) | • | Max Tune Up power(mW) | Antenna Gain(dBi) | Antenna Gain (linear) | MPE (mW/cm²) |
|------|--------------------------|----------|-----------------------------|----------------------|-----------------------------|-----------------|
| WIFI | 16.78 | 16±1(17) | 50.12 | 1 | 1.26 | 0.01257 |

$$Pd = \frac{Pout * G}{4\pi r^2}$$

Note:

Note: The estimation distance is 20cm

The device could not transmit simultaneously in WIFI

Note: PK Output power= conducted power.

Conducted power see the test report HK2204251738-E

Gantenna gain=1dBi

when the minimum test separation distance is >20 cm, a distance of 20 cm is applied to determine RF Exposure test exclusion. The test exclusion threshold is 0.01257mW/cm² which is< 1.0mW/cm², RF Exposure testing is not required.

----The End-----