



## Appendix A

### RF Test Data for BT (Conducted Measurement)

Product Name: EarphoneBluetooth

Test Model: OWS810

#### Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Taylor Hu
Supervised by:	Nick Peng





### A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.926	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.832	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.843	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.27	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.285	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.274	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.293	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.272	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.29	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1






-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1





## A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	0.51	21	Pass
NVNT	1-DH5	2441	Ant1	0.1	21	Pass
NVNT	1-DH5	2480	Ant1	1.54	21	Pass
NVNT	2-DH5	2402	Ant1	0.02	21	Pass
NVNT	2-DH5	2441	Ant1	-0.27	21	Pass
NVNT	2-DH5	2480	Ant1	0.95	21	Pass
NVNT	3-DH5	2402	Ant1	0.19	21	Pass
NVNT	3-DH5	2441	Ant1	-0.27	21	Pass
NVNT	3-DH5	2480	Ant1	0.98	21	Pass









Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1






Power NVNT 3-DH5 2402MHz Ant1




Power NVNT 3-DH5 2441MHz Ant1





Power NVNT 3-DH5 2480MHz Ant1





### A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.988	2402.97	0.982	0.617	Pass
NVNT	2-DH5	Ant1	2402.008	2403.018	1.01	0.857	Pass
NVNT	3-DH5	Ant1	2401.808	2402.84	1.032	0.862	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1




CFS NVNT 2-DH5 2402MHz Ant1





CFS NVNT 3-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity





### A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.882	273.79	95	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.885	314.465	109	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.886	256.854	89	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





## A.5 Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass






Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1





Hopping No. NVNT 3-DH5 2402MHz Ant1





## A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-56.38	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-58.17	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-55.22	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-57.43	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-54.3	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-57.27	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity






Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





### (Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-55.95	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-57.36	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-54.37	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-57.14	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-54.87	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-53.95	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission








Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





### A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-53.01	-20	Pass
NVNT	1-DH5	2441	Ant1	-53.7	-20	Pass
NVNT	1-DH5	2480	Ant1	-56.33	-20	Pass
NVNT	2-DH5	2402	Ant1	-54.93	-20	Pass
NVNT	2-DH5	2441	Ant1	-53.07	-20	Pass
NVNT	2-DH5	2480	Ant1	-56.18	-20	Pass
NVNT	3-DH5	2402	Ant1	-53.09	-20	Pass
NVNT	3-DH5	2441	Ant1	-54.92	-20	Pass
NVNT	3-DH5	2480	Ant1	-54.81	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission








Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





## A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	76.88	1.14	0.35
NVNT	1-DH5	2441	Ant1	76.88	1.14	0.35
NVNT	1-DH5	2480	Ant1	76.91	1.14	0.35
NVNT	2-DH5	2402	Ant1	76.96	1.14	0.35
NVNT	2-DH5	2441	Ant1	76.96	1.14	0.35
NVNT	2-DH5	2480	Ant1	76.96	1.14	0.35
NVNT	3-DH5	2402	Ant1	77.04	1.13	0.35
NVNT	3-DH5	2441	Ant1	77.04	1.13	0.35
NVNT	3-DH5	2480	Ant1	77.01	1.13	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity






Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1






Duty Cycle NVNT 3-DH5 2402MHz Ant1




Duty Cycle NVNT 3-DH5 2441MHz Ant1





Duty Cycle NVNT 3-DH5 2480MHz Ant1





## A.9 Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-48.48	3.5	-	46.64	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.86	3.5	1.14	40.93	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2364.24	-47.41	3.5	-	50.95	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2373.552	-57.64	3.5	1.14	41.43	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-49.76	3.5	-	50.35	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.4	3.5	1.14	41.4	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-49.61	3.5	-	48.52	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-57.95	3.5	1.14	42.82	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2488.888	-47.21	3.5	-	59.78	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2492.464	-57.15	3.5	1.14	42.95	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-49.52	3.5	-	48.53	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-57.6	3.5	1.14	41.59	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-51.27	3.5	-	49.68	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.47	3.5	1.14	42.22	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2347.536	-47.11	3.5	-	51.77	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2378.256	-57.7	3.5	1.14	43.47	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-49.3	3.5	-	49.11	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.89	3.5	1.14	42.43	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-48.77	3.5	-	49.67	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-57.8	3.5	1.14	44.15	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2496.4	-46.8	3.5	-	56.55	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2497.744	-57.14	3.5	1.14	46	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-48.38	3.5	-	49.57	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-58.02	3.5	1.14	42.92	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-50.41	3.5	-	47.56	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.85	3.5	1.13	42.85	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2361.072	-46.01	3.5	-	51.59	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2357.808	-57.71	3.5	1.13	43.27	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-51	3.5	-	49.38	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-58.35	3.5	1.13	42.68	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-50.67	3.5	-	52.49	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-58.06	3.5	1.13	44.33	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2492.152	-47.35	3.5	-	60.66	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2488.936	-56.85	3.5	1.13	44.33	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.93	3.5	-	49.13	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-58.44	3.5	1.13	42.54	Average	54	Pass






Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average








Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average








Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

