


FCC SAR TEST REPORT

Application No.: SEWM2206000075RG
Applicant: COOSEA GROUP (HK) COMPANY LIMITED
Manufacturer: COOSEA GROUP (HK) COMPANY LIMITED
Product Name: Smart Phone
Model No.(EUT): SL104D
Brand Name: SUMMIT
FCC ID: 2A28USL104D
Standards: FCC 47CFR §2.1093
Date of Receipt: 2022-06-06
Date of Test: 2022-06-13 to 2022-06-24
Date of Issue: 2022-07-05
Test conclusion: **PASS ***

* In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:



Pantu Sun

Wireless Laboratory Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

REVISION HISTORY

Report Number	Revision	Description	Issue Date
SEWM2206000075RG06	01	Original	2022-07-05



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

TEST SUMMARY

Frequency Band	Maximum Reported SAR(W/kg)		
	Head	Body-worn	Hotspot
GSM850	0.28	0.26	0.43
GSM1900	0.21	0.07	0.89
WCDMA Band II	0.91	0.29	1.02
WCDMA Band IV	1.22	0.39	1.04
WCDMA Band V	0.33	0.30	0.36
LTE Band 12	0.25	0.20	0.22
LTE Band 14	0.32	0.25	0.27
LTE Band 25<E Band 2	0.98	0.34	0.75
LTE Band 26<E Band 5	0.28	0.18	0.18
LTE Band 30	0.20	0.20	0.35
LTE Band 66<E Band 4	1.27	0.42	1.11
LTE Band 71	0.26	0.35	0.39
WI-FI (2.4GHz)	0.41	0.24	0.46
BT	<0.10	<0.10	<0.10
SAR Limited(W/kg)	1.6		
Maximum Simultaneous Transmission SAR (W/kg)			
Scenario	Head	Body-worn	Hotspot
Sum SAR	1.55	0.66	1.57
SPLSR	N/A	N/A	N/A
SPLSR Limited	0.04		

Note:

- 1) The Simultaneous transmission SAR is the same test position of the WWAN antenna + WiFi/BT antenna.
- 2) According to TCB workshop October,2014 RF Exposure Procedures Update(Overlapping LTE Bands), When the supported frequency range of an LTE Band falls completely within an LTE band with a larger transmission frequency range, both LTE bands have the same target power (or the band with the larger transmission frequency range has a higher target power), and both LTE bands share the same transmission path and signal characteristics, SAR was only assessed for the band with the larger transmission frequency range. For This device, LTE band 2/4/5 SAR test was covered by Band 25/66/26.
- 3) For LTE Band12/26/71 the maximum bandwidth does not support three non-overlapping channels, per KDB 941225 D05v02r05, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

Reviewed by

Well Wei

Well Wei

Prepared by

Nick Hu

Nick Hu



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

CONTENTS

1	GENERAL INFORMATION	6
1.1	DETAILS OF CLIENT	6
1.2	TEST LOCATION	6
1.3	TEST FACILITY	7
1.4	GENERAL DESCRIPTION OF EUT	8
1.4.1	DUT Antenna Locations (Back View)	9
1.4.2	Power reduction specification	10
1.5	TEST SPECIFICATION	11
1.6	RF EXPOSURE LIMITS	12
2	LABORATORY ENVIRONMENT	13
3	SAR MEASUREMENTS SYSTEM CONFIGURATION	14
3.1	THE SAR MEASUREMENT SYSTEM	14
3.2	ISOTROPIC E-FIELD PROBE EX3DV4	15
3.3	DATA ACQUISITION ELECTRONICS (DAE)	16
3.4	SAM TWIN PHANTOM	16
3.5	ELI PHANTOM	17
3.6	DEVICE HOLDER FOR TRANSMITTERS	18
3.7	MEASUREMENT PROCEDURE	19
3.7.1	Scanning procedure	19
3.7.2	Data Storage	21
3.7.3	Data Evaluation by SEMCAD	21
4	SAR MEASUREMENT VARIABILITY AND UNCERTAINTY	23
4.1	SAR MEASUREMENT VARIABILITY	23
4.2	SAR MEASUREMENT UNCERTAINTY	23
5	DESCRIPTION OF TEST POSITION	24
5.1	HEAD EXPOSURE CONDITION	24
5.1.1	SAM Phantom Shape	24
5.1.2	EUT constructions	25
5.1.3	Definition of the "cheek" position	25
5.1.4	Definition of the "tilted" position	26
5.2	BODY EXPOSURE CONDITION	27
5.2.1	Body-worn accessory exposure conditions	27
5.2.2	Wireless Router exposure conditions	28
5.3	EXTREMITY EXPOSURE CONDITIONS	28
5.4	PROXIMITY SENSOR TRIGGERING TEST	31
6	SAR SYSTEM VERIFICATION PROCEDURE	36
6.1	TISSUE SIMULATE LIQUID	36
6.1.1	Recipes for Tissue Simulate Liquid	36
6.1.2	Measurement for Tissue Simulate Liquid	37
6.2	SAR SYSTEM CHECK	38
6.2.1	Justification for Extended SAR Dipole Calibrations	39
6.2.2	Summary System Check Result(s)	40
6.2.3	Detailed System Check Results	40
7	TEST CONFIGURATION	41



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

7.1	3G SAR TEST REDUCTION PROCEDURE	41
7.2	OPERATION CONFIGURATIONS	41
7.2.1	<i>GSM Test Configuration</i>	41
7.2.2	<i>WCDMA Test Configuration</i>	41
7.2.3	<i>WiFi Test Configuration</i>	49
7.2.4	<i>LTE Test Configuration</i>	53
8	TEST RESULT	55
8.1	MEASUREMENT OF RF CONDUCTED POWER	55
8.1.1	<i>Conducted Power of GSM</i>	55
8.1.2	<i>Conducted Power of WCDMA</i>	57
8.1.3	<i>Conducted Power of LTE</i>	61
8.1.4	<i>Conducted Power of WIFI</i>	115
8.1.5	<i>Conducted Power of BT</i>	117
8.2	STAND-ALONE SAR TEST EVALUATION	118
8.3	MEASUREMENT OF SAR DATA	119
8.3.1	<i>SAR Result of GSM 850</i>	120
8.3.2	<i>SAR Result of GSM 1900</i>	121
8.3.3	<i>SAR Result of WCDMA Band II</i>	122
8.3.4	<i>SAR Result of WCDMA Band IV</i>	123
8.3.5	<i>SAR Result of WCDMA Band V</i>	124
8.3.6	<i>SAR Result of LTE Band 12</i>	125
8.3.7	<i>SAR Result of LTE Band 14</i>	126
8.3.8	<i>SAR Result of LTE Band 25</i>	127
8.3.9	<i>SAR Result of LTE Band 26</i>	128
8.3.10	<i>SAR Result of LTE Band 30</i>	129
8.3.11	<i>SAR Result of LTE Band 66</i>	130
8.3.12	<i>SAR Result of LTE Band 71</i>	132
8.3.13	<i>SAR Result of WIFI 2.4G</i>	133
8.3.14	<i>SAR Result of BT</i>	134
8.4	MULTIPLE TRANSMITTER EVALUATION	135
8.4.1	<i>Simultaneous SAR SAR test evaluation</i>	135
8.4.2	<i>Simultaneous Transmission SAR Summation Scenario</i>	136
9	EQUIPMENT LIST	141
10	CALIBRATION CERTIFICATE	142
11	PHOTOGRAPHS	142
APPENDIX A: DETAILED SYSTEM CHECK RESULTS		142
APPENDIX B: DETAILED TEST RESULTS		142
APPENDIX C: CALIBRATION CERTIFICATE		142
APPENDIX D: PHOTOGRAPHS		142



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

1 General Information

1.1 Details of Client

Applicant:	COOSEA GROUP (HK) COMPANY LIMITED
Address:	UNIT 5-6 16/F MULTIFIELD PLAZA 3-7A PRAT AVENUE TSIMSHATSUI KL, HONG KONG, CHINA
Manufacturer:	COOSEA GROUP (HK) COMPANY LIMITED
Address:	UNIT 5-6 16/F MULTIFIELD PLAZA 3-7A PRAT AVENUE TSIMSHATSUI KL, HONG KONG, CHINA

1.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test Engineer:	Alan Zhang, Leon Xu



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

1.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• **A2LA (Certificate No. 6336.01)**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• **Innovation, Science and Economic Development Canada**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• **FCC –Designation Number: CN1312**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

1.4 General Description of EUT


Device Type:	portable device		
Exposure Category:	uncontrolled environment / general population		
Product Name:	Smart Phone		
Model No.(EUT):	SL104D		
Trade Mark:	SUMMIT		
FCC ID:	2A28USL104D		
Product Phase:	Identical Prototype		
IMEI:	354222520005663,354222520002686		
Hardware Version:	1.0		
Software Version:	SL104DD10013		
Antenna Type:	Integrated		
Device Operating Configurations :			
Modulation Mode:	GSM: GMSK, 8PSK; WCDMA: QPSK, HSPA+(16QAM); LTE: QPSK, 16QAM, 64QAM WIFI: DSSS, OFDM; BT: GFSK, π/4DQPSK, 8DPSK		
Device Class:	B		
GPRS Multi-slots Class:	12	EGPRS Multi-slots Class:	12
HSDPA UE Category:	24	HSUPA UE Category	7
DC-HSDPA UE Category:	24		
Power Class:	4, tested with power level 5(GSM850)		
	1, tested with power level 0(GSM1900)		
	3, tested with power control "all up"(WCDMA Bands)		
	3, tested with power control Max Power(LTE Band)		
Frequency Bands:	Band	Tx (MHz)	Rx (MHz)
	GSM 850	824 - 849	869 - 894
	PCS 1900	1850 - 1910	1930 - 1990
	WCDMA Band II	1850 - 1910	1930 - 1990
	WCDMA Band IV	1710 - 1755	2110 - 2155
	WCDMA Band V	824 - 849	869 - 894
	LTE Band 2	1850 - 1910	1930 - 1990
	LTE Band 4	1710 - 1755	2110 - 2155
	LTE Band 5	824 - 849	869 - 894
	LTE Band 12	699 - 716	729 - 746
	LTE Band 14	788 - 798	758 - 768
	LTE band 25	1850 - 1915	1930 - 1995
	LTE Band 26	814 - 849	859 - 894
	LTE Band 29	/	717 - 728
	LTE Band 30	2305 - 2315	2350 - 2360
	LTE band 66	1710 - 1780	2110 - 2180
	LTE band 71	663 - 698	617 - 652
Bluetooth	2402~2480	2402~2480	
Wi-Fi 2.4G	2412~2462	2412~2462	
RF Cable:	<input checked="" type="checkbox"/> Provided by the applicant <input type="checkbox"/> Provided by the laboratory		
Battery Information:	Model:	BL-A41CT	
	Normal Voltage:	3.8V	
	Rated capacity:	2950mAh	
	Manufacturer:	Shenzhen Aerospace Electronic Co.,Ltd.	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

1.4.1 DUT Antenna Locations (Back View)



Antenna	Support Band
Ant 0	TX: 2G 850,3G B5,LTE B5/12/14/26/30/71 RX:2G 850, 3G B2/4/5 4G B2/4/5/12/14/25/26/29/30/66/71
Ant 1	TX:2G 1900,3G B2/4,LTE B2/4/25/66 RX:2G 1900,3G B2/4/5,4G B2/4/5/12/14/25/26/29/30/66/71
Ant 2	TX:WIFI 2.4g,BT,RX:WIFI2.4G,BT,GPS

Note:

- 1) The test device is a smart phone. The overall diagonal dimension of this device is 168.4 mm. Per KDB 648474 D04, because the diagonal distance of this device is ≥ 160 mm, so it is a phablet.
- 2) RX Antenna does not support transmitter function.

According to the distance between antennas and the sides of the EUT we can draw the conclusion that:

EUT Sides for SAR Testing							
Mode	Exposure Condition	Front	Back	Left	Right	Top	Bottom
WWAN Ant0	Hotspot	Yes	Yes	Yes	Yes	No	Yes
WWAN Ant1	Hotspot	Yes	Yes	Yes	No	Yes	No
WiFi2.GHz/BT Ant2	Hotspot	Yes	Yes	No	Yes	Yes	No

Table 1: EUT Sides for SAR Testing

Note: When the antenna-to-edge distance is greater than 2.5cm, such position does not need to be tested.



1.4.2 Power reduction specification

This device uses a single fixed level of power reduction through static table look-up for SAR compliance and it is triggered by a single event or operation

- 1) A fixed level power reduction is applied for some frequency bands when hotspot mode becomes active. When the hotspot is disabled, the power value will be recovered.
- 2) A fixed level power reduction is applied for some frequency bands when handset operate "held to the ear" condition, the power reduction triggered by audio receiver detection. The audio receiver detection is used to determine head or body scenario.
- 3) The proximity sensor is used to indicate when the device is held close to a user's body exposure condition. It utilizes the proximity sensor to reduce the output power in specific wireless and operating modes of main antenna to ensure SAR compliance (Refer to section 5.4 for detailed proximity Sensor information and validation data per KDB 616217).

The detailed power reduction information can be referred to section 8.1 Measurement of RF conducted Power.

Power Level(dBm)						
Power Reduction Scenario	GSM1900 4TX	WCDMA II	WCDMA IV	LTE B2/B25	LTE B4/B66	LTE B30
Hotspot off	26.50	24.00	24.00	24.50	24.50	24.50
Hotspot on	25.30	22.50	22.50	22.50	22.50	22.50

Power Level(dBm)					
Power Reduction Scenario	GSM1900 4TX	WCDMA II	WCDMA IV	LTE B2/B25	LTE B4/B66
Sensor off	26.50	24.00	24.00	24.50	24.50
Sensor on	25.30	21.50	21.50	21.50	21.50

Power Level(dBm)					
Power Reduction Scenario	GSM1900 4TX	WCDMA II	WCDMA IV	LTE B2/B25	LTE B4/B66
Receiver off	26.50	24.00	24.00	24.50	24.50
Receiver on	24.30	20.00	20.00	20.50	19.50

WiFi antenna Power Level(dBm)			
Power Reduction Scenario		Receiver Off	Receiver On
WiFi 2.4G	802.11b	19.00	17.00
	802.11g	17.00	17.00
	802.11n 20M	16.00	16.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

1.5 Test Specification

Identity	Document Title
FCC 47CFR §2.1093	Radiofrequency Radiation Exposure Evaluation: Portable Devices
ANSI/IEEE C95.1-1992	IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz – 300 GHz.
IEEE 1528-2013	Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques
KDB 941225 D01	3G SAR Measurement Procedures v03r01
KDB 941225 D05	SAR for LTE Devices v02r05
KDB 941225 D06	Hotspot Mode SAR v02r01
KDB 248227 D01	SAR Guidance for IEEE 802 11 Wi-Fi SAR v02r02
KDB 648474 D04	Handset SAR v01r03
KDB 447498 D01	General RF Exposure Guidance v06
KDB 865664 D01	SAR Measurement 100 MHz to 6 GHz v01r04
KDB 865664 D02	RF Exposure Reporting v01r02
KDB 690783 D01	SAR Listings on Grants v01r03
KDB 616217 D04	SAR for laptop and tablets v01r02



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

1.6 RF exposure limits

Human Exposure	Uncontrolled Environment General Population	Controlled Environment Occupational
Spatial Peak SAR* (Brain*Trunk)	1.60 mW/g	8.00 mW/g
Spatial Average SAR** (Whole Body)	0.08 mW/g	0.40 mW/g
Spatial Peak SAR*** (Hands/Feet/Ankle/Wrist)	4.00 mW/g	20.00 mW/g

Notes:

* The Spatial Peak value of the SAR averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube) and over the appropriate averaging time

** The Spatial Average value of the SAR averaged over the whole body.

*** The Spatial Peak value of the SAR averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube) and over the appropriate averaging time.

Uncontrolled Environments are defined as locations where there is the exposure of individuals who have no knowledge or control of their exposure.

Controlled Environments are defined as locations where there is exposure that may be incurred by persons who are aware of the potential for exposure, (i.e. as a result of employment or occupation.)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

2 Laboratory Environment

Temperature	Min. = 18°C, Max. = 25 °C
Relative humidity	Min. = 30%, Max. = 70%
Ambient noise is checked and found very low and in compliance with requirement of standards.	
Reflection of surrounding objects is minimized and in compliance with requirement of standards.	

Table 2: The Ambient Conditions



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

3 SAR Measurements System Configuration

3.1 The SAR Measurement System

This SAR Measurement System uses a Computer-controlled 3-D stepper motor system (SPEAG DASY5 professional system). A E-field probe is used to determine the internal electric fields. The SAR can be obtained from the equation $SAR = \sigma (|E|^2) / \rho$ where σ and ρ are the conductivity and mass density of the tissue-Simulate.


The DASY5 system for performing compliance tests consists of the following items:

A standard high precision 6-axis robot (Stabile RX family) with controller, teach pendant and software .An arm extension for accommodation the data acquisition electronics (DAE).

A dosimetric probe, i.e., an isotropic E-field probe optimized and calibrated for usage in tissue simulating liquid. The probe is equipped with an optical surface detector system.

A data acquisition electronics (DAE) which performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.

The Electro-optical converter (EOC) performs the conversion between optical and electrical of the signals for the digital communication to DAE and for the analog signal from the optical surface detection. The EOC is connected to the measurement server.



F-1. SAR Measurement System Configuration




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

- The function of the measurement server is to perform the time critical tasks such as signal filtering, control of the robot operation and fast movement interrupts.
- A probe alignment unit which improves the (absolute) accuracy of the probe positioning.
- A computer operating Windows 7.
- DASY5 software.
- Remote control with teach pendant and additional circuitry for robot safety such as warning lamps, etc.
- The SAM twin phantom enabling testing left-hand, right-hand and Body Worn usage.
- The device holder for handheld mobile phones.
- Tissue simulating liquid mixed according to the given recipes.
- Validation dipole kits allowing to validating the proper functioning of the system.

3.2 Isotropic E-field Probe EX3DV4

	<p>Symmetrical design with triangular core Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)</p>
<p>Calibration</p>	<p>ISO/IEC 17025 calibration service available.</p>
<p>Frequency</p>	<p>10 MHz to > 6 GHz Linearity: ± 0.2 dB (30 MHz to 6 GHz)</p>
<p>Directivity</p>	<p>± 0.3 dB in TSL (rotation around probe axis) ± 0.5 dB in TSL (rotation normal to probe axis)</p>
<p>Dynamic Range</p>	<p>10 μW/g to > 100 mW/g Linearity: ± 0.2 dB (noise: typically < 1 μW/g)</p>
<p>Dimensions</p>	<p>Overall length: 337 mm (Tip: 20 mm) Tip diameter: 2.5 mm (Body: 12 mm) Typical distance from probe tip to dipole centers: 1 mm</p>
<p>Application</p>	<p>High precision dosimetric measurements in any exposure scenario (e.g., very strong gradient fields); the only probe that enables compliance testing for frequencies up to 6 GHz with precision of better 30%.</p>
<p>Compatibility</p>	<p>DASY3, DASY4, DASY52 SAR and higher, EASY4/MRI</p>




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

3.3 Data Acquisition Electronics (DAE)

Model	DAE	
Construction	Signal amplifier, multiplexer, A/D converter and control logic. Serial optical link for communication with DASY4/5 embedded system (fully remote controlled). Two step probe touch detector for mechanical surface detection and emergency robot stop.	
Measurement Range	-100 to +300 mV (16 bit resolution and two range settings: 4mV,400mV)	
Input Offset Voltage	< 5μV (with auto zero)	
Input Bias Current	< 50 f A	
Dimensions	60 x 60 x 68 mm	

3.4 SAM Twin Phantom

Material	Vinylester, glass fiber reinforced (VE-GF)	
Liquid Compatibility	Compatible with all SPEAG tissue simulating liquids (incl. DGBE type)	
Shell Thickness	2 ± 0.2 mm (6 ± 0.2 mm at ear point)	
Dimensions (incl. Wooden Support)	Length: 1000 mm Width: 500 mm Height: adjustable feet	
Filling Volume	approx. 25 liters	
Wooden Support	SPEAG standard phantom table	

The shell corresponds to the specifications of the Specific Anthropomorphic Mannequin (SAM) phantom defined in IEEE 1528 and IEC 62209-1. It enables the dosimetric evaluation of left and right hand phone usage as well as body mounted usage at the flat phantom region. A cover prevents evaporation of the liquid. Reference markings on the phantom allow the complete setup of all predefined phantom positions and measurement grids by teaching three points with the robot.

Twin SAM V5.0 has the same shell geometry and is manufactured from the same material as Twin SAM V4.0, but has reinforced top structure.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

3.5 ELI Phantom

Material	Vinylester, glass fiber reinforced (VE-GF)	
Liquid Compatibility	Compatible with all SPEAG tissue simulating liquids (incl. DGBE type)	
Shell Thickness	2.0 ± 0.2 mm (bottom plate)	
Dimensions	Major axis: 600 mm Minor axis: 400 mm	
Filling Volume	approx. 30 liters	
Wooden Support	SPEAG standard phantom table	

Phantom for compliance testing of handheld and body-mounted wireless devices in the frequency range of 30 MHz to 6 GHz. ELI is fully compatible with the IEC 62209-2 standard and all known tissue simulating liquids. ELI has been optimized regarding its performance and can be integrated into our standard phantom tables. A cover prevents evaporation of the liquid. Reference markings on the phantom allow installation of the complete setup, including all predefined phantom positions and measurement grids, by teaching three points. The phantom is compatible with all SPEAG dosimetric probes and dipoles.

ELI V5.0 has the same shell geometry and is manufactured from the same material as ELI4, but has reinforced top structure.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

3.6 Device Holder for Transmitters



F-2. Device Holder for Transmitters

- The DASY device holder is designed to cope with different positions given in the standard. It has two scales for the device rotation (with respect to the body axis) and the device inclination (with respect to the line between the ear reference points). The rotation centres for both scales are the ear reference point (ERP). Thus the device needs no repositioning when changing the angles.
- The DASY device holder has been made out of low-loss POM material having the following dielectric parameters: relative permittivity $\epsilon=3$ and loss tangent $\delta=0.02$. The amount of dielectric material has been reduced in the closest vicinity of the device, since measurements have suggested that the influence of the clamp on the test results could thus be lowered.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

3.7 Measurement procedure

3.7.1 Scanning procedure

Step 1: Power reference measurement

The “reference” and “drift” measurements are located at the beginning and end of the batch process. They measure the field drift at one single point in the liquid over the complete procedure.

Step 2: Area scan

The SAR distribution at the exposed side of the head was measured at a distance of 4mm from the inner surface of the shell. The area covered the entire dimension of the head and the horizontal grid spacing was 15mm*15mm or 12mm*12mm or 10mm*10mm. Based on the area scan data, the area of the maximum absorption was determined by spline interpolation.

Step 3: Zoom scan

Around this point, a volume of 32mm*32mm*30mm ($f \leq 2\text{GHz}$), 30mm*30mm*30mm (f for 2-3GHz) and 24mm*24mm*22mm (f for 5-6GHz) was assessed by measuring 5x5x7 points ($f \leq 2\text{GHz}$), 7x7x7 points (f for 2-3GHz) and 7x7x12 points (f for 5-6GHz). On this basis of this data set, the spatial peak SAR value was evaluated with the following procedure:

The data at the surface was extrapolated, since the centre of the dipoles is 2.0mm away from the tip of the probe and the distance between the surface and the lowest measuring point is 1.2mm. (This can be variable. Refer to the probe specification). The extrapolation was based on a least square algorithm. A polynomial of the fourth order was calculated through the points in z-axes. This polynomial was then used to evaluate the points between the surface and the probe tip. The maximum interpolated value was searched with a straight-forward algorithm. Around this maximum the SAR values averaged over the spatial volumes (1g or 10g) were computed using the 3D-Spline interpolation algorithm. The volume was integrated with the trapezoidal algorithm. One thousand points were interpolated to calculate the average. All neighbouring volumes were evaluated until no neighboring volume with a higher average value was found.

The area and zoom scan resolutions specified in the table below must be applied to the SAR measurements. Probe boundary effect error compensation is required for measurements with the probe tip closer than half a probe tip diameter to the phantom surface. Both the probe tip diameter and sensor offset distance must satisfy measurement protocols; to ensure probe boundary effect errors are minimized and the higher fields closest to the phantom surface can be correctly measured and extrapolated to the phantom surface for computing 1-g SAR. Tolerances of the post-processing algorithms must be verified by the test laboratory for the scan resolutions used in the SAR measurements, according to the reference distribution functions specified in IEEE Std. 1528-2013.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

		≤ 3 GHz	> 3 GHz	
Maximum distance from closest measurement point (geometric center of probe sensors) to phantom surface		5 ± 1 mm	$\frac{1}{2} \cdot \delta \cdot \ln(2) \pm 0.5$ mm	
Maximum probe angle from probe axis to phantom surface normal at the measurement location		$30^\circ \pm 1^\circ$	$20^\circ \pm 1^\circ$	
Maximum area scan spatial resolution: Δx_{Area} , Δy_{Area}		≤ 2 GHz: ≤ 15 mm 2 – 3 GHz: ≤ 12 mm	3 – 4 GHz: ≤ 12 mm 4 – 6 GHz: ≤ 10 mm	
		When the x or y dimension of the test device, in the measurement plane orientation, is smaller than the above, the measurement resolution must be \leq the corresponding x or y dimension of the test device with at least one measurement point on the test device.		
Maximum zoom scan spatial resolution: Δx_{Zoom} , Δy_{Zoom}		≤ 2 GHz: ≤ 8 mm 2 – 3 GHz: ≤ 5 mm*	3 – 4 GHz: ≤ 5 mm* 4 – 6 GHz: ≤ 4 mm*	
Maximum zoom scan spatial resolution, normal to phantom surface	uniform grid: $\Delta z_{Zoom}(n)$	≤ 5 mm	3 – 4 GHz: ≤ 4 mm 4 – 5 GHz: ≤ 3 mm 5 – 6 GHz: ≤ 2 mm	
	graded grid	$\Delta z_{Zoom}(1)$: between 1 st two points closest to phantom surface	≤ 4 mm	3 – 4 GHz: ≤ 3 mm 4 – 5 GHz: ≤ 2.5 mm 5 – 6 GHz: ≤ 2 mm
		$\Delta z_{Zoom}(n>1)$: between subsequent points	$\leq 1.5 \cdot \Delta z_{Zoom}(n-1)$	
Minimum zoom scan volume	x, y, z	≥ 30 mm	3 – 4 GHz: ≥ 28 mm 4 – 5 GHz: ≥ 25 mm 5 – 6 GHz: ≥ 22 mm	

Step 4: Power reference measurement (drift)

The Power Drift Measurement job measures the field at the same location as the most recent power reference measurement job within the same procedure, and with the same settings. The indicated drift is mainly the variation of the DUT's output power and should vary max. $\pm 5\%$



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

3.7.2 Data Storage

The DASY software stores the acquired data from the data acquisition electronics as raw data (in microvolt readings from the probe sensors), together with all necessary software parameters for the data evaluation (probe calibration data, liquid parameters and device frequency and modulation data) in measurement files with the extension “.DAE4”. The software evaluates the desired unit and format for output each time the data is visualized or exported. This allows verification of the complete software setup even after the measurement and allows correction of incorrect parameter settings. For example, if a measurement has been performed with a wrong crest factor parameter in the device setup, the parameter can be corrected afterwards and the data can be re-evaluated. The measured data can be visualized or exported in different units or formats, depending on the selected probe type ([V/m], [A/m], [°C], [m W/g], [m W/cm²], [dBrel], etc.). Some of these units are not available in certain situations or show meaningless results, e.g., a SAR output in a lossless media will always be zero. Raw data can also be exported to perform the evaluation with other software packages.

3.7.3 Data Evaluation by SEMCAD

The SEMCAD software automatically executes the following procedures to calculate the field units from the microvolt readings at the probe connector. The parameters used in the evaluation are stored in the configuration modules of the software:

Probe parameters:	- Sensitivity	Normi, ai0, ai1, ai2
	- Conversion factor	ConvFi
	- Diode compression point	Dcpi
Device parameters:	- Frequency	f
	- Crest factor	cf
Media parameters:	- Conductivity	ε
	- Density	ρ

These parameters must be set correctly in the software. They can be found in the component documents or they can be imported into the software from the configuration files issued for the DASY components. In the direct measuring mode of the multimeter option, the parameters of the actual system setup are used. In the scan visualization and export modes, the parameters stored in the corresponding document files are used.

The first step of the evaluation is a linearization of the filtered input signal to account for the compression characteristics of the detector diode. The compensation depends on the input signal, the diode type and the DC-transmission factor from the diode to the evaluation electronics.

If the exciting field is pulsed, the crest factor of the signal must be known to correctly compensate for peak power. The formula for each channel can be given as:

$$V_i = U_i + U_i^2 \cdot cf / dcpi$$

With V_i = compensated signal of channel i ($i = x, y, z$)
 U_i = input signal of channel i ($i = x, y, z$)
 cf = crest factor of exciting field (DASY parameter)
 $dcpi$ = diode compression point (DASY parameter)

From the compensated input signals the primary field data for each channel can be evaluated:

E-field probes:

$$E_i = (V_i / Normi \cdot ConvF)^{1/2}$$



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

H-field probes:

$$H_i = (V_i)^{1/2} \cdot (a_{i0} + a_{i1}f + a_{i2}f^2) / f$$

With V_i = compensated signal of channel i ($i = x, y, z$)

Norm $_i$ = sensor sensitivity of channel i ($i = x, y, z$)

[mV/(V/m)²] for E-field Probes

ConvF = sensitivity enhancement in solution

a_{ij} = sensor sensitivity factors for H-field probes

f = carrier frequency [GHz]

E_i = electric field strength of channel i in V/m

H_i = magnetic field strength of channel i in A/m

The RSS value of the field components gives the total field strength (Hermitian magnitude):

$$E_{tot} = (E_x^2 + E_y^2 + E_z^2)^{1/2}$$

The primary field data are used to calculate the derived field units.

$$SAR = (E_{tot}^2 \cdot \sigma) / (\epsilon \cdot 1000)$$

with SAR = local specific absorption rate in mW/g

E_{tot} = total field strength in V/m

σ = conductivity in [mho/m] or [Siemens/m]

ϵ = equivalent tissue density in g/cm³

Note that the density is normally set to 1 (or 1.06), to account for actual brain density rather than the density of the simulation liquid. The power flow density is calculated assuming the excitation field to be a free space field.

$$P_{pwe} = E_{tot}^2 / 3770 \quad \text{or} \quad P_{pwe} = H_{tot}^2 \cdot 37.7$$

with P_{pwe} = equivalent power density of a plane wave in mW/cm²

E_{tot} = total electric field strength in V/m

H_{tot} = total magnetic field strength in A/m



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

4 SAR measurement variability and uncertainty

4.1 SAR measurement variability

Per KDB865664 D01 SAR measurement 100 MHz to 6 GHz v01r04, SAR measurement variability must be assessed for each frequency band, which is determined by the SAR probe calibration point and tissue-equivalent medium used for the device measurements. The additional measurements are repeated after the completion of all measurements requiring the same head or body tissue-equivalent medium in a frequency band. The test device should be returned to ambient conditions (normal room temperature) with the battery fully charged before it is re-mounted on the device holder for the repeated measurement(s) to minimize any unexpected variations in the repeated results.

- 1) Repeated measurement is not required when the original highest measured SAR is < 0.80 W/kg; steps 2) through 4) do not apply.
 - 2) When the original highest measured SAR is ≥ 0.80 W/kg, repeat that measurement once.
 - 3) Perform a second repeated measurement only if the ratio of largest to smallest SAR for the original and first repeated measurements is > 1.20 or when the original or repeated measurement is ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).
 - 4) Perform a third repeated measurement only if the original, first or second repeated measurement is ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .
- The same procedures should be adapted for measurements according to extremity and occupational exposure limits by applying a factor of 2.5 for extremity exposure and a factor of 5 for occupational exposure to the corresponding SAR thresholds.

4.2 SAR measurement uncertainty

Per KDB865664 D01 SAR Measurement 100 MHz to 6 GHz, when the highest measured 1-g SAR within a frequency band is < 1.5 W/kg, the extensive SAR measurement uncertainty analysis described in IEEE Std 1528-2013 is not required in SAR reports submitted for equipment approval. The equivalent ratio (1.5/1.6) is applied to extremity and occupational exposure conditions.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

5 Description of Test Position


5.1 Head Exposure Condition

5.1.1 SAM Phantom Shape




F-3. Front, back, and side views of SAM (model for the phantom shell). Full-head model is for illustration purposes only-procedures in this recommended practice are intended primarily for the phantom setup.


Note: The centre strip including the nose region has a different thickness tolerance.



F-4. Sagittally bisected phantom with extended perimeter (shown placed on its side as used for SAR measurements)




F-5. Close-up side view of phantom, showing the ear region, N-F and B-M lines, and seven cross-sectional plane locations




F-6. Side view of the phantom showing relevant markings and seven cross-sectional plane locations

5.1.2 EUT constructions



F-7. Handset vertical and horizontal reference lines-“fixed case”



F-8. Handset vertical and horizontal reference lines-“clam-shell case”

5.1.3 Definition of the “cheek” position

- Position the device with the vertical centre line of the body of the device and the horizontal line crossing the centre of the ear piece in a plane parallel to the sagittal plane of the phantom (“initial position”). While maintaining the device in this plane, align the vertical centre line with the reference plane containing the three ear and mouth reference points (M, RE and LE) and align the centre of the ear piece with the line RE-LE.
- Translate the mobile phone box towards the phantom with the ear piece aligned with the line LE-RE until telephone touches the ear. While maintaining the device in the reference plane and maintaining the phone contact with the ear, move the bottom of the box until any point on the front side is in contact with the cheek of the phantom or until contact with the ear is lost.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

5.1.4 Definition of the “tilted” position

- a) Position the device in the “cheek” position described above;
- b) While maintaining the device in the reference plane described above and pivoting against the ear, move it outward away from the mouth by an angle of 15 degrees or until contact with the ear is lost.



F-9. Definition of the reference lines and points, on the phone and on the phantom and initial position



F-10. “Cheek” and “tilt” positions of the mobile phone on the left side



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

5.2 Body Exposure Condition


5.2.1 Body-worn accessory exposure conditions

Body-worn operating configurations should be tested with the belt-clips and holsters attached to the device and positioned against a flat phantom in normal use configurations.

Body-worn operating configurations are tested with the belt-clips and holsters attached to the device and positioned against a flat phantom in a normal use configuration. Per FCC KDB Publication 648474 D04, Body-worn accessory exposure is typically related to voice mode operations when handsets are carried in body-worn accessories. The body-worn accessory procedures in FCC KDB Publication 447498 D01 should be used to test for body-worn accessory SAR compliance, without a headset connected to it. This enables the test results for such configuration to be compatible with that required for hotspot mode when the body-worn accessory test separation distance is greater than or equal to that required for hotspot mode, when applicable. When the reported SAR for a body-worn accessory, measured without a headset connected to the handset, is > 1.2 W/kg, the highest reported SAR configuration for that wireless mode and frequency band should be repeated for that body-worn accessory with a headset attached to the handset.

Accessories for Body-worn operation configurations are divided into two categories: those that do not contain metallic components and those that do contain metallic components. When multiple accessories that do not contain metallic components are supplied with the device, the device is tested with only the accessory that dictates the closest spacing to the body. Then multiple accessories that contain metallic components are tested with the device with each accessory. If multiple accessories share an identical metallic component (i.e. the same metallic belt-clip used with different holsters with no other metallic components) only the accessory that dictates the closest spacing to the body is tested.

Body-worn accessories may not always be supplied or available as options for some devices intended to be authorized for body-worn use. In this case, a test configuration with a separation distance between the back of the device and the flat phantom is used. Test position spacing was documented. Transmitters that are designed to operate in front of a person's face, as in push-to-talk configurations, are tested for SAR compliance with the front of the device positioned to face the flat phantom in head fluid. For devices that are carried next to the body such as a shoulder, waist or chest-worn transmitters, SAR compliance is tested with the accessories, including headsets and microphones, attached to the device and positioned against a flat phantom in a normal use configuration.



F-11. Test positions for body-worn devices



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

5.2.2 Wireless Router exposure conditions

Some battery-operated handsets have the capability to transmit and receive user data through simultaneous transmission of WIFI simultaneously with a separate licensed transmitter. The FCC has provided guidance in FCC KDB Publication 941225 D06 where SAR test considerations for handsets (L x W ≥ 9 cm x 5 cm) are based on a composite test separation distance of 10 mm from the front, back and edges of the device containing transmitting antennas within 2.5 cm of their edges, determined from general mixed use conditions for this type of devices. For devices with form factors smaller than 9 cm x 5 cm, a test separation distance of 5 mm is required.

5.3 Extremity exposure conditions

Per FCC KDB 648474D04, for smart phones with a display diagonal dimension > 15.0 cm or an overall diagonal dimension > 16.0 cm that provide similar mobile web access and multimedia support found in mini-tablets or UMPC mini-tablets that support voice calls next to the ear, the device is marketed as “Phablet”. The UMPC mini-tablet procedures must also be applied to test the SAR of all surfaces and edges with an antenna located at ≤ 25 mm from that surface or edge, in direct contact with a flat phantom, for Product Specific 10-g SAR according to the body-equivalent tissue dielectric parameters in KDB 865664 to address interactive hand use exposure conditions. The UMPC mini-tablet 1-g SAR at 5 mm is not required. When hotspot mode applies, Product Specific 10-g SAR is required only for the surfaces and edges with hotspot mode 1-g reported SAR > 1.2 W/kg; however, when power reduction applies to hotspot mode the measured SAR must be scaled to the maximum output power, including tolerance, allowed for phablet modes to compare with the 1.2 W/kg SAR test reduction threshold. Due to the SAR result, no frequency band to be test with 0mm for the Product Specific 10-g SAR.

GSM850 (Ant0)

Test position	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Product Specific 10-g SAR SAR Exclusio
Front side	GPRS 4TS	190/836.6	1:2.075	0.315	0.07	29.61	30.00	1.094	0.345	Yes
Back side	GPRS 4TS	190/836.6	1:2.075	0.388	-0.12	29.61	30.00	1.094	0.424	Yes
Left side	GPRS 4TS	190/836.6	1:2.075	0.180	0.03	29.61	30.00	1.094	0.197	Yes
Right side	GPRS 4TS	190/836.6	1:2.075	0.389	-0.03	29.61	30.00	1.094	0.426	Yes
Bottom side	GPRS 4TS	190/836.6	1:2.075	0.186	0.06	29.61	30.00	1.094	0.203	Yes

GSM1900 (Ant1)

Test position	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Product Specific 10-g SAR SAR Exclusio
Front side	GPRS 4TS	661/1880	1:2.075	0.569	0.11	24.33	26.75	1.746	0.993	Yes
Back side	GPRS 4TS	661/1880	1:2.075	0.714	0.03	24.33	25.30	1.250	0.893	Yes
Left side	GPRS 4TS	661/1880	1:2.075	0.388	-0.14	24.33	25.30	1.250	0.485	Yes
Top side	GPRS 4TS	661/1880	1:2.075	0.385	0.01	24.33	25.30	1.250	0.481	Yes



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

WCDMA II (Ant1)

Test position	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Product Specific 10-g SAR SAR Exclusion
Front side	RMC	9400/1880	1:1	0.295	0.06	22.33	24.00	1.469	0.433	Yes
Back side	RMC	9262/1852.4	1:1	0.926	-0.06	22.10	21.50	0.871	0.807	Yes
Left side	RMC	9400/1880	1:1	0.236	-0.06	22.33	21.50	0.826	0.195	Yes
Top side	RMC	9400/1880	1:1	0.397	0.15	22.33	21.50	0.826	0.328	Yes

WCDMA IV (Ant1)

Test position	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Product Specific 10-g SAR SAR Exclusion
Front side	RMC	1412/1732.4	1:1	0.391	0.18	22.36	24.00	1.459	0.570	Yes
Back side	RMC	1513/1752.6	1:1	0.990	0.05	22.30	21.50	0.832	0.823	Yes
Left side	RMC	1412/1732.4	1:1	0.364	0.02	22.36	21.50	0.820	0.299	Yes
Top side	RMC	1412/1732.4	1:1	0.414	0.12	22.36	21.50	0.820	0.340	Yes

WCDMA V (Ant0)

Test position	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Product Specific 10-g SAR SAR Exclusion
Front side	RMC	4182/836.4	1:1	0.228	0.03	23.28	24.50	1.324	0.302	Yes
Back side	RMC	4182/836.4	1:1	0.268	-0.03	23.28	24.50	1.324	0.355	Yes
Left side	RMC	4182/836.4	1:1	0.143	0.11	23.28	24.50	1.324	0.189	Yes
Right side	RMC	4182/836.4	1:1	0.255	-0.05	23.28	24.50	1.324	0.338	Yes
Bottom side	RMC	4182/836.4	1:1	0.102	-0.18	23.28	24.50	1.324	0.135	Yes

LTE B12 (Ant0)

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Product Specific 10-g SAR SAR Exclusion
Front side	10	QPSK 1_0	23095/707.5	1:1	0.139	0.09	23.79	24.50	1.178	0.164	Yes
Back side	10	QPSK 1_0	23095/707.5	1:1	0.186	-0.11	23.79	24.50	1.178	0.219	Yes
Left side	10	QPSK 1_0	23095/707.5	1:1	0.112	0.02	23.79	24.50	1.178	0.132	Yes
Right side	10	QPSK 1_0	23095/707.5	1:1	0.173	0.07	23.79	24.50	1.178	0.204	Yes
Bottom side	10	QPSK 1_0	23095/707.5	1:1	0.046	0.01	23.79	24.50	1.178	0.055	Yes

LTE B14 (Ant0)

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Product Specific 10-g SAR SAR Exclusion
Front side	10	QPSK 1_0	23330/793	1:1	0.176	-0.11	23.72	24.50	1.197	0.211	Yes
Back side	10	QPSK 1_0	23330/793	1:1	0.228	-0.11	23.72	24.50	1.197	0.273	Yes
Left side	10	QPSK 1_0	23330/793	1:1	0.157	0.05	23.72	24.50	1.197	0.188	Yes
Right side	10	QPSK 1_0	23330/793	1:1	0.226	0.02	23.72	24.50	1.197	0.270	Yes
Bottom side	10	QPSK 1_0	23330/793	1:1	0.054	0.01	23.72	24.50	1.197	0.065	Yes

LTE B25 (Ant1)

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Product Specific 10-g SAR SAR Exclusion
Front side	20	QPSK 50_0	26365/1882.5	1:1	0.273	-0.11	21.70	24.50	1.905	0.520	Yes
Back side	20	QPSK 50_0	26365/1882.5	1:1	0.624	-0.07	21.70	21.50	0.955	0.596	Yes
Left side	20	QPSK 50_0	26365/1882.5	1:1	0.104	0.09	21.70	21.50	0.955	0.099	Yes
Top side	20	QPSK 50_0	26365/1882.5	1:1	0.287	0.02	21.70	21.50	0.955	0.274	Yes



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

LTE B26 (Ant0)

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Product Specific 10-g SAR SAR Exclusio
Front side	15	QPSK 1_0	26865/831.5	1:1	0.126	-0.16	23.79	24.50	1.178	0.148	Yes
Back side	15	QPSK 1_0	26865/831.5	1:1	0.141	-0.19	23.79	24.50	1.178	0.166	Yes
Left side	15	QPSK 1_0	26865/831.5	1:1	0.104	0.05	23.79	24.50	1.178	0.122	Yes
Rightt side	15	QPSK 1_0	26865/831.5	1:1	0.154	-0.13	23.79	24.50	1.178	0.181	Yes
Bottom side	15	QPSK 1_0	26865/831.5	1:1	0.030	-0.06	23.79	24.50	1.178	0.036	Yes

LTE B30 (Ant0)

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Product Specific 10-g SAR SAR Exclusio
Front side	10	QPSK 25_0	27710/2310	1:1	0.302	-0.08	21.84	24.50	1.845	0.557	Yes
Back side	10	QPSK 25_0	27710/2310	1:1	0.248	-0.01	21.84	24.50	1.845	0.458	Yes
Left side	10	QPSK 25_0	27710/2310	1:1	0.121	0.05	21.84	24.50	1.845	0.223	Yes
Rightt side	10	QPSK 25_0	27710/2310	1:1	0.070	0.14	21.84	24.50	1.845	0.128	Yes
Bottom side	10	QPSK 25_0	27710/2310	1:1	0.264	-0.07	21.84	24.50	1.845	0.487	Yes

LTE B66 (Ant1)

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Product Specific 10-g SAR SAR Exclusio
Front side	20	QPSK 50_0	132322/1745	1:1	0.420	-0.08	21.73	24.50	1.892	0.795	Yes
Back side	20	QPSK 50_0	132572/1770	1:1	0.859	0.05	21.40	21.50	1.023	0.879	Yes
Left side	20	QPSK 50_0	132322/1745	1:1	0.243	0.12	21.73	21.50	0.948	0.230	Yes
Top side	20	QPSK 50_0	132322/1745	1:1	0.510	-0.14	21.73	21.50	0.948	0.484	Yes

LTE B71 (Ant0)

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Product Specific 10-g SAR SAR Exclusio
Front side	20	QPSK 1_0	133322/683	1:1	0.241	-0.05	23.81	24.50	1.172	0.282	Yes
Back side	20	QPSK 1_0	133322/683	1:1	0.335	-0.05	23.81	24.50	1.172	0.393	Yes
Left side	20	QPSK 1_0	133322/683	1:1	0.202	0.09	23.81	24.50	1.172	0.237	Yes
Rightt side	20	QPSK 1_0	133322/683	1:1	0.282	0.12	23.81	24.50	1.172	0.331	Yes
Bottom side	20	QPSK 1_0	133322/683	1:1	0.031	0.17	23.81	24.50	1.172	0.037	Yes

WIFI2.4G (Ant2)

Test position	Test mode	Test ch./Freq.	Duty Cycle	Duty Cycle Scaled factor	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Product Specific 10-g SAR SAR Exclusio
Front side	802.11b	1/2412	99.64%	1.004	0.202	0.04	17.98	19.00	1.265	0.256	Yes
Back side	802.11b	1/2412	99.64%	1.004	0.364	-0.05	17.98	19.00	1.265	0.462	Yes
Right side	802.11b	1/2412	99.64%	1.004	0.183	0.04	17.98	19.00	1.265	0.232	Yes
Top side	802.11b	1/2412	99.64%	1.004	0.165	-0.03	17.98	19.00	1.265	0.209	Yes

BT (Ant2)

Test position	Test mode	Test ch./Freq.	Duty Cycle	Duty Cycle Scaled factor	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Product Specific 10-g SAR SAR Exclusio
Front side	DH5	39/2441	76.86%	1.301	0.030	0.02	9.50	10.00	1.122	0.044	Yes
Back side	DH5	39/2441	76.86%	1.301	0.050	-0.09	9.50	10.00	1.122	0.074	Yes
Right side	DH5	39/2441	76.86%	1.301	0.027	0.05	9.50	10.00	1.122	0.040	Yes
Top side	DH5	39/2441	76.86%	1.301	0.029	-0.17	9.50	10.00	1.122	0.042	Yes



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

5.4 Proximity Sensor Triggering Test

Proximity sensor triggering distances:

The Proximity sensor triggering was applied to WWAN antenna. Proximity sensor triggering distance testing was performed according to the procedures outlined in KDB 616217 D04 section 6.2, and EUT moving further away from the flat phantom and EUT moving toward the flat phantom were both assessed.



Proximity Sensor Triggering Distance(mm)			
Antenna	Ant1		
Position	Back side	Left side	Top side
Minimum	4mm	3mm	6mm
Required SAR Test	3mm	2mm	5mm

Note:



SAR tests with proximity sensor power reduction are only required for Product Specific 10-g SAR in the table above.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

● DUT Moving Toward (Trigger)the Phantom




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com





● DUT Moving Away(Release) from the Phantom



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Proximity sensor coverage


If a sensor is spatially offset from the antenna(s), it is necessary to verify sensor triggering for conditions where the antenna is next to the user but the sensor is laterally further away to ensure sensor coverage is sufficient for reducing the power to maintain compliance. For p-sensor coverage testing, the device is moved and “along the direction of maximum antenna and sensor offset”.

The proximity sensor and main antenna use same metallic electrode, so there is no spatial offset.

Device tilt angle influences to proximity sensor triggering

The influence of device tilt angles to proximity sensor triggering was determined by positioning each tablet edge that contains a transmitting antenna, perpendicular to the flat phantom.

Rotating the tablet around the edge next to the phantom in $\leq 10^\circ$ increments until the tablet is $\pm 45^\circ$ from the vertical position at 0° , and the maximum output power remains in the reduced mode.



Summary of Tablet Tilt Angle Influence to Proximity Sensor Triggering for Top Side													
Band (MHz)	Minimum trigger distance Per KDB616217§6.2	Minimum trigger distance at which power reduction was maintained over $\pm 45^\circ$	Power Reduction Status										
			-45°	-35°	-25°	-15°	-5°	0°	5°	15°	25°	35°	45°
Ant1	Left Side 3mm	Left Side 3mm	on	on	on	on	on	on	on	on	on	on	on
	Top Side 6mm	Top Side 6mm	on	on	on	on	on	on	on	on	on	on	on



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

6 SAR System Verification Procedure

6.1 Tissue Simulate Liquid

6.1.1 Recipes for Tissue Simulate Liquid

The following tables give the recipes for tissue simulating liquids to be used in different frequency bands:

Ingredients (% by weight)	Frequency (MHz)				
	450	700-900	1750-2000	2300-2500	2500-2700
Water	38.56	40.30	55.24	55.00	54.92
Salt (NaCl)	3.95	1.38	0.31	0.2	0.23
Sucrose	56.32	57.90	0	0	0
HEC	0.98	0.24	0	0	0
Bactericide	0.19	0.18	0	0	0
Tween	0	0	44.45	44.80	44.85
Salt: 99+% Pure Sodium Chloride Water: De-ionized, 16 MΩ ⁺ resistivity Tween: Polyoxyethylene (20) sorbitan monolaurate			Sucrose: 98+% Pure Sucrose HEC: Hydroxyethyl Cellulose		
HSL5GHz is composed of the following ingredients: Water: 50-65% Mineral oil: 10-30% Emulsifiers: 8-25% Sodium salt: 0-1.5%					

Table 3: Recipe of Tissue Simulate Liquid



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

6.1.2 Measurement for Tissue Simulate Liquid

The Conductivity (σ) and Permittivity (ρ) are listed in bellow table. For the SAR measurement given in this report. The temperature variation of the Tissue Simulate Liquids was $22\pm 2^{\circ}\text{C}$.

Tissue Type	Measured Frequency (MHz)	Target Tissue ($\pm 5\%$)		Measured Tissue		Liquid Temp. ($^{\circ}\text{C}$)	Test Date
		ϵ_r	$\sigma(\text{S/m})$	ϵ_r	$\sigma(\text{S/m})$		
750 Head	750	41.9 (39.81~44)	0.89 (0.85~0.94)	42.970	0.887	22.3	2022-6-13
835 Head	835	41.5 (39.43~43.58)	0.90 (0.86~0.95)	40.798	0.886	22.4	2022-6-15
1750 Head	1750	40.1 (38.10~42.11)	1.37 (1.30~1.44)	40.413	1.318	22.5	2022-6-24
1900 Head	1900	40.0 (38.00~42.00)	1.40 (1.33~1.47)	39.990	1.361	22.3	2022-6-19
2300 Head	2300	39.5 (37.53~41.48)	1.67 (1.59~1.75)	38.570	1.680	22.1	2022-6-21
2450 Head	2450	39.20 (37.24~41.16)	1.80 (1.71~1.89)	37.870	1.860	22.5	2022-6-23

Table 4: Measurement result of Tissue electric parameters




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

6.2 SAR System Check

The microwave circuit arrangement for system Check is sketched in F-12. The daily system accuracy verification occurs within the flat section of the SAM phantom. A SAR measurement was performed to see if the measured SAR was within +/- 10% from the target SAR values. The tests were conducted on the same days as the measurement of the EUT. The obtained results from the system accuracy verification are displayed in the following table (A power level of 250mW (below 3GHz) or 100mW (3-6GHz) was input to the dipole antenna). During the tests, the ambient temperature of the laboratory was in the range $22\pm 2^{\circ}\text{C}$, the relative humidity was in the range 60% and the liquid depth above the ear reference points was above 15 ± 0.5 cm in all the cases. It is seen that the system is operating within its specification, as the results are within acceptable tolerance of the reference values.



F-12. the microwave circuit arrangement used for SAR system check



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

6.2.1 Justification for Extended SAR Dipole Calibrations

1) Referring to KDB865664 D01 requirements for dipole calibration, instead of the typical annual calibration recommended by measurement standards, longer calibration intervals of up to three years may be considered when it is demonstrated that the SAR target, impedance and return loss of a dipole have remain stable according to the following requirements. Each measured dipole is expected to evaluate with the following criteria at least on annual interval in Appendix C.

- a) There is no physical damage on the dipole;
- b) System check with specific dipole is within 10% of calibrated value;
- c) Return-loss is within 10% of calibrated measurement;
- d) Impedance is within 5Ω from the previous measurement.

2) Network analyzer probe calibration against air, distilled water and a shorting block performed before measuring liquid parameters.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

6.2.2 Summary System Check Result(s)

Validation Kit		Measured SAR 250mW	Measured SAR 250mW	Measured SAR (normalized to 1W)	Measured SAR (normalized to 1W)	Target SAR (normalized to 1W) (±10%)	Target SAR (normalized to 1W) (±10%)	Liquid Temp. (°C)	Test Date
		1g (W/kg)	10g (W/kg)	1g (W/kg)	10g (W/kg)	1-g(W/kg)	10-g(W/kg)		
D750V3	Head	2.20	1.47	8.80	5.88	8.48 (7.63~9.33)	5.56 (5.00~6.12)	22.3	2022-6-13
D835V2	Head	2.56	1.71	10.24	6.84	9.52 (8.57~10.47)	6.17 (5.55~6.79)	22.4	2022-6-15
D1750V2	Head	8.68	4.69	34.72	18.76	35.3 (31.77~38.83)	18.7 (16.83~20.57)	22.5	2022-6-17
D1900V2	Head	10.30	5.47	41.20	21.88	39.7 (35.73~43.67)	20.3 (18.27~22.33)	22.3	2022-6-19
D2300V2	Head	12.00	5.83	48.00	23.32	49.5 (44.55~54.45)	24 (21.6~26.4)	22.1	2022-6-21
D2450V2	Head	13.40	6.23	53.60	24.92	52.2 (46.98~57.42)	24.5 (22.05~26.95)	22.5	2022-6-23

Table 5: SAR System Check Result

6.2.3 Detailed System Check Results

Please see the Appendix A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

7 Test Configuration

7.1 3G SAR Test Reduction Procedure

According to KDB 941225D01, in the following procedures, the mode tested for SAR is referred to as the primary mode. The equivalent modes considered for SAR test reduction are denoted as secondary modes. Both primary and secondary modes must be in the same frequency band. When the maximum output power and tune-up tolerance specified for production units in a secondary mode is $\leq \frac{1}{4}$ dB higher than the primary mode or when the highest reported SAR of the primary mode is scaled by the ratio of specified maximum output power and tune-up tolerance of secondary to primary mode and the adjusted SAR is ≤ 1.2 W/kg, SAR measurement is not required for the secondary mode. This is referred to as the 3G SAR test reduction procedure in the following SAR test guidance, where the primary mode is identified in the applicable wireless mode test procedures and the secondary mode is wireless mode being considered for SAR test reduction by that procedure. When the 3G SAR test reduction procedure is not satisfied, it is identified as "otherwise" in the applicable procedures; SAR measurement is required for the secondary mode.

7.2 Operation Configurations

7.2.1 GSM Test Configuration

SAR tests for GSM 850 and GSM 1900, a communication link is set up with a base station by air link. Using CMW500 the power lever is set to "5" and "0" in SAR of GSM 850 and GSM 1900. The tests in the band of GSM 850 and GSM 1900 are performed in the mode of GPRS/EGPRS function. Since the GPRS class is 12 for this EUT, it has at most 4 timeslots in uplink and at most 4 timeslots in downlink, the maximum total timeslot is 5. The EGPRS class is 12 for this EUT, it has at most 4 timeslots in uplink, and at most 4 timeslots in downlink, the maximum total timeslot is 5.

SAR test reduction for GPRS and EDGE modes is determined by the source-based time-averaged output power specified for production units, including tune-up tolerance. The data mode with highest specified time-averaged output power should be tested for SAR compliance in the applicable exposure conditions. For modes with the same specified maximum output power and tolerance, the higher number time-slot configuration should be tested.

When SAR tests for EGPRS mode is necessary, GMSK modulation should be used to minimize SAR measurement error due to higher peak-to-average power (PAR) ratios inherent in 8-PSK.

The 3G SAR test reduction procedure is applied to 8-PSK EDGE with GMSK GPRS/EDGE as the primary mode

7.2.2 WCDMA Test Configuration

1) . Output Power Verification

Maximum output power is verified on the high, middle and low channels according to procedures described in section 5.2 of 3GPP TS 34.121, using the appropriate RMC or AMR with TPC (transmit power control) set to all "1's" for WCDMA/HSDPA or by applying the required inner loop power control procedures to maintain maximum output power while HSUPA is active. Results for all applicable physical channel configurations (DPCCCH, DPDCHn and spreading codes, HSDPA, HSPA) are required in the SAR report. All configurations that are not supported by the handset or cannot be measured due to technical or equipment limitations must be clearly identified.

2) . Head SAR

SAR for next to the ear head exposure is measured using a 12.2 kbps RMC with TPC bits configured to all "1's". The 3G SAR test reduction procedure is applied to AMR configurations with 12.2 kbps RMC as the primary mode.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Otherwise, SAR is measured for 12.2 kbps AMR in 3.4 kbps SRB (signaling radio bearer) using the highest reported SAR configuration in 12.2 kbps RMC for head exposure

3) . Body SAR

SAR for body configurations is measured using a 12.2 kbps RMC with TPC bits configured to all “1’s”. The 3G SAR test reduction procedure is applied to other spreading codes and multiple DPDCHn configurations supported by the handset with 12.2 kbps RMC as the primary mode. Otherwise, SAR is measured using an applicable RMC configuration with the corresponding spreading code or DPDCHn, for the highest reported body-worn accessory exposure SAR configuration in 12.2 kbps RMC. When more than 2 DPDCHn are supported by the handset, it may be necessary to configure additional DPDCHn using FTM (Factory Test Mode) or other chipset based test approaches with parameters similar to those used in 384 kbps and 768 kbps RMC.

4) . HSDPA / HSUPA / DC-HSDPA

According to KDB 941225 D01v03, RMC 12.2kbps setting is used to evaluate SAR. If the maximum output power and tune-up tolerance specified for production units in HSDPA / HSUPA / DC-HSDPA is $\leq \frac{1}{4}$ dB higher than RMC 12.2Kbps or when the highest reported SAR of the RMC12.2Kbps is scaled by the ratio of specified maximum output power and tune-up tolerance of HSDPA / HSUPA / DC-HSDPA to RMC12.2Kbps and the adjusted SAR is ≤ 1.2 W/kg, SAR measurement is not required for HSDPA / HSUPA / DC-HSDPA

a) HSDPA

HSDPA is configured according to the applicable UE category of a test device. The number of HS-DSCH/HS-PDSCHs, HARQ processes, minimum inter-TTI interval, transport block sizes and RV coding sequence are defined by the H-set. To maintain a consistent test configuration and stable transmission conditions, QPSK is used in the H-set for SAR testing. HS-DPCCH should be configured with a CQI feedback cycle of 4 ms and a CQI repetition factor of 2 to maintain a constant rate of active CQI slots. DPCCH and DPDCH gain factors(β_c , β_d), and HS-DPCCH power offset parameters (Δ_{ACK} , Δ_{NACK} , Δ_{CQI}) are set according to values indicated in the following table. The CQI value is determined by the UE category, transport block size, number of HS-PDSCHs and modulation used in the H-set.

Sub-test	β_c	Bd	$\beta_d(SF)$	β_c/β_d	β_{hs}	CM(dB)	MPR (dB)
1	2/15	15/15	64	2/15	4/15	0.0	0
2	12/15(3)	15/15(3)	64	12/15(3)	24/15	1.0	0
3	15/15	8/15	64	15/8	30/15	1.5	0.5
4	15/15	4/15	64	15/4	30/15	1.5	0.5

Note1: Δ_{ACK} , Δ_{NACK} and $\Delta_{CQI} = 8$ Ahs = $\beta_{hs}/\beta_c = 30/15$ $\beta_{hs} = 30/15 * \beta_c$
 Note2: For the HS-DPCCH power mask requirement test in clause 5.2C, 5.7A, and the Error Vector Magnitude(EVM) with HS-DPCCH test in clause 5.13.1.A, and HSDPA EVM with phase discontinuity in clause 5.13.1AA, Δ_{ACK} and $\Delta_{NACK} = 8$ (Ahs=30/15) with $\beta_{hs} = 30/15 * \beta_c$, and $\Delta_{CQI} = 7$ (Ahs=24/15) with $\beta_{hs} = 24/15 * \beta_c$.
 Note3: CM=1 for $\beta_c/\beta_d = 12/15$, $\beta_{hs}/\beta_c = 24/15$. For all other combinations of DPDCH, DPCCH and HS-DPCCH the MPR is based on the relative CM difference. This is applicable for only UEs that support HSDPA in release 6 and later releases.

The measurements were performed with a Fixed Reference Channel (FRC) and H-Set 1 QPSK.



Parameter	Value
Nominal average inf. bit rate	534 kbit/s
Inter-TTI Distance	3 TTI"s
Number of HARQ Processes	2 Processes
Information Bit Payload	3202 Bits
MAC-d PDU size	336 Bits
Number Code Blocks	1 Block
Binary Channel Bits Per TTI	4800 Bits
Total Available SMLs in UE	19200 SMLs
Number of SMLs per HARQ Process	9600 SMLs
Coding Rate	0.67
Number of Physical Channel Codes	5

Table 6: settings of required H-Set 1 QPSK acc. to 3GPP 34.121



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

HS-DSCH Category	Maximum HS-DSCH Codes Received	Minimum Inter-TTI Interval	Maximum HS-DSCH Transport Block Bits/HS-DSCH TTI	Total Soft Channel Bits
1	5	3	7298	19200
2	5	3	7298	28800
3	5	2	7298	28800
4	5	2	7298	38400
5	5	1	7298	57600
6	5	1	7298	67200
7	10	1	14411	115200
8	10	1	14411	134400
9	15	1	25251	172800
10	15	1	27952	172800
11	5	2	3630	14400
12	5	1	3630	28800
13	15	1	34800	259200
14	15	1	42196	259200
15	15	1	23370	345600
16	15	1	27952	345600

Table 7: HSDPA UE category

b) HSUPA

Due to inner loop power control requirements in HSUPA, a commercial communication test set should be used for the output power and SAR tests. The 12.2 kbps RMC, FRC H-set 1 and E-DCH configurations for HSUPA should be configured according to the values indicated below as well as other applicable procedures described in the WCDMA Handset and Release 5 HSUPA Data Device sections of 3G device.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Sub-test ^o	β_c ^o	β_d ^o	β_d (SF) ^o	β_c/β_d ^o	β_{hs} ⁽¹⁾ ^o	β_{ec} ^o	β_{ed} ^o	β_c (SF) ^o	β_{ed} ^(code) ^o	CM ⁽²⁾ ^o (dB) ^o	MP R ^o (dB) ^o	AG ⁽⁴⁾ Inde ^x ^o	E-TFC I ^o
1 ^o	11/15 ⁽³⁾ ^o	15/15 ⁽³⁾ ^o	64 ^o	11/15 ⁽³⁾ ^o	22/15 ^o	209/225 ^o	1039/225 ^o	4 ^o	1 ^o	1.0 ^o	0.0 ^o	20 ^o	75 ^o
2 ^o	6/15 ^o	15/15 ^o	64 ^o	6/15 ^o	12/15 ^o	12/15 ^o	94/75 ^o	4 ^o	1 ^o	3.0 ^o	2.0 ^o	12 ^o	67 ^o
3 ^o	15/15 ^o	9/15 ^o	64 ^o	15/9 ^o	30/15 ^o	30/15 ^o	$\beta_{ed1}:47/15$ ^o $\beta_{ed2}:47/15$ ^o	4 ^o	2 ^o	2.0 ^o	1.0 ^o	15 ^o	92 ^o
4 ^o	2/15 ^o	15/15 ^o	64 ^o	2/15 ^o	4/15 ^o	2/15 ^o	56/75 ^o	4 ^o	1 ^o	3.0 ^o	2.0 ^o	17 ^o	71 ^o
5 ^o	15/15 ⁽⁴⁾ ^o	15/15 ⁽⁴⁾ ^o	64 ^o	15/15 ⁽⁴⁾ ^o	30/15 ^o	24/15 ^o	134/15 ^o	4 ^o	1 ^o	1.0 ^o	0.0 ^o	21 ^o	81 ^o

Note 1: $\Delta ACK, \Delta NACK$ and $\Delta CQI = 8$ $A_{hs} = \beta_{hs}/\beta_c = 30/15$ $\beta_{hs} = 30/15 * \beta_c$
 Note 2: CM = 1 for $\beta_c/\beta_d = 12/15, \beta_{hs}/\beta_c = 24/15$. For all other combinations of DPDCH, DPCCCH, HS-DPCCH, E-DPDCH and E-DPCCH the MPR is based on the relative CM difference.
 Note 3 : For subtest 1 the β_c/β_d ratio of 11/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signalled gain factors for the reference TFC (TF1, TF1) to $\beta_c = 10/15$ and $\beta_d = 15/15$.
 Note 4 : For subtest 5 the β_c/β_d ratio of 15/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signalled gain factors for the reference TFC (TF1, TF1) to $\beta_c = 14/15$ and $\beta_d = 15/15$.
 Note 5 : Testing UE using E-DPDCH Physical Layer category 1 Sub-test 3 is not required according to TS 25.306 Table 5.1g.
 Note 6: β_{ed} can not be set directly; it is set by Absolute Grant Value.

Table 8: Subtests for UMTS Release 6 HSUPA

UE Category	E-DCH Codes Transmitted	Number of HARQ Processes	of E-DCH TTI(ms)	Minimum Spreading Factor	Maximum E-DCH Transport Block Bits	Max Rate (Mbps)
1	1	4	10	4	7110	0.7296
2	2	8	2	4	2798	1.4592
	2	4	10	4	14484	
3	2	4	10	4	14484	1.4592
4	2	8	2	2	5772	2.9185
	2	4	10	2	20000	2.00
5	2	4	10	2	20000	2.00
6 (No DPDCH)	4	8	10	2SF2&2SF	11484	5.76
	4	4	2	4	20000	2.00
7 (No DPDCH)	4	8	2	2SF2&2SF	22996	?
	4	4	10	4	20000	?

NOTE: When 4 codes are transmitted in parallel, two codes shall be transmitted with SF2 and two with SF4. UE categories 1 to 6 support QPSK only. UE category 7 supports QPSK and 16QAM. (TS25.306-7.3.0).

Table 9: HSUPA UE category



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

c) DC-HSDPA

SAR is required for Rel. 8 DC-HSDPA when SAR is required for Rel. 5 HSDPA; otherwise, the 3G SAR test reduction procedure is applied to DC-HSDPA with 12.2 kbps RMC as the primary mode. Power is measured for DC-HSDPA according to the H-Set 12, FRC configuration in Table C.8.1.12 of 3GPP TS 34.121-1 to determine SAR test reduction. A primary and a Second serving HS-DSCH Cell are required to perform the power measurement and for the results to be acceptable.

The following tests were completed according to procedures in section 7.3.13 of 3GPP TS 34.108 v9.5.0. A summary of these settings are illustrated below:

Downlink Physical Channels are set as per 3GPP TS34.121-1 v9.0.0 E.5.0

Table E.5.0: Levels for HSDPA connection setup

Parameter During Connection setup	Unit	Value
P-CPICH_Ec/Ior	dB	-10
P-CCPCH and SCH_Ec/Ior	dB	-12
PICH_Ec/Ior	dB	-15
HS-PDSCH	dB	off
HS-SCCH_1	dB	off
DPCH_Ec/Ior	dB	-5
OCNS_Ec/Ior	dB	-3.1

Call is set up as per 3GPP TS34.108 v9.5.0 sub clause 7.3.13.

The configurations of the fixed reference channels for HSDPA RF tests are described in 3GPP TS 34.121, annex C for FDD and 3GPP TS 34.122.

The measurements were performed with a Fixed Reference Channel (FRC) H-Set 12 with QPSK.

Parameter	Value
Nominal average inf. bit rate	60 kbit/s
Inter-TTI Distance	1 TTI's
Number of HARQ Processes	6 Processes
Information Bit Payload	120 Bits
Number Code Blocks	1 Block
Binary Channel Bits Per TTI	960 Bits
Total Available SMLs in UE	19200 SMLs
Number of SMLs per HARQ Process	3200 SMLs
Coding Rate	0.15
Number of Physical Channel Codes	1

Table 10: settings of required H-Set 12 QPSK acc. to 3GPP 34.121

Note:

1. The RMC is intended to be used for DC-HSDPA mode and both cells shall transmit with identical parameters as listed in the table above.
2. Maximum number of transmission is limited to 1, i.e., retransmission is not allowed. The redundancy and constellation version 0 shall be used.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com




Figure C.8.19: Coding rate for Fixed reference Channel H-Set 12 (QPSK)

The following 4 Sub-tests for HSDPA were completed according to Release 5 procedures. A summary of subtest settings are illustrated below:

Sub-test ^o	β_c ^o	β_d ^o	$\beta_d \cdot (SF)$ ^o	β_c / β_d ^o	$\beta_{hs} (1)$ ^o	CM(dB)(2) ^o	MPR : (dB) ^o
1 ^o	2/15 ^o	15/15 ^o	64 ^o	2/15 ^o	4/15 ^o	0.0 ^o	0 ^o
2 ^o	12/15(3) ^o	15/15(3) ^o	64 ^o	12/15(3) ^o	24/15 ^o	1.0 ^o	0 ^o
3 ^o	15/15 ^o	8/15 ^o	64 ^o	15/8 ^o	30/15 ^o	1.5 ^o	0.5 ^o
4 ^o	15/15 ^o	4/15 ^o	64 ^o	15/4 ^o	30/15 ^o	1.5 ^o	0.5 ^o

Note 1 : ΔACK , $\Delta NACK$ and $\Delta CQI = 8$ $A_{hs} = \beta_{hs} / \beta_c = 30/15$ $\beta_{hs} = 30/15 * \beta_c$
 Note 2 : CM=1 for $\beta_c / \beta_d = 12/15$, $\beta_{hs} / \beta_c = 24/15$. For all other combinations of DPDCH, DPCCH and HS-DPCCH the MPR is based on the relative CM difference. This is applicable for only UEs that support HSDPA in release 6 and later releases.
 Note 3 : For subtest 2 the β_c / β_d ratio of 12/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signalled gain factors for the reference TFC (TF1, TF1) to $\beta_c = 11/15$ and $\beta_d = 15/15$

Up commands are set continuously to set the UE to Max power.

Note:

1. The Dual Carriers transmission only applies to HSDPA physical channels
2. The Dual Carriers belong to the same Node and are on adjacent carriers.
3. The Dual Carriers do not support MIMO to serve UEs configured for dual cell operation
4. The Dual Carriers operate in the same frequency band.
5. The device doesn't support the modulation of 16QAM in uplink but 64QAM in downlink for DC-HSDPA mode.
6. The device doesn't support carrier aggregation for it just can operate in Release 8.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

d) HSPA+

Per KDB941225D01, SAR is required for Rel. 7 HSPA+ when SAR is required for Rel. 6 HSPA; otherwise, the 3G SAR test reduction procedure is applied to (uplink) HSPA+ with 12.2 kbps RMC as the primary mode. Power is measured for HSPA+ that supports uplink 16 QAM according to configurations in Table C.11.1.4 of 3GPP TS 34.121-1 to determine SAR test reduction.

■ **Table C.11.1.4: β values for transmitter characteristics tests with HS-DPCCH and E-DCH with 16QAM**

Sub-test	β_c (Note3)	β_d	β_{HS} (Note1)	β_{ec}	β_{ed} (2xSF2) (Note 4)	β_{ed} (2xSF4) (Note 4)	CM (dB) (Note 2)	MPR (dB) (Note 2)	AG Index (Note 4)	E-TFCI (Note 5)	E-TFCI (boost)
1	1	0	30/15	30/15	β_{ed1} : 30/15 β_{ed2} : 30/15	β_{ed3} : 24/15 β_{ed4} : 24/15	3.5	2.5	14	105	105

Note 1: $\Delta_{ACK}, \Delta_{NACK}$ and $\Delta_{CQI} = 30/15$ with $\beta_{HT} = 30/15 * \beta_c$

Note 2: CM = 3.5 and the MPR is based on the relative CM difference, MPR = MAX(CM-1,0)

Note 3: DPDCH is not configured, therefore the β_c is set to 1 and $\beta_d = 0$ by default.

Note 4: β_{ed} can not be set directly; it is set by Absolute Grant Value.

Note 5: All the sub-tests require the UE to transmit 2SF2+2SF4 16QAM EDCH and they apply for UE using E-DPDCH category 7. E-DCH TTI is set to 2ms TTI and E-DCH table index = 2. To support these E-DCH configurations DPDCH is not allocated. The UE is signalled to use the extrapolation algorithm.




7.2.3 WiFi Test Configuration

A Wi-Fi device must be configured to transmit continuously at the required data rate, channel bandwidth and signal modulation, using the highest transmission duty factor supported by the test mode tools for SAR measurement.

7.2.3.1 Duty cycle

1) Wi-Fi 2.4GHz 802.11b:
Duty cycle=99.64%



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

7.2.3.2 Initial Test Position SAR Test Reduction Procedure

DSSS and OFDM configurations are considered separately according to the required SAR procedures. SAR is measured in the initial test position using the 802.11 transmission mode configuration required by the DSSS procedure or initial test configuration and subsequent test configuration(s) according to the OFDM procedures. The initial test position procedure is described in the following:

- 1) . When the reported SAR of the initial test position is ≤ 0.4 W/kg, further SAR measurement is not required for the other (remaining) test positions in that exposure configuration and 802.11 transmission mode combinations within the frequency band or aggregated band. SAR is also not required for that exposure configuration in the subsequent test configuration(s).
- 2) . When the reported SAR of the initial test position is > 0.4 W/kg, SAR is repeated for the 802.11 transmission mode configuration tested in the initial test position using subsequent highest extrapolated or estimated 1-g SAR conditions determined by area scans or next closest/smallest test separation distance and maximum RF coupling test positions based on manufacturer justification, on the highest maximum output power channel, until the reported SAR is ≤ 0.8 W/kg or all required test positions (left, right, touch, tilt or subsequent surfaces and edges) are tested.
- 3) . For all positions/configurations tested using the initial test position and subsequent test positions, when the reported SAR is > 0.8 W/kg, SAR is measured for these test positions/configurations on the subsequent next highest measured output power channel(s) until the reported SAR is ≤ 1.2 W/kg or all required channels are tested. a) Additional power measurements may be required for this step, which should be limited to those necessary for identifying the subsequent highest output power channels.

7.2.3.3 Initial Test Configuration Procedures

An initial test configuration is determined for OFDM transmission modes according to the channel bandwidth, modulation and data rate combination(s) with the highest maximum output power specified for production units in each standalone and aggregated frequency band. SAR is measured using the highest measured maximum output power channel. For configurations with the same specified or measured maximum output power, additional transmission mode and test channel selection procedures are required. SAR test reduction for subsequent highest output test channels is determined according to *reported* SAR of the initial test configuration. For next to the ear, hotspot mode and UMC mini-tablet exposure configurations where multiple test positions are required, the initial test position procedure is applied to minimize the number of test positions required for SAR measurement using the initial test configuration transmission mode. For fixed exposure conditions that do not have multiple SAR test positions, SAR is measured in the transmission mode determined by the initial test configuration.

When the *reported* SAR of the initial test configuration is > 0.8 W/kg, SAR measurement is required for subsequent next highest measured output power channel(s) in the initial test configuration until *reported* SAR is ≤ 1.2 W/kg or all required channels are tested.

7.2.3.4 Subsequent Test Configuration Procedures

SAR measurement requirements for the remaining 802.11 transmission mode configurations that have not been tested in the initial test configuration are determined separately for each standalone and aggregated frequency band, in each exposure condition, according to the maximum output power specified for production units. The initial test position procedure is applied to next to the ear, UMPC mini-tablet and hotspot mode configurations. When the same maximum output power is specified for multiple transmission modes, additional power measurements may be required to determine if SAR measurements are required for subsequent highest output power channels in a subsequent test configuration. The subsequent test configuration and SAR measurement procedures are described in the following.

- 1) . When SAR test exclusion provisions of KDB Publication 447498 are applicable and SAR measurement is not required for the initial test configuration, SAR is also not required for the next highest maximum output power transmission mode subsequent test configuration(s) in that frequency band or aggregated band and exposure configuration.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Puzheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

When the highest *reported* SAR for the initial test configuration (when applicable, include subsequent highest output channels), according to the initial test position or fixed exposure position requirements, is adjusted by the ratio of the subsequent test configuration to initial test configuration specified maximum output power and the adjusted SAR is ≤ 1.2 W/kg, SAR is not required for that subsequent test configuration.

- 2) . The number of channels in the initial test configuration and subsequent test configuration can be different due to differences in channel bandwidth. When SAR measurement is required for a subsequent test configuration and the channel bandwidth is smaller than that in the initial test configuration, all channels in the subsequent test configuration that overlap with the larger bandwidth channel tested in the initial test configuration should be used to determine the highest maximum output power channel. This step requires additional power measurement to identify the highest maximum output power channel in the subsequent test configuration to determine SAR test reduction.
 - a) SAR should first be measured for the channel with highest measured output power in the subsequent test configuration.
 - b) SAR for subsequent highest measured maximum output power channels in the subsequent test configuration is required only when the *reported* SAR of the preceding higher maximum output power channel(s) in the subsequent test configuration is > 1.2 W/kg or until all required channels are tested. i) For channels with the same measured maximum output power, SAR should be measured using the channel closest to the center frequency of the larger channel bandwidth channel in the initial test configuration.
- 3) . SAR measurements for the remaining highest specified maximum output power OFDM transmission mode configurations that have not been tested in the initial test configuration (highest maximum output) or subsequent test configuration(s) (subsequent next highest maximum output power) is determined by recursively applying the subsequent test configuration procedures in this section to the remaining configurations according to the following:
 - a) replace “subsequent test configuration” with “next subsequent test configuration” (i.e., subsequent next highest specified maximum output power configuration)
 - b) replace “initial test configuration” with “all tested higher output power configurations”



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

7.2.3.5 2.4 GHz WiFi SAR Procedures

Separate SAR procedures are applied to DSSS and OFDM configurations in the 2.4 GHz band to simplify DSSS test requirements. For 802.11b DSSS SAR measurements, DSSS SAR procedure applies to fixed exposure test position and initial test position procedure applies to multiple exposure test positions. When SAR measurement is required for an OFDM configuration, the initial test configuration, subsequent test configuration and initial test position procedures are applied. The SAR test exclusion requirements for 802.11g/n OFDM configurations are described in following.

- **802.11b DSSS SAR Test Requirements**

SAR is measured for 2.4 GHz 802.11b DSSS using either a fixed test position or, when applicable, the initial test position procedure. SAR test reduction is determined according to the following:

- 1) . When the reported SAR of the highest measured maximum output power channel for the exposure configuration is ≤ 0.8 W/kg, no further SAR testing is required for 802.11b DSSS in that exposure configuration.
- 2) . When the reported SAR is > 0.8 W/kg, SAR is required for that exposure configuration using the next highest measured output power channel. When any reported SAR is > 1.2 W/kg, SAR is required for the third channel; i.e., all channels require testing.

- **2.4 GHz 802.11g/n OFDM SAR Test Exclusion Requirements**

When SAR measurement is required for 2.4 GHz 802.11g/n OFDM configurations, the measurement and test reduction procedures for OFDM are applied (section 5.3, including sub-sections). SAR is not required for the following 2.4 GHz OFDM conditions.

- 1) . When KDB Publication 447498 SAR test exclusion applies to the OFDM configuration.
- 2) . When the highest reported SAR for DSSS is adjusted by the ratio of OFDM to DSSS specified maximum output power and the adjusted SAR is ≤ 1.2 W/kg.

- **SAR Test Requirements for OFDM configurations**

When SAR measurement is required for 802.11 g/n OFDM configurations, each standalone and frequency aggregated band is considered separately for SAR test reduction. In applying the initial test configuration and subsequent test configuration procedures, the 802.11 transmission configuration with the highest specified maximum output power and the channel within a test configuration with the highest measured maximum output power should be clearly distinguished to apply the procedures.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

7.2.4 LTE Test Configuration

LTE modes were tested according to FCC KDB 941225 D05 publication. Please see notes after the tabulated SAR data for required test configurations. Establishing connections with base station simulators ensure a consistent means for testing SAR and are recommended for evaluating SAR [4]. The R&S CMW500 was used for LTE output power measurements and SAR testing. Max power control was used so the UE transmits with maximum output power during SAR testing. SAR must be measured with the maximum TTI (transmit time interval) supported by the device in each LTE configuration.

A) Spectrum Plots for RB Configurations

A properly configured base station simulator was used for SAR tests and power measurements. Therefore, spectrum plots for RB configurations were not required to be included in this report.

B) MPR

MPR is permanently implemented for this device by the manufacturer. The specific manufacturer target MPR is indicated alongside the SAR results. MPR is enabled for this device, according to 3GPP TS36.101 Section 6.2.3 – 6.2.5 under Table 6.2.3-1.

Modulation	Channel bandwidth / Transmission bandwidth configuration [RB]						MPR (dB)
	1.4 MHz	3.0 MHz	5 MHz	10 MHz	15 MHz	20 MHz	
QPSK	> 5	> 4	> 8	> 12	> 16	> 18	≤ 1
16 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 1
16 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 2
64 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 2
64 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 3
256 QAM	≥ 1						≤ 5

C) A-MPR

A-MPR (Additional MPR) has been disabled for all SAR tests by setting NS=01 on the base station simulator.

D) Largest channel bandwidth standalone SAR test requirements

1) QPSK with 1 RB allocation

Start with the largest channel bandwidth and measure SAR for QPSK with 1 RB allocation, using the RB offset and required test channel combination with the highest maximum output power for RB offsets at the upper edge, middle and lower edge of each required test channel. When the reported SAR is ≤ 0.8 W/kg, testing of the remaining RB offset configurations and required test channels is not required for 1 RB allocation; otherwise, SAR is required for the remaining required test channels and only for the RB offset configuration with the highest output power for that channel. When the reported SAR of a required test channel is > 1.45 W/kg, SAR is required for all three RB offset configurations for that required test channel.

2) QPSK with 50% RB allocation

The procedures required for 1 RB allocation in 1) are applied to measure the SAR for QPSK with 50% RB allocation.

3) QPSK with 100% RB allocation

For QPSK with 100% RB allocation, SAR is not required when the highest maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations and the highest reported SAR for 1 RB and 50% RB allocation in 1) and 2) are ≤ 0.8 W/kg. Otherwise, SAR is measured for the highest output power channel and if the reported SAR is > 1.45 W/kg, the remaining required test channels must also be tested.

4) Higher order modulations

For each modulation besides QPSK; e.g., 16-QAM, 64-QAM, apply the QPSK procedures in above sections to determine the QAM configurations that may need SAR measurement. For each configuration identified as required for testing, SAR is required only when the highest maximum output power for the configuration in the higher order modulation is > ½ dB higher than the same configuration in QPSK or when the reported SAR for the QPSK configuration is > 1.45 W/kg.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

E) Other channel bandwidth standalone SAR test requirements

For the other channel bandwidths used by the device in a frequency band, apply all the procedures required for the largest channel bandwidth in section A) to determine the channels and RB configurations that need SAR testing and only measure SAR when the highest maximum output power of a configuration requiring testing in the smaller channel bandwidth is > ½ dB higher than the equivalent channel configurations in the largest channel bandwidth configuration or the reported SAR of a configuration for the largest channel bandwidth is > 1.45 W/kg.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8 Test Result

8.1 Measurement of RF conducted Power

8.1.1 Conducted Power of GSM

GSM 850 All off										
Burst Output Power(dBm)		Tune up			Division Factors		Frame-Average Output Power(dBm)			Tune up
Channel		128	190	251			128	190	251	
GSM(GMSK)	GSM	33.58	33.67	33.62	34.00	-9.19	24.39	24.48	24.43	24.81
GPRS/EGPRS (GMSK)	1 TX Slot	33.57	33.62	33.61	34.00	-9.19	24.38	24.43	24.42	24.81
	2 TX Slots	32.51	32.61	32.56	33.00	-6.18	26.33	26.43	26.38	26.82
	3 TX Slots	30.56	30.62	30.49	31.00	-4.42	26.14	26.20	26.07	26.58
	4 TX Slots	29.51	29.61	29.55	30.00	-3.17	26.34	26.44	26.38	26.83
EGPRS(8PSK)	1 TX Slot	27.81	27.81	27.62	28.00	-9.19	18.62	18.62	18.43	18.81
	2 TX Slots	26.48	26.65	26.54	27.00	-6.18	20.30	20.47	20.36	20.82
	3 TX Slots	24.41	24.53	24.35	25.00	-4.42	19.99	20.11	19.93	20.58
	4 TX Slots	23.22	23.42	23.28	24.00	-3.17	20.05	20.25	20.11	20.83

GSM 1900 All off										
Burst Output Power(dBm)		Tune up			Division Factors		Frame-Average Output Power(dBm)			Tune up
Channel		512	661	810			512	661	810	
GSM(GMSK)	GSM	29.65	29.74	29.68	30.30	-9.19	20.46	20.55	20.49	21.11
GPRS/EGPRS (GMSK)	1 TX Slot	29.61	29.73	29.65	30.30	-9.19	20.42	20.54	20.46	21.11
	2 TX Slots	28.78	28.82	28.71	29.00	-6.18	22.60	22.64	22.53	22.82
	3 TX Slots	27.08	27.25	27.16	28.00	-4.42	22.66	22.83	22.74	23.58
	4 TX Slots	26.01	26.05	26.08	26.50	-3.17	22.84	22.88	22.91	23.33
EGPRS(8PSK)	1 TX Slot	26.42	26.51	26.60	27.00	-9.19	17.23	17.32	17.41	17.81
	2 TX Slots	25.61	25.59	24.52	26.00	-6.18	19.43	19.41	18.34	19.82
	3 TX Slots	23.61	23.77	23.68	24.00	-4.42	19.19	19.35	19.26	19.58
	4 TX Slots	22.58	22.68	22.61	23.00	-3.17	19.41	19.51	19.44	19.83

GSM 1900 Receiver on										
Burst Output Power(dBm)		Tune up			Division Factors		Frame-Average Output Power(dBm)			Tune up
Channel		512	661	810			512	661	810	
GSM(GMSK)	GSM	23.77	23.90	23.67	24.30	-9.19	14.58	14.71	14.48	15.11
GPRS/EGPRS (GMSK)	1 TX Slot	23.61	23.82	23.65	24.30	-9.19	14.42	14.63	14.46	15.11
	2 TX Slots	23.54	23.59	23.44	24.30	-6.18	17.36	17.41	17.26	18.12
	3 TX Slots	23.45	23.47	23.42	24.30	-4.42	19.03	19.05	19.00	19.88
	4 TX Slots	23.51	23.50	23.56	24.30	-3.17	20.34	20.33	20.39	21.13
EGPRS(8PSK)	1 TX Slot	22.16	22.21	22.24	23.50	-9.19	12.97	13.02	13.05	14.31
	2 TX Slots	20.32	20.21	20.19	21.50	-6.18	14.14	14.03	14.01	15.32
	3 TX Slots	19.05	19.05	19.01	20.00	-4.42	14.63	14.63	14.59	15.58
	4 TX Slots	17.26	17.31	17.22	18.50	-3.17	14.09	14.14	14.05	15.33

GSM 1900 Sensor on										
Burst Output Power(dBm)		Tune up			Division Factors		Frame-Average Output Power(dBm)			Tune up
Channel		512	661	810			512	661	810	
GSM(GMSK)	GSM	24.52	24.59	24.51	25.30	-9.19	15.33	15.40	15.32	16.11
GPRS/EGPRS (GMSK)	1 TX Slot	24.39	24.44	24.41	25.30	-9.19	15.20	15.25	15.22	16.11
	2 TX Slots	24.42	24.24	24.29	25.30	-6.18	18.24	18.06	18.11	19.12
	3 TX Slots	24.47	24.40	24.31	25.30	-4.42	20.05	19.98	19.89	20.88
	4 TX Slots	24.31	24.33	24.22	25.30	-3.17	21.14	21.16	21.05	22.13
EGPRS(8PSK)	1 TX Slot	22.31	22.40	22.26	23.50	-9.19	13.12	13.21	13.07	14.31



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

	2 TX Slots	20.17	20.22	20.14	21.50	-6.18	13.99	14.04	13.96	15.32
	3 TX Slots	19.04	19.11	19.05	20.00	-4.42	14.62	14.69	14.63	15.58
	4 TX Slots	17.28	17.31	17.26	18.50	-3.17	14.11	14.14	14.09	15.33

GSM 1900 Hotspot on												
Burst Output Power(dBm)		Tune up			Division Factors			Frame-Average Output Power(dBm)			Tune up	
Channel		512	661	810				512	661	810		
GSM(GMSK)	GSM	24.52	24.59	24.51	25.30	-9.19			15.33	15.40	15.32	16.11
GPRS/EGPRS (GMSK)	1 TX Slot	24.39	24.44	24.41	25.30	-9.19			15.20	15.25	15.22	16.11
	2 TX Slots	24.42	24.24	24.29	25.30	-6.18			18.24	18.06	18.11	19.12
	3 TX Slots	24.47	24.40	24.31	25.30	-4.42			20.05	19.98	19.89	20.88
	4 TX Slots	24.31	24.33	24.22	25.30	-3.17			21.14	21.16	21.05	22.13
EGPRS(8PSK)	1 TX Slot	22.31	22.40	22.26	23.50	-9.19			13.12	13.21	13.07	14.31
	2 TX Slots	20.02	19.95	19.88	20.50	-6.18			13.84	13.77	13.70	14.32
	3 TX Slots	18.05	18.21	18.15	18.50	-4.42			13.63	13.79	13.73	14.08
	4 TX Slots	17.05	17.31	17.24	17.50	-3.17			13.88	14.14	14.07	14.33

Note:

1) . CMW500 measures GSM peak and average output power for active timeslots. For SAR the time based average power is relevant. The difference in between depends on the duty cycle of the TDMA signal:

No. of timeslots	1	2	3	4
Duty Cycle	1:8.3	1:4.15	1:2.77	1:2.075
Time based avg. power compared to slotted avg. power	-9.19	-6.18	-4.42	-3.17

- 2) . The frame-averaged power is linearly proportion to the slot number configured and it is linearly scaled the maximum burst-averaged power based on time slots. The calculated method is shown as below:
 Frame-averaged power = 10 x log (Burst-averaged power mW x Slot used / 8
- 3) . When the maximum output power variation across the required test channels is > ½ dB, instead of the middle channel, the highest output power channel must be used



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8.1.2 Conducted Power of WCDMA

WCDMA Band II All off					
Average Conducted Power(dBm)					
Channel		9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	23.46	23.48	23.47	24.00
	12.2kbps AMR	23.40	23.32	23.42	24.00
HSDPA	Subtest 1	22.95	22.94	23.01	23.50
	Subtest 2	22.92	22.96	23.01	23.50
	Subtest 3	22.47	22.49	22.53	23.00
	Subtest 4	22.47	22.39	22.52	23.00
HSUPA	Subtest 1	20.90	20.87	20.99	21.50
	Subtest 2	20.98	20.92	21.00	21.50
	Subtest 3	21.94	21.87	22.00	22.00
	Subtest 4	20.46	20.44	20.47	21.00
	Subtest 5	21.90	21.90	22.00	22.50
DC-HSDPA	Subtest 1	22.91	22.93	23.01	23.50
	Subtest 2	22.90	22.92	23.05	23.50
	Subtest 3	22.44	22.45	22.50	23.00
	Subtest 4	22.45	22.35	22.51	23.00
HSPA+	16QAM	22.43	22.39	22.21	23.00

WCDMA Band II Receiver on					
Average Conducted Power(dBm)					
Channel		9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	19.48	19.64	19.60	20.00
	12.2kbps AMR	19.42	19.57	19.56	20.00
HSDPA	Subtest 1	19.04	18.93	19.02	19.50
	Subtest 2	18.98	19.04	19.03	19.50
	Subtest 3	18.50	18.54	18.52	19.00
	Subtest 4	18.66	18.46	18.71	19.00
HSUPA	Subtest 1	17.57	17.74	17.91	19.50
	Subtest 2	17.08	16.97	17.16	18.50
	Subtest 3	17.79	17.99	17.97	18.00
	Subtest 4	16.63	16.47	16.66	18.00
	Subtest 5	18.08	17.88	18.15	18.50
DC-HSDPA	Subtest 1	19.01	19.10	19.12	19.50
	Subtest 2	18.99	18.99	19.05	19.50
	Subtest 3	18.54	18.57	18.58	19.00
	Subtest 4	18.45	18.38	18.58	19.00
HSPA+	16QAM	18.47	18.52	18.19	19.00

WCDMA Band II Sensor on					
Average Conducted Power(dBm)					
Channel		9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	21.06	21.19	21.12	21.50
	12.2kbps AMR	21.04	21.14	21.06	21.50
HSDPA	Subtest 1	20.58	20.47	20.57	21.50
	Subtest 2	20.62	20.64	20.66	21.50
	Subtest 3	20.15	20.04	19.98	21.50
	Subtest 4	20.22	19.95	20.22	21.00
HSUPA	Subtest 1	19.04	19.34	19.52	21.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

	Subtest 2	18.66	18.56	18.67	20.50
	Subtest 3	19.29	19.44	19.61	20.50
	Subtest 4	18.09	18.00	18.12	19.00
	Subtest 5	19.71	19.43	19.68	20.50
	Subtest 1	20.65	20.67	20.76	21.50
DC-HSDPA	Subtest 2	20.51	20.58	20.65	21.50
	Subtest 3	20.18	20.06	20.12	21.50
	Subtest 4	20.02	19.92	20.08	21.00
	16QAM	19.92	19.98	19.65	21.00
HSPA+	16QAM	19.92	19.98	19.65	21.00

WCDMA Band II Hotspot on					
Average Conducted Power(dBm)					
Channel		9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	22.10	22.33	22.22	22.50
	12.2kbps AMR	21.99	22.23	22.25	22.50
HSDPA	Subtest 1	21.66	21.58	21.54	22.00
	Subtest 2	21.60	21.80	21.69	22.00
	Subtest 3	21.14	21.23	21.12	21.50
	Subtest 4	21.39	20.93	21.27	21.50
HSUPA	Subtest 1	20.19	20.34	20.48	20.50
	Subtest 2	19.81	19.62	19.80	20.50
	Subtest 3	20.30	20.44	20.64	21.50
	Subtest 4	19.25	19.18	19.13	20.00
	Subtest 5	20.75	20.43	20.76	21.50
DC-HSDPA	Subtest 1	21.80	21.79	21.85	22.00
	Subtest 2	21.64	21.74	21.75	22.00
	Subtest 3	21.26	21.15	21.18	21.50
	Subtest 4	21.17	20.94	21.16	21.50
HSPA+	16QAM	21.11	21.12	20.68	22.00

WCDMA Band IV All off					
Average Conducted Power(dBm)					
Channel		1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	23.15	23.24	23.21	24.00
	12.2kbps AMR	23.11	23.01	23.13	24.00
HSDPA	Subtest 1	22.67	22.63	22.70	23.50
	Subtest 2	22.64	22.67	22.74	23.50
	Subtest 3	22.16	22.23	22.25	23.00
	Subtest 4	22.16	22.09	22.21	23.00
HSUPA	Subtest 1	20.61	20.58	20.71	21.50
	Subtest 2	20.69	20.63	20.68	21.50
	Subtest 3	21.64	21.57	21.69	22.00
	Subtest 4	20.19	20.16	20.18	21.00
	Subtest 5	21.62	21.58	21.71	22.50
DC-HSDPA	Subtest 1	22.60	22.65	22.74	23.50
	Subtest 2	22.59	22.60	22.76	23.50
	Subtest 3	22.13	22.14	22.20	23.00
	Subtest 4	22.15	22.07	22.23	23.00
HSPA+	16QAM	22.36	22.32	22.35	23.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

WCDMA Band IV Receiver on					
Average Conducted Power(dBm)					
Channel		1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	19.10	19.24	19.18	20.00
	12.2kbps AMR	19.09	19.05	19.12	20.00
HSDPA	Subtest 1	18.73	18.62	18.69	19.50
	Subtest 2	18.71	18.73	18.73	19.50
	Subtest 3	18.24	18.29	18.29	19.00
	Subtest 4	18.15	18.14	18.21	19.00
HSUPA	Subtest 1	17.51	17.65	17.52	19.50
	Subtest 2	16.67	16.62	16.73	18.50
	Subtest 3	17.65	17.60	17.69	18.00
	Subtest 4	16.14	16.14	16.20	18.00
	Subtest 5	17.68	17.54	17.77	18.50
DC-HSDPA	Subtest 1	18.57	18.66	18.81	19.50
	Subtest 2	18.68	18.67	18.75	19.50
	Subtest 3	18.20	18.21	18.23	19.00
	Subtest 4	18.10	18.13	18.27	19.00
HSPA+	16QAM	18.39	18.31	18.38	19.00

WCDMA Band IV Sensor on					
Average Conducted Power(dBm)					
Channel		1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	21.07	21.23	21.21	21.50
	12.2kbps AMR	21.06	21.18	21.18	21.50
HSDPA	Subtest 1	20.56	20.41	20.57	21.50
	Subtest 2	20.49	20.63	20.48	21.50
	Subtest 3	20.05	20.15	19.97	21.50
	Subtest 4	20.18	19.93	20.24	21.00
HSUPA	Subtest 1	19.16	19.26	19.38	21.00
	Subtest 2	18.64	18.55	18.79	20.50
	Subtest 3	19.38	19.50	19.50	20.50
	Subtest 4	18.13	18.08	18.31	19.00
	Subtest 5	19.56	19.50	19.62	20.50
DC-HSDPA	Subtest 1	20.54	20.75	20.68	21.50
	Subtest 2	20.48	20.51	20.68	21.50
	Subtest 3	20.07	20.21	20.13	21.50
	Subtest 4	20.09	19.93	20.07	21.00
HSPA+	16QAM	19.94	20.13	19.74	21.00

WCDMA Band IV Hotspot on					
Average Conducted Power(dBm)					
Channel		1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	22.22	22.36	22.30	22.50
	12.2kbps AMR	22.06	22.32	22.19	22.50
HSDPA	Subtest 1	21.67	21.58	21.65	22.00
	Subtest 2	21.55	21.68	21.64	22.00
	Subtest 3	21.06	21.11	20.99	21.50
	Subtest 4	21.29	20.94	21.40	21.50
HSUPA	Subtest 1	20.25	20.36	20.36	20.50
	Subtest 2	19.74	19.60	19.87	20.50
	Subtest 3	20.48	20.53	20.67	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

	Subtest 4	19.27	19.17	19.32	20.00
	Subtest 5	20.60	20.50	20.69	21.50
DC-HSDPA	Subtest 1	21.50	21.91	21.79	22.00
	Subtest 2	21.50	21.65	21.84	22.00
	Subtest 3	21.21	21.39	21.14	21.50
	Subtest 4	21.16	21.02	21.17	21.50
HSPA+	16QAM	20.91	21.18	20.90	22.00

WCDMA Band V All off					
Average Conducted Power(dBm)					
Channel		4132	4182	4233	Tune up
WCDMA	12.2kbps RMC	23.26	23.28	23.23	24.50
	12.2kbps AMR	23.19	23.15	23.21	24.50
HSDPA	Subtest 1	22.75	22.74	22.85	23.50
	Subtest 2	22.71	22.74	22.83	23.50
	Subtest 3	22.27	22.30	22.35	23.00
	Subtest 4	22.29	22.18	22.32	23.00
HSUPA	Subtest 1	20.71	20.69	20.80	21.50
	Subtest 2	20.82	20.75	20.81	21.50
	Subtest 3	21.75	21.69	21.81	22.00
	Subtest 4	20.26	20.27	20.26	21.00
	Subtest 5	21.71	21.71	21.83	22.50
DC-HSDPA	Subtest 1	22.69	22.72	22.80	23.50
	Subtest 2	22.70	22.74	22.86	23.50
	Subtest 3	22.23	22.28	22.28	23.00
	Subtest 4	22.27	22.17	22.30	23.00
HSPA+	16QAM	22.21	22.23	22.18	23.00

Note:

- 1) when the maximum output power variation across the required test channels is > ½ dB, instead of the middle channel, the highest output power channel must be used.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8.1.3 Conducted Power of LTE

LTE Band 2 All off				Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				18607	18900	19193		
1.4MHz	QPSK	1	0	23.22	23.28	23.11	24.50	
		1	2	23.18	23.22	23.14	24.50	
		1	5	23.15	23.20	23.03	24.50	
		3	0	22.30	22.19	22.10	23.50	
		3	2	22.23	22.21	22.09	23.50	
		3	3	22.21	22.22	22.03	23.50	
	16QAM	6	0	22.15	22.18	22.00	23.50	
		1	0	22.03	22.11	22.02	23.50	
		1	2	22.04	22.12	22.00	23.50	
		1	5	22.08	22.11	22.05	23.50	
		3	0	21.10	21.37	21.39	22.50	
		3	2	21.09	21.37	21.37	22.50	
	64QAM	3	3	21.03	21.36	21.44	22.50	
		6	0	21.13	21.31	21.27	22.50	
		1	0	21.03	20.86	20.66	22.50	
		1	2	20.93	21.25	20.96	22.50	
		1	5	21.13	21.19	21.08	22.50	
		3	0	20.02	20.10	20.00	21.50	
	3MHz	QPSK	3	2	20.09	19.86	20.11	21.50
			3	3	19.92	20.21	19.73	21.50
			6	0	20.96	21.07	20.64	21.50
			1	0	23.19	23.27	23.11	24.50
			1	7	23.16	23.24	23.12	24.50
			1	14	23.16	23.21	23.04	24.50
16QAM		8	0	22.29	22.20	22.09	23.50	
		8	4	22.23	22.19	22.06	23.50	
		8	7	22.21	22.21	22.03	23.50	
		8	0	22.13	22.22	22.05	23.50	
		1	0	22.09	22.14	22.03	23.50	
		1	7	22.05	22.16	22.01	23.50	
64QAM		1	14	22.07	22.09	22.08	23.50	
		8	0	21.05	21.41	21.44	22.50	
		8	4	21.05	21.35	21.37	22.50	
		8	7	21.03	21.39	21.39	22.50	
		8	0	21.17	21.34	21.32	22.50	
		1	0	20.77	21.13	20.71	22.50	
QPSK		1	7	21.18	21.03	20.83	22.50	
		1	14	21.05	20.93	20.91	22.50	
		8	0	19.85	20.06	20.09	21.50	
		8	4	19.90	19.80	20.04	21.50	
		8	7	19.78	20.18	19.64	21.50	
		15	0	20.86	20.86	20.67	21.50	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				18625	18900	19175		
5MHz	QPSK	1	0	23.22	23.23	23.12	24.50	
		1	13	23.18	23.22	23.12	24.50	
		1	24	23.14	23.19	23.03	24.50	
		12	0	22.28	22.22	22.07	23.50	
		12	6	22.18	22.19	22.05	23.50	
		12	13	22.20	22.24	22.04	23.50	
	16QAM	25	0	22.11	22.21	21.99	23.50	
		1	0	22.07	22.10	22.04	23.50	
		1	13	22.07	22.13	22.00	23.50	
		1	24	22.08	22.08	22.08	23.50	
		12	0	21.07	21.39	21.42	22.50	
		12	6	21.09	21.36	21.36	22.50	
	64QAM	12	13	21.03	21.39	21.40	22.50	
		25	0	21.15	21.32	21.30	22.50	
		1	0	20.89	20.82	20.93	22.50	
		1	13	20.77	20.84	20.87	22.50	
		1	24	21.04	21.02	20.64	22.50	
		12	0	19.98	19.79	19.75	21.50	
		12	6	20.13	19.86	19.62	21.50	
		12	13	19.95	20.09	19.66	21.50	
	25	0	20.74	21.16	20.78	21.50		
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
					18650	18900	19150	
	10MHz	QPSK	1	0	23.23	23.27	23.10	24.50
1			25	23.15	23.24	23.15	24.50	
1			49	23.13	23.17	23.03	24.50	
25			0	22.30	22.19	22.08	23.50	
25			13	22.21	22.22	22.09	23.50	
25			25	22.20	22.20	22.07	23.50	
16QAM		50	0	22.13	22.21	22.03	23.50	
		1	0	22.07	22.14	22.03	23.50	
		1	25	22.06	22.12	21.99	23.50	
		1	49	22.05	22.10	22.08	23.50	
		25	0	21.09	21.37	21.41	22.50	
		25	13	21.09	21.38	21.39	22.50	
64QAM		25	25	21.04	21.35	21.40	22.50	
		50	0	21.15	21.31	21.30	22.50	
		1	0	20.86	21.05	21.02	22.50	
		1	25	21.22	20.83	20.78	22.50	
		1	49	20.79	20.82	21.06	22.50	
		25	0	20.01	19.92	19.75	21.50	
		25	13	20.17	19.97	19.77	21.50	
		25	25	20.06	20.06	20.03	21.50	
50		0	20.95	21.18	21.03	21.50		
Bandwidth		Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
					18675	18900	19125	
15MHz		QPSK	1	0	23.22	23.27	23.08	24.50
	1		38	23.14	23.22	23.14	24.50	
	1		74	23.12	23.17	23.01	24.50	
	36		0	22.24	22.22	22.09	23.50	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				18700	18900	19100		
20MHz	16QAM	36	18	22.23	22.21	22.06	23.50	
		36	39	22.21	22.21	22.06	23.50	
		75	0	22.16	22.21	22.05	23.50	
		1	0	22.05	22.11	22.03	23.50	
		1	38	22.04	22.11	22.01	23.50	
		1	74	22.06	22.08	22.08	23.50	
		36	0	21.09	21.39	21.44	22.50	
		36	18	21.06	21.34	21.38	22.50	
		36	39	21.07	21.37	21.39	22.50	
		75	0	21.13	21.29	21.26	22.50	
	64QAM	1	0	21.22	21.26	21.05	22.50	
		1	38	20.93	21.14	20.95	22.50	
		1	74	20.99	20.82	20.71	22.50	
		36	0	20.17	20.14	19.84	21.50	
		36	18	19.94	19.99	19.73	21.50	
		36	39	19.89	20.25	19.83	21.50	
		75	0	21.00	21.04	20.92	21.50	
		QPSK	1	0	23.29	23.34	23.18	24.50
			1	50	23.23	23.31	23.20	24.50
			1	99	23.22	23.28	23.10	24.50
	50		0	22.35	22.38	22.17	23.50	
	50		25	22.29	22.30	22.16	23.50	
	50		50	22.30	22.30	22.13	23.50	
	100		0	22.21	22.28	22.10	23.50	
	16QAM		1	0	22.14	22.20	22.11	23.50
			1	50	22.13	22.22	22.10	23.50
			1	99	22.16	22.16	22.14	23.50
			50	0	21.16	21.46	21.50	22.50
50			25	21.15	21.43	21.45	22.50	
50			50	21.13	21.44	21.49	22.50	
64QAM	100		0	21.24	21.39	21.37	22.50	
	1		0	21.12	21.07	20.81	22.50	
	1		50	20.97	21.04	20.99	22.50	
	1		99	20.73	21.11	20.81	22.50	
	50		0	19.78	20.03	19.96	21.50	
	50	25	19.93	20.17	19.78	21.50		
50	50	19.96	20.22	19.97	21.50			
100	0	21.05	20.92	21.11	21.50			

LTE Band 2 Receiver on				Conducted Power(dBm)			
Bandwidth	Modulation	RB offset	Channel	Channel	Channel	Tune up	
			18607	18900	19193		
1.4MHz	QPSK	1	0	19.27	19.26	19.10	20.50
		1	2	19.20	19.26	19.17	20.50
		1	5	19.14	19.21	19.03	20.50
		3	0	19.19	19.37	19.08	20.50
		3	2	19.23	19.17	19.13	20.50
		3	3	19.23	19.23	19.13	20.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18615	18900	19185	
3MHz	16QAM	6	0	19.20	19.26	19.15	20.50
		1	0	19.18	19.18	19.19	20.50
		1	2	19.12	19.16	19.13	20.50
		1	5	19.24	19.32	19.19	20.50
		3	0	19.28	19.27	19.09	20.50
		3	2	19.16	19.18	19.09	20.50
		3	3	19.23	19.28	19.07	20.50
	6	0	19.24	19.22	19.16	20.50	
	64QAM	1	0	19.15	19.25	19.01	20.50
		1	2	19.32	19.36	19.12	20.50
		1	5	19.26	19.32	19.13	20.50
		3	0	19.16	19.29	19.00	20.50
		3	2	19.23	19.27	19.20	20.50
		3	3	19.15	19.33	19.22	20.50
6		0	19.13	19.29	19.09	20.50	
5MHz	QPSK	1	0	19.26	19.24	19.12	20.50
		1	7	19.13	19.25	19.11	20.50
		1	14	19.26	19.29	19.05	20.50
		8	0	19.29	19.30	19.16	20.50
		8	4	19.25	19.26	19.21	20.50
		8	7	19.25	19.15	19.05	20.50
		15	0	19.26	19.31	19.08	20.50
	16QAM	1	0	19.16	19.23	19.20	20.50
		1	7	19.13	19.15	19.13	20.50
		1	14	19.25	19.33	19.19	20.50
		8	0	19.24	19.33	19.19	20.50
		8	4	19.20	19.16	19.12	20.50
		8	7	19.21	19.26	19.20	20.50
	64QAM	15	0	19.25	19.31	19.19	20.50
		1	0	19.12	19.23	19.12	20.50
		1	7	19.25	19.34	19.07	20.50
		1	14	19.26	19.18	19.21	20.50
		8	0	19.16	19.27	19.09	20.50
		8	4	19.22	19.29	19.22	20.50
		8	7	19.23	19.32	19.23	20.50
		15	0	19.15	19.27	19.08	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18625	18900	19175	
5MHz	QPSK	1	0	19.24	19.32	19.21	20.50
		1	13	19.21	19.32	19.22	20.50
		1	24	19.18	19.19	19.04	20.50
		12	0	19.25	19.25	19.10	20.50
		12	6	19.26	19.25	19.23	20.50
		12	13	19.21	19.25	19.12	20.50
		25	0	19.30	19.38	19.10	20.50
	16QAM	1	0	19.19	19.31	19.11	20.50
		1	13	19.20	19.23	19.07	20.50
		1	24	19.28	19.33	19.07	20.50
		12	0	19.19	19.31	19.13	20.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				18650	18900	19150		
10MHz	64QAM	12	6	19.20	19.18	19.04	20.50	
		12	13	19.25	19.37	19.21	20.50	
		25	0	19.29	19.18	19.10	20.50	
		1	0	19.17	19.30	19.11	20.50	
		1	13	19.30	19.27	19.09	20.50	
		1	24	19.26	19.23	19.24	20.50	
		12	0	19.20	19.25	18.99	20.50	
		12	6	19.32	19.38	19.19	20.50	
		12	13	19.29	19.22	19.16	20.50	
	25	0	19.13	19.19	19.01	20.50		
	10MHz	QPSK	1	0	19.32	19.23	19.07	20.50
			1	25	19.27	19.24	19.14	20.50
			1	49	19.20	19.17	19.13	20.50
			25	0	19.26	19.32	19.21	20.50
			25	13	19.18	19.25	19.12	20.50
			25	25	19.23	19.30	19.00	20.50
		16QAM	50	0	19.32	19.37	19.10	20.50
			1	0	19.25	19.30	19.11	20.50
1			25	19.21	19.19	19.10	20.50	
1			49	19.30	19.26	19.09	20.50	
25			0	19.23	19.21	19.21	20.50	
25			13	19.15	19.27	19.11	20.50	
64QAM		25	25	19.30	19.26	19.15	20.50	
		50	0	19.29	19.26	19.24	20.50	
		1	0	19.12	19.24	19.12	20.50	
		1	25	19.31	19.32	19.15	20.50	
		1	49	19.27	19.23	19.22	20.50	
		25	0	19.22	19.27	19.10	20.50	
15MHz	QPSK	25	13	19.26	19.25	19.09	20.50	
		25	25	19.22	19.19	19.10	20.50	
		50	0	19.12	19.23	19.12	20.50	
		1	0	19.18	19.38	19.10	20.50	
		1	38	19.23	19.33	19.22	20.50	
		1	74	19.18	19.31	19.00	20.50	
		36	0	19.21	19.34	19.08	20.50	
	16QAM	36	18	19.17	19.21	19.11	20.50	
		36	39	19.17	19.20	19.02	20.50	
		75	0	19.19	19.24	19.11	20.50	
		1	0	19.22	19.18	19.15	20.50	
		1	38	19.18	19.18	19.05	20.50	
		1	74	19.31	19.38	19.09	20.50	
		36	0	19.28	19.25	19.24	20.50	
	64QAM	36	18	19.14	19.21	19.12	20.50	
		36	39	19.29	19.38	19.09	20.50	
		75	0	19.23	19.21	19.19	20.50	
		1	0	19.13	19.27	19.05	20.50	
64QAM	1	38	19.25	19.32	19.12	20.50		
	1	74	19.28	19.29	19.19	20.50		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18700	18900	19100	
20MHz	QPSK	36	0	19.12	19.18	19.03	20.50
		36	18	19.17	19.37	19.15	20.50
		36	39	19.14	19.26	19.24	20.50
		75	0	19.18	19.23	19.08	20.50
		1	0	19.39	19.45	19.34	20.50
		1	50	19.16	19.28	19.09	20.50
	16QAM	1	99	19.24	19.24	19.04	20.50
		50	0	19.20	19.32	19.18	20.50
		50	25	19.14	19.32	19.18	20.50
		50	50	19.11	19.22	19.09	20.50
		100	0	19.22	19.37	19.12	20.50
		1	0	19.28	19.23	19.10	20.50
	64QAM	1	50	19.14	19.30	19.12	20.50
		1	99	19.22	19.27	19.13	20.50
		50	0	19.14	19.32	19.24	20.50
		50	25	19.14	19.29	19.08	20.50
		50	50	19.21	19.27	19.18	20.50
		100	0	19.16	19.31	19.10	20.50
	64QAM	1	0	19.12	19.23	19.10	20.50
		1	50	19.32	19.28	19.16	20.50
		1	99	19.15	19.18	19.20	20.50
		50	0	19.22	19.27	19.04	20.50
		50	25	19.26	19.25	19.16	20.50
		50	50	19.17	19.32	19.20	20.50
		100	0	19.18	19.23	19.04	20.50

LTE Band 2 Sensor on				Conducted Power(dBm)				
Bandwidth	Modulation	RB offset	Channel	Channel	Channel	Tune up		
			18607	18900	19193			
1.4MHz	QPSK	1	0	20.70	20.58	20.46	21.50	
		1	2	20.49	20.71	20.49	21.50	
		1	5	20.43	20.56	20.28	21.50	
		3	0	20.61	20.74	20.44	21.50	
		3	2	20.62	20.49	20.52	21.50	
		3	3	20.60	20.48	20.54	21.50	
	16QAM	6	0	20.47	20.67	20.41	21.50	
		1	0	20.49	20.45	20.58	21.50	
		1	2	20.48	20.52	20.55	21.50	
		1	5	20.65	20.73	20.53	21.50	
		3	0	20.73	20.61	20.38	21.50	
		3	2	20.60	20.43	20.49	21.50	
	64QAM	3	3	20.52	20.61	20.33	21.50	
		6	0	20.64	20.51	20.45	21.50	
		1	0	20.51	20.62	20.42	21.50	
		1	2	20.64	20.68	20.44	21.50	
		1	5	20.63	20.75	20.55	21.50	
		3	0	20.61	20.65	20.30	21.50	
			3	2	20.68	20.63	20.60	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				18615	18900	19185		
3MHz	QPSK	3	3	20.51	20.67	20.53	21.50	
		6	0	20.54	20.57	20.42	21.50	
		1	0	20.70	20.53	20.40	21.50	
		1	7	20.61	20.53	20.42	21.50	
		1	14	20.44	20.46	20.44	21.50	
		8	0	20.54	20.75	20.47	21.50	
	16QAM	8	4	20.64	20.59	20.55	21.50	
		8	7	20.63	20.52	20.42	21.50	
		15	0	20.57	20.52	20.46	21.50	
		1	0	20.59	20.45	20.61	21.50	
		1	7	20.55	20.43	20.52	21.50	
		1	14	20.62	20.58	20.58	21.50	
	64QAM	8	0	20.63	20.66	20.34	21.50	
		8	4	20.52	20.48	20.40	21.50	
		8	7	20.52	20.62	20.45	21.50	
		15	0	20.61	20.50	20.42	21.50	
		1	0	20.48	20.55	20.43	21.50	
		1	7	20.71	20.74	20.44	21.50	
	5MHz	QPSK	1	0	20.59	20.64	20.42	21.50
			1	13	20.45	20.67	20.44	21.50
			1	24	20.46	20.64	20.34	21.50
			12	0	20.52	20.69	20.48	21.50
			12	6	20.56	20.51	20.38	21.50
			12	13	20.59	20.64	20.50	21.50
16QAM		25	0	20.51	20.66	20.59	21.50	
		1	0	20.56	20.50	20.60	21.50	
		1	13	20.40	20.45	20.53	21.50	
		1	24	20.69	20.69	20.47	21.50	
		12	0	20.58	20.72	20.49	21.50	
		12	6	20.56	20.52	20.50	21.50	
64QAM	12	13	20.56	20.68	20.45	21.50		
	25	0	20.60	20.57	20.58	21.50		
	1	0	20.41	20.63	20.37	21.50		
	1	13	20.58	20.65	20.50	21.50		
	1	24	20.61	20.61	20.50	21.50		
	12	0	20.52	20.65	20.42	21.50		
10MHz	QPSK	1	0	20.71	20.64	20.41	21.50	
		1	0	20.71	20.64	20.41	21.50	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

		1	25	20.45	20.67	20.48	21.50	
		1	49	20.45	20.51	20.44	21.50	
		25	0	20.64	20.64	20.36	21.50	
		25	13	20.66	20.51	20.50	21.50	
		25	25	20.63	20.52	20.49	21.50	
		50	0	20.62	20.64	20.45	21.50	
	16QAM	1	0	20.58	20.53	20.63	21.50	
		1	25	20.52	20.52	20.39	21.50	
		1	49	20.56	20.65	20.50	21.50	
		25	0	20.66	20.61	20.44	21.50	
		25	13	20.45	20.58	20.48	21.50	
		25	25	20.54	20.66	20.43	21.50	
	64QAM	50	0	20.61	20.61	20.58	21.50	
		1	0	20.52	20.66	20.41	21.50	
		1	25	20.73	20.75	20.44	21.50	
		1	49	20.58	20.68	20.58	21.50	
		25	0	20.44	20.67	20.25	21.50	
		25	13	20.59	20.55	20.64	21.50	
	25	25	20.56	20.67	20.63	21.50		
	50	0	20.46	20.58	20.38	21.50		
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
					18675	18900	19125	
	15MHz	QPSK	1	0	20.63	20.55	20.35	21.50
			1	38	20.61	20.70	20.50	21.50
1			74	20.46	20.60	20.37	21.50	
36			0	20.55	20.73	20.36	21.50	
36			18	20.56	20.47	20.57	21.50	
36			39	20.61	20.56	20.42	21.50	
16QAM		75	0	20.64	20.55	20.46	21.50	
		1	0	20.55	20.53	20.63	21.50	
		1	38	20.51	20.43	20.42	21.50	
		1	74	20.56	20.63	20.46	21.50	
		36	0	20.65	20.61	20.36	21.50	
		36	18	20.61	20.56	20.34	21.50	
64QAM		36	39	20.51	20.54	20.36	21.50	
		75	0	20.64	20.48	20.55	21.50	
		1	0	20.54	20.64	20.41	21.50	
		1	38	20.65	20.61	20.53	21.50	
		1	74	20.53	20.75	20.46	21.50	
		36	0	20.45	20.61	20.31	21.50	
	36	18	20.60	20.52	20.54	21.50		
	36	39	20.59	20.74	20.65	21.50		
	75	0	20.46	20.57	20.36	21.50		
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
					18700	18900	19100	
	20MHz	QPSK	1	0	20.71	20.81	20.40	21.50
1			50	20.48	20.65	20.60	21.50	
1			99	20.41	20.55	20.38	21.50	
50			0	20.57	20.78	20.52	21.50	
50			25	20.52	20.51	20.40	21.50	
50			50	20.65	20.51	20.51	21.50	
100			0	20.45	20.60	20.57	21.50	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

	16QAM	1	0	20.48	20.47	20.60	21.50
		1	50	20.37	20.60	20.53	21.50
		1	99	20.68	20.65	20.53	21.50
		50	0	20.58	20.60	20.37	21.50
		50	25	20.57	20.58	20.45	21.50
		50	50	20.53	20.70	20.46	21.50
		100	0	20.50	20.50	20.60	21.50
	64QAM	1	0	20.41	20.50	20.27	21.50
		1	50	20.58	20.72	20.41	21.50
		1	99	20.55	20.57	20.53	21.50
		50	0	20.55	20.68	20.28	21.50
		50	25	20.49	20.53	20.58	21.50
		50	50	20.44	20.60	20.67	21.50
		100	0	20.56	20.56	20.38	21.50

LTE Band 2 Hotspot on				Conducted Power(dBm)				
Bandwidth	Modulation	RB offset	Channel	Channel	Channel	Tune up		
				18607	18900		19193	
1.4MHz	QPSK	1	0	21.61	21.46	21.43	22.50	
		1	2	21.45	21.55	21.38	22.50	
		1	5	21.41	21.44	21.09	22.50	
		3	0	21.39	21.60	21.42	22.50	
		3	2	21.59	21.30	21.50	22.50	
		3	3	21.53	21.41	21.34	22.50	
		6	0	21.26	21.57	21.36	22.50	
	16QAM	1	0	21.44	21.30	21.51	22.50	
		1	2	21.42	21.50	21.34	22.50	
		1	5	21.50	21.63	21.41	22.50	
		3	0	21.59	21.45	21.23	22.50	
		3	2	21.54	21.29	21.37	22.50	
		3	3	21.41	21.46	21.13	22.50	
		6	0	21.43	21.26	21.36	22.50	
	64QAM	1	0	21.28	21.48	21.21	22.50	
		1	2	21.56	21.55	21.34	22.50	
		1	5	21.57	21.59	21.48	22.50	
		3	0	20.61	20.65	20.30	21.50	
		3	2	20.68	20.63	20.60	21.50	
		3	3	20.51	20.67	20.53	21.50	
		6	0	20.54	20.57	20.42	21.50	
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
	3MHz	QPSK	1	0	21.47	21.55	21.26	22.50
			1	7	21.46	21.63	21.47	22.50
1			14	21.25	21.47	21.16	22.50	
8			0	21.49	21.57	21.35	22.50	
8			4	21.47	21.26	21.36	22.50	
8			7	21.52	21.34	21.30	22.50	
15			0	21.28	21.45	21.33	22.50	
16QAM			1	0	21.41	21.41	21.51	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18625	18900	19175	
5MHz	QPSK	1	0	21.52	21.48	21.35	22.50
		1	13	21.36	21.47	21.27	22.50
		1	24	21.30	21.40	21.09	22.50
		12	0	21.51	21.72	21.41	22.50
		12	6	21.38	21.32	21.51	22.50
		12	13	21.55	21.32	21.44	22.50
	16QAM	25	0	21.44	21.44	21.30	22.50
		1	0	21.40	21.28	21.49	22.50
		1	13	21.38	21.49	21.42	22.50
		1	24	21.63	21.54	21.43	22.50
		12	0	21.53	21.45	21.22	22.50
		12	6	21.44	21.23	21.38	22.50
	64QAM	12	13	21.27	21.55	21.24	22.50
		25	0	21.53	21.44	21.25	22.50
		1	0	21.39	21.49	21.23	22.50
		1	13	21.61	21.47	21.21	22.50
		1	24	21.59	21.68	21.39	22.50
		12	0	20.52	20.65	20.42	21.50
10MHz	QPSK	12	6	20.49	20.61	20.55	21.50
		12	13	20.41	20.68	20.59	21.50
		25	0	20.54	20.66	20.53	21.50
		1	0	21.48	21.53	21.30	22.50
		1	25	21.40	21.53	21.24	22.50
		1	49	21.41	21.41	21.20	22.50
	16QAM	25	0	21.43	21.51	21.37	22.50
		25	13	21.52	21.42	21.40	22.50
		25	25	21.37	21.36	21.52	22.50
		50	0	21.42	21.56	21.28	22.50
		1	0	21.42	21.30	21.51	22.50
		1	25	21.46	21.42	21.33	22.50
	QPSK	1	49	21.43	21.60	21.51	22.50
		25	0	21.68	21.39	21.31	22.50
		25	13	21.53	21.22	21.30	22.50
		25	25	21.49	21.36	21.14	22.50
		50	0	21.57	21.28	21.41	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/terms-and-conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18675	18900	19125	
15MHz	64QAM	1	0	21.47	21.52	21.24	22.50
		1	25	21.52	21.48	21.34	22.50
		1	49	21.47	21.66	21.30	22.50
		25	0	20.44	20.67	20.25	21.50
		25	13	20.59	20.55	20.64	21.50
		25	25	20.56	20.67	20.63	21.50
		50	0	20.46	20.58	20.38	21.50
15MHz	QPSK	1	0	21.49	21.49	21.33	22.50
		1	38	21.37	21.68	21.43	22.50
		1	74	21.27	21.41	21.18	22.50
		36	0	21.56	21.55	21.40	22.50
		36	18	21.54	21.42	21.29	22.50
		36	39	21.52	21.35	21.38	22.50
		75	0	21.24	21.64	21.27	22.50
	16QAM	1	0	21.28	21.30	21.46	22.50
		1	38	21.27	21.33	21.51	22.50
		1	74	21.52	21.63	21.40	22.50
		36	0	21.53	21.60	21.14	22.50
		36	18	21.47	21.28	21.29	22.50
		36	39	21.36	21.38	21.30	22.50
		75	0	21.43	21.33	21.25	22.50
	64QAM	1	0	21.31	21.48	21.22	22.50
		1	38	21.43	21.62	21.23	22.50
		1	74	21.43	21.63	21.45	22.50
		36	0	20.45	20.61	20.31	21.50
		36	18	20.60	20.52	20.54	21.50
		36	39	20.59	20.74	20.65	21.50
		75	0	20.46	20.57	20.36	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18700	18900	19100	
20MHz	QPSK	1	0	21.64	21.77	21.37	22.50
		1	50	21.25	21.57	21.42	22.50
		1	99	21.42	21.54	21.15	22.50
		50	0	21.50	21.73	21.22	22.50
		50	25	21.52	21.48	21.44	22.50
		50	50	21.45	21.27	21.29	22.50
		100	0	21.34	21.44	21.25	22.50
	16QAM	1	0	21.26	21.31	21.49	22.50
		1	50	21.37	21.35	21.31	22.50
		1	99	21.43	21.50	21.36	22.50
		50	0	21.67	21.37	21.28	22.50
		50	25	21.58	21.28	21.32	22.50
		50	50	21.41	21.58	21.19	22.50
		100	0	21.40	21.46	21.27	22.50
	64QAM	1	0	21.36	21.45	21.36	22.50
		1	50	21.49	21.46	21.20	22.50
		1	99	21.45	21.51	21.33	22.50
		50	0	20.55	20.68	20.28	21.50
		50	25	20.49	20.53	20.58	21.50
		50	50	20.44	20.60	20.67	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



		100	0	20.56	20.56	20.38	21.50
--	--	-----	---	-------	-------	-------	-------

LTE Band 4 All off				Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				19957	20175	20393		
1.4MHz	QPSK	1	0	23.13	23.21	23.10	24.50	
		1	2	23.11	23.13	23.13	24.50	
		1	5	23.15	23.18	23.12	24.50	
		3	0	22.31	22.39	22.36	23.50	
		3	2	22.30	22.37	22.36	23.50	
		3	3	22.30	22.36	22.38	23.50	
	16QAM	1	0	22.21	22.35	22.25	23.50	
		1	2	22.21	22.34	22.28	23.50	
		1	5	22.24	22.30	22.28	23.50	
		3	0	21.27	21.27	21.28	22.50	
		3	2	21.29	21.29	21.28	22.50	
		3	3	21.29	21.29	21.27	22.50	
	64QAM	6	0	21.11	21.19	21.16	22.50	
		1	0	21.01	21.01	21.01	22.50	
		1	2	20.67	20.68	20.96	22.50	
		1	5	20.78	21.03	21.09	22.50	
		3	0	20.03	20.03	19.68	21.50	
		3	2	20.10	19.68	19.96	21.50	
	3MHz	QPSK	3	3	19.75	19.74	19.72	21.50
			6	0	19.83	19.88	19.86	21.50
			1	0	23.11	23.23	23.13	24.50
1			7	23.13	23.19	23.13	24.50	
1			14	23.11	23.17	23.11	24.50	
8			0	22.32	22.39	22.35	23.50	
16QAM		8	4	22.35	22.37	22.37	23.50	
		8	7	22.31	22.40	22.38	23.50	
		15	0	22.13	22.19	22.13	23.50	
		1	0	22.22	22.29	22.27	23.50	
		1	7	22.23	22.30	22.26	23.50	
		1	14	22.22	22.32	22.24	23.50	
64QAM		8	0	21.28	21.26	21.29	22.50	
		8	4	21.28	21.26	21.32	22.50	
		8	7	21.27	21.27	21.33	22.50	
		15	0	21.10	21.17	21.17	22.50	
		1	0	20.95	20.91	20.74	22.50	
		1	7	20.69	20.94	20.99	22.50	
		1	14	20.95	20.84	20.86	22.50	
		8	0	20.01	19.85	19.88	21.50	
		8	4	20.01	19.89	19.96	21.50	
8	7	19.73	19.98	19.78	21.50			
15	0	20.04	19.91	19.80	21.50			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				19975	20175	20375		
5MHz	QPSK	1	0	23.10	23.15	23.11	24.50	
		1	13	23.15	23.17	23.10	24.50	
		1	24	23.12	23.18	23.14	24.50	
		12	0	22.35	22.36	22.39	23.50	
		12	6	22.33	22.40	22.35	23.50	
		12	13	22.34	22.38	22.37	23.50	
	16QAM	25	0	22.14	22.20	22.11	23.50	
		1	0	22.19	22.30	22.29	23.50	
		1	13	22.19	22.29	22.25	23.50	
		1	24	22.24	22.34	22.24	23.50	
		12	0	21.29	21.26	21.28	22.50	
		12	6	21.29	21.31	21.31	22.50	
	64QAM	12	13	21.29	21.26	21.32	22.50	
		25	0	21.13	21.18	21.16	22.50	
		1	0	20.93	20.88	20.84	22.50	
		1	13	20.76	21.07	20.71	22.50	
		1	24	20.86	20.82	20.89	22.50	
		12	0	20.12	19.85	19.81	21.50	
	10MHz	QPSK	12	6	20.00	19.92	19.82	21.50
			12	13	19.85	19.88	19.82	21.50
			25	0	19.74	19.90	19.64	21.50
1			0	23.13	23.17	23.10	24.50	
1			25	23.11	23.15	23.11	24.50	
1			49	23.15	23.18	23.10	24.50	
16QAM		25	0	22.36	22.37	22.35	23.50	
		25	13	22.33	22.39	22.35	23.50	
		25	25	22.31	22.40	22.36	23.50	
		50	0	22.12	22.19	22.10	23.50	
		1	0	22.21	22.30	22.25	23.50	
		1	25	22.20	22.32	22.24	23.50	
64QAM		1	49	22.19	22.31	22.26	23.50	
		25	0	21.29	21.30	21.32	22.50	
		25	13	21.29	21.31	21.30	22.50	
		25	25	21.26	21.28	21.33	22.50	
		50	0	21.13	21.14	21.13	22.50	
		1	0	20.68	21.06	20.63	22.50	
15MHz		QPSK	1	25	20.81	21.10	20.61	22.50
			1	49	20.82	20.91	20.93	22.50
			25	0	19.97	20.10	19.97	21.50
	25		13	19.82	19.93	19.74	21.50	
	25		25	19.97	19.78	19.91	21.50	
	50		0	19.95	19.82	19.87	21.50	
	15MHz	QPSK	1	0	23.13	23.14	23.15	24.50
			1	38	23.13	23.19	23.14	24.50
	15MHz	QPSK	1	74	23.13	23.13	23.10	24.50
			36	0	22.35	22.37	22.38	23.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up		
				20050	20175	20300			
20MHz	16QAM	36	18	22.32	22.36	22.39	23.50		
		36	39	22.35	22.37	22.36	23.50		
		75	0	22.14	22.19	22.11	23.50		
		1	0	22.24	22.33	22.26	23.50		
		1	38	22.21	22.30	22.27	23.50		
		1	74	22.22	22.31	22.25	23.50		
		36	0	21.29	21.27	21.31	22.50		
		36	18	21.25	21.25	21.32	22.50		
		36	39	21.29	21.27	21.28	22.50		
	75	0	21.13	21.18	21.17	22.50			
	64QAM	1	0	20.92	20.84	20.67	22.50		
		1	38	20.79	20.80	21.06	22.50		
		1	74	20.96	20.72	20.76	22.50		
		36	0	19.91	19.78	19.81	21.50		
		36	18	20.09	20.12	19.69	21.50		
		36	39	20.10	19.68	20.05	21.50		
		75	0	19.65	19.97	19.89	21.50		
		QPSK	16QAM	1	0	23.11	23.26	23.13	24.50
				1	50	23.15	23.14	23.11	24.50
	1			99	23.14	23.13	23.12	24.50	
	50			0	22.31	22.40	22.39	23.50	
	50			25	22.31	22.35	22.36	23.50	
	50			50	22.35	22.38	22.35	23.50	
	64QAM		1	0	22.15	22.17	22.12	23.50	
			1	0	22.20	22.35	22.29	23.50	
			1	50	22.20	22.30	22.26	23.50	
			1	99	22.22	22.32	22.25	23.50	
			50	0	21.30	21.30	21.27	22.50	
			50	25	21.25	21.30	21.33	22.50	
	QPSK		16QAM	50	50	21.24	21.28	21.27	22.50
				100	0	21.12	21.18	21.13	22.50
				1	0	20.66	20.73	20.68	22.50
			64QAM	1	50	21.06	20.75	20.76	22.50
				1	99	20.99	21.13	20.89	22.50
				50	0	19.92	20.07	19.65	21.50
			QPSK	50	25	19.91	20.02	20.08	21.50
50				50	19.81	20.08	19.62	21.50	
100				0	19.94	19.99	20.06	21.50	

LTE Band 4 Receiver on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19957	20175	20393	
1.4MHz	QPSK	1	0	18.16	18.21	18.21	19.50
		1	2	18.11	18.24	18.21	19.50
		1	5	18.21	18.13	18.18	19.50
		3	0	18.26	18.28	18.08	19.50
		3	2	18.20	18.19	18.19	19.50
		3	3	18.21	18.17	18.06	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19965	20175	20385	
3MHz	16QAM	6	0	18.19	18.36	18.18	19.50
		1	0	18.25	18.25	18.24	19.50
		1	2	18.12	18.23	17.99	19.50
		1	5	18.27	18.27	18.06	19.50
		3	0	18.22	18.24	18.16	19.50
		3	2	18.18	18.29	17.99	19.50
	64QAM	3	3	18.28	18.27	18.09	19.50
		6	0	18.25	18.23	18.21	19.50
		1	0	18.20	18.18	18.13	19.50
		1	2	18.18	18.37	18.19	19.50
		1	5	18.25	18.25	18.22	19.50
		3	0	18.17	18.24	18.07	19.50
		3	2	18.27	18.23	18.19	19.50
		3	3	18.28	18.29	18.09	19.50
3MHz	QPSK	6	0	18.16	18.24	17.99	19.50
		1	0	18.21	18.31	18.22	19.50
		1	7	18.23	18.12	18.16	19.50
		1	14	18.18	18.17	18.22	19.50
		8	0	18.18	18.31	18.12	19.50
		8	4	18.20	18.24	18.24	19.50
	16QAM	8	7	18.11	18.23	18.06	19.50
		15	0	18.30	18.24	18.10	19.50
		1	0	18.29	18.19	18.24	19.50
		1	7	18.20	18.17	18.06	19.50
		1	14	18.30	18.32	18.11	19.50
		8	0	18.13	18.33	18.21	19.50
	64QAM	8	4	18.17	18.17	18.03	19.50
		8	7	18.22	18.31	18.10	19.50
		15	0	18.21	18.32	18.23	19.50
		1	0	18.25	18.24	18.00	19.50
		1	7	18.25	18.33	18.10	19.50
		1	14	18.26	18.26	18.10	19.50
5MHz	QPSK	8	0	18.22	18.22	18.12	19.50
		8	4	18.19	18.27	18.12	19.50
		8	7	18.16	18.17	18.10	19.50
		15	0	18.13	18.17	18.10	19.50
		1	0	18.17	18.27	18.24	19.50
		1	13	18.16	18.14	18.16	19.50
	16QAM	1	24	18.16	18.19	18.18	19.50
		12	0	18.28	18.25	18.07	19.50
		12	6	18.25	18.24	18.14	19.50
		12	13	18.20	18.27	18.03	19.50
		25	0	18.21	18.30	18.15	19.50
		1	0	18.20	18.28	18.18	19.50
5MHz	16QAM	1	13	18.21	18.19	18.00	19.50
		1	24	18.25	18.38	18.09	19.50
		12	0	18.23	18.19	18.24	19.50
		12	0	18.23	18.19	18.24	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20000	20175	20350	
10MHz	64QAM	12	6	18.16	18.18	17.98	19.50
		12	13	18.32	18.24	18.07	19.50
		25	0	18.23	18.19	18.16	19.50
		1	0	18.17	18.25	17.99	19.50
		1	13	18.21	18.27	18.18	19.50
		1	24	18.19	18.29	18.11	19.50
	QPSK	12	0	18.21	18.18	18.03	19.50
		12	6	18.32	18.29	18.14	19.50
		12	13	18.20	18.23	18.14	19.50
		25	0	18.22	18.20	18.08	19.50
		1	0	18.22	18.37	18.21	19.50
		1	25	18.20	18.15	18.08	19.50
		1	49	18.11	18.10	18.09	19.50
		25	0	18.27	18.25	18.19	19.50
		25	13	18.20	18.24	18.17	19.50
		25	25	18.10	18.25	18.12	19.50
		50	0	18.20	18.32	18.09	19.50
		16QAM	1	0	18.20	18.23	18.11
1	25		18.20	18.25	18.06	19.50	
1	49		18.24	18.24	18.14	19.50	
25	0		18.15	18.29	18.16	19.50	
25	13		18.18	18.16	18.07	19.50	
25	25		18.28	18.31	18.13	19.50	
50	0		18.29	18.22	18.10	19.50	
64QAM	1		0	18.18	18.26	17.99	19.50
	1		25	18.19	18.36	18.08	19.50
	1		49	18.18	18.20	18.24	19.50
	25		0	18.22	18.29	18.11	19.50
	25		13	18.24	18.36	18.11	19.50
	25	25	18.18	18.18	18.18	19.50	
50	0	18.20	18.22	18.01	19.50		
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20025	20175	20325	
15MHz	QPSK	1	0	18.11	18.36	18.09	19.50
		1	38	18.16	18.24	18.21	19.50
		1	74	18.21	18.15	18.11	19.50
		36	0	18.32	18.38	18.13	19.50
		36	18	18.21	18.21	18.15	19.50
		36	39	18.17	18.17	18.12	19.50
	16QAM	75	0	18.21	18.31	18.17	19.50
		1	0	18.19	18.28	18.21	19.50
		1	38	18.23	18.17	18.07	19.50
		1	74	18.28	18.31	18.10	19.50
		36	0	18.18	18.32	18.22	19.50
		36	18	18.18	18.28	18.14	19.50
	64QAM	36	39	18.18	18.31	18.12	19.50
		75	0	18.15	18.25	18.22	19.50
		1	0	18.14	18.22	18.01	19.50
		1	38	18.20	18.25	18.15	19.50
		1	74	18.15	18.29	18.12	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20050	20175	20300	
20MHz	QPSK	36	0	18.16	18.23	18.01	19.50
		36	18	18.21	18.33	18.07	19.50
		36	39	18.29	18.17	18.21	19.50
		75	0	18.10	18.20	18.00	19.50
		1	0	18.44	18.58	18.41	19.50
		1	50	18.13	18.24	18.15	19.50
		1	99	18.15	18.19	18.08	19.50
	16QAM	50	0	18.21	18.36	18.19	19.50
		50	25	18.14	18.32	18.10	19.50
		50	50	18.20	18.25	18.00	19.50
		100	0	18.18	18.23	18.21	19.50
		1	0	18.20	18.26	18.18	19.50
		1	50	18.26	18.30	18.02	19.50
		1	99	18.33	18.39	18.19	19.50
	64QAM	50	0	18.27	18.25	18.12	19.50
		50	25	18.13	18.21	18.11	19.50
		50	50	18.29	18.39	18.19	19.50
		100	0	18.19	18.32	18.18	19.50
		1	0	18.18	18.29	18.06	19.50
		1	50	18.28	18.24	18.14	19.50
		1	99	18.20	18.25	18.10	19.50
		50	0	18.21	18.21	18.11	19.50
		50	25	18.25	18.28	18.19	19.50
		50	50	18.24	18.33	18.21	19.50
		100	0	18.12	18.19	18.11	19.50

LTE Band 4 Sensor on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19957	20175	20393	
1.4MHz	QPSK	1	0	20.70	20.65	20.50	21.50
		1	2	20.65	20.70	20.63	21.50
		1	5	20.56	20.63	20.38	21.50
		3	0	20.65	20.69	20.43	21.50
		3	2	20.54	20.56	20.52	21.50
		3	3	20.61	20.72	20.57	21.50
		6	0	20.50	20.74	20.45	21.50
	16QAM	1	0	20.54	20.56	20.60	21.50
		1	2	20.45	20.52	20.62	21.50
		1	5	20.65	20.69	20.54	21.50
		3	0	20.69	20.57	20.54	21.50
		3	2	20.58	20.58	20.57	21.50
		3	3	20.69	20.74	20.54	21.50
		6	0	20.54	20.66	20.46	21.50
	64QAM	1	0	20.51	20.54	20.49	21.50
		1	2	20.77	20.77	20.50	21.50
		1	5	20.70	20.63	20.53	21.50
		3	0	20.58	20.63	20.39	21.50
		3	2	20.62	20.58	20.60	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				19965	20175	20385		
3MHz	QPSK	3	3	20.61	20.74	20.65	21.50	
		6	0	20.60	20.70	20.58	21.50	
		1	0	20.74	20.70	20.45	21.50	
		1	7	20.63	20.61	20.52	21.50	
		1	14	20.57	20.62	20.38	21.50	
		8	0	20.49	20.75	20.42	21.50	
	16QAM	8	4	20.53	20.66	20.56	21.50	
		8	7	20.60	20.68	20.58	21.50	
		15	0	20.64	20.69	20.60	21.50	
		1	0	20.64	20.52	20.63	21.50	
		1	7	20.54	20.56	20.48	21.50	
		1	14	20.60	20.67	20.55	21.50	
	64QAM	8	0	20.69	20.68	20.58	21.50	
		8	4	20.51	20.61	20.56	21.50	
		8	7	20.59	20.72	20.42	21.50	
		15	0	20.62	20.62	20.61	21.50	
		1	0	20.64	20.57	20.44	21.50	
		1	7	20.72	20.74	20.42	21.50	
	5MHz	QPSK	1	0	20.65	20.58	20.58	21.50
			1	13	20.57	20.58	20.58	21.50
			1	24	20.53	20.60	20.45	21.50
			12	0	20.66	20.74	20.39	21.50
			12	6	20.55	20.47	20.48	21.50
			12	13	20.62	20.54	20.48	21.50
16QAM		25	0	20.55	20.59	20.51	21.50	
		1	0	20.66	20.61	20.57	21.50	
		1	13	20.55	20.60	20.52	21.50	
		1	24	20.64	20.69	20.63	21.50	
		12	0	20.76	20.65	20.42	21.50	
		12	6	20.51	20.56	20.45	21.50	
64QAM	12	13	20.69	20.72	20.51	21.50		
	25	0	20.55	20.67	20.63	21.50		
	1	0	20.46	20.61	20.46	21.50		
	1	13	20.76	20.78	20.50	21.50		
	1	24	20.73	20.61	20.42	21.50		
	12	0	20.49	20.66	20.33	21.50		
10MHz	QPSK	1	0	Channel	Channel	Channel	Tune up	
				20000	20175	20350		
				20.61	20.58	20.52	21.50	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

		1	25	20.59	20.69	20.64	21.50	
		1	49	20.62	20.63	20.45	21.50	
		25	0	20.53	20.77	20.50	21.50	
		25	13	20.62	20.59	20.57	21.50	
		25	25	20.69	20.71	20.54	21.50	
		50	0	20.53	20.66	20.50	21.50	
	16QAM	1	0	20.63	20.51	20.54	21.50	
		1	25	20.54	20.59	20.62	21.50	
		1	49	20.71	20.64	20.63	21.50	
		25	0	20.62	20.69	20.41	21.50	
		25	13	20.60	20.48	20.42	21.50	
		25	25	20.61	20.61	20.43	21.50	
	64QAM	50	0	20.73	20.70	20.45	21.50	
		1	0	20.51	20.57	20.34	21.50	
		1	25	20.80	20.74	20.55	21.50	
		1	49	20.60	20.75	20.61	21.50	
		25	0	20.53	20.63	20.40	21.50	
		25	13	20.63	20.65	20.67	21.50	
			25	25	20.57	20.64	20.58	21.50
			50	0	20.53	20.62	20.48	21.50
		Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel
					20025	20175	20325	
15MHz	QPSK	1	0	20.67	20.63	20.58	21.50	
		1	38	20.62	20.68	20.52	21.50	
		1	74	20.61	20.65	20.34	21.50	
		36	0	20.55	20.79	20.54	21.50	
		36	18	20.53	20.48	20.60	21.50	
		36	39	20.60	20.59	20.44	21.50	
	16QAM	75	0	20.54	20.74	20.59	21.50	
		1	0	20.49	20.54	20.56	21.50	
		1	38	20.52	20.48	20.49	21.50	
		1	74	20.69	20.74	20.51	21.50	
		36	0	20.60	20.72	20.40	21.50	
		36	18	20.50	20.53	20.54	21.50	
	64QAM	36	39	20.69	20.65	20.36	21.50	
		75	0	20.60	20.57	20.48	21.50	
		1	0	20.47	20.67	20.34	21.50	
		1	38	20.68	20.75	20.58	21.50	
		1	74	20.60	20.76	20.54	21.50	
		36	0	20.58	20.65	20.41	21.50	
			36	18	20.65	20.73	20.62	21.50
			36	39	20.49	20.62	20.71	21.50
			75	0	20.62	20.62	20.44	21.50
		Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel
					20050	20175	20300	
	20MHz	QPSK	1	0	20.70	20.84	20.53	21.50
1			50	20.51	20.65	20.66	21.50	
1			99	20.61	20.60	20.39	21.50	
50			0	20.54	20.77	20.52	21.50	
50			25	20.61	20.66	20.46	21.50	
50			50	20.65	20.59	20.48	21.50	
100			0	20.59	20.64	20.58	21.50	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



	16QAM	1	0	20.62	20.65	20.67	21.50
		1	50	20.48	20.63	20.62	21.50
		1	99	20.69	20.74	20.52	21.50
		50	0	20.70	20.60	20.40	21.50
		50	25	20.57	20.62	20.39	21.50
		50	50	20.67	20.61	20.47	21.50
		100	0	20.69	20.55	20.48	21.50
	64QAM	1	0	20.50	20.63	20.40	21.50
		1	50	20.78	20.78	20.47	21.50
		1	99	20.68	20.63	20.42	21.50
		50	0	20.56	20.73	20.33	21.50
		50	25	20.57	20.62	20.51	21.50
		50	50	20.58	20.72	20.65	21.50
		100	0	20.52	20.70	20.51	21.50

LTE Band 4 Hotspot on				Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				19957	20175	20393		
1.4MHz	QPSK	1	0	21.51	21.55	21.27	22.50	
		1	2	21.43	21.68	21.38	22.50	
		1	5	21.30	21.31	21.06	22.50	
		3	0	21.55	21.62	21.35	22.50	
		3	2	21.46	21.46	21.47	22.50	
		3	3	21.55	21.39	21.36	22.50	
		6	0	21.38	21.44	21.19	22.50	
	16QAM	1	0	21.35	21.30	21.55	22.50	
		1	2	21.36	21.41	21.52	22.50	
		1	5	21.56	21.55	21.40	22.50	
		3	0	21.60	21.46	21.24	22.50	
		3	2	21.44	21.39	21.25	22.50	
		3	3	21.51	21.56	21.09	22.50	
		6	0	21.40	21.38	21.25	22.50	
	64QAM	1	0	21.27	21.55	21.38	22.50	
		1	2	21.54	21.64	21.28	22.50	
		1	5	21.42	21.67	21.38	22.50	
		3	0	20.58	20.63	20.39	21.50	
		3	2	20.62	20.58	20.60	21.50	
		3	3	20.61	20.74	20.65	21.50	
		6	0	20.60	20.70	20.58	21.50	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
3MHz	QPSK	1	0	21.46	21.48	21.45	22.50	
		1	7	21.43	21.60	21.26	22.50	
		1	14	21.35	21.33	21.05	22.50	
		8	0	21.44	21.71	21.22	22.50	
		8	4	21.48	21.36	21.42	22.50	
		8	7	21.40	21.35	21.32	22.50	
		15	0	21.40	21.45	21.31	22.50	
		16QAM	1	0	21.28	21.31	21.37	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up		
				19975	20175	20375			
5MHz	QPSK	1	0	21.54	21.52	21.43	22.50		
		1	13	21.35	21.70	21.31	22.50		
		1	24	21.20	21.32	21.09	22.50		
		12	0	21.38	21.70	21.42	22.50		
		12	6	21.43	21.30	21.38	22.50		
		12	13	21.51	21.34	21.38	22.50		
	16QAM	16QAM	25	0	21.39	21.63	21.27	22.50	
			1	0	21.39	21.31	21.35	22.50	
			1	13	21.39	21.31	21.52	22.50	
		64QAM	16QAM	1	24	21.43	21.59	21.36	22.50
				12	0	21.52	21.57	21.32	22.50
			64QAM	12	6	21.40	21.24	21.42	22.50
				12	13	21.43	21.59	21.15	22.50
				25	0	21.44	21.39	21.28	22.50
				1	0	21.43	21.46	21.37	22.50
10MHz	QPSK	1	13	21.50	21.49	21.34	22.50		
		1	24	21.60	21.65	21.33	22.50		
		12	0	20.49	20.66	20.33	21.50		
		12	6	20.57	20.69	20.63	21.50		
		12	13	20.54	20.69	20.52	21.50		
		25	0	20.52	20.60	20.42	21.50		
	16QAM	QPSK	1	0	21.50	21.54	21.33	22.50	
			1	25	21.31	21.54	21.34	22.50	
			1	49	21.27	21.55	21.06	22.50	
		16QAM	QPSK	25	0	21.48	21.61	21.35	22.50
				25	13	21.50	21.43	21.28	22.50
			16QAM	25	25	21.47	21.47	21.40	22.50
				50	0	21.30	21.54	21.27	22.50
				1	0	21.44	21.32	21.57	22.50
				1	25	21.30	21.45	21.41	22.50
16QAM	16QAM	1	49	21.42	21.63	21.43	22.50		
		25	0	21.71	21.42	21.18	22.50		
	16QAM	25	13	21.35	21.37	21.29	22.50		
		25	25	21.43	21.56	21.24	22.50		
		50	0	21.58	21.34	21.30	22.50		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20025	20175	20325	
15MHz	64QAM	1	0	21.28	21.43	21.27	22.50
		1	25	21.45	21.51	21.22	22.50
		1	49	21.53	21.66	21.34	22.50
		25	0	20.53	20.63	20.40	21.50
		25	13	20.63	20.65	20.67	21.50
		25	25	20.57	20.64	20.58	21.50
		50	0	20.53	20.62	20.48	21.50
15MHz	QPSK	1	0	21.54	21.38	21.31	22.50
		1	38	21.34	21.48	21.36	22.50
		1	74	21.34	21.46	21.13	22.50
		36	0	21.57	21.64	21.36	22.50
		36	18	21.57	21.28	21.42	22.50
		36	39	21.37	21.26	21.35	22.50
		75	0	21.28	21.56	21.38	22.50
	16QAM	1	0	21.30	21.27	21.54	22.50
		1	38	21.40	21.28	21.39	22.50
		1	74	21.44	21.59	21.29	22.50
		36	0	21.57	21.38	21.15	22.50
		36	18	21.53	21.28	21.48	22.50
		36	39	21.36	21.51	21.16	22.50
		75	0	21.62	21.43	21.38	22.50
	64QAM	1	0	21.32	21.39	21.36	22.50
		1	38	21.56	21.54	21.26	22.50
		1	74	21.60	21.65	21.47	22.50
		36	0	20.58	20.65	20.41	21.50
		36	18	20.65	20.73	20.62	21.50
		36	39	20.49	20.62	20.71	21.50
		75	0	20.62	20.62	20.44	21.50
20MHz	QPSK	1	0	21.49	21.71	21.43	22.50
		1	50	21.33	21.69	21.34	22.50
		1	99	21.37	21.45	21.19	22.50
		50	0	21.56	21.52	21.28	22.50
		50	25	21.52	21.28	21.40	22.50
		50	50	21.39	21.44	21.38	22.50
		100	0	21.29	21.49	21.27	22.50
	16QAM	1	0	21.30	21.38	21.45	22.50
		1	50	21.39	21.29	21.33	22.50
		1	99	21.49	21.68	21.31	22.50
		50	0	21.51	21.55	21.20	22.50
		50	25	21.57	21.28	21.36	22.50
		50	50	21.28	21.57	21.14	22.50
		100	0	21.49	21.43	21.24	22.50
	64QAM	1	0	21.33	21.53	21.38	22.50
		1	50	21.54	21.45	21.21	22.50
		1	99	21.59	21.70	21.31	22.50
		50	0	20.56	20.73	20.33	21.50
		50	25	20.57	20.62	20.51	21.50
		50	50	20.58	20.72	20.65	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



		100	0	20.52	20.70	20.51	21.50
--	--	-----	---	-------	-------	-------	-------

LTE Band 5 All off				Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				20407	20525	20643		
1.4MHz	QPSK	1	0	23.58	23.61	23.50	24.50	
		1	2	23.51	23.57	23.51	24.50	
		1	5	23.54	23.54	23.48	24.50	
		3	0	22.70	22.66	22.62	23.50	
		3	2	22.69	22.66	22.65	23.50	
		3	3	22.69	22.61	22.61	23.50	
	16QAM	1	0	22.68	22.64	22.57	23.50	
		1	2	22.73	22.66	22.60	23.50	
		1	5	22.67	22.67	22.60	23.50	
		3	0	21.67	21.63	21.63	22.50	
		3	2	21.69	21.69	21.63	22.50	
		3	3	21.70	21.67	21.59	22.50	
	64QAM	1	0	21.33	21.10	21.05	22.50	
		1	2	21.18	21.27	21.50	22.50	
		1	5	21.20	21.14	21.09	22.50	
		3	0	20.39	20.15	20.32	21.50	
		3	2	20.20	20.40	20.25	21.50	
		3	3	20.10	20.18	20.15	21.50	
	3MHz	QPSK	1	0	23.58	23.59	23.47	24.50
			1	7	23.57	23.57	23.50	24.50
			1	14	23.55	23.57	23.47	24.50
8			0	22.67	22.64	22.64	23.50	
8			4	22.68	22.64	22.61	23.50	
8			7	22.70	22.62	22.63	23.50	
16QAM		1	0	22.72	22.64	22.59	23.50	
		1	7	22.68	22.64	22.61	23.50	
		1	14	22.71	22.67	22.60	23.50	
		8	0	21.68	21.69	21.60	22.50	
		8	4	21.70	21.64	21.63	22.50	
		8	7	21.72	21.66	21.60	22.50	
64QAM		1	0	21.19	21.28	21.39	22.50	
		1	7	21.57	21.13	21.23	22.50	
		1	14	21.43	21.27	21.11	22.50	
		8	0	20.20	20.23	20.27	21.50	
		8	4	20.32	20.41	20.26	21.50	
		8	7	20.49	20.34	20.45	21.50	
		15	0	20.47	20.14	20.32	21.50	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				20425	20525	20625		
5MHz	QPSK	1	0	23.55	23.56	23.50	24.50	
		1	13	23.58	23.56	23.46	24.50	
		1	24	23.55	23.57	23.48	24.50	
		12	0	22.69	22.66	22.66	23.50	
		12	6	22.69	22.61	22.61	23.50	
		12	13	22.67	22.63	22.64	23.50	
	16QAM	25	0	22.71	22.66	22.59	23.50	
		1	0	22.71	22.69	22.62	23.50	
		1	13	22.72	22.69	22.61	23.50	
		1	24	22.68	22.67	22.60	23.50	
		12	0	21.69	21.67	21.63	22.50	
		12	6	21.70	21.68	21.62	22.50	
	64QAM	12	13	21.71	21.65	21.63	22.50	
		25	0	21.72	21.68	21.60	22.50	
		1	0	21.14	21.22	21.41	22.50	
		1	13	21.55	21.36	21.10	22.50	
		1	24	21.55	21.32	21.36	22.50	
		12	0	20.54	20.41	20.13	21.50	
	10MHz	QPSK	12	6	20.12	20.15	20.38	21.50
			12	13	20.32	20.38	20.21	21.50
			25	0	20.24	20.12	20.10	21.50
			1	0	23.54	23.67	23.50	24.50
			1	25	23.58	23.57	23.49	24.50
			1	49	23.57	23.58	23.47	24.50
16QAM		25	0	22.69	22.77	22.65	23.50	
		25	13	22.71	22.67	22.64	23.50	
		25	25	22.69	22.67	22.64	23.50	
		50	0	22.72	22.73	22.57	23.50	
		1	0	22.72	22.68	22.60	23.50	
		1	25	22.68	22.68	22.58	23.50	
64QAM		1	49	22.69	22.68	22.61	23.50	
		25	0	21.72	21.64	21.58	22.50	
		25	13	21.71	21.68	21.57	22.50	
		25	25	21.68	21.67	21.63	22.50	
		50	0	21.71	21.66	21.61	22.50	
		1	0	21.18	21.44	21.05	22.50	
16QAM		1	25	21.51	21.28	21.24	22.50	
		1	49	21.36	21.27	21.42	22.50	
		25	0	20.41	20.35	20.06	21.50	
		25	13	20.47	20.07	20.44	21.50	
		25	25	20.12	20.54	20.33	21.50	
		50	0	20.39	20.29	20.48	21.50	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

LTE FDD Band 12 All off				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				23017	23095	23173	
1.4MHz	QPSK	1	0	23.68	23.65	23.62	24.50
		1	2	23.68	23.64	23.65	24.50
		1	5	23.67	23.67	23.65	24.50
		3	0	22.83	22.80	22.87	23.50
		3	2	22.83	22.79	22.85	23.50
		3	3	22.80	22.80	22.88	23.50
	16QAM	6	0	22.87	22.82	22.83	23.50
		1	0	22.90	22.85	22.84	23.50
		1	2	22.90	22.86	22.80	23.50
		1	5	22.91	22.83	22.85	23.50
		3	0	21.67	21.66	21.60	22.50
		3	2	21.69	21.66	21.58	22.50
	64QAM	3	3	21.72	21.65	21.61	22.50
		6	0	21.68	21.65	21.63	22.50
		1	0	21.53	21.17	21.59	22.50
		1	2	21.61	21.34	21.59	22.50
		1	5	21.23	21.41	21.21	22.50
		3	0	20.36	20.37	20.59	21.50
3MHz	QPSK	3	2	20.34	20.46	20.38	21.50
		3	3	20.44	20.56	20.52	21.50
		6	0	20.67	20.27	20.14	21.50
		1	0	23.64	23.64	23.62	24.50
		1	7	23.65	23.62	23.65	24.50
		1	14	23.68	23.65	23.66	24.50
	16QAM	8	0	22.80	22.78	22.82	23.50
		8	4	22.80	22.77	22.88	23.50
		8	7	22.82	22.77	22.85	23.50
		15	0	22.88	22.81	22.83	23.50
		1	0	22.87	22.82	22.85	23.50
		1	7	22.89	22.81	22.86	23.50
	64QAM	1	14	22.90	22.84	22.84	23.50
		8	0	21.73	21.69	21.63	22.50
		8	4	21.72	21.68	21.61	22.50
		8	7	21.73	21.67	21.61	22.50
		15	0	21.68	21.69	21.62	22.50
		1	0	21.19	21.45	21.19	22.50
5MHz	QPSK	1	7	21.38	21.59	21.45	22.50
		1	14	21.49	21.55	21.52	22.50
		8	0	20.41	20.53	20.20	21.50
		8	4	20.63	20.33	20.35	21.50
		8	7	20.62	20.38	20.58	21.50
		15	0	20.40	20.54	20.18	21.50
5MHz	QPSK	1	0	23.64	23.61	23.64	24.50
		1	13	23.68	23.67	23.63	24.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				23060	23095	23130		
10MHz	16QAM	1	24	23.68	23.65	23.65	24.50	
		12	0	22.81	22.80	22.83	23.50	
		12	6	22.82	22.82	22.85	23.50	
		12	13	22.79	22.83	22.86	23.50	
		25	0	22.88	22.82	22.82	23.50	
		1	0	22.90	22.85	22.81	23.50	
		1	13	22.89	22.81	22.84	23.50	
		1	24	22.85	22.82	22.85	23.50	
		12	0	21.68	21.68	21.58	22.50	
		12	6	21.72	21.65	21.61	22.50	
		12	13	21.71	21.65	21.63	22.50	
		25	0	21.72	21.64	21.57	22.50	
		64QAM	1	0	21.49	21.61	21.37	22.50
			1	13	21.24	21.16	21.30	22.50
			1	24	21.59	21.62	21.59	22.50
	12		0	20.52	20.34	20.36	21.50	
	12		6	20.42	20.20	20.46	21.50	
	12		13	20.38	20.32	20.23	21.50	
	25		0	20.30	20.30	20.15	21.50	
	QPSK		1	0	23.65	23.79	23.65	24.50
			1	25	23.69	23.61	23.65	24.50
			1	49	23.66	23.64	23.61	24.50
			25	0	22.81	22.88	22.85	23.50
			25	13	22.82	22.79	22.85	23.50
			25	25	22.82	22.82	22.85	23.50
			50	0	22.83	22.86	22.84	23.50
			16QAM	1	0	22.89	22.81	22.84
		1		25	22.87	22.84	22.84	23.50
		1		49	22.88	22.85	22.82	23.50
		25		0	21.68	21.68	21.59	22.50
25		13		21.68	21.68	21.60	22.50	
25		25		21.69	21.67	21.57	22.50	
50		0		21.68	21.67	21.59	22.50	
64QAM		1		0	21.23	21.23	21.44	22.50
	1	25		21.68	21.24	21.37	22.50	
	1	49		21.27	21.43	21.53	22.50	
	25	0		20.47	20.31	20.28	21.50	
	25	13		20.38	20.23	20.55	21.50	
	25	25		20.27	20.37	20.42	21.50	
	50	0		20.42	20.28	20.41	21.50	

LTE FDD Band 14 All off				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				23305	23330	23355	
5MHz	QPSK	1	0	23.63	23.59	23.52	24.50
		1	13	23.62	23.59	23.59	24.50
		1	24	23.60	23.62	23.58	24.50
		12	0	22.73	22.72	22.79	23.50
		12	6	22.77	22.70	22.74	23.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/terms-and-conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				/	23330	/		
10MHz	16QAM	12	13	22.74	22.73	22.80	23.50	
		25	0	22.78	22.75	22.76	23.50	
		1	0	22.85	22.74	22.78	23.50	
		1	13	22.81	22.78	22.74	23.50	
		1	24	22.81	22.73	22.80	23.50	
		12	0	21.62	21.59	21.50	22.50	
		12	6	21.62	21.57	21.49	22.50	
		12	13	21.43	21.31	21.09	22.50	
	25	0	21.39	21.27	21.31	22.50		
	1	0	21.43	21.40	21.20	22.50		
	1	13	21.36	21.12	21.49	22.50		
	1	24	21.52	21.26	21.16	22.50		
	12	0	20.50	20.19	20.10	21.50		
	12	6	20.49	20.14	20.52	21.50		
	12	13	20.15	20.28	20.18	21.50		
	25	0	20.27	20.12	20.11	21.50		
	10MHz	QPSK	1	0	/	23.72	/	24.50
			1	25	/	23.52	/	24.50
			1	49	/	23.59	/	24.50
			25	0	/	22.79	/	23.50
			25	13	/	22.72	/	23.50
			25	25	/	22.66	/	23.50
			50	0	/	22.71	/	23.50
		16QAM	1	0	/	22.74	/	23.50
			1	25	/	22.74	/	23.50
			1	49	/	22.76	/	23.50
			25	0	/	21.61	/	22.50
			25	13	/	21.57	/	22.50
25			25	/	21.57	/	22.50	
50			0	/	21.59	/	22.50	
64QAM		1	0	/	21.35	/	22.50	
		1	25	/	21.32	/	22.50	
		1	49	/	21.47	/	22.50	
		25	0	/	20.32	/	21.50	
		25	13	/	20.48	/	21.50	
		25	25	/	20.37	/	21.50	

LTE Band 25 All off				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26047	26365	26683	
1.4MHz	QPSK	1	0	23.18	23.17	23.12	24.50
		1	2	23.15	23.18	23.12	24.50
		1	5	23.13	23.15	23.13	24.50
		3	0	22.32	22.34	22.33	23.50
		3	2	22.32	22.32	22.34	23.50
		3	3	22.34	22.35	22.35	23.50
		6	0	22.20	22.27	22.25	23.50
	16QAM	1	0	22.20	22.27	22.21	23.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

		1	2	22.20	22.24	22.23	23.50	
		1	5	22.22	22.28	22.22	23.50	
		3	0	21.41	21.37	21.40	22.50	
		3	2	21.39	21.36	21.43	22.50	
		3	3	21.43	21.40	21.38	22.50	
		6	0	21.43	21.35	21.39	22.50	
		6	0	20.99	20.77	20.90	22.50	
	64QAM	1	0	21.13	21.05	21.08	22.50	
		1	2	21.17	21.16	20.90	22.50	
		3	0	19.90	20.16	20.08	21.50	
		3	2	19.83	20.06	20.09	21.50	
		3	3	20.16	19.78	19.98	21.50	
		6	0	19.78	19.91	19.69	21.50	
		6	0	19.78	19.91	19.69	21.50	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				26055	26365	26675		
3MHz	QPSK	1	0	23.12	23.17	23.11	24.50	
		1	7	23.15	23.16	23.13	24.50	
		1	14	23.17	23.16	23.10	24.50	
		8	0	22.32	22.35	22.36	23.50	
		8	4	22.34	22.38	22.34	23.50	
		8	7	22.34	22.34	22.31	23.50	
		15	0	22.21	22.24	22.26	23.50	
	16QAM	1	0	22.21	22.26	22.21	23.50	
		1	7	22.20	22.24	22.20	23.50	
		1	14	22.23	22.29	22.23	23.50	
		8	0	21.37	21.38	21.43	22.50	
		8	4	21.42	21.38	21.41	22.50	
		8	7	21.41	21.37	21.43	22.50	
		15	0	21.38	21.37	21.43	22.50	
	64QAM	1	0	20.96	20.83	20.83	22.50	
		1	7	20.86	20.97	21.05	22.50	
		1	14	20.94	20.87	21.02	22.50	
		8	0	19.77	20.14	20.12	21.50	
		8	4	20.01	20.03	20.06	21.50	
		8	7	20.04	19.72	19.83	21.50	
		15	0	19.69	19.72	19.92	21.50	
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
					26065	26365	26665	
	5MHz	QPSK	1	0	23.12	23.16	23.10	24.50
			1	13	23.15	23.17	23.11	24.50
			1	24	23.13	23.16	23.11	24.50
			12	0	22.30	22.33	22.32	23.50
			12	6	22.31	22.35	22.35	23.50
12			13	22.33	22.34	22.35	23.50	
25			0	22.22	22.25	22.24	23.50	
16QAM		1	0	22.23	22.27	22.23	23.50	
		1	13	22.25	22.23	22.22	23.50	
		1	24	22.21	22.26	22.22	23.50	
		12	0	21.41	21.37	21.43	22.50	
		12	6	21.38	21.38	21.40	22.50	
		12	13	21.42	21.38	21.40	22.50	
		25	0	21.43	21.38	21.42	22.50	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				26090	26365	26640		
10MHz	64QAM	1	0	21.01	20.71	21.10	22.50	
		1	13	21.03	20.89	20.69	22.50	
		1	24	20.96	21.17	20.68	22.50	
		12	0	19.69	19.97	19.89	21.50	
		12	6	19.99	20.13	19.64	21.50	
		12	13	19.94	20.00	19.77	21.50	
		25	0	19.95	19.88	20.09	21.50	
10MHz	QPSK	1	0	23.16	23.19	23.12	24.50	
		1	25	23.15	23.15	23.13	24.50	
		1	49	23.14	23.18	23.12	24.50	
		25	0	22.33	22.34	22.32	23.50	
		25	13	22.31	22.38	22.32	23.50	
		25	25	22.36	22.33	22.31	23.50	
		50	0	22.19	22.25	22.22	23.50	
	16QAM	1	0	22.20	22.28	22.25	23.50	
		1	25	22.24	22.26	22.24	23.50	
		1	49	22.20	22.26	22.25	23.50	
		25	0	21.42	21.36	21.41	22.50	
		25	13	21.42	21.35	21.43	22.50	
		25	25	21.42	21.37	21.41	22.50	
		50	0	21.41	21.39	21.40	22.50	
	64QAM	1	0	20.81	20.85	20.67	22.50	
		1	25	21.17	20.76	21.10	22.50	
		1	49	21.15	20.84	21.07	22.50	
		25	0	19.94	20.05	19.79	21.50	
		25	13	19.75	19.82	19.83	21.50	
		25	25	20.17	19.93	19.83	21.50	
		50	0	19.72	19.88	19.65	21.50	
		15MHz	64QAM	1	0	19.72	19.88	19.65
	1			0	19.72	19.88	19.65	21.50
	15MHz	QPSK	1	0	23.13	23.18	23.11	24.50
			1	38	23.15	23.17	23.13	24.50
			1	74	23.17	23.16	23.14	24.50
			36	0	22.35	22.35	22.34	23.50
			36	18	22.31	22.35	22.35	23.50
36			39	22.32	22.34	22.32	23.50	
75			0	22.19	22.25	22.22	23.50	
16QAM		1	0	22.22	22.28	22.24	23.50	
		1	38	22.25	22.26	22.20	23.50	
		1	74	22.20	22.26	22.22	23.50	
		36	0	21.39	21.36	21.38	22.50	
		36	18	21.40	21.35	21.38	22.50	
		36	39	21.37	21.40	21.41	22.50	
		75	0	21.42	21.35	21.40	22.50	
64QAM		1	0	20.88	20.84	20.92	22.50	
		1	38	21.00	20.73	20.73	22.50	
		1	74	21.03	20.69	20.99	22.50	
		36	0	19.80	19.68	20.00	21.50	
		36	18	19.97	19.78	19.84	21.50	
		36	39	19.70	19.87	20.06	21.50	
		36	0	19.70	19.87	20.06	21.50	
		36	39	19.70	19.87	20.06	21.50	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Bandwidth	Modulation	75	0	19.86	20.04	20.11	21.50
		RB size	RB offset	Channel	Channel	Channel	Tune up
20MHz	QPSK	1	0	23.17	23.24	23.12	24.50
		1	50	23.17	23.19	23.12	24.50
		1	99	23.18	23.17	23.14	24.50
		50	0	22.32	22.41	22.36	23.50
		50	25	22.33	22.38	22.33	23.50
		50	50	22.31	22.37	22.35	23.50
		100	0	22.20	22.23	22.20	23.50
	16QAM	1	0	22.19	22.24	22.23	23.50
		1	50	22.22	22.28	22.21	23.50
		1	99	22.24	22.26	22.22	23.50
		50	0	21.38	21.37	21.40	22.50
		50	25	21.39	21.38	21.40	22.50
		50	50	21.39	21.39	21.38	22.50
		100	0	21.40	21.36	21.44	22.50
	64QAM	1	0	21.04	21.16	20.65	22.50
		1	50	20.95	20.88	20.63	22.50
		1	99	20.90	21.12	21.08	22.50
		50	0	20.07	19.98	19.65	21.50
		50	25	20.14	19.85	20.11	21.50
		50	50	19.84	19.80	20.12	21.50
		100	0	19.84	20.09	19.77	21.50

LTE Band 25 Receiver on				Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				26047	26365	26683		
1.4MHz	QPSK	1	0	19.47	19.66	19.49	20.50	
		1	2	19.50	19.55	19.42	20.50	
		1	5	19.42	19.38	19.51	20.50	
		3	0	19.60	19.61	19.44	20.50	
		3	2	19.53	19.61	19.39	20.50	
		3	3	19.44	19.58	19.33	20.50	
		6	0	19.54	19.53	19.44	20.50	
	16QAM	1	0	19.52	19.55	19.52	20.50	
		1	2	19.54	19.45	19.31	20.50	
		1	5	19.53	19.65	19.45	20.50	
		3	0	19.54	19.53	19.53	20.50	
		3	2	19.44	19.53	19.38	20.50	
		3	3	19.51	19.62	19.37	20.50	
		6	0	19.45	19.51	19.44	20.50	
	64QAM	1	0	19.55	19.53	19.40	20.50	
		1	2	19.56	19.65	19.48	20.50	
		1	5	19.58	19.59	19.43	20.50	
		3	0	19.56	19.55	19.28	20.50	
		3	2	19.52	19.55	19.45	20.50	
		3	3	19.45	19.61	19.54	20.50	
		6	0	19.46	19.58	19.28	20.50	
	3MHz	QPSK	1	0	19.42	19.54	19.46	20.50
			1	7	19.43	19.47	19.42	20.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

		1	14	19.46	19.47	19.49	20.50	
		8	0	19.61	19.59	19.42	20.50	
		8	4	19.46	19.54	19.53	20.50	
		8	7	19.42	19.56	19.41	20.50	
		15	0	19.52	19.68	19.37	20.50	
	16QAM	1	0	19.55	19.54	19.55	20.50	
		1	7	19.43	19.55	19.33	20.50	
		1	14	19.61	19.59	19.43	20.50	
		8	0	19.49	19.63	19.45	20.50	
		8	4	19.51	19.49	19.42	20.50	
	64QAM	8	7	19.49	19.57	19.44	20.50	
		15	0	19.47	19.55	19.53	20.50	
		1	0	19.50	19.47	19.44	20.50	
		1	7	19.57	19.55	19.37	20.50	
		1	14	19.57	19.48	19.41	20.50	
	8	0	19.51	19.53	19.34	20.50		
	8	4	19.47	19.64	19.47	20.50		
	8	7	19.59	19.48	19.51	20.50		
	15	0	19.41	19.47	19.34	20.50		
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26065	26365	26665		
5MHz	QPSK	1	0	19.41	19.64	19.38	20.50	
		1	13	19.55	19.39	19.52	20.50	
		1	24	19.51	19.52	19.46	20.50	
		12	0	19.61	19.59	19.49	20.50	
		12	6	19.47	19.51	19.48	20.50	
		12	13	19.56	19.45	19.36	20.50	
	16QAM	25	0	19.53	19.64	19.40	20.50	
		1	0	19.44	19.60	19.52	20.50	
		1	13	19.47	19.55	19.33	20.50	
		1	24	19.47	19.55	19.50	20.50	
		12	0	19.49	19.55	19.39	20.50	
		12	6	19.55	19.49	19.44	20.50	
		12	13	19.53	19.61	19.46	20.50	
	64QAM	25	0	19.46	19.51	19.45	20.50	
		1	0	19.41	19.46	19.42	20.50	
		1	13	19.62	19.59	19.45	20.50	
		1	24	19.49	19.51	19.51	20.50	
		12	0	19.47	19.48	19.35	20.50	
		12	6	19.55	19.62	19.50	20.50	
		12	13	19.45	19.56	19.48	20.50	
		25	0	19.46	19.48	19.39	20.50	
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
					26090	26365	26640	
	10MHz	QPSK	1	0	19.46	19.60	19.49	20.50
			1	25	19.56	19.52	19.42	20.50
1			49	19.46	19.47	19.39	20.50	
25			0	19.51	19.66	19.41	20.50	
25			13	19.53	19.62	19.52	20.50	
25			25	19.52	19.60	19.37	20.50	
16QAM		50	0	19.48	19.66	19.49	20.50	
		1	0	19.49	19.56	19.41	20.50	
		1	25	19.41	19.46	19.37	20.50	
		1	49	19.60	19.64	19.48	20.50	
		25	0	19.55	19.59	19.53	20.50	
		25	13	19.41	19.46	19.30	20.50	
		25	25	19.54	19.59	19.48	20.50	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Punsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				26115	26365	26615		
15MHz	64QAM	50	0	19.56	19.55	19.43	20.50	
		1	0	19.48	19.56	19.40	20.50	
		1	25	19.60	19.68	19.51	20.50	
		1	49	19.47	19.60	19.39	20.50	
		25	0	19.46	19.54	19.42	20.50	
		25	13	19.51	19.68	19.45	20.50	
		25	25	19.43	19.56	19.47	20.50	
	50	0	19.40	19.58	19.40	20.50		
	15MHz	QPSK	1	0	19.46	19.65	19.53	20.50
			1	38	19.52	19.52	19.40	20.50
			1	74	19.54	19.51	19.43	20.50
			36	0	19.53	19.63	19.49	20.50
			36	18	19.46	19.62	19.41	20.50
			36	39	19.50	19.46	19.44	20.50
75			0	19.60	19.64	19.51	20.50	
16QAM		1	0	19.51	19.61	19.43	20.50	
		1	38	19.49	19.52	19.34	20.50	
		1	74	19.56	19.67	19.44	20.50	
		36	0	19.50	19.61	19.54	20.50	
		36	18	19.47	19.52	19.31	20.50	
		36	39	19.61	19.57	19.49	20.50	
		75	0	19.58	19.58	19.47	20.50	
64QAM		1	0	19.47	19.46	19.38	20.50	
		1	38	19.52	19.66	19.49	20.50	
		1	74	19.50	19.54	19.42	20.50	
		36	0	19.52	19.51	19.36	20.50	
		36	18	19.56	19.64	19.37	20.50	
		36	39	19.56	19.60	19.41	20.50	
		75	0	19.42	19.51	19.36	20.50	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				26140	26365	26590		
20MHz	QPSK	1	0	19.57	19.70	19.61	20.50	
		1	50	19.48	19.40	19.38	20.50	
		1	99	19.40	19.53	19.47	20.50	
		50	0	19.53	19.63	19.45	20.50	
		50	25	19.49	19.48	19.43	20.50	
		50	50	19.43	19.54	19.33	20.50	
		100	0	19.55	19.58	19.46	20.50	
	16QAM	1	0	19.52	19.54	19.49	20.50	
		1	50	19.48	19.60	19.31	20.50	
		1	99	19.50	19.56	19.49	20.50	
		50	0	19.43	19.57	19.53	20.50	
		50	25	19.42	19.52	19.32	20.50	
		50	50	19.59	19.64	19.49	20.50	
		100	0	19.51	19.55	19.40	20.50	
	64QAM	1	0	19.45	19.59	19.37	20.50	
		1	50	19.49	19.54	19.51	20.50	
		1	99	19.53	19.55	19.53	20.50	
		50	0	19.44	19.54	19.39	20.50	
		50	25	19.54	19.55	19.42	20.50	
		50	50	19.45	19.62	19.40	20.50	
		100	0	19.45	19.48	19.29	20.50	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



LTE Band 25 Sensor on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26047	26365	26683	
1.4MHz	QPSK	1	0	20.69	20.70	20.52	21.50
		1	2	20.67	20.64	20.74	21.50
		1	5	20.52	20.69	20.48	21.50
		3	0	20.73	20.78	20.47	21.50
		3	2	20.65	20.69	20.59	21.50
		3	3	20.63	20.62	20.69	21.50
	16QAM	6	0	20.60	20.69	20.53	21.50
		1	0	20.59	20.62	20.56	21.50
		1	2	20.58	20.58	20.65	21.50
		1	5	20.62	20.73	20.60	21.50
		3	0	20.81	20.83	20.48	21.50
		3	2	20.72	20.66	20.55	21.50
	64QAM	3	3	20.69	20.85	20.55	21.50
		6	0	20.68	20.77	20.61	21.50
		1	0	20.64	20.80	20.45	21.50
		1	2	20.87	20.90	20.61	21.50
		1	5	20.66	20.69	20.69	21.50
		3	0	20.60	20.82	20.54	21.50
3MHz	QPSK	3	2	20.64	20.77	20.75	21.50
		3	3	20.67	20.85	20.71	21.50
		6	0	20.58	20.85	20.55	21.50
		1	0	20.80	20.70	20.50	21.50
		1	7	20.77	20.69	20.60	21.50
		1	14	20.67	20.78	20.57	21.50
	16QAM	8	0	20.68	20.82	20.62	21.50
		8	4	20.79	20.55	20.54	21.50
		8	7	20.75	20.73	20.57	21.50
		15	0	20.62	20.64	20.58	21.50
		1	0	20.65	20.59	20.72	21.50
		1	7	20.63	20.56	20.67	21.50
	64QAM	1	14	20.72	20.88	20.62	21.50
		8	0	20.85	20.75	20.65	21.50
		8	4	20.65	20.56	20.64	21.50
		8	7	20.80	20.66	20.55	21.50
		15	0	20.81	20.73	20.60	21.50
		1	0	20.70	20.74	20.45	21.50
5MHz	QPSK	1	0	20.80	20.80	20.58	21.50
		1	13	20.68	20.67	20.71	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26090	26365	26640	
10MHz	16QAM	1	0	20.61	20.62	20.51	21.50
		12	0	20.69	20.86	20.54	21.50
		12	6	20.78	20.57	20.70	21.50
		12	13	20.60	20.70	20.57	21.50
		25	0	20.72	20.74	20.53	21.50
		1	0	20.62	20.73	20.76	21.50
		1	13	20.59	20.57	20.66	21.50
		1	24	20.71	20.81	20.76	21.50
		12	0	20.80	20.71	20.61	21.50
		12	6	20.59	20.66	20.64	21.50
	12	13	20.78	20.71	20.64	21.50	
	25	0	20.73	20.74	20.61	21.50	
	64QAM	1	0	20.67	20.70	20.41	21.50
		1	13	20.70	20.91	20.54	21.50
		1	24	20.69	20.71	20.64	21.50
		12	0	20.61	20.74	20.51	21.50
		12	6	20.69	20.76	20.76	21.50
		12	13	20.59	20.78	20.60	21.50
		25	0	20.66	20.74	20.55	21.50
		QPSK	1	0	20.79	20.64	20.49
	1		25	20.63	20.80	20.66	21.50
	1		49	20.53	20.71	20.54	21.50
	25		0	20.59	20.91	20.49	21.50
	25		13	20.65	20.66	20.54	21.50
	25		25	20.64	20.60	20.56	21.50
	50		0	20.76	20.76	20.68	21.50
	1		0	20.57	20.58	20.73	21.50
	1		25	20.66	20.70	20.69	21.50
1	49		20.77	20.73	20.61	21.50	
25	0		20.67	20.74	20.65	21.50	
25	13		20.66	20.55	20.47	21.50	
25	25		20.62	20.81	20.48	21.50	
50	0		20.80	20.78	20.67	21.50	
64QAM	1		0	20.71	20.78	20.43	21.50
	1		25	20.85	20.80	20.56	21.50
	1		49	20.74	20.77	20.66	21.50
	25		0	20.72	20.68	20.53	21.50
	25		13	20.67	20.73	20.58	21.50
	25		25	20.70	20.79	20.64	21.50
	50	0	20.60	20.85	20.65	21.50	
	16QAM	1	0	20.67	20.64	20.73	21.50
1		0	20.81	20.75	20.61	21.50	
15MHz	QPSK	1	38	20.62	20.75	20.66	21.50
		1	74	20.51	20.65	20.57	21.50
		36	0	20.60	20.78	20.59	21.50
		36	18	20.79	20.71	20.67	21.50
		36	39	20.70	20.72	20.61	21.50
		75	0	20.66	20.79	20.66	21.50
	16QAM	1	0	20.67	20.64	20.73	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				26140	26365	26590		
20MHz	64QAM	1	38	20.51	20.53	20.52	21.50	
		1	74	20.63	20.78	20.63	21.50	
		36	0	20.81	20.65	20.49	21.50	
		36	18	20.59	20.73	20.56	21.50	
		36	39	20.78	20.70	20.55	21.50	
		75	0	20.69	20.76	20.70	21.50	
		1	0	20.57	20.68	20.39	21.50	
		1	38	20.86	20.85	20.64	21.50	
		1	74	20.83	20.78	20.65	21.50	
		36	0	20.68	20.67	20.38	21.50	
		36	18	20.78	20.73	20.61	21.50	
		36	39	20.67	20.71	20.73	21.50	
		75	0	20.63	20.67	20.56	21.50	
		QPSK	1	0	20.67	20.91	20.58	21.50
	1		50	20.64	20.81	20.73	21.50	
	1		99	20.54	20.64	20.43	21.50	
	50		0	20.61	20.82	20.47	21.50	
	50		25	20.63	20.71	20.58	21.50	
	50		50	20.72	20.79	20.56	21.50	
	100		0	20.65	20.68	20.62	21.50	
	16QAM		1	0	20.63	20.57	20.65	21.50
			1	50	20.63	20.59	20.64	21.50
			1	99	20.77	20.82	20.73	21.50
			50	0	20.70	20.71	20.46	21.50
			50	25	20.69	20.72	20.54	21.50
			50	50	20.70	20.72	20.46	21.50
			100	0	20.62	20.63	20.69	21.50
	64QAM	1	0	20.68	20.63	20.42	21.50	
1		50	20.80	20.87	20.63	21.50		
1		99	20.68	20.88	20.65	21.50		
50		0	20.59	20.71	20.37	21.50		
50		25	20.74	20.80	20.63	21.50		
50		50	20.67	20.86	20.64	21.50		
100		0	20.67	20.83	20.57	21.50		

LTE Band 25 Hotspot on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26047	26365	26683	
1.4MHz	QPSK	1	0	21.70	21.39	21.36	22.50
		1	2	21.37	21.63	21.35	22.50
		1	5	21.27	21.47	21.28	22.50
		3	0	21.50	21.55	21.24	22.50
		3	2	21.51	21.51	21.50	22.50
		3	3	21.58	21.41	21.46	22.50
	16QAM	1	0	21.39	21.35	21.42	22.50
		1	2	21.43	21.34	21.38	22.50
		1	5	21.55	21.54	21.54	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				26055	26365	26675		
3MHz	64QAM	3	0	21.64	21.58	21.37	22.50	
		3	2	21.49	21.36	21.32	22.50	
		3	3	21.44	21.51	21.14	22.50	
		6	0	21.62	21.45	21.35	22.50	
		1	0	21.51	21.65	21.34	22.50	
		1	2	21.47	21.47	21.45	22.50	
		1	5	21.53	21.76	21.46	22.50	
	QPSK	3	0	20.60	20.82	20.54	21.50	
		3	2	20.64	20.77	20.75	21.50	
		3	3	20.67	20.85	20.71	21.50	
		6	0	20.58	20.85	20.55	21.50	
		1	0	21.60	21.53	21.43	22.50	
		1	7	21.34	21.57	21.48	22.50	
		1	14	21.33	21.41	21.08	22.50	
	16QAM	8	0	21.46	21.69	21.42	22.50	
		8	4	21.48	21.36	21.39	22.50	
		8	7	21.44	21.43	21.40	22.50	
		15	0	21.37	21.52	21.23	22.50	
		1	0	21.37	21.48	21.54	22.50	
		1	7	21.41	21.35	21.39	22.50	
		1	14	21.65	21.62	21.49	22.50	
		8	0	21.68	21.41	21.34	22.50	
		8	4	21.50	21.41	21.34	22.50	
		8	7	21.45	21.60	21.33	22.50	
		15	0	21.57	21.40	21.28	22.50	
		64QAM	1	0	21.51	21.46	21.22	22.50
			1	7	21.55	21.52	21.45	22.50
			1	14	21.51	21.60	21.51	22.50
8	0		20.71	20.73	20.45	21.50		
8	4		20.72	20.65	20.65	21.50		
8	7		20.68	20.79	20.75	21.50		
15	0		20.50	20.69	20.54	21.50		
5MHz	QPSK	1	0	21.73	21.41	21.34	22.50	
		1	13	21.37	21.61	21.40	22.50	
1		24	21.31	21.51	21.30	22.50		
12		0	21.49	21.68	21.38	22.50		
12		6	21.53	21.42	21.47	22.50		
12		13	21.61	21.43	21.37	22.50		
25		0	21.39	21.47	21.33	22.50		
16QAM	1	0	21.42	21.38	21.38	22.50		
	1	13	21.29	21.38	21.48	22.50		
	1	24	21.47	21.75	21.41	22.50		
	12	0	21.62	21.43	21.35	22.50		
	12	6	21.60	21.29	21.32	22.50		
	12	13	21.46	21.42	21.35	22.50		
	25	0	21.53	21.46	21.40	22.50		
64QAM	1	0	21.37	21.64	21.42	22.50		
	1	13	21.61	21.60	21.46	22.50		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				26090	26365	26640		
10MHz	QPSK	1	0	21.58	21.58	21.31	22.50	
		1	25	21.44	21.59	21.34	22.50	
		1	49	21.43	21.49	21.29	22.50	
		25	0	21.57	21.76	21.30	22.50	
		25	13	21.57	21.43	21.46	22.50	
		25	25	21.47	21.44	21.36	22.50	
		50	0	21.49	21.68	21.25	22.50	
	16QAM	1	0	21.36	21.44	21.61	22.50	
		1	25	21.38	21.44	21.43	22.50	
		1	49	21.66	21.71	21.34	22.50	
		25	0	21.67	21.46	21.18	22.50	
		25	13	21.53	21.46	21.40	22.50	
		25	25	21.51	21.45	21.25	22.50	
		50	0	21.64	21.36	21.40	22.50	
	64QAM	1	0	21.54	21.47	21.21	22.50	
		1	25	21.53	21.68	21.34	22.50	
		1	49	21.57	21.63	21.50	22.50	
		25	0	20.72	20.68	20.53	21.50	
		25	13	20.67	20.73	20.58	21.50	
		25	25	20.70	20.79	20.64	21.50	
		25	0	20.60	20.85	20.65	21.50	
		50	0	20.60	20.85	20.65	21.50	
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
					26115	26365	26615	
	15MHz	QPSK	1	0	21.54	21.43	21.29	22.50
1			38	21.40	21.66	21.31	22.50	
1			74	21.24	21.55	21.20	22.50	
36			0	21.41	21.72	21.34	22.50	
36			18	21.64	21.40	21.35	22.50	
36			39	21.43	21.30	21.41	22.50	
75			0	21.49	21.47	21.41	22.50	
16QAM		1	0	21.49	21.42	21.38	22.50	
		1	38	21.47	21.42	21.55	22.50	
		1	74	21.58	21.65	21.54	22.50	
		36	0	21.62	21.56	21.24	22.50	
		36	18	21.52	21.36	21.42	22.50	
		36	39	21.49	21.62	21.18	22.50	
		75	0	21.46	21.42	21.33	22.50	
64QAM		1	0	21.43	21.55	21.43	22.50	
		1	38	21.56	21.59	21.45	22.50	
		1	74	21.48	21.64	21.57	22.50	
		36	0	20.68	20.67	20.38	21.50	
		36	18	20.78	20.73	20.61	21.50	
		36	39	20.67	20.71	20.73	21.50	
		36	0	20.63	20.67	20.56	21.50	
		75	0	20.63	20.67	20.56	21.50	
Bandwidth		Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

		26140	26365	26590			
20MHz	QPSK	1	0	21.72	21.82	21.33	22.50
		1	50	21.37	21.71	21.39	22.50
		1	99	21.24	21.59	21.22	22.50
		50	0	21.53	21.70	21.25	22.50
		50	25	21.59	21.42	21.35	22.50
		50	50	21.57	21.48	21.57	22.50
		100	0	21.40	21.62	21.24	22.50
	16QAM	1	0	21.50	21.45	21.37	22.50
		1	50	21.44	21.50	21.40	22.50
		1	99	21.58	21.67	21.40	22.50
		50	0	21.73	21.59	21.32	22.50
		50	25	21.61	21.28	21.37	22.50
		50	50	21.33	21.48	21.23	22.50
		100	0	21.58	21.49	21.38	22.50
	64QAM	1	0	21.40	21.44	21.25	22.50
		1	50	21.57	21.58	21.46	22.50
		1	99	21.61	21.78	21.45	22.50
		50	0	20.59	20.71	20.37	21.50
		50	25	20.74	20.80	20.63	21.50
		50	50	20.67	20.86	20.64	21.50
		100	0	20.67	20.83	20.57	21.50

LTE Band 26 All off				Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				26697	26865	27033		
1.4MHz	QPSK	1	0	23.67	23.70	23.60	24.50	
		1	2	23.65	23.73	23.61	24.50	
		1	5	23.68	23.70	23.62	24.50	
		3	0	22.80	22.80	22.79	23.50	
		3	2	22.77	22.81	22.73	23.50	
		3	3	22.78	22.83	22.78	23.50	
		6	0	22.80	22.80	22.74	23.50	
	16QAM	1	0	22.81	22.81	22.73	23.50	
		1	2	22.83	22.79	22.76	23.50	
		1	5	22.77	22.82	22.75	23.50	
		3	0	21.99	21.94	21.95	22.50	
		3	2	21.98	21.94	21.99	22.50	
		3	3	21.96	21.99	22.00	22.50	
		6	0	22.01	21.97	22.01	22.50	
	64QAM	1	0	21.33	21.36	21.31	22.50	
		1	2	21.60	21.66	21.22	22.50	
		1	5	21.45	21.44	21.24	22.50	
		3	0	20.25	20.40	20.20	21.50	
		3	2	20.44	20.53	20.53	21.50	
		3	3	20.61	20.61	20.56	21.50	
		6	0	20.40	20.52	20.52	21.50	
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
	3MHz	QPSK	1	0	23.69	23.73	23.62	24.50
			1	7	23.67	23.73	23.62	24.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				26715	26865	27015		
5MHz	16QAM	1	0	23.68	23.74	23.65	24.50	
		8	0	22.77	22.81	22.79	23.50	
		8	4	22.78	22.83	22.73	23.50	
		8	7	22.80	22.81	22.75	23.50	
		15	0	22.78	22.83	22.75	23.50	
		1	0	22.81	22.81	22.74	23.50	
		1	7	22.77	22.81	22.73	23.50	
		1	14	22.79	22.80	22.76	23.50	
		8	0	21.98	21.95	21.99	22.50	
		8	4	22.02	21.94	21.95	22.50	
	64QAM	8	7	21.96	21.98	22.01	22.50	
		15	0	22.04	21.95	21.99	22.50	
		1	0	21.56	21.56	21.48	22.50	
		1	7	21.20	21.68	21.55	22.50	
		1	14	21.23	21.28	21.18	22.50	
		8	0	20.23	20.43	20.34	21.50	
		8	4	20.19	20.37	20.32	21.50	
		8	7	20.49	20.39	20.48	21.50	
		15	0	20.19	20.50	20.32	21.50	
		10MHz	QPSK	1	0	23.65	23.70	23.60
1	13			23.68	23.73	23.59	24.50	
1	24			23.69	23.74	23.64	24.50	
12	0			22.80	22.81	22.76	23.50	
12	6			22.81	22.78	22.74	23.50	
12	13			22.82	22.78	22.73	23.50	
25	0			22.79	22.79	22.74	23.50	
1	0			22.80	22.81	22.71	23.50	
1	13			22.81	22.80	22.75	23.50	
1	24			22.79	22.82	22.74	23.50	
16QAM	12		0	21.98	21.97	21.96	22.50	
	12		6	21.96	21.96	21.96	22.50	
	12		13	21.97	21.97	22.01	22.50	
	25		0	22.02	21.92	21.98	22.50	
	64QAM		1	0	21.22	21.43	21.54	22.50
			1	13	21.34	21.64	21.54	22.50
			1	24	21.58	21.25	21.35	22.50
			12	0	20.60	20.61	20.23	21.50
			12	6	20.50	20.39	20.34	21.50
			12	13	20.43	20.55	20.35	21.50
25		0	20.50	20.51	20.14	21.50		
Bandwidth		Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
					26750	26865	26990	
10MHz		QPSK	1	0	23.68	23.70	23.61	24.50
	1		25	23.69	23.73	23.61	24.50	
	1		49	23.70	23.73	23.63	24.50	
	25		0	22.76	22.82	22.75	23.50	
	25		13	22.82	22.78	22.73	23.50	
	25		25	22.78	22.80	22.75	23.50	
	50		0	22.79	22.79	22.73	23.50	
	16QAM	1	0	22.81	22.82	22.76	23.50	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				26775	26865	26965		
15MHz	64QAM	1	25	22.79	22.80	22.74	23.50	
		1	49	22.83	22.83	22.75	23.50	
		25	0	21.97	21.94	21.97	22.50	
		25	13	22.01	21.95	21.98	22.50	
		25	25	21.94	21.99	22.01	22.50	
		50	0	21.98	21.92	21.98	22.50	
		1	0	21.18	21.56	21.56	22.50	
		1	25	21.30	21.32	21.48	22.50	
		1	49	21.36	21.49	21.42	22.50	
		25	0	20.38	20.43	20.51	21.50	
	25	13	20.28	20.30	20.47	21.50		
	25	25	20.25	20.62	20.33	21.50		
	50	0	20.36	20.41	20.52	21.50		
	15MHz	QPSK	1	0	23.67	23.79	23.61	24.50
			1	38	23.67	23.69	23.62	24.50
			1	74	23.65	23.71	23.63	24.50
			36	0	22.77	22.88	22.77	23.50
			36	18	22.77	22.81	22.75	23.50
			36	39	22.80	22.82	22.76	23.50
			75	0	22.81	22.84	22.73	23.50
			1	0	22.82	22.82	22.75	23.50
			1	38	22.82	22.80	22.76	23.50
			1	74	22.79	22.82	22.73	23.50
		16QAM	36	0	21.95	21.97	21.99	22.50
			36	18	21.96	21.96	21.99	22.50
			36	39	21.93	21.96	21.99	22.50
			75	0	21.99	21.94	21.99	22.50
			1	0	21.45	21.25	21.41	22.50
			1	38	21.59	21.42	21.38	22.50
			1	74	21.64	21.65	21.44	22.50
36			0	20.28	20.27	20.15	21.50	
36			18	20.28	20.61	20.13	21.50	
36			39	20.24	20.45	20.26	21.50	
64QAM		75	0	20.51	20.59	20.59	21.50	

LTE Band 30 All off				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				27685	27710	27735	
5MHz	QPSK	1	0	23.22	23.26	23.14	24.50
		1	13	23.21	23.26	23.19	24.50
		1	24	23.21	23.27	23.18	24.50
		12	0	22.30	22.37	22.30	23.50
		12	6	22.34	22.34	22.25	23.50
		25	13	22.35	22.36	22.32	23.50
		25	0	22.32	22.35	22.29	23.50
	16QAM	1	0	22.37	22.37	22.27	23.50
		1	13	22.28	22.35	22.25	23.50
		1	24	22.35	22.31	22.29	23.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				/	27710	/		
10MHz	QPSK	12	0	21.49	21.49	21.56	22.50	
		12	6	21.56	21.46	21.47	22.50	
		12	13	21.52	21.55	21.55	22.50	
		25	0	21.60	21.52	21.52	22.50	
		1	0	20.92	21.09	20.92	22.50	
		1	13	21.18	20.79	20.98	22.50	
		1	24	20.88	21.20	21.05	22.50	
	64QAM	12	0	20.09	19.91	19.72	21.50	
		12	6	19.80	19.92	20.11	21.50	
		12	13	20.05	20.08	19.79	21.50	
		25	0	20.10	20.23	19.90	21.50	
		1	0	/	23.28	/	24.50	
		1	25	/	23.24	/	24.50	
		1	49	/	23.26	/	24.50	
	16QAM	25	0	/	22.54	/	23.50	
		25	13	/	22.36	/	23.50	
		25	25	/	22.34	/	23.50	
		50	0	/	22.34	/	23.50	
		1	0	/	22.37	/	23.50	
		1	25	/	22.37	/	23.50	
		1	49	/	22.36	/	23.50	
		25	0	/	21.49	/	22.50	
		25	13	/	21.50	/	22.50	
		25	25	/	21.51	/	22.50	
		50	0	/	21.51	/	22.50	
		64QAM	1	0	/	21.07	/	22.50
			1	25	/	20.96	/	22.50
			1	49	/	20.92	/	22.50
25	0		/	19.96	/	21.50		
25	13		/	19.86	/	21.50		
25	25		/	19.99	/	21.50		
50	0		/	20.13	/	21.50		

LTE Band 30 Hotspot on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				27685	27710	27735	
5MHz	QPSK	1	0	21.71	21.69	21.84	22.50
		1	13	21.80	21.75	21.70	22.50
		1	24	21.81	21.76	21.82	22.50
		12	0	21.80	21.78	21.79	22.50
		12	6	21.73	21.83	21.82	22.50
		12	13	21.77	21.70	21.67	22.50
		25	0	21.72	21.80	21.79	22.50
	16QAM	1	0	21.80	21.82	21.82	22.50
		1	13	21.83	21.75	21.78	22.50
		1	24	21.83	21.78	21.73	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				/	27710	/		
10MHz	QPSK	12	0	21.49	21.49	21.56	22.50	
		12	6	21.56	21.46	21.47	22.50	
		12	13	21.52	21.55	21.55	22.50	
		25	0	21.60	21.52	21.52	22.50	
		1	0	20.92	21.09	20.92	22.50	
		1	13	21.18	20.79	20.98	22.50	
		1	24	20.88	21.20	21.05	22.50	
	12	0	20.09	19.91	19.72	21.50		
	12	6	19.80	19.92	20.11	21.50		
	12	13	20.05	20.08	19.79	21.50		
	25	0	20.10	20.23	19.90	21.50		
	16QAM	QPSK	1	0	/	21.92	/	22.50
			1	25	/	21.77	/	22.50
			1	49	/	21.76	/	22.50
			25	0	/	21.84	/	22.50
			25	13	/	21.72	/	22.50
			25	25	/	21.71	/	22.50
			50	0	/	21.79	/	22.50
		16QAM	1	0	/	21.88	/	22.50
			1	25	/	21.87	/	22.50
			1	49	/	21.70	/	22.50
			25	0	/	21.49	/	22.50
			25	13	/	21.50	/	22.50
			25	25	/	21.51	/	22.50
			50	0	/	21.51	/	22.50
	64QAM	1	0	/	21.07	/	22.50	
		1	25	/	20.96	/	22.50	
		1	49	/	20.92	/	22.50	
25		0	/	19.96	/	21.50		
25		13	/	19.86	/	21.50		
25		25	/	19.99	/	21.50		
50		0	/	20.13	/	21.50		

LTE Band 66 All off				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131979	132322	132665	
1.4MHz	QPSK	1	0	23.61	23.68	23.62	24.50
		1	2	23.59	23.68	23.62	24.50
		1	5	23.63	23.63	23.62	24.50
		3	0	22.60	22.57	22.59	23.50
		3	1	22.59	22.57	22.62	23.50
		3	3	22.62	22.60	22.61	23.50
		6	0	22.61	22.59	22.62	23.50
	16QAM	1	0	22.61	22.62	22.57	23.50
		1	2	22.59	22.60	22.61	23.50
		1	5	22.60	22.60	22.60	23.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				131987	132322	132657		
3MHz	64QAM	3	0	21.62	21.61	21.57	22.50	
		3	1	21.59	21.58	21.62	22.50	
		3	3	21.63	21.59	21.58	22.50	
		6	0	21.59	21.59	21.63	22.50	
		1	0	21.24	21.24	21.45	22.50	
		1	2	21.56	21.60	21.22	22.50	
		1	5	21.26	21.23	21.57	22.50	
	QPSK	3	0	20.16	20.24	20.13	21.50	
		3	2	20.57	20.28	20.42	21.50	
		3	3	20.41	20.19	20.52	21.50	
		6	0	20.23	20.28	20.33	21.50	
		1	0	23.62	23.65	23.64	24.50	
		1	7	23.60	23.62	23.62	24.50	
		1	14	23.57	23.64	23.61	24.50	
	16QAM	8	0	22.60	22.60	22.61	23.50	
		8	4	22.61	22.60	22.62	23.50	
		8	7	22.63	22.59	22.63	23.50	
		15	0	22.60	22.59	22.59	23.50	
		1	0	22.60	22.58	22.59	23.50	
		1	7	22.60	22.57	22.62	23.50	
		1	14	22.63	22.63	22.59	23.50	
		8	0	21.60	21.58	21.61	22.50	
		8	4	21.59	21.59	21.58	22.50	
		8	7	21.60	21.61	21.59	22.50	
		15	0	21.58	21.58	21.60	22.50	
		64QAM	1	0	21.25	21.66	21.48	22.50
			1	7	21.22	21.55	21.29	22.50
			1	14	21.52	21.22	21.54	22.50
8	0		20.30	20.54	20.58	21.50		
8	4		20.43	20.42	20.57	21.50		
8	7		20.40	20.63	20.16	21.50		
15	0		20.38	20.53	20.48	21.50		
5MHz	QPSK	1	0	23.62	23.68	23.64	24.50	
		1	13	23.62	23.63	23.63	24.50	
16QAM	1	24	23.58	23.65	23.63	24.50		
	12	0	22.61	22.60	22.60	23.50		
	12	6	22.62	22.57	22.59	23.50		
	12	13	22.61	22.58	22.58	23.50		
	25	0	22.60	22.58	22.61	23.50		
	1	0	22.57	22.63	22.59	23.50		
	1	13	22.60	22.63	22.62	23.50		
	1	24	22.58	22.61	22.61	23.50		
	12	0	21.58	21.57	21.60	22.50		
	12	6	21.57	21.61	21.63	22.50		
	12	13	21.61	21.60	21.63	22.50		
64QAM	25	0	21.58	21.62	21.60	22.50		
	1	0	21.22	21.54	21.37	22.50		
	1	13	21.48	21.57	21.40	22.50		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up				
				132022	132322	132622					
10MHz	QPSK	1	24	21.48	21.27	21.27	22.50				
		12	0	20.30	20.31	20.34	21.50				
		12	6	20.51	20.44	20.55	21.50				
		12	13	20.19	20.40	20.22	21.50				
		25	0	20.39	20.63	20.47	21.50				
		16QAM	16QAM	1	0	23.59	23.64	23.61	24.50		
				1	25	23.57	23.64	23.58	24.50		
	1			49	23.59	23.66	23.63	24.50			
	25			0	22.62	22.62	22.59	23.50			
	25			13	22.62	22.59	22.59	23.50			
	25			25	22.63	22.58	22.57	23.50			
	50			0	22.58	22.61	22.62	23.50			
	64QAM			64QAM	1	0	22.62	22.61	22.59	23.50	
					1	25	22.59	22.61	22.61	23.50	
			1		49	22.60	22.63	22.63	23.50		
			25		0	21.63	21.60	21.60	22.50		
			25		13	21.59	21.61	21.60	22.50		
			25		25	21.62	21.63	21.59	22.50		
			50		0	21.58	21.58	21.62	22.50		
			64QAM		64QAM	1	0	21.47	21.57	21.38	22.50
						1	25	21.20	21.26	21.20	22.50
	1			49		21.15	21.40	21.60	22.50		
	25			0		20.31	20.68	20.32	21.50		
	25	13		20.58		20.54	20.15	21.50			
	25	25		20.39		20.49	20.41	21.50			
50	0	20.41		20.45		20.39	21.50				
Bandwidth	Modulation	RB size		RB offset		Channel	Channel	Channel	Tune up		
						132047	132322	132597			
15MHz	QPSK	1	0	23.60	23.67	23.63	24.50				
		1	38	23.62	23.62	23.60	24.50				
		1	74	23.58	23.67	23.61	24.50				
		36	0	22.61	22.60	22.61	23.50				
		36	18	22.58	22.61	22.57	23.50				
		36	39	22.58	22.60	22.58	23.50				
		75	0	22.63	22.57	22.57	23.50				
	16QAM	16QAM	1	0	22.62	22.57	22.57	23.50			
			1	38	22.60	22.62	22.63	23.50			
			1	74	22.59	22.59	22.61	23.50			
			36	0	21.58	21.57	21.59	22.50			
			36	18	21.57	21.62	21.57	22.50			
			36	39	21.61	21.58	21.62	22.50			
			75	0	21.60	21.57	21.61	22.50			
			64QAM	64QAM	1	0	21.58	21.49	21.13	22.50	
					1	38	21.27	21.24	21.14	22.50	
		1			74	21.13	21.20	21.60	22.50		
		36			0	20.34	20.22	20.40	21.50		
		36			18	20.25	20.26	20.39	21.50		
		36			39	20.37	20.38	20.55	21.50		
		75			0	20.38	20.42	20.27	21.50		
		Bandwidth			Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

				132072	132322	132572	
20MHz	QPSK	1	0	23.61	23.74	23.62	24.50
		1	50	23.60	23.64	23.63	24.50
		1	99	23.58	23.68	23.61	24.50
		50	0	22.61	22.76	22.60	23.50
		50	25	22.61	22.61	22.62	23.50
		50	50	22.61	22.63	22.62	23.50
		100	0	22.61	22.69	22.62	23.50
	16QAM	1	0	22.61	22.57	22.58	23.50
		1	50	22.61	22.61	22.61	23.50
		1	99	22.61	22.60	22.59	23.50
		50	0	21.62	21.59	21.62	22.50
		50	25	21.62	21.60	21.63	22.50
		50	50	21.62	21.61	21.59	22.50
		100	0	21.60	21.60	21.59	22.50
	64QAM	1	0	21.26	21.63	21.57	22.50
		1	50	21.44	21.45	21.30	22.50
		1	99	21.16	21.46	21.31	22.50
		50	0	20.34	20.43	20.36	21.50
		50	25	20.44	20.24	20.30	21.50
		50	50	20.34	20.38	20.57	21.50
		100	0	20.39	20.60	20.20	21.50

LTE Band 66 Receiver on				Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				131979	132322	132665		
1.4MHz	QPSK	1	0	18.40	18.54	18.31	19.50	
		1	2	18.40	18.41	18.28	19.50	
		1	5	18.36	18.47	18.33	19.50	
		3	0	18.46	18.57	18.42	19.50	
		3	1	18.42	18.44	18.44	19.50	
		3	3	18.41	18.41	18.29	19.50	
		6	0	18.39	18.47	18.43	19.50	
	16QAM	1	0	18.41	18.37	18.42	19.50	
		1	2	18.42	18.37	18.33	19.50	
		1	5	18.54	18.61	18.34	19.50	
		3	0	18.41	18.54	18.44	19.50	
		3	1	18.47	18.50	18.28	19.50	
		3	3	18.43	18.46	18.41	19.50	
		6	0	18.33	18.54	18.49	19.50	
	64QAM	1	0	18.39	18.51	18.29	19.50	
		1	2	18.43	18.48	18.30	19.50	
		1	5	18.35	18.48	18.44	19.50	
		3	0	18.44	18.43	18.37	19.50	
		3	2	18.55	18.44	18.42	19.50	
		3	3	18.49	18.38	18.35	19.50	
		6	0	18.45	18.50	18.19	19.50	
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
	3MHz	QPSK	1	0	18.36	18.46	18.32	19.50
			1	7	18.33	18.39	18.33	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				131997	132322	132647		
5MHz	16QAM	1	14	18.48	18.39	18.45	19.50	
		8	0	18.46	18.62	18.40	19.50	
		8	4	18.45	18.54	18.43	19.50	
		8	7	18.44	18.42	18.27	19.50	
		15	0	18.46	18.55	18.33	19.50	
		1	0	18.38	18.38	18.30	19.50	
		1	7	18.33	18.43	18.38	19.50	
		1	14	18.40	18.51	18.35	19.50	
		8	0	18.52	18.40	18.44	19.50	
		8	4	18.43	18.39	18.35	19.50	
	64QAM	8	7	18.56	18.49	18.30	19.50	
		15	0	18.41	18.46	18.47	19.50	
		1	0	18.31	18.48	18.27	19.50	
		1	7	18.43	18.50	18.42	19.50	
		1	14	18.50	18.48	18.47	19.50	
		8	0	18.31	18.43	18.26	19.50	
		8	4	18.56	18.50	18.39	19.50	
		8	7	18.48	18.50	18.49	19.50	
		15	0	18.38	18.41	18.24	19.50	
		10MHz	QPSK	1	0	18.27	18.55	18.39
	1			13	18.46	18.30	18.46	19.50
	1			24	18.40	18.36	18.35	19.50
	12			0	18.41	18.46	18.30	19.50
	12			6	18.43	18.39	18.47	19.50
	12			13	18.34	18.48	18.31	19.50
	25			0	18.51	18.62	18.37	19.50
	1			0	18.49	18.56	18.32	19.50
	1			13	18.32	18.47	18.21	19.50
16QAM	1			24	18.42	18.44	18.35	19.50
	12		0	18.37	18.37	18.35	19.50	
	12		6	18.35	18.41	18.25	19.50	
	12		13	18.41	18.44	18.30	19.50	
	25		0	18.43	18.38	18.34	19.50	
	1		0	18.33	18.47	18.32	19.50	
	1		13	18.47	18.63	18.26	19.50	
	1		24	18.51	18.46	18.49	19.50	
	12		0	18.43	18.47	18.26	19.50	
	12		6	18.48	18.45	18.43	19.50	
16QAM	12		13	18.37	18.47	18.39	19.50	
	25	0	18.33	18.49	18.36	19.50		
	1	0	18.36	18.48	18.46	19.50		
	1	25	18.36	18.38	18.31	19.50		
	1	49	18.38	18.29	18.32	19.50		
	25	0	18.49	18.50	18.28	19.50		
	25	13	18.44	18.42	18.44	19.50		
	25	25	18.37	18.52	18.22	19.50		
16QAM	50	0	18.52	18.62	18.26	19.50		
16QAM	1	0	18.44	18.45	18.40	19.50		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132047	132322	132597	
15MHz	QPSK	1	0	18.35	18.47	18.38	19.50
		1	38	18.42	18.46	18.45	19.50
		1	74	18.30	18.32	18.35	19.50
		36	0	18.38	18.52	18.38	19.50
		36	18	18.43	18.44	18.41	19.50
		36	39	18.37	18.42	18.33	19.50
		75	0	18.49	18.53	18.34	19.50
	16QAM	1	0	18.51	18.51	18.31	19.50
		1	38	18.32	18.36	18.21	19.50
		1	74	18.38	18.49	18.44	19.50
		36	0	18.51	18.45	18.30	19.50
		36	18	18.31	18.42	18.26	19.50
		36	39	18.45	18.54	18.46	19.50
		75	0	18.44	18.37	18.42	19.50
	64QAM	1	0	18.36	18.38	18.25	19.50
		1	38	18.38	18.61	18.33	19.50
		1	74	18.38	18.44	18.31	19.50
		36	0	18.38	18.51	18.25	19.50
		36	18	18.41	18.58	18.46	19.50
		36	39	18.34	18.46	18.46	19.50
20MHz	QPSK	1	0	18.54	18.64	18.47	19.50
		1	50	18.34	18.32	18.26	19.50
		1	99	18.40	18.38	18.41	19.50
		50	0	18.39	18.60	18.42	19.50
		50	25	18.47	18.43	18.41	19.50
		50	50	18.47	18.50	18.25	19.50
		100	0	18.56	18.59	18.30	19.50
	16QAM	1	0	18.50	18.49	18.40	19.50
		1	50	18.42	18.41	18.33	19.50
		1	99	18.40	18.47	18.39	19.50
		50	0	18.51	18.50	18.38	19.50
		50	25	18.47	18.47	18.22	19.50
		50	50	18.43	18.48	18.38	19.50
		100	0	18.43	18.41	18.35	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



64QAM	1	0	18.47	18.49	18.38	19.50
	1	50	18.47	18.56	18.46	19.50
	1	99	18.53	18.44	18.44	19.50
	50	0	18.48	18.42	18.38	19.50
	50	25	18.45	18.46	18.40	19.50
	50	50	18.47	18.45	18.30	19.50
	100	0	18.49	18.49	18.26	19.50

LTE Band 66 Sensor on				Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				131979	132322	132665		
1.4MHz	QPSK	1	0	20.78	20.90	20.58	21.50	
		1	2	20.65	20.90	20.83	21.50	
		1	5	20.76	20.81	20.54	21.50	
		3	0	20.70	20.76	20.76	21.50	
		3	1	20.74	20.85	20.60	21.50	
		3	3	20.70	20.90	20.61	21.50	
		6	0	20.71	20.75	20.78	21.50	
	16QAM	1	0	20.87	20.82	20.83	21.50	
		1	2	20.59	20.67	20.72	21.50	
		1	5	20.83	20.84	20.83	21.50	
		3	0	20.77	20.76	20.58	21.50	
		3	1	20.62	20.86	20.63	21.50	
		3	3	20.88	20.76	20.65	21.50	
		6	0	20.89	20.71	20.80	21.50	
	64QAM	1	0	20.73	20.77	20.47	21.50	
		1	2	20.93	21.02	20.76	21.50	
		1	5	20.75	20.98	20.77	21.50	
		3	0	20.78	20.88	20.46	21.50	
		3	2	20.83	20.89	20.69	21.50	
		3	3	20.74	21.00	20.79	21.50	
		6	0	20.82	20.98	20.75	21.50	
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
	3MHz	QPSK	1	0	20.80	20.91	20.71	21.50
			1	7	20.87	20.81	20.66	21.50
1			14	20.78	20.72	20.71	21.50	
8			0	20.72	20.78	20.55	21.50	
8			4	20.89	20.68	20.59	21.50	
8			7	20.80	20.76	20.78	21.50	
15			0	20.87	20.77	20.83	21.50	
16QAM		1	0	20.83	20.69	20.74	21.50	
		1	7	20.63	20.72	20.59	21.50	
		1	14	20.74	20.82	20.84	21.50	
		8	0	20.75	20.73	20.58	21.50	
		8	4	20.76	20.77	20.59	21.50	
		8	7	20.70	20.77	20.62	21.50	
		15	0	20.71	20.83	20.71	21.50	
64QAM		1	0	20.73	20.71	20.47	21.50	
		1	7	20.94	21.00	20.72	21.50	
		1	14	20.94	20.84	20.70	21.50	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				131997	132322	132647		
5MHz	QPSK	8	0	20.62	20.94	20.47	21.50	
		8	4	20.81	20.78	20.83	21.50	
		8	7	20.64	20.90	20.74	21.50	
		15	0	20.77	20.79	20.70	21.50	
		1	0	20.86	20.88	20.67	21.50	
		1	13	20.72	20.65	20.84	21.50	
		1	24	20.62	20.80	20.48	21.50	
	12	0	20.77	20.89	20.60	21.50		
	12	6	20.78	20.69	20.62	21.50		
	12	13	20.84	20.75	20.66	21.50		
	25	0	20.84	20.89	20.77	21.50		
	1	0	20.81	20.81	20.66	21.50		
	1	13	20.65	20.63	20.66	21.50		
	1	24	20.86	20.80	20.82	21.50		
	12	0	20.80	20.78	20.58	21.50		
	12	6	20.75	20.64	20.57	21.50		
	12	13	20.88	20.80	20.59	21.50		
	25	0	20.85	20.73	20.74	21.50		
	1	0	20.68	20.82	20.48	21.50		
	1	13	20.96	21.04	20.61	21.50		
	1	24	20.89	20.85	20.77	21.50		
	12	0	20.62	20.88	20.53	21.50		
	12	6	20.83	20.85	20.89	21.50		
	12	13	20.78	20.93	20.71	21.50		
	25	0	20.77	20.82	20.62	21.50		
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
					132022	132322	132622	
	10MHz	QPSK	1	0	20.87	20.82	20.78	21.50
1			25	20.67	20.87	20.63	21.50	
1			49	20.74	20.85	20.60	21.50	
25			0	20.82	20.76	20.76	21.50	
25			13	20.85	20.68	20.69	21.50	
25			25	20.74	20.77	20.78	21.50	
50			0	20.77	20.77	20.70	21.50	
1		0	20.72	20.81	20.72	21.50		
1		25	20.70	20.83	20.72	21.50		
1		49	20.70	20.89	20.78	21.50		
25		0	20.75	20.72	20.70	21.50		
25		13	20.81	20.82	20.63	21.50		
25		25	20.88	20.65	20.54	21.50		
50		0	20.72	20.72	20.70	21.50		
1		0	20.69	20.90	20.54	21.50		
1		25	20.84	21.02	20.61	21.50		
1		49	20.73	20.86	20.81	21.50		
25		0	20.73	20.95	20.54	21.50		
25		13	20.77	20.94	20.84	21.50		
25		25	20.83	21.00	20.88	21.50		
50		0	20.60	20.84	20.76	21.50		
Bandwidth		Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
					132047	132322	132597	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132072	132322	132572	
15MHz	QPSK	1	0	20.76	20.74	20.73	21.50
		1	38	20.75	20.73	20.83	21.50
		1	74	20.76	20.83	20.66	21.50
		36	0	20.74	20.67	20.76	21.50
		36	18	20.91	20.71	20.80	21.50
		36	39	20.77	20.91	20.79	21.50
		75	0	20.77	20.75	20.62	21.50
	16QAM	1	0	20.79	20.70	20.69	21.50
		1	38	20.71	20.69	20.60	21.50
		1	74	20.77	20.78	20.87	21.50
		36	0	20.89	20.89	20.55	21.50
		36	18	20.77	20.69	20.58	21.50
		36	39	20.88	20.75	20.76	21.50
		75	0	20.77	20.88	20.83	21.50
	64QAM	1	0	20.80	20.86	20.46	21.50
		1	38	20.83	21.03	20.75	21.50
		1	74	20.94	20.96	20.63	21.50
		36	0	20.66	20.97	20.64	21.50
		36	18	20.74	20.83	20.83	21.50
		36	39	20.74	20.86	20.80	21.50
		75	0	20.82	20.85	20.55	21.50
20MHz	QPSK	1	0	20.73	20.93	20.77	21.50
		1	50	20.86	20.79	20.62	21.50
		1	99	20.80	20.67	20.68	21.50
		50	0	20.86	20.92	20.55	21.50
		50	25	20.91	20.70	20.65	21.50
		50	50	20.80	20.69	20.65	21.50
		100	0	20.78	20.80	20.71	21.50
	16QAM	1	0	20.65	20.80	20.72	21.50
		1	50	20.75	20.67	20.76	21.50
		1	99	20.85	20.82	20.88	21.50
		50	0	20.80	20.83	20.63	21.50
		50	25	20.63	20.65	20.73	21.50
		50	50	20.85	20.88	20.54	21.50
		100	0	20.86	20.90	20.65	21.50
	64QAM	1	0	20.81	20.87	20.53	21.50
		1	50	20.97	20.77	20.77	21.50
		1	99	20.85	20.83	20.65	21.50
		50	0	20.73	20.85	20.51	21.50
		50	25	20.91	20.73	20.73	21.50
		50	50	20.76	20.92	20.71	21.50
		100	0	20.66	20.93	20.64	21.50

LTE Band 66 Hotspot on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131979	132322	132665	
1.4MHz	QPSK	1	0	21.64	21.40	21.34	22.50
		1	2	21.36	21.68	21.48	22.50
		1	5	21.26	21.39	21.26	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131987	132322	132657	
3MHz	16QAM	3	0	21.54	21.71	21.38	22.50
		3	1	21.47	21.39	21.48	22.50
		3	3	21.58	21.43	21.42	22.50
		6	0	21.39	21.64	21.34	22.50
		1	0	21.42	21.32	21.42	22.50
		1	2	21.44	21.44	21.46	22.50
	64QAM	1	5	21.55	21.67	21.48	22.50
		3	0	21.67	21.52	21.26	22.50
		3	1	21.42	21.27	21.34	22.50
		3	3	21.45	21.47	21.32	22.50
		6	0	21.47	21.38	21.38	22.50
		1	0	21.35	21.57	21.41	22.50
	QPSK	1	2	21.63	21.61	21.27	22.50
		1	5	21.56	21.62	21.53	22.50
		3	0	20.78	20.88	20.46	21.50
		3	2	20.83	20.89	20.69	21.50
		3	3	20.74	21.00	20.79	21.50
		6	0	20.82	20.98	20.75	21.50
		1	0	21.73	21.39	21.34	22.50
		1	7	21.51	21.57	21.51	22.50
		1	14	21.44	21.49	21.21	22.50
		8	0	21.47	21.74	21.34	22.50
		8	4	21.52	21.29	21.52	22.50
		8	7	21.40	21.31	21.55	22.50
16QAM	15	0	21.46	21.67	21.30	22.50	
	1	0	21.50	21.33	21.37	22.50	
	1	7	21.36	21.44	21.41	22.50	
	1	14	21.63	21.53	21.43	22.50	
	8	0	21.69	21.53	21.34	22.50	
	8	4	21.60	21.23	21.33	22.50	
	8	7	21.54	21.54	21.28	22.50	
	15	0	21.52	21.38	21.26	22.50	
	64QAM	1	0	21.30	21.57	21.38	22.50
		1	7	21.46	21.47	21.29	22.50
		1	14	21.62	21.73	21.39	22.50
		8	0	20.62	20.94	20.47	21.50
8		4	20.81	20.78	20.83	21.50	
8		7	20.64	20.90	20.74	21.50	
5MHz	QPSK	15	0	20.77	20.79	20.70	21.50
		1	0	21.73	21.49	21.44	22.50
1		13	21.48	21.64	21.47	22.50	
1		24	21.34	21.47	21.09	22.50	
12		0	21.40	21.59	21.37	22.50	
12		6	21.57	21.49	21.53	22.50	
16QAM	12	13	21.41	21.29	21.37	22.50	
	25	0	21.39	21.69	21.35	22.50	
16QAM	1	0	21.51	21.31	21.42	22.50	
	1	13	21.43	21.42	21.35	22.50	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				132022	132322	132622		
10MHz	QPSK	1	0	21.71	21.58	21.35	22.50	
		1	25	21.43	21.65	21.38	22.50	
		1	49	21.45	21.39	21.19	22.50	
		25	0	21.52	21.65	21.32	22.50	
		25	13	21.44	21.36	21.51	22.50	
		25	25	21.62	21.50	21.56	22.50	
		50	0	21.45	21.54	21.36	22.50	
		16QAM	1	0	21.34	21.45	21.47	22.50
			1	25	21.43	21.35	21.34	22.50
			1	49	21.45	21.72	21.44	22.50
	25		0	21.54	21.59	21.34	22.50	
	25		13	21.57	21.29	21.49	22.50	
	25		25	21.47	21.41	21.27	22.50	
	50		0	21.52	21.51	21.33	22.50	
	64QAM		1	0	21.47	21.65	21.27	22.50
			1	25	21.47	21.63	21.26	22.50
			1	49	21.59	21.69	21.41	22.50
		25	0	20.73	20.95	20.54	21.50	
		25	13	20.77	20.94	20.84	21.50	
		25	25	20.83	21.00	20.88	21.50	
50		0	20.60	20.84	20.76	21.50		
Bandwidth		Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
					132047	132322	132597	
15MHz		QPSK	1	0	21.68	21.43	21.45	22.50
	1		38	21.51	21.59	21.45	22.50	
	1		74	21.38	21.55	21.14	22.50	
	36		0	21.46	21.60	21.35	22.50	
	36		18	21.58	21.43	21.51	22.50	
	36		39	21.51	21.35	21.36	22.50	
	75		0	21.27	21.66	21.37	22.50	
	16QAM		1	0	21.38	21.40	21.53	22.50
			1	38	21.47	21.46	21.48	22.50
			1	74	21.60	21.70	21.35	22.50
		36	0	21.75	21.58	21.28	22.50	
		36	18	21.55	21.32	21.43	22.50	
		36	39	21.33	21.47	21.34	22.50	
		75	0	21.47	21.54	21.30	22.50	
		64QAM	1	0	21.30	21.52	21.30	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132072	132322	132572	
20MHz	QPSK	1	38	21.65	21.59	21.29	22.50
		1	74	21.60	21.58	21.55	22.50
		36	0	20.66	20.97	20.64	21.50
		36	18	20.74	20.83	20.83	21.50
		36	39	20.74	20.86	20.80	21.50
		75	0	20.82	20.85	20.55	21.50
	16QAM	1	0	21.60	21.82	21.29	22.50
			50	21.46	21.66	21.39	22.50
			99	21.43	21.41	21.11	22.50
			0	21.40	21.73	21.40	22.50
			25	21.47	21.36	21.53	22.50
			50	21.41	21.42	21.35	22.50
		50	0	21.45	21.62	21.20	22.50
			1	21.37	21.27	21.39	22.50
			50	21.43	21.32	21.55	22.50
			99	21.56	21.53	21.40	22.50
			0	21.75	21.44	21.28	22.50
			25	21.41	21.28	21.49	22.50
	64QAM	50	21.40	21.62	21.14	22.50	
		100	21.45	21.48	21.46	22.50	
		1	21.42	21.45	21.39	22.50	
		50	21.54	21.56	21.42	22.50	
		99	21.50	21.75	21.45	22.50	
		0	20.73	20.85	20.51	21.50	
50	25	20.91	20.73	20.73	21.50		
	50	20.76	20.92	20.71	21.50		
	100	20.66	20.93	20.64	21.50		

LTE Band 71 All off				Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				133147	133322	133447		
5MHz	QPSK	1	0	23.58	23.66	23.63	24.50	
		1	13	23.59	23.63	23.58	24.50	
		1	24	23.58	23.63	23.60	24.50	
		12	0	22.57	22.60	22.58	23.50	
		12	6	22.61	22.62	22.63	23.50	
		12	13	22.58	22.59	22.58	23.50	
	16QAM	25	0	22.62	22.57	22.59	23.50	
			1	0	22.59	22.57	22.61	23.50
			1	13	22.58	22.57	22.59	23.50
			1	24	22.60	22.61	22.59	23.50
			12	0	21.59	21.62	21.59	22.50
			12	6	21.58	21.58	21.60	22.50
		64QAM	12	13	21.60	21.61	21.62	22.50
			25	0	21.58	21.62	21.63	22.50
			1	0	21.34	21.57	21.44	22.50
			1	13	21.22	21.28	21.56	22.50
			1	24	21.58	21.23	21.24	22.50
			12	0	20.40	20.52	20.25	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				133172	133322	133422		
10MHz	QPSK	12	6	20.56	20.29	20.59	21.50	
		12	13	20.10	20.49	20.63	21.50	
		25	0	20.33	20.29	20.62	21.50	
		1	0	23.61	23.66	23.58	24.50	
		1	25	23.60	23.63	23.61	24.50	
		1	49	23.61	23.63	23.60	24.50	
		25	0	22.57	22.62	22.62	23.50	
	16QAM	25	13	22.58	22.58	22.60	23.50	
		25	25	22.57	22.59	22.63	23.50	
		50	0	22.59	22.57	22.59	23.50	
		1	0	22.59	22.58	22.59	23.50	
		1	25	22.59	22.59	22.60	23.50	
		1	49	22.59	22.58	22.61	23.50	
		25	0	21.63	21.62	21.61	22.50	
	64QAM	25	13	21.62	21.59	21.61	22.50	
		25	25	21.63	21.61	21.60	22.50	
		50	0	21.62	21.57	21.59	22.50	
		1	0	21.09	21.36	21.60	22.50	
		1	25	21.57	21.55	21.21	22.50	
		1	49	21.25	21.22	21.48	22.50	
		25	0	20.14	20.24	20.41	21.50	
	15MHz	QPSK	25	13	20.21	20.40	20.29	21.50
			25	25	20.29	20.41	20.45	21.50
			50	0	20.24	20.36	20.62	21.50
			1	0	23.60	23.67	23.61	24.50
			1	38	23.63	23.64	23.61	24.50
			1	74	23.63	23.62	23.63	24.50
36			0	22.62	22.60	22.62	23.50	
16QAM		36	18	22.61	22.61	22.61	23.50	
		36	39	22.61	22.63	22.61	23.50	
		75	0	22.57	22.62	22.59	23.50	
		1	0	22.58	22.61	22.60	23.50	
		1	38	22.63	22.63	22.63	23.50	
		1	74	22.63	22.61	22.58	23.50	
		36	0	21.58	21.60	21.61	22.50	
64QAM		36	18	21.61	21.61	21.60	22.50	
		36	39	21.60	21.62	21.59	22.50	
		75	0	21.60	21.59	21.62	22.50	
		1	0	21.16	21.53	21.37	22.50	
		1	50	21.27	21.54	21.62	22.50	
		1	99	21.25	21.56	21.14	22.50	
		50	0	20.46	20.65	20.49	21.50	
20MHz		QPSK	50	25	20.56	20.20	20.39	21.50
			50	50	20.30	20.22	20.42	21.50
			100	0	20.12	20.53	20.32	21.50
			133222		133322	133372		
			23.59	23.81	23.64	24.50		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

		1	50	23.60	23.62	23.62	24.50
		1	99	23.59	23.66	23.59	24.50
		50	0	22.63	22.73	22.61	23.50
		50	25	22.62	22.61	22.58	23.50
		50	50	22.62	22.61	22.58	23.50
		100	0	22.62	22.63	22.61	23.50
	16QAM	1	0	22.60	22.60	22.60	23.50
		1	50	22.60	22.62	22.59	23.50
		1	99	22.59	22.60	22.61	23.50
		50	0	21.62	21.60	21.62	22.50
		50	25	21.60	21.58	21.61	22.50
		50	50	21.60	21.57	21.58	22.50
	64QAM	100	0	21.60	21.62	21.60	22.50
		1	0	21.09	21.66	21.16	22.50
		1	50	21.55	21.46	21.33	22.50
		1	99	21.53	21.26	21.24	22.50
		50	0	20.47	20.21	20.21	21.50
		50	25	20.48	20.60	20.17	21.50
		50	50	20.45	20.51	20.41	21.50
		100	0	20.12	20.31	20.50	21.50

8.1.4 Conducted Power of WIFI

WIFI 2.4GHz All off						
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	SAR Test
802.11b	1	2412	1	17.98	19.00	Yes
	6	2437		17.88	19.00	Yes
	11	2462		17.74	19.00	Yes
802.11g	1	2412	6	15.21	17.00	No
	6	2437		15.99	17.00	No
	11	2462		16.03	17.00	No
802.11n HT20	1	2412	6.5	14.76	16.00	No
	6	2437		15.48	16.00	No
	11	2462		15.38	16.00	No

WIFI 2.4GHz Receiver on						
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	SAR Test
802.11b	1	2412	1	16.05	17.00	Yes
	6	2437		16.11	17.00	Yes
	11	2462		16.08	17.00	Yes
802.11g	1	2412	6	15.21	17.00	No
	6	2437		15.99	17.00	No
	11	2462		16.03	17.00	No
802.11n HT20	1	2412	6.5	14.76	16.00	No
	6	2437		15.48	16.00	No



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

	11	2462		15.38	16.00	No
--	----	------	--	-------	-------	----

Note:

- a) Power must be measured at each transmit antenna port according to the DSSS and OFDM transmission configurations in each standalone and aggregated frequency band.
- b) Power measurement is required for the transmission mode configuration with the highest maximum output power specified for production units.
 - 1) When the same highest maximum output power specification applies to multiple transmission modes, the largest channel bandwidth configuration with the lowest order modulation and lowest data rate is measured.
 - 2) When the same highest maximum output power is specified for multiple largest channel bandwidth configurations with the same lowest order modulation or lowest order modulation and lowest data rate, power measurement is required for all equivalent 802.11 configurations with the same maximum output power.
- c) For each transmission mode configuration, power must be measured for the highest and lowest channels; and at the mid-band channel(s) when there are at least 3 channels. For configurations with multiple mid-band channels, due to an even number of channels, both channels should be measured.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8.1.5 Conducted Power of BT

BT DH5 Duty Cycle=76.86%



BT		Average Conducted Power(dBm)			Tune up
Band	Channel	0	39	78	
BT	GFSK	9.04	9.50	8.81	10.00
	$\pi/4$ DQPSK	6.36	7.15	6.03	8.00
	8DPSK	6.61	7.22	6.06	8.00
Band	Channel	0	19	39	Tune up
BLE 1M	GFSK	7.31	8.12	7.18	9.00
BLE 2M	GFSK	7.41	8.17	7.26	9.00

Note:

1)The conducted power of BT is measured with RMS detector.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8.2 Stand-alone SAR test evaluation

Unless specifically required by the published RF exposure KDB procedures, standalone 1-g head or body and Product specific 10g SAR evaluation for general population exposure conditions, by measurement or numerical simulation, is not required when the corresponding SAR Test Exclusion Threshold condition is satisfied. These test exclusion conditions are based on source-based time-averaged maximum conducted output power of the RF channel requiring evaluation, adjusted for tune-up tolerance, and the minimum test separation distance required for the exposure conditions.

Freq. Band	Frequency (GHz)	Position	Average Power		Test Separation (mm)	Calculate Value	Exclusion Threshold	Exclusion (Y/N)
			dBm	mW				
Wi-Fi 2.4G	2.462	Head	19	79.43	5	24.93	3	N
		Body-worn	19	79.43	15	8.31	3	N
		Hotspot	19	79.43	10	12.46	3	N
Bluetooth	2.48	Head	10	10	5	3.15	3	N
		Body-worn	10	10	15	1.05	3	Y
		Hotspot	10	10	10	1.57	3	Y

The 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances ≤ 50 mm are determined by:

$[(\text{max. power of channel, including tune-up tolerance, mW}) / (\text{min. test separation distance, mm})] \cdot [\sqrt{f(\text{GHz})}] \leq 3.0$
for 1-g SAR and ≤ 7.5 for 10-g extremity SAR, where

- f(GHz) is the RF channel transmit frequency in GHz
- Power and distance are rounded to the nearest mW and mm before calculation
- The result is rounded to one decimal place for comparison

The test exclusions are applicable only when the minimum test separation distance is ≤ 50 mm and for transmission frequencies between 100 MHz and 6 GHz. When the minimum test separation distance is < 5 mm, a distance of 5 mm is applied to determine SAR test exclusion.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8.3 Measurement of SAR Data

Note:

- 1) According to the declaration letter from manufacturer, for the Sample 2 variant test at the worst-case SAR in Head/Body worn and Hotspot.
- 2) The maximum Scaled SAR value is marked in bold. Graph results refer to Appendix B.
- 3) Per KDB447498 D01, testing of other required channels within the operating mode of a frequency band is not required when the reported 1-g or 10-g SAR for the mid-band or highest output power channel is:
 - $\leq 0.8\text{W/kg}$ for 1-g or 2.0W/kg for 10-g respectively, when the transmission band is $\leq 100\text{MHz}$.
 - $\leq 0.6\text{ W/kg}$ or 1.5 W/kg , for 1-g or 10-g respectively, when the transmission band is between 100 MHz and 200 MHz.
 - $\leq 0.4\text{ W/kg}$ or 1.0 W/kg , for 1-g or 10-g respectively, when the transmission band is $\geq 200\text{ MHz}$.

WiFi 2.4G:

- 1) When the highest reported SAR for the initial test configuration is adjusted by the ratio of the subsequent test configuration to initial test configuration specified maximum output power and the adjusted SAR is $\leq 1.2\text{ W/kg}$, SAR test for the other 802.11 modes are not required.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8.3.1 SAR Result of GSM 850

Test position	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data										
Left cheek	GSM	190/836.6	1:8.3	0.211	0.09	33.67	34.00	1.079	0.228	22.4
Left tilted	GSM	190/836.6	1:8.3	0.109	0.06	33.67	34.00	1.079	0.118	22.4
Right cheek	GSM	190/836.6	1:8.3	0.255	0.05	33.67	34.00	1.079	0.275	22.4
Right tilted	GSM	190/836.6	1:8.3	0.114	0.12	33.67	34.00	1.079	0.123	22.4
Body worn Test data(Separate 15mm)										
Front side	GSM	190/836.6	1:8.3	0.214	0.15	33.67	34.00	1.079	0.231	22.4
Back side	GSM	190/836.6	1:8.3	0.240	-0.01	33.67	34.00	1.079	0.259	22.4
Hotspot Test data(Separate 10mm)										
Front side	GPRS 4TS	190/836.6	1:2.075	0.315	0.07	29.61	30.00	1.094	0.345	22.4
Back side	GPRS 4TS	190/836.6	1:2.075	0.388	-0.12	29.61	30.00	1.094	0.424	22.4
Left side	GPRS 4TS	190/836.6	1:2.075	0.180	0.03	29.61	30.00	1.094	0.197	22.4
Right side	GPRS 4TS	190/836.6	1:2.075	0.389	-0.03	29.61	30.00	1.094	0.426	22.4
Bottom side	GPRS 4TS	190/836.6	1:2.075	0.186	0.06	29.61	30.00	1.094	0.203	22.4

Table 11: SAR of GSM 850 for Head and Body



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8.3.2 SAR Result of GSM 1900

Test position	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data										
Left cheek	GSM	661/1880	1:8.3	0.127	0.06	23.90	24.30	1.096	0.139	22.3
Left tilted	GSM	661/1880	1:8.3	0.116	-0.03	23.90	24.30	1.096	0.127	22.3
Right cheek	GSM	661/1880	1:8.3	0.187	-0.10	23.90	24.30	1.096	0.205	22.3
Right tilted	GSM	661/1880	1:8.3	0.136	-0.04	23.90	24.30	1.096	0.149	22.3
Body worn Test data(Separate 15mm)										
Front side	GSM	661/1880	1:8.3	0.030	0.15	29.74	30.30	1.138	0.034	22.3
Back side	GSM	661/1880	1:8.3	0.065	0.02	29.74	30.30	1.138	0.073	22.3
Hotspot Test data(Separate 10mm)										
Front side	GPRS 4TS	661/1880	1:2.075	0.569	0.11	24.33	25.30	1.250	0.711	22.3
Back side	GPRS 4TS	661/1880	1:2.075	0.714	0.03	24.33	25.30	1.250	0.893	22.3
Back side	GPRS 4TS	512/1850.2	1:2.075	0.658	0.04	24.31	25.30	1.256	0.826	22.3
Back side	GPRS 4TS	810/1909.8	1:2.075	0.515	-0.02	24.22	25.30	1.282	0.660	22.3
Left side	GPRS 4TS	661/1880	1:2.075	0.388	-0.14	24.33	25.30	1.250	0.485	22.3
Top side	GPRS 4TS	661/1880	1:2.075	0.385	0.01	24.33	25.30	1.250	0.481	22.3

Table 12: SAR of GSM 1900 for Head and Body



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8.3.3 SAR Result of WCDMA Band II

Test position	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data										
Left cheek	RMC	9400/1880	1:1	0.453	-0.03	19.64	20.00	1.086	0.492	22.3
Left tilted	RMC	9400/1880	1:1	0.522	-0.14	19.64	20.00	1.086	0.567	22.3
Right cheek	RMC	9400/1880	1:1	0.755	-0.04	19.64	20.00	1.086	0.820	22.3
Right cheek	RMC	9262/1852.4	1:1	0.809	-0.11	19.48	20.00	1.127	0.912	22.3
Right cheek	RMC	9538/1907.6	1:1	0.673	0.05	19.60	20.00	1.096	0.738	22.3
Right tilted	RMC	9400/1880	1:1	0.637	0.07	19.64	20.00	1.086	0.692	22.3
Body worn Test data(Separate 15mm)										
Front side	RMC	9400/1880	1:1	0.116	-0.17	23.48	24.00	1.127	0.131	22.3
Back side	RMC	9400/1880	1:1	0.255	0.05	23.48	24.00	1.127	0.287	22.3
Hotspot Test data(Separate 10mm)										
Front side	RMC	9400/1880	1:1	0.295	0.06	22.33	22.50	1.040	0.307	22.3
Back side	RMC	9400/1880	1:1	0.887	0.10	22.33	22.50	1.040	0.922	22.3
Back side	RMC	9262/1852.4	1:1	0.926	-0.06	22.10	22.50	1.096	1.015	22.3
Back side-repeat	RMC	9262/1852.4	1:1	0.917	0.02	22.10	22.50	1.096	1.005	22.3
Back side	RMC	9538/1907.6	1:1	0.836	-0.08	22.22	22.50	1.067	0.892	22.3
Left side	RMC	9400/1880	1:1	0.236	-0.06	22.33	22.50	1.040	0.245	22.3
Top side	RMC	9400/1880	1:1	0.397	0.15	22.33	22.50	1.040	0.413	22.3

Table 13: SAR of WCDMA Band II for Head and Body

Test Position	Channel/ Frequency	Measured SAR (1g)	1st Repeated	Ratio	2nd Repeated	3rd Repeated
	(MHz)		SAR (1g)		SAR (1g)	SAR (1g)
Back side	9400/1880	0.926	0.917	1.010	N/A	N/A

- Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.
 2) A second repeated measurement was performed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg (~ 10% from the 1-g SAR limit).
 3) A third repeated measurement was performed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .
 4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg



8.3.4 SAR Result of WCDMA Band IV

Test position	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data										
Left cheek	RMC	1412/1732.4	1:1	0.502	-0.11	19.24	20.00	1.191	0.598	22.5
Left tilted	RMC	1412/1732.4	1:1	0.559	-0.09	19.24	20.00	1.191	0.666	22.5
Right cheek	RMC	1412/1732.4	1:1	0.959	-0.07	19.24	20.00	1.191	1.142	22.5
Right cheek	RMC	1312/1712.4	1:1	0.994	-0.05	19.10	20.00	1.230	1.223	22.5
Right cheek-repeat	RMC	1312/1712.4	1:1	0.988	0.01	19.10	20.00	1.230	1.216	22.5
Right cheek	RMC	1513/1752.6	1:1	0.905	0.04	19.18	20.00	1.208	1.093	22.5
Right tilted	RMC	1412/1732.4	1:1	0.737	0.13	19.24	20.00	1.191	0.878	22.5
Right tilted	RMC	1312/1712.4	1:1	0.753	0.01	19.10	20.00	1.230	0.926	22.5
Right tilted	RMC	1513/1752.6	1:1	0.748	0.05	19.18	20.00	1.208	0.903	22.5
Body worn Test data(Separate 15mm)										
Front side	RMC	1412/1732.4	1:1	0.194	0.08	23.24	24.00	1.191	0.231	22.5
Back side	RMC	1412/1732.4	1:1	0.327	0.14	23.24	24.00	1.191	0.390	22.5
Hotspot Test data(Separate 10mm)										
Front side	RMC	1412/1732.4	1:1	0.391	0.18	22.36	22.50	1.033	0.404	22.5
Back side	RMC	1412/1732.4	1:1	0.954	-0.04	22.36	22.50	1.033	0.985	22.5
Back side	RMC	1312/1712.4	1:1	0.923	0.02	22.22	22.50	1.067	0.984	22.5
Back side	RMC	1513/1752.6	1:1	0.990	0.05	22.30	22.50	1.047	1.037	22.5
Left side	RMC	1412/1732.4	1:1	0.364	0.02	22.36	22.50	1.033	0.376	22.5
Top side	RMC	1412/1732.4	1:1	0.414	0.12	22.36	22.50	1.033	0.428	22.5

Table 14: SAR of WCDMA IV for Head and Body.

Test Position	Channel/ Frequency	Measured SAR (1g)	1st Repeated	Ratio	2nd Repeated	3rd Repeated
	(MHz)		SAR (1g)		SAR (1g)	SAR (1g)
Right cheek	1312/1712.4	0.994	0.988	1.006	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.
 2) A second repeated measurement was performed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg (~ 10% from the 1-g SAR limit).
 3) A third repeated measurement was performed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .
 4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg



8.3.5 SAR Result of WCDMA Band V

Test position	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data										
Left cheek	RMC	4182/836.4	1:1	0.227	0.06	23.28	24.50	1.324	0.301	22.4
Left tilted	RMC	4182/836.4	1:1	0.129	0.09	23.28	24.50	1.324	0.171	22.4
Right cheek	RMC	4182/836.4	1:1	0.251	0.01	23.28	24.50	1.324	0.332	22.4
Right tilted	RMC	4182/836.4	1:1	0.153	-0.10	23.28	24.50	1.324	0.203	22.4
Body worn Test data(Separate 15mm)										
Front side	RMC	4182/836.4	1:1	0.214	0.18	23.28	24.50	1.324	0.283	22.4
Back side	RMC	4182/836.4	1:1	0.228	-0.05	23.28	24.50	1.324	0.302	22.4
Hotspot Test data(Separate 10mm)										
Front side	RMC	4182/836.4	1:1	0.228	0.03	23.28	24.50	1.324	0.302	22.4
Back side	RMC	4182/836.4	1:1	0.268	-0.03	23.28	24.50	1.324	0.355	22.4
Left side	RMC	4182/836.4	1:1	0.143	0.11	23.28	24.50	1.324	0.189	22.4
Right side	RMC	4182/836.4	1:1	0.255	-0.05	23.28	24.50	1.324	0.338	22.4
Bottom side	RMC	4182/836.4	1:1	0.102	-0.18	23.28	24.50	1.324	0.135	22.4

Table 15: SAR of WCDMA V for Head and Body



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8.3.6 SAR Result of LTE Band 12

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data(1RB)											
Left cheek	10	QPSK 1_0	23095/707.5	1:1	0.066	0.02	23.79	24.50	1.178	0.077	22.3
Left tilted	10	QPSK 1_0	23095/707.5	1:1	0.035	0.11	23.79	24.50	1.178	0.041	22.3
Right cheek	10	QPSK 1_0	23095/707.5	1:1	0.208	-0.05	23.79	24.50	1.178	0.245	22.3
Right tilted	10	QPSK 1_0	23095/707.5	1:1	0.099	0.09	23.79	24.50	1.178	0.116	22.3
Head Test Data(50%RB)											
Left cheek	10	QPSK 25_0	23095/707.5	1:1	0.049	0.04	22.88	23.50	1.153	0.057	22.3
Left tilted	10	QPSK 25_0	23095/707.5	1:1	0.031	0.12	22.88	23.50	1.153	0.035	22.3
Right cheek	10	QPSK 25_0	23095/707.5	1:1	0.162	0.04	22.88	23.50	1.153	0.187	22.3
Right tilted	10	QPSK 25_0	23095/707.5	1:1	0.087	-0.05	22.88	23.50	1.153	0.100	22.3
Body worn Test data(Separate 15mm 1RB)											
Front side	10	QPSK 1_0	23095/707.5	1:1	0.147	0.02	23.79	24.50	1.178	0.173	22.3
Back side	10	QPSK 1_0	23095/707.5	1:1	0.171	0.04	23.79	24.50	1.178	0.201	22.3
Body worn Test data(Separate 15mm 50%RB)											
Front side	10	QPSK 25_0	23095/707.5	1:1	0.126	0.01	22.88	23.50	1.153	0.145	22.3
Back side	10	QPSK 25_0	23095/707.5	1:1	0.143	0.05	22.88	23.50	1.153	0.165	22.3
Hotspot Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1_0	23095/707.5	1:1	0.139	0.09	23.79	24.50	1.178	0.164	22.3
Back side	10	QPSK 1_0	23095/707.5	1:1	0.186	-0.11	23.79	24.50	1.178	0.219	22.3
Left side	10	QPSK 1_0	23095/707.5	1:1	0.112	0.02	23.79	24.50	1.178	0.132	22.3
Right side	10	QPSK 1_0	23095/707.5	1:1	0.173	0.07	23.79	24.50	1.178	0.204	22.3
Bottom side	10	QPSK 1_0	23095/707.5	1:1	0.046	0.01	23.79	24.50	1.178	0.055	22.3
Hotspot Test data(Separate 10mm 50%RB)											
Front side	10	QPSK 25_0	23095/707.5	1:1	0.120	-0.06	22.88	23.50	1.153	0.138	22.3
Back side	10	QPSK 25_0	23095/707.5	1:1	0.164	0.02	22.88	23.50	1.153	0.189	22.3
Left side	10	QPSK 25_0	23095/707.5	1:1	0.098	0.05	22.88	23.50	1.153	0.113	22.3
Right side	10	QPSK 25_0	23095/707.5	1:1	0.146	0.06	22.88	23.50	1.153	0.168	22.3
Bottom side	10	QPSK 25_0	23095/707.5	1:1	0.041	0.01	22.88	23.50	1.153	0.047	22.3

Table 16: SAR of LTE band 12 for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8.3.7 SAR Result of LTE Band 14

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data(1RB)											
Left cheek	10	QPSK 1_0	23330/793	1:1	0.116	0.04	23.72	24.50	1.197	0.139	22.3
Left tilted	10	QPSK 1_0	23330/793	1:1	0.063	-0.11	23.72	24.50	1.197	0.075	22.3
Right cheek	10	QPSK 1_0	23330/793	1:1	0.268	-0.09	23.72	24.50	1.197	0.321	22.3
Right tilted	10	QPSK 1_0	23330/793	1:1	0.168	0.07	23.72	24.50	1.197	0.201	22.3
Head Test Data(50%RB)											
Left cheek	10	QPSK 25_0	23330/793	1:1	0.081	0.06	22.79	23.50	1.178	0.095	22.3
Left tilted	10	QPSK 25_0	23330/793	1:1	0.052	0.09	22.79	23.50	1.178	0.062	22.3
Right cheek	10	QPSK 25_0	23330/793	1:1	0.213	0.01	22.79	23.50	1.178	0.251	22.3
Right tilted	10	QPSK 25_0	23330/793	1:1	0.135	-0.10	22.79	23.50	1.178	0.159	22.3
Body worn Test data(Separate 15mm 1RB)											
Front side	10	QPSK 1_0	23330/793	1:1	0.183	0.01	23.72	24.50	1.197	0.219	22.3
Back side	10	QPSK 1_0	23330/793	1:1	0.212	0.02	23.72	24.50	1.197	0.254	22.3
Body worn Test data(Separate 15mm 50%RB)											
Front side	10	QPSK 25_0	23330/793	1:1	0.158	0.05	22.79	23.50	1.178	0.186	22.3
Back side	10	QPSK 25_0	23330/793	1:1	0.171	0.08	22.79	23.50	1.178	0.201	22.3
Hotspot Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1_0	23330/793	1:1	0.176	-0.11	23.72	24.50	1.197	0.211	22.3
Back side	10	QPSK 1_0	23330/793	1:1	0.228	-0.11	23.72	24.50	1.197	0.273	22.3
Left side	10	QPSK 1_0	23330/793	1:1	0.157	0.05	23.72	24.50	1.197	0.188	22.3
Right side	10	QPSK 1_0	23330/793	1:1	0.226	0.02	23.72	24.50	1.197	0.270	22.3
Bottom side	10	QPSK 1_0	23330/793	1:1	0.054	0.01	23.72	24.50	1.197	0.065	22.3
Hotspot Test data(Separate 10mm 50%RB)											
Front side	10	QPSK 25_0	23330/793	1:1	0.142	0.05	22.79	23.50	1.178	0.167	22.3
Back side	10	QPSK 25_0	23330/793	1:1	0.187	0.09	22.79	23.50	1.178	0.220	22.3
Left side	10	QPSK 25_0	23330/793	1:1	0.129	-0.01	22.79	23.50	1.178	0.152	22.3
Right side	10	QPSK 25_0	23330/793	1:1	0.204	0.05	22.79	23.50	1.178	0.240	22.3
Bottom side	10	QPSK 25_0	23330/793	1:1	0.051	0.05	22.79	23.50	1.178	0.060	22.3

Table 17: SAR of LTE Band 14 for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8.3.8 SAR Result of LTE Band 25

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data(1RB)											
Left cheek	20	QPSK 1_0	26365/1882.5	1:1	0.438	0.01	19.70	20.50	1.202	0.527	22.3
Left tilted	20	QPSK 1_0	26365/1882.5	1:1	0.419	0.04	19.70	20.50	1.202	0.504	22.3
Right cheek	20	QPSK 1_0	26365/1882.5	1:1	0.695	0.04	19.70	20.50	1.202	0.836	22.3
Right cheek	20	QPSK 1_0	26140/1860	1:1	0.686	0.06	19.57	20.50	1.239	0.850	22.3
Right cheek	20	QPSK 1_0	26590/1905	1:1	0.684	-0.01	19.61	20.50	1.227	0.840	22.3
Right tilted	20	QPSK 1_0	26365/1882.5	1:1	0.431	0.11	19.70	20.50	1.202	0.518	22.3
Head Test Data(50%RB)											
Left cheek	20	QPSK 50_0	26365/1882.5	1:1	0.502	-0.05	19.63	20.50	1.222	0.613	22.3
Left tilted	20	QPSK 50_0	26365/1882.5	1:1	0.531	0.09	19.63	20.50	1.222	0.649	22.3
Right cheek	20	QPSK 50_0	26365/1882.5	1:1	0.779	0.06	19.63	20.50	1.222	0.952	22.3
Right cheek	20	QPSK 50_0	26140/1860	1:1	0.781	-0.13	19.53	20.50	1.250	0.976	22.3
Right cheek	20	QPSK 50_0	26590/1905	1:1	0.746	0.02	19.45	20.50	1.274	0.950	22.3
Right tilted	20	QPSK 50_0	26365/1882.5	1:1	0.506	0.01	19.63	20.50	1.222	0.618	22.3
Head Test Data(100%RB)											
Right cheek	20	QPSK 100_0	26365/1882.5	1:1	0.749	-0.02	19.58	20.50	1.236	0.926	22.3
Body worn Test data(Separate 15mm 1RB)											
Front side	20	QPSK 1_0	26365/1882.5	1:1	0.100	0.03	23.24	24.50	1.337	0.133	22.3
Back side	20	QPSK 1_0	26365/1882.5	1:1	0.253	-0.02	23.24	24.50	1.337	0.338	22.3
Body worn Test data(Separate 15mm 50%RB)											
Front side	20	QPSK 50_0	26365/1882.5	1:1	0.112	0.01	22.41	23.50	1.285	0.144	22.3
Back side	20	QPSK 50_0	26365/1882.5	1:1	0.255	-0.02	22.41	23.50	1.285	0.328	22.3
Hotspot Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1_0	26365/1882.5	1:1	0.247	-0.03	21.82	22.50	1.169	0.289	22.3
Back side	20	QPSK 1_0	26365/1882.5	1:1	0.545	-0.10	21.82	22.50	1.169	0.637	22.3
Left side	20	QPSK 1_0	26365/1882.5	1:1	0.097	-0.04	21.82	22.50	1.169	0.114	22.3
Top side	20	QPSK 1_0	26365/1882.5	1:1	0.267	0.02	21.82	22.50	1.169	0.312	22.3
Hotspot Test data(Separate 10mm 50%RB)											
Front side	20	QPSK 50_0	26365/1882.5	1:1	0.273	-0.11	21.70	22.50	1.202	0.328	22.3
Back side	20	QPSK 50_0	26365/1882.5	1:1	0.624	-0.07	21.70	22.50	1.202	0.750	22.3
Left side	20	QPSK 50_0	26365/1882.5	1:1	0.104	0.09	21.70	22.50	1.202	0.125	22.3
Top side	20	QPSK 50_0	26365/1882.5	1:1	0.287	0.02	21.70	22.50	1.202	0.345	22.3

Table 18: SAR of LTE Band 25 for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8.3.9 SAR Result of LTE Band 26

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data(1RB)											
Left cheek	15	QPSK 1_0	26865/831.5	1:1	0.092	0.05	23.79	24.50	1.178	0.108	22.4
Left tilted	15	QPSK 1_0	26865/831.5	1:1	0.062	-0.10	23.79	24.50	1.178	0.073	22.4
Right cheek	15	QPSK 1_0	26865/831.5	1:1	0.236	-0.01	23.79	24.50	1.178	0.278	22.4
Right tilted	15	QPSK 1_0	26865/831.5	1:1	0.121	0.06	23.79	24.50	1.178	0.142	22.4
Head Test Data(50%RB)											
Left cheek	15	QPSK 36_0	26865/831.5	1:1	0.078	-0.06	22.88	23.50	1.153	0.090	22.4
Left tilted	15	QPSK 36_0	26865/831.5	1:1	0.054	0.08	22.88	23.50	1.153	0.062	22.4
Right cheek	15	QPSK 36_0	26865/831.5	1:1	0.200	0.02	22.88	23.50	1.153	0.231	22.4
Right tilted	15	QPSK 36_0	26865/831.5	1:1	0.113	0.01	22.88	23.50	1.153	0.130	22.4
Body worn Test data(Separate 15mm 1RB)											
Front side	15	QPSK 1_0	26865/831.5	1:1	0.142	0.05	23.79	24.50	1.178	0.167	22.4
Back side	15	QPSK 1_0	26865/831.5	1:1	0.155	0.06	23.79	24.50	1.178	0.183	22.4
Body worn Test data(Separate 15mm 50%RB)											
Front side	15	QPSK 36_0	26865/831.5	1:1	0.115	-0.06	22.88	23.50	1.153	0.133	22.4
Back side	15	QPSK 36_0	26865/831.5	1:1	0.127	-0.11	22.88	23.50	1.153	0.146	22.4
Hotspot Test data(Separate 10mm 1RB)											
Front side	15	QPSK 1_0	26865/831.5	1:1	0.126	-0.16	23.79	24.50	1.178	0.148	22.4
Back side	15	QPSK 1_0	26865/831.5	1:1	0.141	-0.19	23.79	24.50	1.178	0.166	22.4
Left side	15	QPSK 1_0	26865/831.5	1:1	0.104	0.05	23.79	24.50	1.178	0.122	22.4
Rightt side	15	QPSK 1_0	26865/831.5	1:1	0.154	-0.13	23.79	24.50	1.178	0.181	22.4
Bottom side	15	QPSK 1_0	26865/831.5	1:1	0.030	-0.06	23.79	24.50	1.178	0.036	22.4
Hotspot Test data(Separate 10mm 50%RB)											
Front side	15	QPSK 36_0	26865/831.5	1:1	0.104	0.06	22.88	23.50	1.153	0.120	22.4
Back side	15	QPSK 36_0	26865/831.5	1:1	0.138	-0.10	22.88	23.50	1.153	0.159	22.4
Left side	15	QPSK 36_0	26865/831.5	1:1	0.090	0.09	22.88	23.50	1.153	0.104	22.4
Rightt side	15	QPSK 36_0	26865/831.5	1:1	0.130	0.03	22.88	23.50	1.153	0.150	22.4
Bottom side	15	QPSK 36_0	26865/831.5	1:1	0.024	0.01	22.88	23.50	1.153	0.028	22.4

Table 19: SAR of LTE Band 26 for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8.3.10 SAR Result of LTE Band 30

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data(1RB)											
Left cheek	10	QPSK 1_0	27710/2310	1:1	0.097	0.04	23.28	24.50	1.324	0.129	22.1
Left tilted	10	QPSK 1_0	27710/2310	1:1	0.136	-0.01	23.28	24.50	1.324	0.180	22.1
Right cheek	10	QPSK 1_0	27710/2310	1:1	0.150	0.08	23.28	24.50	1.324	0.199	22.1
Right tilted	10	QPSK 1_0	27710/2310	1:1	0.106	0.14	23.28	24.50	1.324	0.140	22.1
Head Test Data(50%RB)											
Left cheek	10	QPSK 25_0	27710/2310	1:1	0.082	0.05	22.54	23.50	1.247	0.102	22.1
Left tilted	10	QPSK 25_0	27710/2310	1:1	0.136	-0.05	22.54	23.50	1.247	0.170	22.1
Right cheek	10	QPSK 25_0	27710/2310	1:1	0.148	0.09	22.54	23.50	1.247	0.185	22.1
Right tilted	10	QPSK 25_0	27710/2310	1:1	0.130	0.12	22.54	23.50	1.247	0.162	22.1
Body worn Test data(Separate 15mm 1RB)											
Front side	10	QPSK 1_0	27710/2310	1:1	0.147	0.04	23.28	24.50	1.324	0.195	22.1
Back side	10	QPSK 1_0	27710/2310	1:1	0.129	0.01	23.28	24.50	1.324	0.171	22.1
Body worn Test data(Separate 15mm 50%RB)											
Front side	10	QPSK 25_0	27710/2310	1:1	0.158	-0.02	22.54	23.50	1.247	0.197	22.1
Back side	10	QPSK 25_0	27710/2310	1:1	0.128	0.05	22.54	23.50	1.247	0.160	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1_0	27710/2310	1:1	0.293	-0.07	21.92	22.50	1.143	0.335	22.1
Back side	10	QPSK 1_0	27710/2310	1:1	0.240	0.01	21.92	22.50	1.143	0.274	22.1
Left side	10	QPSK 1_0	27710/2310	1:1	0.118	0.09	21.92	22.50	1.143	0.135	22.1
Right side	10	QPSK 1_0	27710/2310	1:1	0.062	-0.05	21.92	22.50	1.143	0.071	22.1
Bottom side	10	QPSK 1_0	27710/2310	1:1	0.258	-0.06	21.92	22.50	1.143	0.295	22.1
Hotspot Test data(Separate 10mm 50%RB)											
Front side	10	QPSK 25_0	27710/2310	1:1	0.302	-0.08	21.84	22.50	1.164	0.352	22.1
Back side	10	QPSK 25_0	27710/2310	1:1	0.248	-0.01	21.84	22.50	1.164	0.289	22.1
Left side	10	QPSK 25_0	27710/2310	1:1	0.121	0.05	21.84	22.50	1.164	0.141	22.1
Right side	10	QPSK 25_0	27710/2310	1:1	0.070	0.14	21.84	22.50	1.164	0.081	22.1
Bottom side	10	QPSK 25_0	27710/2310	1:1	0.264	-0.07	21.84	22.50	1.164	0.307	22.1

Table 20: SAR of LTE Band 30 for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8.3.11 SAR Result of LTE Band 66

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data(1RB)											
Left cheek	20	QPSK 1_0	132322/1745	1:1	0.480	0.03	18.64	19.50	1.219	0.585	22.5
Left tilted	20	QPSK 1_0	132322/1745	1:1	0.536	0.11	18.64	19.50	1.219	0.653	22.5
Right cheek	20	QPSK 1_0	132322/1745	1:1	0.861	0.05	18.64	19.50	1.219	1.050	22.5
Right cheek	20	QPSK 1_0	132072/1720	1:1	0.865	0.01	18.54	19.50	1.247	1.079	22.5
Right cheek	20	QPSK 1_0	132572/1770	1:1	0.864	0.14	18.47	19.50	1.268	1.095	22.5
Right tilted	20	QPSK 1_0	132322/1745	1:1	0.791	0.08	18.64	19.50	1.219	0.964	22.5
Right tilted	20	QPSK 1_0	132072/1720	1:1	0.824	0.04	18.54	19.50	1.247	1.028	22.5
Right tilted	20	QPSK 1_0	132572/1770	1:1	0.815	-0.02	18.47	19.50	1.268	1.033	22.5
Head Test Data(50%RB)											
Left cheek	20	QPSK 50_0	132322/1745	1:1	0.516	0.09	18.60	19.50	1.230	0.635	22.5
Left tilted	20	QPSK 50_0	132322/1745	1:1	0.577	0.07	18.60	19.50	1.230	0.710	22.5
Right cheek	20	QPSK 50_0	132322/1745	1:1	0.958	-0.11	18.60	19.50	1.230	1.179	22.5
Right cheek	20	QPSK 50_0	132072/1720	1:1	0.964	0.05	18.39	19.50	1.291	1.245	22.5
Right cheek	20	QPSK 50_0	132572/1770	1:1	0.988	0.19	18.42	19.50	1.282	1.267	22.5
Right cheek-repeat	20	QPSK 50_0	132572/1770	1:1	0.975	0.01	18.42	19.50	1.282	1.250	22.5
Right tilted	20	QPSK 50_0	132322/1745	1:1	0.849	-0.13	18.60	19.50	1.230	1.044	22.5
Right tilted	20	QPSK 50_0	132072/1720	1:1	0.906	0.02	18.39	19.50	1.291	1.170	22.5
Right tilted	20	QPSK 50_0	132572/1770	1:1	0.911	0.09	18.42	19.50	1.282	1.168	22.5
Head Test Data(100%RB)											
Right cheek	20	QPSK 100_0	132322/1745	1:1	0.922	-0.04	18.59	19.50	1.233	1.137	22.5
Right tilted	20	QPSK 100_0	132322/1745	1:1	0.873	0.02	18.59	19.50	1.233	1.077	22.5
Body worn Test data(Separate 15mm 1RB)											
Front side	20	QPSK 1_0	132322/1745	1:1	0.191	0.05	23.74	24.50	1.191	0.228	22.5
Back side	20	QPSK 1_0	132322/1745	1:1	0.318	0.10	23.74	24.50	1.191	0.379	22.5
Body worn Test data(Separate 15mm 50%RB)											
Front side	20	QPSK 50_0	132322/1745	1:1	0.205	-0.11	22.76	23.50	1.186	0.243	22.5
Back side	20	QPSK 50_0	132322/1745	1:1	0.356	0.14	22.76	23.50	1.186	0.422	22.5
Hotspot Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1_0	132322/1745	1:1	0.392	0.05	21.82	22.50	1.169	0.458	22.5
Back side	20	QPSK 1_0	132322/1745	1:1	0.758	0.11	21.82	22.50	1.169	0.886	22.5
Back side	20	QPSK 1_0	132072/1720	1:1	0.758	0.11	21.60	22.50	1.230	0.933	22.5
Back side	20	QPSK 1_0	132572/1770	1:1	0.763	0.00	21.29	22.50	1.321	1.008	22.5
Left side	20	QPSK 1_0	132322/1745	1:1	0.201	0.15	21.82	22.50	1.169	0.235	22.5
Top side	20	QPSK 1_0	132322/1745	1:1	0.468	0.02	21.82	22.50	1.169	0.547	22.5
Hotspot Test data(Separate 10mm 50%RB)											
Front side	20	QPSK 50_0	132322/1745	1:1	0.420	-0.08	21.73	22.50	1.194	0.501	22.5
Back side	20	QPSK 50_0	132322/1745	1:1	0.829	0.07	21.73	22.50	1.194	0.990	22.5
Back side	20	QPSK 50_0	132072/1720	1:1	0.791	0.06	21.40	22.50	1.288	1.019	22.5
Back side	20	QPSK 50_0	132572/1770	1:1	0.859	0.05	21.40	22.50	1.288	1.107	22.5
Left side	20	QPSK 50_0	132322/1745	1:1	0.243	0.12	21.73	22.50	1.194	0.290	22.5
Top side	20	QPSK 50_0	132322/1745	1:1	0.510	-0.14	21.73	22.50	1.194	0.609	22.5



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Hotspot Test data(Separate 10mm 100%RB)											
Back side	20	QPSK 100_0	132322/1745	1:1	0.743	0.02	21.62	22.50	1.225	0.910	22.5

Table 21: SAR of LTE Band 66 for Head and Body.

Test Position	Channel/ Frequency	Measured SAR (1g)	1st Repeated	Ratio	2nd Repeated	3rd Repeated
	(MHz)		SAR (1g)		SAR (1g)	SAR (1g)
Right tilted	132322/1745	0.988	0.975	1.013	N/A	N/A

- Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.
 2) A second repeated measurement was performed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg (~ 10% from the 1-g SAR limit).
 3) A third repeated measurement was performed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .
 4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8.3.12 SAR Result of LTE Band 71

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data(1RB)											
Left cheek	20	QPSK 1_0	133322/683	1:1	0.186	-0.04	23.81	24.50	1.172	0.218	22.3
Left tilted	20	QPSK 1_0	133322/683	1:1	0.105	0.01	23.81	24.50	1.172	0.123	22.3
Right cheek	20	QPSK 1_0	133322/683	1:1	0.218	0.04	23.81	24.50	1.172	0.256	22.3
Right tilted	20	QPSK 1_0	133322/683	1:1	0.105	0.05	23.81	24.50	1.172	0.123	22.3
Head Test Data(50%RB)											
Left cheek	20	QPSK 50_0	133322/683	1:1	0.156	0.06	22.73	23.50	1.194	0.186	22.3
Left tilted	20	QPSK 50_0	133322/683	1:1	0.095	0.01	22.73	23.50	1.194	0.114	22.3
Right cheek	20	QPSK 50_0	133322/683	1:1	0.179	-0.11	22.73	23.50	1.194	0.214	22.3
Right tilted	20	QPSK 50_0	133322/683	1:1	0.109	0.06	22.73	23.50	1.194	0.130	22.3
Body worn Test data(Separate 15mm 1RB)											
Front side	20	QPSK 1_0	133322/683	1:1	0.232	-0.09	23.81	24.50	1.172	0.272	22.3
Back side	20	QPSK 1_0	133322/683	1:1	0.300	0.04	23.81	24.50	1.172	0.352	22.3
Body worn Test data(Separate 15mm 50%RB)											
Front side	20	QPSK 50_0	133322/683	1:1	0.208	0.05	22.73	23.50	1.194	0.248	22.3
Back side	20	QPSK 50_0	133322/683	1:1	0.251	-0.01	22.73	23.50	1.194	0.300	22.3
Hotspot Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1_0	133322/683	1:1	0.241	-0.05	23.81	24.50	1.172	0.282	22.3
Back side	20	QPSK 1_0	133322/683	1:1	0.335	-0.05	23.81	24.50	1.172	0.393	22.3
Left side	20	QPSK 1_0	133322/683	1:1	0.202	0.09	23.81	24.50	1.172	0.237	22.3
Right side	20	QPSK 1_0	133322/683	1:1	0.282	0.12	23.81	24.50	1.172	0.331	22.3
Bottom side	20	QPSK 1_0	133322/683	1:1	0.031	0.17	23.81	24.50	1.172	0.037	22.3
Hotspot Test data(Separate 10mm 50%RB)											
Front side	20	QPSK 50_0	133322/683	1:1	0.238	0.11	22.73	23.50	1.194	0.284	22.3
Back side	20	QPSK 50_0	133322/683	1:1	0.280	0.06	22.73	23.50	1.194	0.334	22.3
Left side	20	QPSK 50_0	133322/683	1:1	0.180	0.12	22.73	23.50	1.194	0.215	22.3
Right side	20	QPSK 50_0	133322/683	1:1	0.247	0.09	22.73	23.50	1.194	0.295	22.3
Bottom side	20	QPSK 50_0	133322/683	1:1	0.028	0.05	22.73	23.50	1.194	0.033	22.3

Table 22: SAR of LTE Band 71 for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8.3.13 SAR Result of WIFI 2.4G

Ant 2 Test Record chain0											
Test position	Test mode	Test ch./Freq.	Duty Cycle	Duty Cycle Scaled factor	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test data											
Left cheek	802.11b	6/2437	99.64%	1.004	0.328	-0.04	16.11	17.00	1.227	0.404	22.5
Left tilted	802.11b	6/2437	99.64%	1.004	0.335	-0.15	16.11	17.00	1.227	0.413	22.5
Right cheek	802.11b	6/2437	99.64%	1.004	0.227	-0.04	16.11	17.00	1.227	0.280	22.5
Right tilted	802.11b	6/2437	99.64%	1.004	0.218	0.05	16.11	17.00	1.227	0.269	22.5
Body worn Test data(Separate 15mm)											
Front side	802.11b	1/2412	99.64%	1.004	0.103	-0.11	17.98	19.00	1.265	0.131	22.5
Back side	802.11b	1/2412	99.64%	1.004	0.191	-0.03	17.98	19.00	1.265	0.242	22.5
Hotspot Test data (Separate 10mm)											
Front side	802.11b	1/2412	99.64%	1.004	0.202	0.04	17.98	19.00	1.265	0.256	22.5
Back side	802.11b	1/2412	99.64%	1.004	0.364	-0.05	17.98	19.00	1.265	0.462	22.5
Right side	802.11b	1/2412	99.64%	1.004	0.183	0.04	17.98	19.00	1.265	0.232	22.5
Top side	802.11b	1/2412	99.64%	1.004	0.165	-0.03	17.98	19.00	1.265	0.209	22.5

Table 23: SAR of WIFI 2.4G for Head and Body.

Note:

- As the 802.11b highest reported SAR is smaller than 1.2 W/kg , and the tune-up of the other 802.11 modes are not higher than 802.11b,therefore, the adjusted SAR is ≤ 1.2 W/kg for other 802.11 modes, SAR test for the other 802.11 modes are not required.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8.3.14 SAR Result of BT

Test position	Test mode	Test ch./Freq.	Duty Cycle	Duty Cycle Scaled factor	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test data											
Left cheek	DH5	39/2441	76.86%	1.301	0.053	-0.10	9.50	10.00	1.122	0.077	22.5
Left tilted	DH5	39/2441	76.86%	1.301	0.054	-0.05	9.50	10.00	1.122	0.078	22.5
Right cheek	DH5	39/2441	76.86%	1.301	0.052	0.04	9.50	10.00	1.122	0.076	22.5
Right tilted	DH5	39/2441	76.86%	1.301	0.047	-0.01	9.50	10.00	1.122	0.068	22.5
Body worn Test data(Separate 15mm)											
Front side	DH5	39/2441	76.86%	1.301	0.014	0.12	9.50	10.00	1.122	0.021	22.5
Back side	DH5	39/2441	76.86%	1.301	0.021	-0.09	9.50	10.00	1.122	0.031	22.5
Hotspot Test data (Separate 10mm)											
Front side	DH5	39/2441	76.86%	1.301	0.030	0.02	9.50	10.00	1.122	0.044	22.5
Back side	DH5	39/2441	76.86%	1.301	0.050	-0.09	9.50	10.00	1.122	0.074	22.5
Right side	DH5	39/2441	76.86%	1.301	0.027	0.05	9.50	10.00	1.122	0.040	22.5
Top side	DH5	39/2441	76.86%	1.301	0.029	-0.17	9.50	10.00	1.122	0.042	22.5

Table 24: SAR of BT for Head and Body



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8.4 Multiple Transmitter Evaluation

8.4.1 Simultaneous SAR SAR test evaluation

- **Simultaneous Transmission Possibilities**

NO	Simultaneous TX Combination	Head	Body-worn	Hotspot
1	WWAN+BT	Y	Y	Y
2	WWAN+WIFI 2.4G	Y	Y	Y
3	WWAN+WIFI 2.4G+BT	No	No	No

Note:

- 1) The device does not support DTM function.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8.4.2 Simultaneous Transmission SAR Summation Scenario
Simultaneous Transmission SAR Summation Scenario for WLAN Head:

Test position		SARmax (W/kg)			Summed SAR	
		Main	WiFi 2.4G Ant2	BT Ant2		
		1	2	3	1+2	1+3
GSM850 Ant0	Left cheek	0.228	0.404	0.077	0.632	0.305
	Left tilted	0.118	0.413	0.078	0.531	0.196
	Right cheek	0.275	0.280	0.076	0.555	0.351
	Right tilted	0.123	0.269	0.068	0.392	0.191
GSM1900 Ant1	Left cheek	0.139	0.404	0.077	0.543	0.216
	Left tilted	0.127	0.413	0.078	0.540	0.205
	Right cheek	0.205	0.280	0.076	0.485	0.281
	Right tilted	0.149	0.269	0.068	0.418	0.217
WCDMA II Ant1	Left cheek	0.492	0.404	0.077	0.896	0.569
	Left tilted	0.567	0.413	0.078	0.980	0.645
	Right cheek	0.912	0.280	0.076	1.192	0.988
	Right tilted	0.692	0.269	0.068	0.961	0.760
WCDMA IV Ant1	Left cheek	0.598	0.404	0.077	1.002	0.675
	Left tilted	0.666	0.413	0.078	1.079	0.744
	Right cheek	1.223	0.280	0.076	1.503	1.299
	Right tilted	0.926	0.269	0.068	1.195	0.994
WCDMA V Ant0	Left cheek	0.301	0.404	0.077	0.705	0.378
	Left tilted	0.171	0.413	0.078	0.584	0.249
	Right cheek	0.332	0.280	0.076	0.612	0.408
	Right tilted	0.203	0.269	0.068	0.472	0.271
LTE Band 12 Ant0	Left cheek	0.077	0.404	0.077	0.481	0.154
	Left tilted	0.041	0.413	0.078	0.454	0.119
	Right cheek	0.245	0.280	0.076	0.525	0.321
	Right tilted	0.116	0.269	0.068	0.385	0.184
LTE Band 14 Ant0	Left cheek	0.139	0.404	0.077	0.543	0.216
	Left tilted	0.075	0.413	0.078	0.488	0.153
	Right cheek	0.321	0.280	0.076	0.601	0.397
	Right tilted	0.201	0.269	0.068	0.470	0.269
LTE Band 25 Ant1	Left cheek	0.613	0.404	0.077	1.017	0.690
	Left tilted	0.649	0.413	0.078	1.062	0.727
	Right cheek	0.976	0.280	0.076	1.256	1.052
	Right tilted	0.618	0.269	0.068	0.887	0.686
LTE Band 26 Ant0	Left cheek	0.108	0.404	0.077	0.512	0.185
	Left tilted	0.073	0.413	0.078	0.486	0.151
	Right cheek	0.278	0.280	0.076	0.558	0.354
	Right tilted	0.142	0.269	0.068	0.411	0.210
LTE Band 30 Ant0	Left cheek	0.129	0.404	0.077	0.533	0.206
	Left tilted	0.180	0.413	0.078	0.593	0.258
	Right cheek	0.199	0.280	0.076	0.479	0.275
	Right tilted	0.162	0.269	0.068	0.431	0.230



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

LTE Band 66 Ant1	Left cheek	0.635	0.404	0.077	1.039	0.712
	Left tilted	0.710	0.413	0.078	1.123	0.788
	Right cheek	1.267	0.280	0.076	1.547	1.343
	Right tilted	1.170	0.269	0.068	1.439	1.238
LTE Band 71 Ant0	Left cheek	0.218	0.404	0.077	0.622	0.295
	Left tilted	0.123	0.413	0.078	0.536	0.201
	Right cheek	0.256	0.280	0.076	0.536	0.332
	Right tilted	0.130	0.269	0.068	0.399	0.198



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Simultaneous Transmission SAR Summation Scenario for WLAN Body-worn:

Test position		SARmax (W/kg)			Summed SAR	
		Main	WiFi 2.4G Ant2	BT Ant2		
		1	2	3	1+2	1+3
GSM850 Ant0	Front side	0.231	0.131	0.021	0.362	0.252
	Back side	0.259	0.242	0.031	0.501	0.290
GSM1900 Ant1	Front side	0.034	0.131	0.021	0.165	0.055
	Back side	0.073	0.242	0.031	0.315	0.104
WCDMA II Ant1	Front side	0.131	0.131	0.021	0.262	0.152
	Back side	0.287	0.242	0.031	0.529	0.318
WCDMA IV Ant1	Front side	0.231	0.131	0.021	0.362	0.252
	Back side	0.390	0.242	0.031	0.632	0.421
WCDMA V Ant0	Front side	0.283	0.131	0.021	0.414	0.304
	Back side	0.302	0.242	0.031	0.544	0.333
LTE Band 12 Ant0	Front side	0.173	0.131	0.021	0.304	0.194
	Back side	0.201	0.242	0.031	0.443	0.232
LTE Band 14 Ant0	Front side	0.219	0.131	0.021	0.350	0.240
	Back side	0.254	0.242	0.031	0.496	0.285
LTE Band 25 Ant1	Front side	0.144	0.131	0.021	0.275	0.165
	Back side	0.338	0.242	0.031	0.580	0.369
LTE Band 26 Ant0	Front side	0.167	0.131	0.021	0.298	0.188
	Back side	0.183	0.242	0.031	0.425	0.214
LTE Band 30 Ant0	Front side	0.197	0.131	0.021	0.328	0.218
	Back side	0.171	0.242	0.031	0.413	0.202
LTE Band 66 Ant1	Front side	0.243	0.131	0.021	0.374	0.264
	Back side	0.422	0.242	0.031	0.664	0.453
LTE Band 71 Ant0	Front side	0.272	0.131	0.021	0.403	0.293
	Back side	0.352	0.242	0.031	0.594	0.383



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Test position		SARmax (W/kg)			Summed SAR	
		Main	WiFi 2.4G Ant2	BT Ant2		
		1	2	3	1+2	1+3
GSM850 Ant0	Front side	0.345	0.256	0.044	0.601	0.389
	Back side	0.424	0.462	0.074	0.886	0.498
	Left side	0.197	/	/	0.197	0.197
	Right side	0.426	0.232	0.040	0.658	0.466
	Top side	/	0.209	0.042	0.209	0.042
	Bottom side	0.203	/	/	0.203	0.203
GSM1900 Ant1	Front side	0.711	0.256	0.044	0.967	0.755
	Back side	0.893	0.462	0.074	1.355	0.967
	Left side	0.485	/	/	0.485	0.485
	Right side	/	0.232	0.040	0.232	0.040
	Top side	0.481	0.209	0.042	0.690	0.523
	Bottom side	/	/	/	/	/
WCDMA II Ant1	Front side	0.307	0.256	0.044	0.563	0.351
	Back side	1.015	0.462	0.074	1.477	1.089
	Left side	0.245	/	/	0.245	0.245
	Right side	/	0.232	0.040	0.232	0.040
	Top side	0.413	0.209	0.042	0.622	0.455
	Bottom side	/	/	/	/	/
WCDMA IV Ant1	Front side	0.404	0.256	0.044	0.660	0.448
	Back side	1.037	0.462	0.074	1.499	1.111
	Left side	0.376	/	/	0.376	0.376
	Right side	/	0.232	0.040	0.232	0.040
	Top side	0.428	0.209	0.042	0.637	0.470
	Bottom side	/	/	/	/	/
WCDMA V Ant0	Front side	0.302	0.256	0.044	0.558	0.346
	Back side	0.355	0.462	0.074	0.817	0.429
	Left side	0.189	/	/	0.189	0.189
	Right side	0.338	0.232	0.040	0.570	0.378
	Top side	/	0.209	0.042	0.209	0.042
	Bottom side	0.135	/	/	0.135	0.135
LTE Band 12 Ant0	Front side	0.164	0.256	0.044	0.420	0.208
	Back side	0.219	0.462	0.074	0.681	0.293
	Left side	0.132	/	/	0.132	0.132
	Right side	0.204	0.232	0.040	0.436	0.244
	Top side	/	0.209	0.042	0.209	0.042
	Bottom side	0.055	/	/	0.055	0.055
LTE Band 14 Ant0	Front side	0.211	0.256	0.044	0.467	0.255
	Back side	0.273	0.462	0.074	0.735	0.347
	Left side	0.188	/	/	0.188	0.188
	Right side	0.270	0.232	0.040	0.502	0.310
	Top side	/	0.209	0.042	0.209	0.042
	Bottom side	0.065	/	/	0.065	0.065



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

LTE Band 25 Ant1	Front side	0.328	0.256	0.044	0.584	0.372
	Back side	0.750	0.462	0.074	1.212	0.824
	Left side	0.125	/	/	0.125	0.125
	Right side	/	0.232	0.040	0.232	0.040
	Top side	0.345	0.209	0.042	0.554	0.387
	Bottom side	/	/	/	/	/
LTE Band 26 Ant0	Front side	0.148	0.256	0.044	0.404	0.192
	Back side	0.166	0.462	0.074	0.628	0.240
	Left side	0.122	/	/	0.122	0.122
	Right side	0.181	0.232	0.040	0.413	0.221
	Top side	/	0.209	0.042	0.209	0.042
	Bottom side	0.036	/	/	0.036	0.036
LTE Band 30 Ant0	Front side	0.352	0.256	0.044	0.608	0.396
	Back side	0.289	0.462	0.074	0.751	0.363
	Left side	0.141	/	/	0.141	0.141
	Right side	0.081	0.232	0.040	0.313	0.121
	Top side	/	0.209	0.042	0.209	0.042
	Bottom side	0.307	/	/	0.307	0.307
LTE Band 66 Ant1	Front side	0.501	0.256	0.044	0.757	0.545
	Back side	1.107	0.462	0.074	1.569	1.181
	Left side	0.290	/	/	0.290	0.290
	Right side	/	0.232	0.040	0.232	0.040
	Top side	0.609	0.209	0.042	0.818	0.651
	Bottom side	/	/	/	/	/
LTE Band 71 Ant0	Front side	0.284	0.256	0.044	0.540	0.328
	Back side	0.393	0.462	0.074	0.855	0.467
	Left side	0.237	/	/	0.237	0.237
	Right side	0.331	0.232	0.040	0.563	0.371
	Top side	/	0.209	0.042	0.209	0.042
	Bottom side	0.037	/	/	0.037	0.037



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

9 Equipment list

Test Platform		SPEAG DASY5 Professional				
Description		SAR Test System (Frequency range 300MHz-6GHz)				
Software Reference		DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)				
Hardware Reference						
Equipment	Manufacturer	Model	Serial Number	Calibration Date	Due date of calibration	
<input checked="" type="checkbox"/>	Twin Phantom	SPEAG	SAM1	1410	NCR	NCR
<input checked="" type="checkbox"/>	DAE	SPEAG	DAE4	1374	2021-11-05	2022-11-04
<input checked="" type="checkbox"/>	E-Field Probe	SPEAG	EX3DV4	7620	2021-08-24	2022-08-23
<input checked="" type="checkbox"/>	Validation Kits	SPEAG	D750V3	1210	2021-09-08	2024-09-07
<input checked="" type="checkbox"/>	Validation Kits	SPEAG	D835V2	4d256	2020-04-15	2023-04-14
<input checked="" type="checkbox"/>	Validation Kits	SPEAG	D1750V2	1105	2020-08-29	2023-08-28
<input checked="" type="checkbox"/>	Validation Kits	SPEAG	D1900V2	5d114	2020-08-27	2023-08-26
<input checked="" type="checkbox"/>	Validation Kits	SPEAG	D2300V2	1124	2022-02-03	2025-02-02
<input checked="" type="checkbox"/>	Validation Kits	SPEAG	D2450V2	1038	2020-04-08	2023-04-07
<input checked="" type="checkbox"/>	Dielectric parameter probes	SPEAG	DAKS-3.5	0005	2021-07-15	2022-07-14
<input checked="" type="checkbox"/>	Vector Network Analyzer and Vector Reflectometer	SPEAG	DAKS_VNA R140	0140913	2021-07-22	2022-07-21
<input checked="" type="checkbox"/>	Universal Radio Communication Tester	R&S	CMW500	111637	2021-09-29	2022-09-28
<input checked="" type="checkbox"/>	RF Bi-Directional Coupler	Agilent	86205-60001	MY31400031	NCR	NCR
<input checked="" type="checkbox"/>	Signal Generator	R&S	SMB100A	100379	2021-12-04	2022-12-03
<input checked="" type="checkbox"/>	Preamplifier	Qiji	YX28980933	202104001	NCR	NCR
<input checked="" type="checkbox"/>	Power Meter	Anritsu	ML2495A	2136003	2021-12-4	2022-12-3
<input checked="" type="checkbox"/>	Power Sensor	Anritsu	MA2411B	1911376	2021-12-4	2022-12-3
<input checked="" type="checkbox"/>	Attenuator	SHX	TS2-3dB	30704	NCR	NCR
<input checked="" type="checkbox"/>	Coaxial low pass filter	Mini-Circuits	VLF-2500(+)	NA	NCR	NCR
<input checked="" type="checkbox"/>	Coaxial low pass filter	Microlab Fxr	LA-F13	NA	NCR	NCR
<input checked="" type="checkbox"/>	DC POWER SUPPLY	SAKO	SK1730SL5A	NA	NCR	NCR
<input checked="" type="checkbox"/>	Speed reading thermometer	LKM	DTM3000	SUW201-30-01	2021-10-09	2022-10-08
<input checked="" type="checkbox"/>	Humidity and Temperature Indicator	MingGao	MingGao	NA	2021-10-09	2022-10-08

Note: All the equipments are within the valid period when the tests are performed.



10 Calibration certificate

Please see the Appendix C

11 Photographs

Please see the Appendix D

Appendix A: Detailed System Check Results

Appendix B: Detailed Test Results

Appendix C: Calibration certificate

Appendix D: Photographs

---END---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

t (86-512) 62992980 www.sgs.com

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com