


Test Mode	UNII-2C_TX AC(VHT80) Mode 5690 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	39.49	12.47	51.96	74.00	-22.04	peak	
2		5460.000	32.34	12.47	44.81	54.00	-9.19	AVG	
3		5470.000	38.52	12.48	51.00	68.20	-17.20	peak	
4	X	5704.700	89.44	13.17	102.61	68.20	34.41	AVG	No Limit
5	*	5707.700	97.53	13.18	110.71	68.20	42.51	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5690 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	16000.04	38.00	5.99	43.99	54.00	-10.01	AVG	
2		16000.15	44.69	5.99	50.68	74.00	-23.32	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5720 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	39.49	12.47	51.96	74.00	-22.04	peak	
2		5460.000	31.42	12.47	43.89	54.00	-10.11	AVG	
3		5470.000	38.75	12.48	51.23	68.20	-16.97	peak	
4	X	5714.600	92.92	13.21	106.13	68.20	37.93	AVG	No Limit
5	*	5714.900	103.5	13.21	116.75	68.20	48.55	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5720 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		15999.93	43.89	5.99	49.88	74.00	-24.12	peak	
2	*	16000.09	37.79	5.99	43.78	54.00	-10.22	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5710 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	39.60	12.47	52.07	74.00	-21.93	peak	
2		5460.000	32.02	12.47	44.49	54.00	-9.51	AVG	
3		5470.000	39.27	12.48	51.75	68.20	-16.45	peak	
4	X	5704.600	92.33	13.17	105.50	68.20	37.30	AVG	No Limit
5	*	5704.900	101.5	13.17	114.69	68.20	46.49	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5710 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	16000.10	37.81	5.99	43.80	54.00	-10.20	AVG	
2		16000.15	43.87	5.99	49.86	74.00	-24.14	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5690 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	40.37	12.47	52.84	74.00	-21.16	peak	
2		5460.000	32.57	12.47	45.04	54.00	-8.96	AVG	
3		5470.000	39.13	12.48	51.61	68.20	-16.59	peak	
4	X	5704.700	89.00	13.17	102.17	68.20	33.97	AVG	No Limit
5	*	5705.000	97.25	13.17	110.42	68.20	42.22	peak	No Limit

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5690 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	16000.04	37.63	5.99	43.62	54.00	-10.38	AVG	
2		16000.06	43.73	5.99	49.72	74.00	-24.28	peak	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	39.000	19.700
40	5200	39.050	19.700
48	5240	38.900	19.700

CH36




Date: 6.DEC.2023 09:27:20

CH40 26 dB Bandwidth




Date: 6.DEC.2023 09:28:20

CH48




Date: 6.DEC.2023 09:29:15


99 % Occupied Bandwidth



Date: 6.DEC.2023 09:27:04



Date: 6.DEC.2023 09:28:02




Date: 6.DEC.2023 09:28:59

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	39.449	19.700
40	5200	38.150	19.600
48	5240	37.850	19.500


CH36



Date: 6.DEC.2023 09:54:43


CH40

26 dB Bandwidth




Date: 6.DEC.2023 09:55:47

CH48




Date: 6.DEC.2023 09:56:49


99 % Occupied Bandwidth



Date: 6.DEC.2023 09:54:27



Date: 6.DEC.2023 09:55:30




Date: 6.DEC.2023 09:56:31

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	54.590	39.200
46	5230	40.406	39.200

CH38




Date: 7.DEC.2023 16:52:25

CH46 26 dB Bandwidth




Date: 7.DEC.2023 16:53:14

99 % Occupied Bandwidth



Date: 6.DEC.2023 10:12:53




Date: 6.DEC.2023 10:14:36

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	148.596	78.000

CH42 26 dB Bandwidth



Date: 6.DEC.2023 10:29:24

99 % Occupied Bandwidth




Date: 6.DEC.2023 10:29:01

Test Mode	UNII-1_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	44.850	21.500
40	5200	42.950	21.200
48	5240	41.597	20.500

CH36




Date: 6.DEC.2023 10:42:53

CH40 26 dB Bandwidth




Date: 6.DEC.2023 10:43:56

CH48




Date: 6.DEC.2023 10:46:05


99 % Occupied Bandwidth



Date: 6.DEC.2023 10:42:41



Date: 6.DEC.2023 10:43:41




Date: 6.DEC.2023 10:45:41

Test Mode	UNII-1_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	60.000	42.600
46	5230	57.188	43.400

CH38




Date: 7.DEC.2023 16:55:42

CH46 26 dB Bandwidth




Date: 7.DEC.2023 16:56:25

99 % Occupied Bandwidth



Date: 6.DEC.2023 11:00:08




Date: 6.DEC.2023 11:01:40

Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	166.200	80.000

CH42 26 dB Bandwidth



Date: 6.DEC.2023 11:15:53

99 % Occupied Bandwidth




Date: 6.DEC.2023 11:15:37

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.990	17.300
60	5300	21.790	17.100
64	5320	22.000	17.200

CH52




Date: 6.DEC.2023 09:37:25

CH60 26 dB Bandwidth




Date: 6.DEC.2023 09:39:27

CH64




Date: 6.DEC.2023 09:40:42


99 % Occupied Bandwidth



Date: 6.DEC.2023 09:36:59



Date: 6.DEC.2023 09:38:59




Date: 6.DEC.2023 09:40:16

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.800	18.000
60	5300	22.150	18.100
64	5320	21.700	18.100

CH52




Date: 6.DEC.2023 09:58:36

CH60 26 dB Bandwidth




Date: 6.DEC.2023 09:59:52

CH64




Date: 6.DEC.2023 10:01:11


99 % Occupied Bandwidth



Date: 6.DEC.2023 09:58:11



Date: 6.DEC.2023 09:59:26




Date: 6.DEC.2023 10:00:46

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	39.900	37.200
62	5310	39.800	37.200

CH54




Date: 6.DEC.2023 10:16:34

CH62 26 dB Bandwidth




Date: 6.DEC.2023 10:18:29



Date: 6.DEC.2023 10:15:59

99 % Occupied Bandwidth




Date: 6.DEC.2023 10:17:52

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	82.800	76.000

CH58 26 dB Bandwidth



Date: 6.DEC.2023 10:30:57

99 % Occupied Bandwidth




Date: 6.DEC.2023 10:30:24

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.700	19.200
60	5300	21.690	19.200
64	5320	22.450	19.200

CH52




Date: 6.DEC.2023 10:47:25

CH60 26 dB Bandwidth




Date: 6.DEC.2023 10:49:02

CH64




Date: 6.DEC.2023 10:50:20


99 % Occupied Bandwidth



Date: 6.DEC.2023 10:47:30



Date: 6.DEC.2023 10:48:36




Date: 6.DEC.2023 10:49:55

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.000	38.200
62	5310	40.000	38.200

CH54




Date: 6.DEC.2023 11:03:47

CH62 26 dB Bandwidth




Date: 6.DEC.2023 11:05:17



Date: 6.DEC.2023 11:03:00

99 % Occupied Bandwidth




Date: 6.DEC.2023 11:04:42

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	83.990	77.600

CH58 26 dB Bandwidth



Date: 6.DEC.2023 11:17:24

99 % Occupied Bandwidth




Date: 6.DEC.2023 11:16:50

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode
-----------	-----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	285.200	158.400

CH50 26 dB Bandwidth



Date: 7.DEC.2023 16:58:58

99 % Occupied Bandwidth




Date: 6.DEC.2023 10:38:12

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode
-----------	----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	163.990	156.000

CH50 26 dB Bandwidth



Date: 6.DEC.2023 11:24:24

99 % Occupied Bandwidth




Date: 6.DEC.2023 11:23:50

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.800	17.100
116	5580	21.788	17.100
140	5700	21.700	17.100
144	5720	15.850	17.100

CH100




Date: 6.DEC.2023 09:42:21

CH116 26 dB Bandwidth




Date: 6.DEC.2023 09:44:02

CH140




Date: 6.DEC.2023 09:45:13


99 % Occupied Bandwidth



Date: 6.DEC.2023 09:41:56




Date: 6.DEC.2023 09:43:36




Date: 6.DEC.2023 09:44:48

26 dB Bandwidth



Date: 19.DEC.2023 16:30:42

99 % Occupied Bandwidth




Date: 16.DEC.2023 11:45:29

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.590	18.100
116	5580	21.650	18.000
140	5700	21.650	18.000
144	5720	16.050	18.200


CH100



Date: 6.DEC.2023 10:02:22


CH116

26 dB Bandwidth




Date: 6.DEC.2023 10:03:34

CH140




Date: 6.DEC.2023 10:04:44


99 % Occupied Bandwidth



Date: 6.DEC.2023 10:01:56




Date: 6.DEC.2023 10:03:08




Date: 6.DEC.2023 10:04:18

26 dB Bandwidth



Date: 19.DEC.2023 16:27:24

99 % Occupied Bandwidth




Date: 16.DEC.2023 11:56:59

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.500	37.000
110	5550	39.609	37.000
134	5670	39.900	37.000
142	5710	34.700	36.800

CH102




Date: 6.DEC.2023 10:20:08

CH110
26 dB Bandwidth




Date: 6.DEC.2023 10:22:10

CH134




Date: 6.DEC.2023 10:23:49




Date: 6.DEC.2023 10:19:29

99 % Occupied Bandwidth




Date: 6.DEC.2023 10:21:32




Date: 6.DEC.2023 10:23:12

26 dB Bandwidth



Date: 19.DEC.2023 16:40:57

99 % Occupied Bandwidth




Date: 16.DEC.2023 12:18:10

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	82.600	76.000
122	5610	82.400	76.000
138	5690	76.400	76.000

CH106




Date: 6.DEC.2023 10:32:23

CH122 26 dB Bandwidth




Date: 6.DEC.2023 10:34:28

99 % Occupied Bandwidth




Date: 6.DEC.2023 10:31:48



Date: 6.DEC.2023 10:33:54


26 dB Bandwidth



Date: 18.DEC.2023 16:47:27

CH138

99 % Occupied Bandwidth




Date: 16.DEC.2023 12:43:05

Test Mode	UNII-2C_TX AC(VHT160) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	284.790	156.800

CH114 26 dB Bandwidth



Date: 7.DEC.2023 17:01:39

99 % Occupied Bandwidth




Date: 6.DEC.2023 10:39:56

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.800	19.200
116	5580	21.550	19.200
140	5700	21.550	19.200
144	5720	15.750	19.200


CH100



Date: 6.DEC.2023 10:51:40


CH116

26 dB Bandwidth




Date: 6.DEC.2023 10:52:53

CH140




Date: 6.DEC.2023 10:54:01


99 % Occupied Bandwidth



Date: 6.DEC.2023 10:51:15




Date: 6.DEC.2023 10:52:28




Date: 6.DEC.2023 10:53:35

26 dB Bandwidth



Date: 19.DEC.2023 16:34:02

99 % Occupied Bandwidth




Date: 16.DEC.2023 12:04:14

Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.700	38.200
110	5550	39.800	38.000
134	5670	39.700	38.200
142	5710	34.900	38.000

CH102




Date: 6.DEC.2023 11:07:17

CH110 26 dB Bandwidth




Date: 6.DEC.2023 11:09:04

CH134




Date: 6.DEC.2023 11:10:37


99 % Occupied Bandwidth



Date: 6.DEC.2023 11:06:39




Date: 6.DEC.2023 11:08:27




Date: 6.DEC.2023 11:09:59

26 dB Bandwidth



Date: 19.DEC.2023 16:37:26

99 % Occupied Bandwidth



Date: 16.DEC.2023 12:28:13