


Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	83.198	77.200
122	5610	83.590	77.600
138	5690	76.000	77.600

### CH106




Date: 6,DEC,2023 11:19:23

### CH122 26 dB Bandwidth




Date: 6,DEC,2023 11:21:11

### 99 % Occupied Bandwidth




Date: 6,DEC,2023 11:18:49




Date: 6,DEC,2023 11:20:37

### 26 dB Bandwidth



Date: 18,DEC,2023 16:50:43

### CH138 99 % Occupied Bandwidth




Date: 16,DEC,2023 12:55:25

Test Mode	UNII-2C_TX AX(HE160) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	162.800	156.000

### CH114 26 dB Bandwidth



Date: 6.DEC.2023 11:26:34

### 99 % Occupied Bandwidth




Date: 6.DEC.2023 11:26:03

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.450	18.400	0.5	Complies
157	5785	16.450	18.300	0.5	Complies
165	5825	16.450	18.000	0.5	Complies

**CH149**




Date: 6.DEC.2023 09:47:45

**CH157**  
6 dB Bandwidth




Date: 6.DEC.2023 09:49:02

**CH165**




Date: 6.DEC.2023 09:50:18


**99 % Occupied Bandwidth**



Date: 6.DEC.2023 09:47:17



Date: 6.DEC.2023 09:48:33




Date: 6.DEC.2023 09:49:50

Test Mode UNII-3\_TX AC(VHT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.700	18.800	0.5	Complies
157	5785	17.650	18.700	0.5	Complies
165	5825	17.650	18.600	0.5	Complies

**CH149**




Date: 6.DEC.2023 10:06:12

**CH157**  
6 dB Bandwidth




Date: 6.DEC.2023 10:07:37

**CH165**




Date: 6.DEC.2023 10:08:50


**99 % Occupied Bandwidth**



Date: 6.DEC.2023 10:05:45



Date: 6.DEC.2023 10:07:09




Date: 6.DEC.2023 10:08:22

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.500	38.400	0.5	Complies
159	5795	36.500	38.200	0.5	Complies

### CH151




Date: 6.DEC.2023 10:25:41

### CH159 6 dB Bandwidth




Date: 6.DEC.2023 10:27:33



Date: 6.DEC.2023 10:25:04

### 99 % Occupied Bandwidth




Date: 6.DEC.2023 10:26:53

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.606	77.200	0.5	Complies

### CH155 6 dB Bandwidth



Date: 6.DEC.2023 10:36:11

### 99 % Occupied Bandwidth




Date: 6.DEC.2023 10:35:31

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	18.890	19.800	0.5	Complies
157	5785	19.100	19.700	0.5	Complies
165	5825	18.950	19.600	0.5	Complies

**CH149**




Date: 6.DEC.2023 10:55:30

**CH157**  
6 dB Bandwidth




Date: 6.DEC.2023 10:57:27

**CH165**




Date: 6.DEC.2023 10:58:41


**99 % Occupied Bandwidth**



Date: 6.DEC.2023 10:55:30



Date: 6.DEC.2023 10:57:01




Date: 6.DEC.2023 10:58:14

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	37.298	40.400	0.5	Complies
159	5795	37.300	40.400	0.5	Complies

### CH151




Date: 6.DEC.2023 11:12:24

### CH159 6 dB Bandwidth




Date: 6.DEC.2023 11:13:57

### 99 % Occupied Bandwidth



Date: 6.DEC.2023 11:11:47




Date: 6.DEC.2023 11:13:18



Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	76.800	78.800	0.5	Complies

### CH155 6 dB Bandwidth



Date: 6.DEC.2023 11:22:45

### 99 % Occupied Bandwidth



Date: 6.DEC.2023 11:22:09

## **APPENDIX F - MAXIMUM OUTPUT POWER**

### Non Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.95	0.21	18.16	30.00	1.0000	Complies
40	5200	18.09	0.21	18.30	30.00	1.0000	Complies
48	5240	17.78	0.21	17.99	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.35	0.21	18.56	30.00	1.0000	Complies
40	5200	18.26	0.21	18.47	30.00	1.0000	Complies
48	5240	17.98	0.21	18.19	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.72	0.21	17.93	30.00	1.0000	Complies
40	5200	17.74	0.21	17.95	30.00	1.0000	Complies
48	5240	17.54	0.21	17.75	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.60	0.21	17.81	30.00	1.0000	Complies
40	5200	17.57	0.21	17.78	30.00	1.0000	Complies
48	5240	17.60	0.21	17.81	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.15	30.00	1.0000	Complies
40	5200	24.16	30.00	1.0000	Complies
48	5240	23.96	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.70	0.00	18.70	30.00	1.0000	Complies
40	5200	18.67	0.00	18.67	30.00	1.0000	Complies
48	5240	18.92	0.00	18.92	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.91	0.00	18.91	30.00	1.0000	Complies
40	5200	18.79	0.00	18.79	30.00	1.0000	Complies
48	5240	18.57	0.00	18.57	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.23	0.00	18.23	30.00	1.0000	Complies
40	5200	18.62	0.00	18.62	30.00	1.0000	Complies
48	5240	18.69	0.00	18.69	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.30	0.00	18.30	30.00	1.0000	Complies
40	5200	18.14	0.00	18.14	30.00	1.0000	Complies
48	5240	18.81	0.00	18.81	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.56	30.00	1.0000	Complies
40	5200	24.58	30.00	1.0000	Complies
48	5240	24.77	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.85	0.13	21.98	30.00	1.0000	Complies
46	5230	20.83	0.13	20.96	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.96	0.13	22.09	30.00	1.0000	Complies
46	5230	21.27	0.13	21.40	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.74	0.13	20.87	30.00	1.0000	Complies
46	5230	20.88	0.13	21.01	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.65	0.13	20.78	30.00	1.0000	Complies
46	5230	20.85	0.13	20.98	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	27.50	30.00	1.0000	Complies
46	5230	27.12	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.23	0.22	19.45	30.00	1.0000	Complies
40	5200	19.13	0.22	19.35	30.00	1.0000	Complies
48	5240	18.86	0.22	19.08	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.30	0.22	19.52	30.00	1.0000	Complies
40	5200	19.24	0.22	19.46	30.00	1.0000	Complies
48	5240	19.02	0.22	19.24	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.70	0.22	18.92	30.00	1.0000	Complies
40	5200	18.84	0.22	19.06	30.00	1.0000	Complies
48	5240	18.60	0.22	18.82	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.66	0.22	18.88	30.00	1.0000	Complies
40	5200	18.93	0.22	19.15	30.00	1.0000	Complies
48	5240	18.65	0.22	18.87	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.22	30.00	1.0000	Complies
40	5200	25.28	30.00	1.0000	Complies
48	5240	25.03	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.68	0.43	22.11	30.00	1.0000	Complies
46	5230	21.55	0.43	21.98	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.12	0.43	22.55	30.00	1.0000	Complies
46	5230	21.73	0.43	22.16	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.45	0.43	21.88	30.00	1.0000	Complies
46	5230	21.32	0.43	21.75	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.33	0.43	21.76	30.00	1.0000	Complies
46	5230	21.45	0.43	21.88	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	28.11	30.00	1.0000	Complies
46	5230	27.97	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.67	0.27	21.94	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.66	0.27	21.93	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.29	0.27	21.56	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.98	0.27	21.25	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	27.70	30.00	1.0000	Complies



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.44	0.00	19.44	30.00	1.0000	Complies
40	5200	19.42	0.00	19.42	30.00	1.0000	Complies
48	5240	19.35	0.00	19.35	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.58	0.00	19.58	30.00	1.0000	Complies
40	5200	19.67	0.00	19.67	30.00	1.0000	Complies
48	5240	19.84	0.00	19.84	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.05	0.00	19.05	30.00	1.0000	Complies
40	5200	19.12	0.00	19.12	30.00	1.0000	Complies
48	5240	19.31	0.00	19.31	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.55	0.00	19.55	30.00	1.0000	Complies
40	5200	19.47	0.00	19.47	30.00	1.0000	Complies
48	5240	19.58	0.00	19.58	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.43	30.00	1.0000	Complies
40	5200	25.45	30.00	1.0000	Complies
48	5240	25.55	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.77	0.16	21.93	30.00	1.0000	Complies
46	5230	21.65	0.16	21.81	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.32	0.16	22.48	30.00	1.0000	Complies
46	5230	22.14	0.16	22.30	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.58	0.16	21.74	30.00	1.0000	Complies
46	5230	21.35	0.16	21.51	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.52	0.16	21.68	30.00	1.0000	Complies
46	5230	21.18	0.16	21.34	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	27.99	30.00	1.0000	Complies
46	5230	27.78	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.76	0.31	22.07	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.69	0.31	22.00	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.76	0.31	22.07	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.57	0.31	21.88	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	28.02	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.01	0.21	13.22	23.98	0.2500	Complies
60	5300	12.71	0.21	12.92	23.98	0.2500	Complies
64	5320	12.83	0.21	13.04	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.56	0.21	12.77	23.98	0.2500	Complies
60	5300	12.41	0.21	12.62	23.98	0.2500	Complies
64	5320	12.41	0.21	12.62	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.52	0.21	12.73	23.98	0.2500	Complies
60	5300	12.20	0.21	12.41	23.98	0.2500	Complies
64	5320	12.15	0.21	12.36	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.39	0.21	12.60	23.98	0.2500	Complies
60	5300	12.04	0.21	12.25	23.98	0.2500	Complies
64	5320	11.91	0.21	12.12	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.86	23.98	0.2500	Complies
60	5300	18.58	23.98	0.2500	Complies
64	5320	18.57	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.50	0.00	12.50	23.98	0.2500	Complies
60	5300	12.41	0.00	12.41	23.98	0.2500	Complies
64	5320	12.85	0.00	12.85	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.15	0.00	12.15	23.98	0.2500	Complies
60	5300	12.63	0.00	12.63	23.98	0.2500	Complies
64	5320	11.95	0.00	11.95	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.24	0.00	12.24	23.98	0.2500	Complies
60	5300	12.34	0.00	12.34	23.98	0.2500	Complies
64	5320	12.08	0.00	12.08	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.02	0.00	12.02	23.98	0.2500	Complies
60	5300	12.57	0.00	12.57	23.98	0.2500	Complies
64	5320	12.58	0.00	12.58	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.25	23.98	0.2500	Complies
60	5300	18.51	23.98	0.2500	Complies
64	5320	18.40	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.72	0.13	14.85	23.98	0.2500	Complies
62	5310	14.82	0.13	14.95	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.34	0.13	14.47	23.98	0.2500	Complies
62	5310	14.42	0.13	14.55	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.36	0.13	14.49	23.98	0.2500	Complies
62	5310	14.35	0.13	14.48	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.46	0.13	14.59	23.98	0.2500	Complies
62	5310	14.29	0.13	14.42	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.63	23.98	0.2500	Complies
62	5310	20.63	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.04	0.22	13.26	23.98	0.2500	Complies
60	5300	12.84	0.22	13.06	23.98	0.2500	Complies
64	5320	12.71	0.22	12.93	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.60	0.22	12.82	23.98	0.2500	Complies
60	5300	12.63	0.22	12.85	23.98	0.2500	Complies
64	5320	12.67	0.22	12.89	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.73	0.22	12.95	23.98	0.2500	Complies
60	5300	12.51	0.22	12.73	23.98	0.2500	Complies
64	5320	12.28	0.22	12.50	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.39	0.22	12.61	23.98	0.2500	Complies
60	5300	12.36	0.22	12.58	23.98	0.2500	Complies
64	5320	12.23	0.22	12.45	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.94	23.98	0.2500	Complies
60	5300	18.83	23.98	0.2500	Complies
64	5320	18.72	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.29	0.43	15.72	23.98	0.2500	Complies
62	5310	15.16	0.43	15.59	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.12	0.43	15.55	23.98	0.2500	Complies
62	5310	15.35	0.43	15.78	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.90	0.43	15.33	23.98	0.2500	Complies
62	5310	15.05	0.43	15.48	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.09	0.43	15.52	23.98	0.2500	Complies
62	5310	14.87	0.43	15.30	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.56	23.98	0.2500	Complies
62	5310	21.57	23.98	0.2500	Complies



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.33	0.27	17.60	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.64	0.27	17.91	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.10	0.27	17.37	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.71	0.27	17.98	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.74	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.23	0.00	13.23	23.98	0.2500	Complies
60	5300	13.15	0.00	13.15	23.98	0.2500	Complies
64	5320	13.28	0.00	13.28	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.14	0.00	13.14	23.98	0.2500	Complies
60	5300	13.65	0.00	13.65	23.98	0.2500	Complies
64	5320	13.54	0.00	13.54	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.05	0.00	13.05	23.98	0.2500	Complies
60	5300	12.95	0.00	12.95	23.98	0.2500	Complies
64	5320	13.05	0.00	13.05	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.65	0.00	12.65	23.98	0.2500	Complies
60	5300	12.85	0.00	12.85	23.98	0.2500	Complies
64	5320	12.74	0.00	12.74	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.04	23.98	0.2500	Complies
60	5300	19.18	23.98	0.2500	Complies
64	5320	19.18	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.15	0.16	16.31	23.98	0.2500	Complies
62	5310	15.96	0.16	16.12	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.92	0.16	16.08	23.98	0.2500	Complies
62	5310	15.75	0.16	15.91	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.81	0.16	15.97	23.98	0.2500	Complies
62	5310	15.83	0.16	15.99	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.95	0.16	16.11	23.98	0.2500	Complies
62	5310	15.91	0.16	16.07	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.14	23.98	0.2500	Complies
62	5310	22.05	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.60	0.31	17.91	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.81	0.31	18.12	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.34	0.31	17.65	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.14	0.31	17.45	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.81	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.46	0.45	17.91	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.11	0.45	17.56	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.33	0.45	17.78	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.26	0.45	17.71	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	23.77	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.55	0.54	18.09	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.44	0.54	17.98	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.43	0.54	17.97	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.19	0.54	17.73	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	23.96	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.12	0.21	13.33	23.98	0.2500	Complies
116	5580	12.78	0.21	12.99	23.98	0.2500	Complies
140	5700	12.94	0.21	13.15	23.98	0.2500	Complies
144	5720	11.86	0.21	12.07	23.00	0.1995	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.09	0.21	13.30	23.98	0.2500	Complies
116	5580	12.72	0.21	12.93	23.98	0.2500	Complies
140	5700	12.61	0.21	12.82	23.98	0.2500	Complies
144	5720	11.73	0.21	11.94	23.00	0.1995	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.81	0.21	13.02	23.98	0.2500	Complies
116	5580	12.74	0.21	12.95	23.98	0.2500	Complies
140	5700	12.50	0.21	12.71	23.98	0.2500	Complies
144	5720	11.72	0.21	11.93	23.00	0.1995	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.61	0.21	12.82	23.98	0.2500	Complies
116	5580	12.56	0.21	12.77	23.98	0.2500	Complies
140	5700	12.23	0.21	12.44	23.98	0.2500	Complies
144	5720	11.69	0.21	11.90	23.00	0.1995	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.15	23.98	0.2500	Complies
116	5580	18.93	23.98	0.2500	Complies
140	5700	18.81	23.98	0.2500	Complies
144	5720	17.98	23.00	0.1995	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.56	0.00	12.56	23.98	0.2500	Complies
116	5580	12.43	0.00	12.43	23.98	0.2500	Complies
140	5700	12.74	0.00	12.74	23.98	0.2500	Complies
144	5720	12.91	0.00	12.91	23.05	0.2018	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.45	0.00	12.45	23.98	0.2500	Complies
116	5580	12.61	0.00	12.61	23.98	0.2500	Complies
140	5700	12.38	0.00	12.38	23.98	0.2500	Complies
144	5720	12.12	0.00	12.12	23.05	0.2018	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.85	0.00	11.85	23.98	0.2500	Complies
116	5580	11.75	0.00	11.75	23.98	0.2500	Complies
140	5700	12.01	0.00	12.01	23.98	0.2500	Complies
144	5720	12.84	0.00	12.84	23.05	0.2018	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.98	0.00	11.98	23.98	0.2500	Complies
116	5580	11.65	0.00	11.65	23.98	0.2500	Complies
140	5700	11.96	0.00	11.96	23.98	0.2500	Complies
144	5720	12.34	0.00	12.34	23.05	0.2018	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.24	23.98	0.2500	Complies
116	5580	18.15	23.98	0.2500	Complies
140	5700	18.30	23.98	0.2500	Complies
144	5720	18.59	23.05	0.2018	Complies



Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.15	0.13	14.28	23.98	0.2500	Complies
110	5550	14.35	0.13	14.48	23.98	0.2500	Complies
134	5670	13.82	0.13	13.95	23.98	0.2500	Complies
142	5710	15.51	0.13	15.64	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.44	0.13	14.57	23.98	0.2500	Complies
110	5550	14.25	0.13	14.38	23.98	0.2500	Complies
134	5670	13.55	0.13	13.68	23.98	0.2500	Complies
142	5710	15.28	0.13	15.41	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.65	0.13	14.78	23.98	0.2500	Complies
110	5550	13.85	0.13	13.98	23.98	0.2500	Complies
134	5670	13.90	0.13	14.03	23.98	0.2500	Complies
142	5710	15.31	0.13	15.44	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.40	0.13	14.53	23.98	0.2500	Complies
110	5550	13.75	0.13	13.88	23.98	0.2500	Complies
134	5670	13.77	0.13	13.90	23.98	0.2500	Complies
142	5710	15.34	0.13	15.47	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.57	23.98	0.2500	Complies
110	5550	20.21	23.98	0.2500	Complies
134	5670	19.92	23.98	0.2500	Complies
142	5710	21.51	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.67	0.22	12.89	23.98	0.2500	Complies
116	5580	12.55	0.22	12.77	23.98	0.2500	Complies
140	5700	13.08	0.22	13.30	23.98	0.2500	Complies
144	5720	12.81	0.22	13.03	23.05	0.2018	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.34	0.22	12.56	23.98	0.2500	Complies
116	5580	12.52	0.22	12.74	23.98	0.2500	Complies
140	5700	12.75	0.22	12.97	23.98	0.2500	Complies
144	5720	12.42	0.22	12.64	23.05	0.2018	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.50	0.22	12.72	23.98	0.2500	Complies
116	5580	12.68	0.22	12.90	23.98	0.2500	Complies
140	5700	12.64	0.22	12.86	23.98	0.2500	Complies
144	5720	13.04	0.22	13.26	23.05	0.2018	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.35	0.22	12.57	23.98	0.2500	Complies
116	5580	12.52	0.22	12.74	23.98	0.2500	Complies
140	5700	12.41	0.22	12.63	23.98	0.2500	Complies
144	5720	12.90	0.22	13.12	23.05	0.2018	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.71	23.98	0.2500	Complies
116	5580	18.81	23.98	0.2500	Complies
140	5700	18.97	23.98	0.2500	Complies
144	5720	19.04	23.05	0.2018	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.71	0.43	15.14	23.98	0.2500	Complies
110	5550	14.88	0.43	15.31	23.98	0.2500	Complies
134	5670	14.39	0.43	14.82	23.98	0.2500	Complies
142	5710	15.65	0.43	16.08	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.05	0.43	15.48	23.98	0.2500	Complies
110	5550	14.69	0.43	15.12	23.98	0.2500	Complies
134	5670	14.12	0.43	14.55	23.98	0.2500	Complies
142	5710	15.38	0.43	15.81	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.29	0.43	15.72	23.98	0.2500	Complies
110	5550	14.24	0.43	14.67	23.98	0.2500	Complies
134	5670	14.03	0.43	14.46	23.98	0.2500	Complies
142	5710	15.35	0.43	15.78	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.82	0.43	15.25	23.98	0.2500	Complies
110	5550	14.74	0.43	15.17	23.98	0.2500	Complies
134	5670	14.33	0.43	14.76	23.98	0.2500	Complies
142	5710	15.29	0.43	15.72	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.43	23.98	0.2500	Complies
110	5550	21.10	23.98	0.2500	Complies
134	5670	20.68	23.98	0.2500	Complies
142	5710	21.87	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.23	0.27	17.50	23.98	0.2500	Complies
122	5610	17.51	0.27	17.78	23.98	0.2500	Complies
138	5690	17.35	0.27	17.62	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.54	0.27	17.81	23.98	0.2500	Complies
122	5610	17.30	0.27	17.57	23.98	0.2500	Complies
138	5690	17.33	0.27	17.60	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.04	0.27	17.31	23.98	0.2500	Complies
122	5610	17.28	0.27	17.55	23.98	0.2500	Complies
138	5690	17.41	0.27	17.68	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.38	0.27	17.65	23.98	0.2500	Complies
122	5610	17.36	0.27	17.63	23.98	0.2500	Complies
138	5690	17.44	0.27	17.71	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.59	23.98	0.2500	Complies
122	5610	23.66	23.98	0.2500	Complies
138	5690	23.67	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.17	0.45	17.62	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.56	0.45	18.01	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.32	0.45	17.77	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.19	0.45	17.64	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	23.79	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.28	0.00	12.28	23.98	0.2500	Complies
116	5580	12.48	0.00	12.48	23.98	0.2500	Complies
140	5700	11.72	0.00	11.72	23.98	0.2500	Complies
144	5720	12.82	0.00	12.82	22.97	0.1982	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.54	0.00	12.54	23.98	0.2500	Complies
116	5580	12.65	0.00	12.65	23.98	0.2500	Complies
140	5700	11.03	0.00	11.03	23.98	0.2500	Complies
144	5720	12.53	0.00	12.53	22.97	0.1982	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.51	0.00	12.51	23.98	0.2500	Complies
116	5580	12.78	0.00	12.78	23.98	0.2500	Complies
140	5700	11.24	0.00	11.24	23.98	0.2500	Complies
144	5720	13.06	0.00	13.06	22.97	0.1982	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.95	0.00	12.95	23.98	0.2500	Complies
116	5580	12.86	0.00	12.86	23.98	0.2500	Complies
140	5700	11.49	0.00	11.49	23.98	0.2500	Complies
144	5720	12.68	0.00	12.68	22.97	0.1982	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.60	23.98	0.2500	Complies
116	5580	18.72	23.98	0.2500	Complies
140	5700	17.40	23.98	0.2500	Complies
144	5720	18.80	22.97	0.1982	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.08	0.16	14.24	23.98	0.2500	Complies
110	5550	14.23	0.16	14.39	23.98	0.2500	Complies
134	5670	14.48	0.16	14.64	23.98	0.2500	Complies
142	5710	15.50	0.16	15.66	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.56	0.16	13.72	23.98	0.2500	Complies
110	5550	13.87	0.16	14.03	23.98	0.2500	Complies
134	5670	13.98	0.16	14.14	23.98	0.2500	Complies
142	5710	15.53	0.16	15.69	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.74	0.16	13.90	23.98	0.2500	Complies
110	5550	13.73	0.16	13.89	23.98	0.2500	Complies
134	5670	14.11	0.16	14.27	23.98	0.2500	Complies
142	5710	15.28	0.16	15.44	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.88	0.16	14.04	23.98	0.2500	Complies
110	5550	14.01	0.16	14.17	23.98	0.2500	Complies
134	5670	14.28	0.16	14.44	23.98	0.2500	Complies
142	5710	15.30	0.16	15.46	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.00	23.98	0.2500	Complies
110	5550	20.15	23.98	0.2500	Complies
134	5670	20.40	23.98	0.2500	Complies
142	5710	21.59	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.43	0.31	17.74	23.98	0.2500	Complies
122	5610	17.56	0.31	17.87	23.98	0.2500	Complies
138	5690	17.43	0.31	17.74	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.25	0.31	17.56	23.98	0.2500	Complies
122	5610	17.72	0.31	18.03	23.98	0.2500	Complies
138	5690	17.32	0.31	17.63	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.61	0.31	17.92	23.98	0.2500	Complies
122	5610	17.03	0.31	17.34	23.98	0.2500	Complies
138	5690	17.14	0.31	17.45	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.09	0.31	17.40	23.98	0.2500	Complies
122	5610	17.54	0.31	17.85	23.98	0.2500	Complies
138	5690	17.36	0.31	17.67	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.68	23.98	0.2500	Complies
122	5610	23.80	23.98	0.2500	Complies
138	5690	23.64	23.98	0.2500	Complies



Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.43	0.54	17.97	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.39	0.54	17.93	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.19	0.54	17.73	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.35	0.54	17.89	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	23.90	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.17	0.21	21.38	30.00	1.0000	Complies
157	5785	21.36	0.21	21.57	30.00	1.0000	Complies
165	5825	21.04	0.21	21.25	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.36	0.21	21.57	30.00	1.0000	Complies
157	5785	21.25	0.21	21.46	30.00	1.0000	Complies
165	5825	21.11	0.21	21.32	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.05	0.21	21.26	30.00	1.0000	Complies
157	5785	20.98	0.21	21.19	30.00	1.0000	Complies
165	5825	20.74	0.21	20.95	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.85	0.21	21.06	30.00	1.0000	Complies
157	5785	20.96	0.21	21.17	30.00	1.0000	Complies
165	5825	20.45	0.21	20.66	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.34	30.00	1.0000	Complies
157	5785	27.37	30.00	1.0000	Complies
165	5825	27.08	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.48	0.00	21.48	30.00	1.0000	Complies
157	5785	21.21	0.00	21.21	30.00	1.0000	Complies
165	5825	20.79	0.00	20.79	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.52	0.00	21.52	30.00	1.0000	Complies
157	5785	21.11	0.00	21.11	30.00	1.0000	Complies
165	5825	20.59	0.00	20.59	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.35	0.00	21.35	30.00	1.0000	Complies
157	5785	21.07	0.00	21.07	30.00	1.0000	Complies
165	5825	20.64	0.00	20.64	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.12	0.00	21.12	30.00	1.0000	Complies
157	5785	21.19	0.00	21.19	30.00	1.0000	Complies
165	5825	20.77	0.00	20.77	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.39	30.00	1.0000	Complies
157	5785	27.17	30.00	1.0000	Complies
165	5825	26.72	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.62	0.13	21.75	30.00	1.0000	Complies
159	5795	21.22	0.13	21.35	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.42	0.13	21.55	30.00	1.0000	Complies
159	5795	21.01	0.13	21.14	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.19	0.13	21.32	30.00	1.0000	Complies
159	5795	20.94	0.13	21.07	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.33	0.13	21.46	30.00	1.0000	Complies
159	5795	21.11	0.13	21.24	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.55	30.00	1.0000	Complies
159	5795	27.23	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.54	0.22	21.76	30.00	1.0000	Complies
157	5785	21.52	0.22	21.74	30.00	1.0000	Complies
165	5825	21.27	0.22	21.49	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.53	0.22	21.75	30.00	1.0000	Complies
157	5785	21.46	0.22	21.68	30.00	1.0000	Complies
165	5825	21.21	0.22	21.43	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.17	0.22	21.39	30.00	1.0000	Complies
157	5785	21.02	0.22	21.24	30.00	1.0000	Complies
165	5825	20.93	0.22	21.15	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.34	0.22	21.56	30.00	1.0000	Complies
157	5785	20.95	0.22	21.17	30.00	1.0000	Complies
165	5825	20.74	0.22	20.96	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.64	30.00	1.0000	Complies
157	5785	27.48	30.00	1.0000	Complies
165	5825	27.28	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.89	0.43	22.32	30.00	1.0000	Complies
159	5795	21.64	0.43	22.07	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.56	0.43	21.99	30.00	1.0000	Complies
159	5795	21.51	0.43	21.94	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.36	0.43	21.79	30.00	1.0000	Complies
159	5795	21.32	0.43	21.75	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.14	0.43	21.57	30.00	1.0000	Complies
159	5795	21.09	0.43	21.52	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.95	30.00	1.0000	Complies
159	5795	27.85	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.67	0.27	21.94	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.16	0.27	21.43	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.58	0.27	21.85	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.72	0.27	20.99	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	27.59	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.48	0.00	21.48	30.00	1.0000	Complies
157	5785	21.39	0.00	21.39	30.00	1.0000	Complies
165	5825	21.14	0.00	21.14	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.56	0.00	21.56	30.00	1.0000	Complies
157	5785	21.59	0.00	21.59	30.00	1.0000	Complies
165	5825	21.32	0.00	21.32	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.33	0.00	21.33	30.00	1.0000	Complies
157	5785	21.37	0.00	21.37	30.00	1.0000	Complies
165	5825	21.19	0.00	21.19	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.12	0.00	21.12	30.00	1.0000	Complies
157	5785	21.29	0.00	21.29	30.00	1.0000	Complies
165	5825	21.27	0.00	21.27	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.40	30.00	1.0000	Complies
157	5785	27.43	30.00	1.0000	Complies
165	5825	27.25	30.00	1.0000	Complies



Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.70	0.16	21.86	30.00	1.0000	Complies
159	5795	21.68	0.16	21.84	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.56	0.16	21.72	30.00	1.0000	Complies
159	5795	21.48	0.16	21.64	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.12	0.16	21.28	30.00	1.0000	Complies
159	5795	21.29	0.16	21.45	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.33	0.16	21.49	30.00	1.0000	Complies
159	5795	21.37	0.16	21.53	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.62	30.00	1.0000	Complies
159	5795	27.64	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.75	0.31	22.06	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.68	0.31	21.99	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.59	0.31	21.90	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.44	0.31	21.75	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	27.94	30.00	1.0000	Complies

### Beamforming

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.12	0.00	18.12	26.00	0.3981	Complies
40	5200	18.28	0.00	18.28	26.00	0.3981	Complies
48	5240	18.18	0.00	18.18	26.00	0.3981	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.95	0.00	17.95	26.00	0.3981	Complies
40	5200	18.05	0.00	18.05	26.00	0.3981	Complies
48	5240	18.26	0.00	18.26	26.00	0.3981	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.38	0.00	18.38	26.00	0.3981	Complies
40	5200	18.37	0.00	18.37	26.00	0.3981	Complies
48	5240	18.45	0.00	18.45	26.00	0.3981	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.46	0.00	18.46	26.00	0.3981	Complies
40	5200	18.19	0.00	18.19	26.00	0.3981	Complies
48	5240	18.37	0.00	18.37	26.00	0.3981	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.25	26.00	0.3981	Complies
40	5200	24.24	26.00	0.3981	Complies
48	5240	24.34	26.00	0.3981	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.15	0.13	19.28	26.00	0.3981	Complies
46	5230	19.85	0.13	19.98	26.00	0.3981	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.62	0.13	18.75	26.00	0.3981	Complies
46	5230	19.87	0.13	20.00	26.00	0.3981	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.80	0.13	18.93	26.00	0.3981	Complies
46	5230	19.55	0.13	19.68	26.00	0.3981	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.98	0.13	19.11	26.00	0.3981	Complies
46	5230	19.67	0.13	19.80	26.00	0.3981	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.05	26.00	0.3981	Complies
46	5230	25.89	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.98	0.22	19.20	26.00	0.3981	Complies
40	5200	18.86	0.22	19.08	26.00	0.3981	Complies
48	5240	18.59	0.22	18.81	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.08	0.22	19.30	26.00	0.3981	Complies
40	5200	19.12	0.22	19.34	26.00	0.3981	Complies
48	5240	18.77	0.22	18.99	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.45	0.22	18.67	26.00	0.3981	Complies
40	5200	18.57	0.22	18.79	26.00	0.3981	Complies
48	5240	18.33	0.22	18.55	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.44	0.22	18.66	26.00	0.3981	Complies
40	5200	18.81	0.22	19.03	26.00	0.3981	Complies
48	5240	18.40	0.22	18.62	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.99	26.00	0.3981	Complies
40	5200	25.08	26.00	0.3981	Complies
48	5240	24.77	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.76	0.43	20.19	26.00	0.3981	Complies
46	5230	19.73	0.43	20.16	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.33	0.43	19.76	26.00	0.3981	Complies
46	5230	19.51	0.43	19.94	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.44	0.43	19.87	26.00	0.3981	Complies
46	5230	19.45	0.43	19.88	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.59	0.43	20.02	26.00	0.3981	Complies
46	5230	19.39	0.43	19.82	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.99	26.00	0.3981	Complies
46	5230	25.98	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.51	0.27	19.78	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.45	0.27	19.72	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.52	0.27	19.79	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.33	0.27	19.60	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	25.75	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.31	0.00	19.31	26.00	0.3981	Complies
40	5200	19.14	0.00	19.14	26.00	0.3981	Complies
48	5240	19.07	0.00	19.07	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.29	0.00	19.29	26.00	0.3981	Complies
40	5200	19.39	0.00	19.39	26.00	0.3981	Complies
48	5240	19.71	0.00	19.71	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.92	0.00	18.92	26.00	0.3981	Complies
40	5200	18.84	0.00	18.84	26.00	0.3981	Complies
48	5240	19.03	0.00	19.03	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.26	0.00	19.26	26.00	0.3981	Complies
40	5200	19.19	0.00	19.19	26.00	0.3981	Complies
48	5240	19.45	0.00	19.45	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.22	26.00	0.3981	Complies
40	5200	25.17	26.00	0.3981	Complies
48	5240	25.34	26.00	0.3981	Complies



Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.92	0.16	20.08	26.00	0.3981	Complies
46	5230	19.79	0.16	19.95	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.59	0.16	19.75	26.00	0.3981	Complies
46	5230	19.29	0.16	19.45	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.60	0.16	19.76	26.00	0.3981	Complies
46	5230	19.48	0.16	19.64	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.71	0.16	19.87	26.00	0.3981	Complies
46	5230	19.59	0.16	19.75	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.89	26.00	0.3981	Complies
46	5230	25.72	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.57	0.31	19.88	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.68	0.31	19.99	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.23	0.31	19.54	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.64	0.31	19.95	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	25.86	26.00	0.3981	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.25	0.00	12.25	19.98	0.0995	Complies
60	5300	11.87	0.00	11.87	19.98	0.0995	Complies
64	5320	11.85	0.00	11.85	19.98	0.0995	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.04	0.00	12.04	19.98	0.0995	Complies
60	5300	11.85	0.00	11.85	19.98	0.0995	Complies
64	5320	11.73	0.00	11.73	19.98	0.0995	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.99	0.00	11.99	19.98	0.0995	Complies
60	5300	11.75	0.00	11.75	19.98	0.0995	Complies
64	5320	11.75	0.00	11.75	19.98	0.0995	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.91	0.00	11.91	19.98	0.0995	Complies
60	5300	11.95	0.00	11.95	19.98	0.0995	Complies
64	5320	11.89	0.00	11.89	19.98	0.0995	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.07	19.98	0.0995	Complies
60	5300	17.88	19.98	0.0995	Complies
64	5320	17.83	19.98	0.0995	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.13	0.13	13.26	19.98	0.0995	Complies
62	5310	13.32	0.13	13.45	19.98	0.0995	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.01	0.13	13.14	19.98	0.0995	Complies
62	5310	12.88	0.13	13.01	19.98	0.0995	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.94	0.13	13.07	19.98	0.0995	Complies
62	5310	13.01	0.13	13.14	19.98	0.0995	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.85	0.13	12.98	19.98	0.0995	Complies
62	5310	13.09	0.13	13.22	19.98	0.0995	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.14	19.98	0.0995	Complies
62	5310	19.23	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.77	0.22	12.99	19.98	0.0995	Complies
60	5300	12.65	0.22	12.87	19.98	0.0995	Complies
64	5320	12.44	0.22	12.66	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.36	0.22	12.58	19.98	0.0995	Complies
60	5300	12.37	0.22	12.59	19.98	0.0995	Complies
64	5320	12.39	0.22	12.61	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.46	0.22	12.68	19.98	0.0995	Complies
60	5300	12.32	0.22	12.54	19.98	0.0995	Complies
64	5320	12.01	0.22	12.23	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.15	0.22	12.37	19.98	0.0995	Complies
60	5300	12.10	0.22	12.32	19.98	0.0995	Complies
64	5320	11.95	0.22	12.17	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.68	19.98	0.0995	Complies
60	5300	18.60	19.98	0.0995	Complies
64	5320	18.44	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.33	0.43	13.76	19.98	0.0995	Complies
62	5310	13.29	0.43	13.72	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.01	0.43	13.44	19.98	0.0995	Complies
62	5310	12.98	0.43	13.41	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.12	0.43	13.55	19.98	0.0995	Complies
62	5310	13.04	0.43	13.47	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.22	0.43	13.65	19.98	0.0995	Complies
62	5310	13.19	0.43	13.62	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.63	19.98	0.0995	Complies
62	5310	19.58	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.89	0.27	14.16	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.34	0.27	13.61	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.54	0.27	13.81	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.66	0.27	13.93	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.90	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.07	0.00	13.07	19.98	0.0995	Complies
60	5300	12.91	0.00	12.91	19.98	0.0995	Complies
64	5320	13.16	0.00	13.16	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.04	0.00	13.04	19.98	0.0995	Complies
60	5300	13.47	0.00	13.47	19.98	0.0995	Complies
64	5320	13.34	0.00	13.34	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.89	0.00	12.89	19.98	0.0995	Complies
60	5300	12.71	0.00	12.71	19.98	0.0995	Complies
64	5320	12.93	0.00	12.93	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.55	0.00	12.55	19.98	0.0995	Complies
60	5300	12.67	0.00	12.67	19.98	0.0995	Complies
64	5320	12.54	0.00	12.54	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.91	19.98	0.0995	Complies
60	5300	18.97	19.98	0.0995	Complies
64	5320	19.02	19.98	0.0995	Complies



Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.86	0.16	14.02	19.98	0.0995	Complies
62	5310	13.59	0.16	13.75	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.34	0.16	13.50	19.98	0.0995	Complies
62	5310	13.12	0.16	13.28	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.55	0.16	13.71	19.98	0.0995	Complies
62	5310	13.24	0.16	13.40	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.49	0.16	13.65	19.98	0.0995	Complies
62	5310	13.33	0.16	13.49	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.75	19.98	0.0995	Complies
62	5310	19.51	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.59	0.31	13.90	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.43	0.31	13.74	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.19	0.31	13.50	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.37	0.31	13.68	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.72	19.98	0.0995	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.68	0.45	14.13	19.98	0.0995	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.33	0.45	13.78	19.98	0.0995	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.24	0.45	13.69	19.98	0.0995	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.49	0.45	13.94	19.98	0.0995	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.91	19.98	0.0995	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.76	0.54	14.30	19.98	0.0995	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.08	0.54	13.62	19.98	0.0995	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.22	0.54	13.76	19.98	0.0995	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.48	0.54	14.02	19.98	0.0995	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.95	19.98	0.0995	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.36	0.00	12.36	19.98	0.0995	Complies
116	5580	12.14	0.00	12.14	19.98	0.0995	Complies
140	5700	12.62	0.00	12.62	19.98	0.0995	Complies
144	5720	12.64	0.00	12.64	19.05	0.0804	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.27	0.00	12.27	19.98	0.0995	Complies
116	5580	12.33	0.00	12.33	19.98	0.0995	Complies
140	5700	12.13	0.00	12.13	19.98	0.0995	Complies
144	5720	11.82	0.00	11.82	19.05	0.0804	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.65	0.00	11.65	19.98	0.0995	Complies
116	5580	11.46	0.00	11.46	19.98	0.0995	Complies
140	5700	11.89	0.00	11.89	19.98	0.0995	Complies
144	5720	12.57	0.00	12.57	19.05	0.0804	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.80	0.00	11.80	19.98	0.0995	Complies
116	5580	11.37	0.00	11.37	19.98	0.0995	Complies
140	5700	11.71	0.00	11.71	19.98	0.0995	Complies
144	5720	12.04	0.00	12.04	19.05	0.0804	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.05	19.98	0.0995	Complies
116	5580	17.87	19.98	0.0995	Complies
140	5700	18.12	19.98	0.0995	Complies
144	5720	18.30	19.05	0.0804	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.01	0.13	13.14	19.98	0.0995	Complies
110	5550	12.98	0.13	13.11	19.98	0.0995	Complies
134	5670	13.24	0.13	13.37	19.98	0.0995	Complies
142	5710	13.34	0.13	13.47	19.98	0.0995	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.98	0.13	13.11	19.98	0.0995	Complies
110	5550	12.77	0.13	12.90	19.98	0.0995	Complies
134	5670	12.74	0.13	12.87	19.98	0.0995	Complies
142	5710	13.19	0.13	13.32	19.98	0.0995	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.75	0.13	12.88	19.98	0.0995	Complies
110	5550	12.76	0.13	12.89	19.98	0.0995	Complies
134	5670	12.98	0.13	13.11	19.98	0.0995	Complies
142	5710	13.15	0.13	13.28	19.98	0.0995	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.01	0.13	13.14	19.98	0.0995	Complies
110	5550	12.84	0.13	12.97	19.98	0.0995	Complies
134	5670	13.01	0.13	13.14	19.98	0.0995	Complies
142	5710	13.24	0.13	13.37	19.98	0.0995	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.09	19.98	0.0995	Complies
110	5550	18.99	19.98	0.0995	Complies
134	5670	19.15	19.98	0.0995	Complies
142	5710	19.38	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.49	0.22	12.71	19.98	0.0995	Complies
116	5580	12.30	0.22	12.52	19.98	0.0995	Complies
140	5700	12.89	0.22	13.11	19.98	0.0995	Complies
144	5720	12.69	0.22	12.91	19.05	0.0804	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.10	0.22	12.32	19.98	0.0995	Complies
116	5580	12.31	0.22	12.53	19.98	0.0995	Complies
140	5700	12.53	0.22	12.75	19.98	0.0995	Complies
144	5720	12.03	0.22	12.25	19.05	0.0804	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.32	0.22	12.54	19.98	0.0995	Complies
116	5580	12.43	0.22	12.65	19.98	0.0995	Complies
140	5700	12.45	0.22	12.67	19.98	0.0995	Complies
144	5720	12.78	0.22	13.00	19.05	0.0804	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.11	0.22	12.33	19.98	0.0995	Complies
116	5580	12.31	0.22	12.53	19.98	0.0995	Complies
140	5700	12.19	0.22	12.41	19.98	0.0995	Complies
144	5720	12.52	0.22	12.74	19.05	0.0804	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.50	19.98	0.0995	Complies
116	5580	18.58	19.98	0.0995	Complies
140	5700	18.76	19.98	0.0995	Complies
144	5720	18.76	19.05	0.0804	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.11	0.43	13.54	19.98	0.0995	Complies
110	5550	13.01	0.43	13.44	19.98	0.0995	Complies
134	5670	13.32	0.43	13.75	19.98	0.0995	Complies
142	5710	13.52	0.43	13.95	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.96	0.43	13.39	19.98	0.0995	Complies
110	5550	12.78	0.43	13.21	19.98	0.0995	Complies
134	5670	13.02	0.43	13.45	19.98	0.0995	Complies
142	5710	13.41	0.43	13.84	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.86	0.43	13.29	19.98	0.0995	Complies
110	5550	12.98	0.43	13.41	19.98	0.0995	Complies
134	5670	12.88	0.43	13.31	19.98	0.0995	Complies
142	5710	13.21	0.43	13.64	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.01	0.43	13.44	19.98	0.0995	Complies
110	5550	12.76	0.43	13.19	19.98	0.0995	Complies
134	5670	13.11	0.43	13.54	19.98	0.0995	Complies
142	5710	13.58	0.43	14.01	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.44	19.98	0.0995	Complies
110	5550	19.34	19.98	0.0995	Complies
134	5670	19.54	19.98	0.0995	Complies
142	5710	19.88	19.98	0.0995	Complies



Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.89	0.27	14.16	19.98	0.0995	Complies
122	5610	13.79	0.27	14.06	19.98	0.0995	Complies
138	5690	13.46	0.27	13.73	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.20	0.27	13.47	19.98	0.0995	Complies
122	5610	13.46	0.27	13.73	19.98	0.0995	Complies
138	5690	13.18	0.27	13.45	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.52	0.27	13.79	19.98	0.0995	Complies
122	5610	13.52	0.27	13.79	19.98	0.0995	Complies
138	5690	13.27	0.27	13.54	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.53	0.27	13.80	19.98	0.0995	Complies
122	5610	13.59	0.27	13.86	19.98	0.0995	Complies
138	5690	13.45	0.27	13.72	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.83	19.98	0.0995	Complies
122	5610	19.88	19.98	0.0995	Complies
138	5690	19.63	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.77	0.45	14.22	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.37	0.45	13.82	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.27	0.45	13.72	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.45	0.45	13.90	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	19.94	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.18	0.00	12.18	19.98	0.0995	Complies
116	5580	12.24	0.00	12.24	19.98	0.0995	Complies
140	5700	11.45	0.00	11.45	19.98	0.0995	Complies
144	5720	12.51	0.00	12.51	18.97	0.0789	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.43	0.00	12.43	19.98	0.0995	Complies
116	5580	12.37	0.00	12.37	19.98	0.0995	Complies
140	5700	10.74	0.00	10.74	19.98	0.0995	Complies
144	5720	12.35	0.00	12.35	18.97	0.0789	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.41	0.00	12.41	19.98	0.0995	Complies
116	5580	12.54	0.00	12.54	19.98	0.0995	Complies
140	5700	10.97	0.00	10.97	19.98	0.0995	Complies
144	5720	12.61	0.00	12.61	18.97	0.0789	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.84	0.00	12.84	19.98	0.0995	Complies
116	5580	12.58	0.00	12.58	19.98	0.0995	Complies
140	5700	11.20	0.00	11.20	19.98	0.0995	Complies
144	5720	12.50	0.00	12.50	18.97	0.0789	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.49	19.98	0.0995	Complies
116	5580	18.46	19.98	0.0995	Complies
140	5700	17.12	19.98	0.0995	Complies
144	5720	18.51	18.97	0.0789	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.88	0.16	14.04	19.98	0.0995	Complies
110	5550	14.04	0.16	14.20	19.98	0.0995	Complies
134	5670	13.96	0.16	14.12	19.98	0.0995	Complies
142	5710	13.10	0.16	13.26	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.21	0.16	13.37	19.98	0.0995	Complies
110	5550	13.67	0.16	13.83	19.98	0.0995	Complies
134	5670	13.77	0.16	13.93	19.98	0.0995	Complies
142	5710	13.45	0.16	13.61	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.54	0.16	13.70	19.98	0.0995	Complies
110	5550	13.54	0.16	13.70	19.98	0.0995	Complies
134	5670	13.69	0.16	13.85	19.98	0.0995	Complies
142	5710	13.32	0.16	13.48	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.53	0.16	13.69	19.98	0.0995	Complies
110	5550	13.81	0.16	13.97	19.98	0.0995	Complies
134	5670	13.75	0.16	13.91	19.98	0.0995	Complies
142	5710	13.61	0.16	13.77	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.73	19.98	0.0995	Complies
110	5550	19.95	19.98	0.0995	Complies
134	5670	19.98	19.98	0.0995	Complies
142	5710	19.56	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.76	0.31	14.07	19.98	0.0995	Complies
122	5610	13.68	0.31	13.99	19.98	0.0995	Complies
138	5690	13.12	0.31	13.43	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.40	0.31	13.71	19.98	0.0995	Complies
122	5610	13.57	0.31	13.88	19.98	0.0995	Complies
138	5690	13.25	0.31	13.56	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.44	0.31	13.75	19.98	0.0995	Complies
122	5610	13.42	0.31	13.73	19.98	0.0995	Complies
138	5690	13.45	0.31	13.76	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.67	0.31	13.98	19.98	0.0995	Complies
122	5610	13.66	0.31	13.97	19.98	0.0995	Complies
138	5690	13.31	0.31	13.62	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.90	19.98	0.0995	Complies
122	5610	19.91	19.98	0.0995	Complies
138	5690	19.62	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.85	0.54	14.39	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.12	0.54	13.66	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.26	0.54	13.80	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.37	0.54	13.91	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	19.97	19.98	0.0995	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.39	0.00	19.39	26.00	0.3981	Complies
157	5785	19.35	0.00	19.35	26.00	0.3981	Complies
165	5825	19.28	0.00	19.28	26.00	0.3981	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.59	0.00	19.59	26.00	0.3981	Complies
157	5785	19.21	0.00	19.21	26.00	0.3981	Complies
165	5825	19.35	0.00	19.35	26.00	0.3981	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.84	0.00	18.84	26.00	0.3981	Complies
157	5785	19.07	0.00	19.07	26.00	0.3981	Complies
165	5825	19.13	0.00	19.13	26.00	0.3981	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.86	0.00	18.86	26.00	0.3981	Complies
157	5785	18.96	0.00	18.96	26.00	0.3981	Complies
165	5825	18.72	0.00	18.72	26.00	0.3981	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.20	26.00	0.3981	Complies
157	5785	25.17	26.00	0.3981	Complies
165	5825	25.15	26.00	0.3981	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.29	0.13	19.42	26.00	0.3981	Complies
159	5795	19.45	0.13	19.58	26.00	0.3981	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.35	0.13	19.48	26.00	0.3981	Complies
159	5795	19.01	0.13	19.14	26.00	0.3981	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.24	0.13	19.37	26.00	0.3981	Complies
159	5795	19.12	0.13	19.25	26.00	0.3981	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.07	0.13	19.20	26.00	0.3981	Complies
159	5795	19.47	0.13	19.60	26.00	0.3981	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.39	26.00	0.3981	Complies
159	5795	25.42	26.00	0.3981	Complies



Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.33	0.22	19.55	26.00	0.3981	Complies
157	5785	19.22	0.22	19.44	26.00	0.3981	Complies
165	5825	19.32	0.22	19.54	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.26	0.22	19.48	26.00	0.3981	Complies
157	5785	19.57	0.22	19.79	26.00	0.3981	Complies
165	5825	19.25	0.22	19.47	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.11	0.22	19.33	26.00	0.3981	Complies
157	5785	19.54	0.22	19.76	26.00	0.3981	Complies
165	5825	19.19	0.22	19.41	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.06	0.22	19.28	26.00	0.3981	Complies
157	5785	19.38	0.22	19.60	26.00	0.3981	Complies
165	5825	19.04	0.22	19.26	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.43	26.00	0.3981	Complies
157	5785	25.67	26.00	0.3981	Complies
165	5825	25.44	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.61	0.43	20.04	26.00	0.3981	Complies
159	5795	19.46	0.43	19.89	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.55	0.43	19.98	26.00	0.3981	Complies
159	5795	19.37	0.43	19.80	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.43	0.43	19.86	26.00	0.3981	Complies
159	5795	19.22	0.43	19.65	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.43	0.43	19.86	26.00	0.3981	Complies
159	5795	19.19	0.43	19.62	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.96	26.00	0.3981	Complies
159	5795	25.77	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.26	0.27	19.53	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.36	0.27	19.63	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.21	0.27	19.48	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.01	0.27	19.28	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.50	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.87	0.00	19.87	26.00	0.3981	Complies
157	5785	19.77	0.00	19.77	26.00	0.3981	Complies
165	5825	19.86	0.00	19.86	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.55	0.00	19.55	26.00	0.3981	Complies
157	5785	19.62	0.00	19.62	26.00	0.3981	Complies
165	5825	19.49	0.00	19.49	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.32	0.00	19.32	26.00	0.3981	Complies
157	5785	19.34	0.00	19.34	26.00	0.3981	Complies
165	5825	19.78	0.00	19.78	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.42	0.00	19.42	26.00	0.3981	Complies
157	5785	19.68	0.00	19.68	26.00	0.3981	Complies
165	5825	19.52	0.00	19.52	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.57	26.00	0.3981	Complies
157	5785	25.63	26.00	0.3981	Complies
165	5825	25.69	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.78	0.16	19.94	26.00	0.3981	Complies
159	5795	19.66	0.16	19.82	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.68	0.16	19.84	26.00	0.3981	Complies
159	5795	19.54	0.16	19.70	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.24	0.16	19.40	26.00	0.3981	Complies
159	5795	19.52	0.16	19.68	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.53	0.16	19.69	26.00	0.3981	Complies
159	5795	19.46	0.16	19.62	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.74	26.00	0.3981	Complies
159	5795	25.73	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.68	0.31	19.99	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.54	0.31	19.85	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.44	0.31	19.75	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.87	0.31	20.18	26.00	0.3981	Complies


Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.96	26.00	0.3981	Complies


## **APPENDIX G - POWER SPECTRAL DENSITY**

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.85	0.21	6.06	12.98	Complies
40	5200	5.55	0.21	5.76	12.98	Complies
48	5240	5.60	0.21	5.81	12.98	Complies



Date: 16\_DEC.2023 15:01:30




Date: 16\_DEC.2023 15:03:43




Date: 16\_DEC.2023 15:10:49

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.20	0.21	6.41	12.98	Complies
40	5200	6.53	0.21	6.74	12.98	Complies
48	5240	6.37	0.21	6.58	12.98	Complies



Date: 16\_DEC.2023 15:00:58



Date: 16\_DEC.2023 15:03:15






Date: 16\_DEC.2023 15:10:14






Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.76	0.21	5.97	12.98	Complies
40	5200	5.78	0.21	5.99	12.98	Complies
48	5240	6.22	0.21	6.43	12.98	Complies



Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.83	0.21	6.04	12.98	Complies
40	5200	6.03	0.21	6.24	12.98	Complies
48	5240	6.32	0.21	6.53	12.98	Complies






Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.15	12.98	Complies
40	5200	12.22	12.98	Complies
48	5240	12.37	12.98	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.73	0.22	5.95	12.98	Complies
40	5200	5.86	0.22	6.08	12.98	Complies
48	5240	5.92	0.22	6.14	12.98	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.45	0.22	6.67	12.98	Complies
40	5200	6.66	0.22	6.88	12.98	Complies
48	5240	6.74	0.22	6.96	12.98	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.73	0.22	5.95	12.98	Complies
40	5200	5.99	0.22	6.21	12.98	Complies
48	5240	6.04	0.22	6.26	12.98	Complies



Date: 16\_DEC.2023 15:46:10




Date: 16\_DEC.2023 15:49:00




Date: 16\_DEC.2023 15:50:56

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.18	0.22	6.40	12.98	Complies
40	5200	6.22	0.22	6.44	12.98	Complies
48	5240	6.33	0.22	6.55	12.98	Complies



Date: 16\_DEC.2023 15:42:57



Date: 16\_DEC.2023 15:48:36




Date: 16\_DEC.2023 15:50:31

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.27	12.98	Complies
40	5200	12.43	12.98	Complies
48	5240	12.51	12.98	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.95	0.43	6.38	12.98	Complies
46	5230	5.61	0.43	6.04	12.98	Complies




Date: 16.DEC.2023 16:45:16




Date: 16.DEC.2023 16:51:11

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.55	0.43	6.98	12.98	Complies
46	5230	6.46	0.43	6.89	12.98	Complies





Date: 16.DEC.2023 16:44:43



Date: 16.DEC.2023 16:49:30



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.99	0.43	6.42	12.98	Complies
46	5230	5.79	0.43	6.22	12.98	Complies



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.16	0.43	6.59	12.98	Complies
46	5230	5.93	0.43	6.36	12.98	Complies




Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.62	12.98	Complies
46	5230	12.41	12.98	Complies


Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.75	0.27	5.02	12.98	Complies



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.19	0.27	5.46	12.98	Complies






Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.56	0.27	5.83	12.98	Complies



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.42	0.27	4.69	12.98	Complies




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.29	12.98	Complies

Test Mode UNII-1\_TX AX(HE20) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.16	0.00	6.16	12.98	Complies
40	5200	6.16	0.00	6.16	12.98	Complies
48	5240	6.06	0.00	6.06	12.98	Complies



Date: 16.DEC.2023 16:18:09




Date: 16.DEC.2023 16:20:17




Date: 16.DEC.2023 16:23:11

Test Mode UNII-1\_TX AX(HE20) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.89	0.00	6.89	12.98	Complies
40	5200	6.97	0.00	6.97	12.98	Complies
48	5240	6.85	0.00	6.85	12.98	Complies



Date: 16.DEC.2023 16:16:38




Date: 16.DEC.2023 16:18:54




Date: 16.DEC.2023 16:23:55

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.32	0.00	6.32	12.98	Complies
40	5200	6.32	0.00	6.32	12.98	Complies
48	5240	6.16	0.00	6.16	12.98	Complies



Date: 16.DEC.2023 16:17:34




Date: 16.DEC.2023 16:19:53




Date: 16.DEC.2023 16:22:46

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.47	0.00	6.47	12.98	Complies
40	5200	6.60	0.00	6.60	12.98	Complies
48	5240	6.53	0.00	6.53	12.98	Complies



Date: 16.DEC.2023 16:17:10



Date: 16.DEC.2023 16:19:26




Date: 16.DEC.2023 16:22:21

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.49	12.98	Complies
40	5200	12.54	12.98	Complies
48	5240	12.43	12.98	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.81	0.16	5.97	12.98	Complies
46	5230	5.64	0.16	5.80	12.98	Complies




Date: 16.DEC.2023 17:21:02




Date: 16.DEC.2023 17:24:37

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.77	0.16	6.93	12.98	Complies
46	5230	6.71	0.16	6.87	12.98	Complies




Date: 16.DEC.2023 17:19:22




Date: 16.DEC.2023 17:22:16

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.04	0.16	6.20	12.98	Complies
46	5230	5.83	0.16	5.99	12.98	Complies




Date: 16.DEC.2023 17:20:31




Date: 16.DEC.2023 17:23:43

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.19	0.16	6.35	12.98	Complies
46	5230	6.11	0.16	6.27	12.98	Complies



Date: 16.DEC.2023 17:20:01




Date: 16.DEC.2023 17:23:13

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.40	12.98	Complies
46	5230	12.27	12.98	Complies

Test Mode UNII-1\_TX AX(HE80) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.83	0.31	5.14	12.98	Complies



Date: 7.DEC.2023 10:23:42

Test Mode UNII-1\_TX AX(HE80) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.19	0.31	5.50	12.98	Complies



Date: 6.DEC.2023 14:57:17

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.50	0.31	5.81	12.98	Complies



Date: 6.DEC.2023 17:15:52

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.38	0.31	4.69	12.98	Complies



Date: 7.DEC.2023 09:23:30


Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.32	12.98	Complies




Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.20	0.21	0.41	6.98	Complies
60	5300	-0.11	0.21	0.10	6.98	Complies
64	5320	-0.09	0.21	0.12	6.98	Complies



Date: 16 DEC 2023 15:18:24




Date: 16 DEC 2023 15:21:14




Date: 16 DEC 2023 15:24:09

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.42	0.21	0.63	6.98	Complies
60	5300	0.04	0.21	0.25	6.98	Complies
64	5320	0.10	0.21	0.31	6.98	Complies



Date: 16 DEC 2023 15:17:58




Date: 16 DEC 2023 15:20:11




Date: 16 DEC 2023 15:23:40

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.28	0.21	-0.07	6.98	Complies
60	5300	-0.47	0.21	-0.26	6.98	Complies
64	5320	-0.43	0.21	-0.22	6.98	Complies



Date: 16\_DEC.2023 15:18:51




Date: 16\_DEC.2023 15:21:44




Date: 16\_DEC.2023 15:23:13

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.52	0.21	0.73	6.98	Complies
60	5300	0.44	0.21	0.65	6.98	Complies
64	5320	0.38	0.21	0.59	6.98	Complies



Date: 16\_DEC.2023 15:19:18



Date: 16\_DEC.2023 15:20:38




Date: 16\_DEC.2023 15:22:41

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.46	6.98	Complies
60	5300	6.22	6.98	Complies
64	5320	6.23	6.98	Complies

Test Mode UNII-2A\_TX AC(VHT20) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.20	0.22	0.42	6.98	Complies
60	5300	0.06	0.22	0.28	6.98	Complies
64	5320	0.32	0.22	0.54	6.98	Complies



Date: 16.DEC.2023 15:17:11




Date: 16.DEC.2023 15:59:47




Date: 16.DEC.2023 16:02:10

Test Mode UNII-2A\_TX AC(VHT20) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.28	0.22	0.50	6.98	Complies
60	5300	0.27	0.22	0.49	6.98	Complies
64	5320	0.29	0.22	0.51	6.98	Complies



Date: 16.DEC.2023 15:17:17




Date: 16.DEC.2023 15:59:23




Date: 16.DEC.2023 16:01:46

Test Mode UNII-2A\_TX AC(VHT20) Mode\_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.00	0.22	0.22	6.98	Complies
60	5300	-0.12	0.22	0.10	6.98	Complies
64	5320	-0.15	0.22	0.07	6.98	Complies



Date: 16.DEC.2023 15:56:52




Date: 16.DEC.2023 15:58:59




Date: 16.DEC.2023 16:01:22

Test Mode UNII-2A\_TX AC(VHT20) Mode\_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.63	0.22	0.85	6.98	Complies
60	5300	0.59	0.22	0.81	6.98	Complies
64	5320	0.73	0.22	0.95	6.98	Complies



Date: 16.DEC.2023 15:56:21



Date: 16.DEC.2023 15:58:35




Date: 16.DEC.2023 16:00:57

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.52	6.98	Complies
60	5300	6.45	6.98	Complies
64	5320	6.55	6.98	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.15	0.43	0.28	6.98	Complies
62	5310	-0.25	0.43	0.18	6.98	Complies




Date: 16.DEC.2023 16:56:24




Date: 16.DEC.2023 16:59:13

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.22	0.43	0.65	6.98	Complies
62	5310	0.31	0.43	0.74	6.98	Complies



Date: 16.DEC.2023 16:54:49



Date: 16.DEC.2023 16:57:37