







Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.24	0.21	9.45	25.98	Complies
157	5785	8.86	0.21	9.07	25.98	Complies
165	5825	8.51	0.21	8.72	25.98	Complies



Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.97	0.21	9.18	25.98	Complies
157	5785	8.73	0.21	8.94	25.98	Complies
165	5825	8.44	0.21	8.65	25.98	Complies




Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.25	25.98	Complies
157	5785	15.00	25.98	Complies
165	5825	14.71	25.98	Complies

Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.88	0.22	9.10	25.98	Complies
157	5785	8.84	0.22	9.06	25.98	Complies
165	5825	8.40	0.22	8.62	25.98	Complies



Date: 7.DEC.2023 09:51:43




Date: 7.DEC.2023 09:52:21




Date: 7.DEC.2023 09:52:57

Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.71	0.22	8.93	25.98	Complies
157	5785	8.43	0.22	8.65	25.98	Complies
165	5825	8.05	0.22	8.27	25.98	Complies



Date: 6.DEC.2023 14:19:20






Date: 6.DEC.2023 14:19:49



Date: 6.DEC.2023 14:20:19




Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.72	0.22	8.94	25.98	Complies
157	5785	8.61	0.22	8.83	25.98	Complies
165	5825	8.49	0.22	8.71	25.98	Complies



Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.73	0.22	8.95	25.98	Complies
157	5785	8.32	0.22	8.54	25.98	Complies
165	5825	8.15	0.22	8.37	25.98	Complies




Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.00	25.98	Complies
157	5785	14.79	25.98	Complies
165	5825	14.52	25.98	Complies

Test Mode UNII-3_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.92	0.43	6.35	25.98	Complies
159	5795	5.51	0.43	5.94	25.98	Complies




Date: 7.DEC.2023 09:59:41




Date: 7.DEC.2023 10:00:21

Test Mode UNII-3_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.04	0.43	6.47	25.98	Complies
159	5795	5.50	0.43	5.93	25.98	Complies




Date: 6.DEC.2023 14:27:43




Date: 6.DEC.2023 14:28:57

Test Mode UNII-3_TX AC(VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.17	0.43	6.60	25.98	Complies
159	5795	5.70	0.43	6.13	25.98	Complies




Date: 6.DEC.2023 16:45:37




Date: 6.DEC.2023 16:46:39

Test Mode UNII-3_TX AC(VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.10	0.43	6.53	25.98	Complies
159	5795	5.54	0.43	5.97	25.98	Complies



Date: 6.DEC.2023 17:43:12




Date: 6.DEC.2023 17:43:52

Test Mode UNII-3_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	12.51	25.98	Complies
159	5795	12.02	25.98	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.51	0.27	2.78	25.98	Complies



Date: 7.DEC.2023 10:04:52

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.44	0.27	2.71	25.98	Complies



Date: 6.DEC.2023 14:34:17

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.57	0.27	2.84	25.98	Complies



Date: 6.DEC.2023 16:55:58

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.09	0.27	2.36	25.98	Complies




Date: 6.DEC.2023 17:47:34

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.70	25.98	Complies

Test Mode UNII-3_TX AX(HE20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.15	0.00	8.15	25.98	Complies
157	5785	8.01	0.00	8.01	25.98	Complies
165	5825	7.67	0.00	7.67	25.98	Complies



Date: 7.DEC.2023 10:13:35




Date: 7.DEC.2023 10:14:50




Date: 7.DEC.2023 10:15:25

Test Mode UNII-3_TX AX(HE20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.86	0.00	7.86	25.98	Complies
157	5785	7.51	0.00	7.51	25.98	Complies
165	5825	7.33	0.00	7.33	25.98	Complies



Date: 6.DEC.2023 14:43:43




Date: 6.DEC.2023 14:44:33




Date: 6.DEC.2023 14:45:24

Test Mode UNII-3_TX AX(HE20) Mode_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.25	0.00	8.25	25.98	Complies
157	5785	7.93	0.00	7.93	25.98	Complies
165	5825	7.65	0.00	7.65	25.98	Complies



Date: 6.DEC.2023 17:05:05




Date: 6.DEC.2023 17:05:52




Date: 6.DEC.2023 17:06:51

Test Mode UNII-3_TX AX(HE20) Mode_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.85	0.00	7.85	25.98	Complies
157	5785	7.68	0.00	7.68	25.98	Complies
165	5825	7.23	0.00	7.23	25.98	Complies



Date: 7.DEC.2023 09:13:40



Date: 7.DEC.2023 09:14:14




Date: 7.DEC.2023 09:14:51

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.05	25.98	Complies
157	5785	13.81	25.98	Complies
165	5825	13.49	25.98	Complies

Test Mode UNII-3_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.36	0.16	5.52	25.98	Complies
159	5795	5.11	0.16	5.27	25.98	Complies




Date: 6.DEC.2023 11:12:46




Date: 6.DEC.2023 11:14:19

Test Mode UNII-3_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.63	0.16	5.79	25.98	Complies
159	5795	5.33	0.16	5.49	25.98	Complies




Date: 6.DEC.2023 14:55:29




Date: 6.DEC.2023 14:56:16

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.86	0.16	6.02	25.98	Complies
159	5795	5.64	0.16	5.80	25.98	Complies




Date: 6,DEC,2023 17:14:30




Date: 6,DEC,2023 17:14:50

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.37	0.16	5.53	25.98	Complies
159	5795	5.16	0.16	5.32	25.98	Complies



Date: 7,DEC,2023 09:22:53




Date: 7,DEC,2023 09:22:49

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.74	25.98	Complies
159	5795	11.50	25.98	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.29	0.31	2.60	25.98	Complies



Date: 6.DEC.2023 11:23:06

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.45	0.31	2.76	25.98	Complies



Date: 6.DEC.2023 15:00:47

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.31	0.31	2.62	25.98	Complies



Date: 6.DEC.2023 17:19:08

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.92	0.31	2.23	25.98	Complies



Date: 7.DEC.2023 09:26:30

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.57	25.98	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
13.2	5179.9800
12	5179.9800
10.8	5179.9800
Maximum Deviation (MHz)	0.0200
Maximum Deviation (ppm)	3.8658

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
5	5179.9800
15	5179.9800
25	5179.9750
35	5179.9800
40	5179.9800
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.8238

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
13.2	5259.9800
12	5259.9800
10.8	5259.9800
Maximum Deviation (MHz)	0.0200
Maximum Deviation (ppm)	3.8070

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
5	5259.9800
15	5259.9800
25	5259.9800
35	5259.9750
40	5259.9800
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.7505

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
13.2	5499.9750
12	5499.9750
10.8	5499.9800
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.5432

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
5	5499.9800
15	5499.9800
25	5499.9750
35	5499.9750
40	5499.9750
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.5432

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
13.2	5744.9800
12	5744.9800
10.8	5744.9800
Maximum Deviation (MHz)	0.0200
Maximum Deviation (ppm)	3.4835

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
5	5744.9800
15	5744.9750
25	5744.9800
35	5744.9800
40	5744.9800
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.3516

End of Test Report