

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

> Report No.: SHEM210600626602 Page: 1 of 7

Cover Page 1

RF Exposure REPORT

| Application No.: FCC ID: | SHEM2106006266CR 2A2CXFBBL001 | | |
|-------------------------------------|---|--|--|
| Applicant: Address of Applicant: | Suijimanbu(SHANGHAI)Sports Technology Co. Ltd. 1201 Building B, Greenbelt Cnvergence Center, 500 Yunjin Road, Xuhui District, Shanghai, China | | |
| Manufacturer: | Suijimanbu (SHANGHAI) Sports Technology Co. Ltd. | | |
| Address of Manufacturer: | 1201 Building B, Greenbelt Cnvergence Center, 500 Yunjin Road, Xuhui District, Shanghai, China | | |
| Factory: | WNQ (Shanghai) Body-building Equipment Co., Ltd | | |
| Address of Factory: | No.388, Belying Road, No.1588, Beiying Road, Qingpu Area, Shanghai, China | | |
| Equipment Under Test (EUT): | | | |
| EUT Name: | Dumbbell | | |
| Model No.: | freebell | | |
| Trade mark: | freebeat | | |
| Standard(s) : | FCC Rules 47 CFR §2.1093 | | |
| | KDB447498 D01 General RF Exposure Guidance v06 | | |
| Date of Receipt: | 2021-06-17 | | |
| Date of Test: | 2021-06-22 to 2021-07-01 | | |
| Date of Issue: | 2021-07-07 | | |
| Test Result: | Pass* | | |

* In the configuration tested, the EUT complied with the standards specified above.

2han

Parlam Zhan **E&E** Section Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.



| | Unless otherwise agreed in writing, this document is issued by the Compan | | |
|-------------|--|--|--|
| | overleaf, available on request or accessible at http://www.sgs.com/en/Terms-a | | |
| | subject to Terms and Conditions for Electronic Documents at http://www.sgs. | | |
| | Attention is drawn to the limitation of liability, indemnification and jurisdiction | | |
| | advised that information contained hereon reflects the Company's findings at | the time of its intervention only and within the limits of | |
| 1 | Client's instructions, if any. The Company's sole responsibility is to its Clie | | |
| 4 | transaction from exercising all their rights and obligations under the transact | | |
| - | except in full, without prior written approval of the Company. Any unauthorize | | |
| | appearance of this document is unlawful and offenders may be prosecuted to t | | |
| 1 | results shown in this test report refer only to the sample(s) tested and such sample | ble(s) are retained for 30 days only. | |
| / | Attention: To check the authenticity of testing /inspection report & certification | ate, please contact us at telephone: (86-755) 8307 1443, | |
| | or email: <u>CN.Doccheck@sgs.com</u> | | |
| ii) Co., Lt | d. NO.588 West Jindu Road, Songjiang District, Shanghai, China 201612 | t(86-21) 61915666 f(86-21) 61915678 www.sgsgroup.com.cn | |

中国・上海・松江区金都西路588号 邮编: 201612



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHEM210600626602 Page: 2 of 7

| Revision Record | | | | |
|-----------------|-------------|------------|--------|--|
| Version | Description | Date | Remark | |
| 00 | Original | 2021-07-07 | / | |
| | | | | |

| Authorized for issue by: | | | |
|--------------------------|-------------------------------|---|--|
| | Vint -m | | |
| | Vincent Zhu /Project Engineer | - | |
| | Parlam zhan | | |
| | Parlam Zhan /Reviewer | - | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM_Doccheck@sgs.com

NO.588 West Jindu Road,Songjiang District,Shanghai,China 201612 中国・上海・松江区金都西路588号 邮编: 201612



Report No.: SHEM210600626602 Page: 3 of 7

2 Contents

| 1 | COV | /ER PAGE | 1 |
|---|-----|--|---|
| 2 | CON | ITENTS | 3 |
| 3 | GEN | IERAL INFORMATION | 4 |
| | 3.1 | GENERAL DESCRIPTION OF E.U.T. | 4 |
| | 3.2 | DETAILS OF E.U.T. | 4 |
| | 3.3 | TEST LOCATION | - |
| | 3.4 | TEST FACILITY | 5 |
| 4 | TES | T STANDARDS AND LIMITS | 6 |
| | 4.1 | FCC RADIOFREQUENCY RADIATION EXPOSURE LIMITS | 6 |
| 5 | MEA | ASUREMENT AND CALCULATION | 7 |
| | 5.1 | MAXIMUM TRANSMIT POWER | |
| | 5.2 | RF EXPOSURE CALCULATION | 7 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's oil eresponsibility is to lis Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document connet to produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443, or email: CN.Doccheck@egss.com

NO.588 West Jindu Road,Songjiang District,Shanghai,China 201612 中国・上海 ・ 松江区金都西路588号 邮编: 201612



Report No.: SHEM210600626602 Page: 4 of 7

3 General Information

3.1 General Description of E.U.T.

| Power supply: | DC3.7V,360mAh from rechargeable battery |
|---------------|---|

3.2 Details of E.U.T.

| Antenna Gain: | 0dBi (Provided by manufacturer) |
|----------------------|---------------------------------|
| Antenna Type: | PCB Antenna |
| Bluetooth Version: | V5.0 LE |
| Data Rate: | 1Mb/s , 2Mb/s |
| Modulation Type: | GFSK |
| Number of Channels: | 40 |
| Channel Spacing: | 2MHz |
| Operation Frequency: | 2402MHz to 2480MHz |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co

NO.588 West Jindu Road,Songjiang District,Shanghai,China 201612 中国・上海・松江区金都西路588号 邮编: 201612



Report No.: SHEM210600626602 Page: 5 of 7

3.3 Test Location

All tests were performed at: SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. E&E Lab 588 West Jindu Road, Xinqiao, Songjiang, 201612 Shanghai, China. Tel: +86 21 6191 5666 Fax: +86 21 6191 5678

3.4 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS (No. CNAS L0599)

CNAS has accredited SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• A2LA (Certificate No. 6332.01)

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. is accredited by the American Association for Laboratory Accreditation(A2LA).

• FCC (Designation Number: CN1301)

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. has been recognized as an accredited testing laboratory.

• ISED (CAB Identifier: CN0020)

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. EMC Laboratory has been recognized by Innovation, Science and Economic Development Canada (ISED) as an accredited testing laboratory Company Number: 8617A

• VCCI (Member No.: 3061)

The 3m Semi-anechoic chamber and Shielded Room of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-13868, C-14336, T-12221, G-10830 respectively.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document to satisfied that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's osic responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@essc.cm

NO.588 West Jindu Road, Songjiang District, Shanghai, China 201612 中国・上海・松江区金都西路588号 邮编: 201612



Report No.: SHEM210600626602 Page: 6 of 7

4 Test Standards and Limits

4.1 FCC Radiofrequency radiation exposure limits

The 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances \leq 50 mm are determined by:

[(max power of channel)/(min test separation distance)]*[$\sqrt{f}(GHz)$] ≤ 3.0 for 1-g SAR and ≤ 7.5 for 10-

g extremity SAR, where

- f(GHz) is the RF channel transmit frequency in GHz
- Power and distance are rounded to the nearest mW and mm
- The result is rounded to one decimal place for comparison
- 3.0 and 7.5 are referred to as the numeric thresholds

The test exclusions are applicable only when the minimum test separation distance is \leq 50 mm, and for transmission frequencies between 100 MHz and 6 GHz. When the minimum test separation distance is < 5 mm, a distance of 5 mm according to 4.1 f) is applied to determine SAR test exclusion. For 2.4G band device, the limit of worse case is

P_{max}≤3.0*D_{min})/√f =3.0*5/√2.480 =9.525mW



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sea.com

NO.588 West Jindu Road, Songjiang District, Shanghai, China 201612 中国・上海・松江区金都西路588号 邮编: 201612



Report No.: SHEM210600626602 Page: 7 of 7

5 Measurement and Calculation

5.1 Maximum transmit power

The Power Data is based on the RF Test Report SHEM210600626601.

Test Data:

| Test Mode | Test Channel | Power[dBm] | | Peak Power (mW) | |
|-----------|--------------|------------|-------|-----------------|------|
| | | 1M | 2M | 1M | 2M |
| BLE | 2402 | 0.28 | 0.32 | 1.07 | 1.08 |
| BLE | 2440 | -0.47 | -0.46 | 0.90 | 0.90 |
| BLE | 2480 | -2.61 | -2.56 | 0.55 | 0.55 |

5.2 RF Exposure Calculation

The Max Conducted Peak Output Power is 1.08mW. The best case gain of the antenna is 0dBi. 0dBi logarithmic terms convert to numeric result is nearly 1.

According to the formula. calculate the EIRP test result:

EIRP= P x G = 1.08 mW x 1 = 1.08mW < 9.525mW

So the SAR report is not required.

--End of the Report--



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Cond

NO.588 West Jindu Road, Songjiang District, Shanghai, China 201612 中国・上海・松江区金都西路588号 邮编: 201612