

APPENDIX REPORT

Project No.	SHT2205063201EW	Radio Specification	Bluetooth BLE
Test sample No.	YPHT22050632001	Model No.	LitBike
Start test date	2022-09-03	Finish date	2022-09-05
Temperature	24.9°C	Humidity	39%
Test Engineer	<i>Hailey Chen</i>	Auditor	<i>Xiaodong Zhuo</i>

Appendix clause	Test item	Result
A	Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS

Appendix A: Peak Output Power

Test rate	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
1Mbps	00	1.52	1.42	≤ 30.00	Pass
	19	1.73	1.62		
	39	2.74	2.64		
2Mbps	00	1.76	1.53	≤ 30.00	Pass
	19	1.89	1.68		
	39	3.06	2.76		




Test rate: 1Mbps	
CH00	<p>Ref Level 10.50 dBm Offset 1.00 dB RBW 2 MHz Att 20 dB SWT 1 ms VBW 5 MHz Mode Auto Sweep Count 500/500 IPK View M1[1] 1.52 dBm 2.40196380 GHz CF 2.402 GHz 691 pts Span 5.0 MHz Date: 3 SEP 2022 12:02:59</p>
CH19	<p>Ref Level 10.50 dBm Offset 1.00 dB RBW 2 MHz Att 20 dB SWT 1 ms VBW 5 MHz Mode Auto Sweep Count 500/500 IPK View M1[1] 1.73 dBm 2.43997110 GHz CF 2.44 GHz 691 pts Span 5.0 MHz Date: 3 SEP 2022 12:05:08</p>
CH39	<p>Ref Level 10.50 dBm Offset 1.00 dB RBW 2 MHz Att 20 dB SWT 1 ms VBW 5 MHz Mode Auto Sweep Count 500/500 IPK View M1[1] 2.74 dBm 2.47993490 GHz CF 2.48 GHz 691 pts Span 5.0 MHz Date: 3 SEP 2022 12:07:47</p>

Test rate: 2Mbps	
CH00	<p>Spectrum plot for CH00. The plot shows a peak at 2.4018700 GHz with a power level of 1.76 dBm. The y-axis represents power in dBm, ranging from -80 to 0. The x-axis represents frequency in GHz, ranging from 2.402 to 2.412. The plot includes a grid and a peak marker labeled M1[1].</p> <p>Ref Level 10.50 dBm Offset 1.00 dB RBW 3 MHz Att 20 dB SWT 1 ms VBW 10 MHz Mode Auto Sweep Count 500/500 IPK View CF 2.402 GHz 691 pts Span 10.0 MHz Date: 3 SEP 2022 12:40:13</p>
CH19	<p>Spectrum plot for CH19. The plot shows a peak at 2.4398840 GHz with a power level of 1.89 dBm. The y-axis represents power in dBm, ranging from -80 to 0. The x-axis represents frequency in GHz, ranging from 2.44 to 2.45. The plot includes a grid and a peak marker labeled M1[1].</p> <p>Ref Level 10.50 dBm Offset 1.00 dB RBW 3 MHz Att 20 dB SWT 1 ms VBW 10 MHz Mode Auto Sweep Count 500/500 IPK View CF 2.44 GHz 691 pts Span 10.0 MHz Date: 3 SEP 2022 12:42:28</p>
CH39	<p>Spectrum plot for CH39. The plot shows a peak at 2.4797110 GHz with a power level of 3.06 dBm. The y-axis represents power in dBm, ranging from -80 to 0. The x-axis represents frequency in GHz, ranging from 2.48 to 2.49. The plot includes a grid and a peak marker labeled M1[1].</p> <p>Ref Level 10.50 dBm Offset 1.00 dB RBW 3 MHz Att 20 dB SWT 1 ms VBW 10 MHz Mode Auto Sweep Count 500/500 IPK View CF 2.48 GHz 691 pts Span 10.0 MHz Date: 3 SEP 2022 12:46:06</p>

Appendix B: Power Spectral Density

Test rate	Channel	Power Spectral Density(dBm/3KHz)	Limit (dBm/3KHz)	Result
1Mbps	00	-14.67	≤8.00	Pass
	19	-14.28		
	39	-13.49		
2Mbps	00	-17.25	≤8.00	Pass
	19	-17.07		
	39	-15.97		

Test rate: 1Mbps	
CH00	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 3 kHz Att 20 dB SWT 632.3 μs VBW 10 kHz Mode Auto FFT Count 100/100 IPK Max M1[1] -14.67 dBm 2.40203760 GHz CF 2.402 GHz 691 pts Span 1.0 MHz Date: 3 SEP 2022 12:03:04</p>
CH19	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 3 kHz Att 20 dB SWT 632.3 μs VBW 10 kHz Mode Auto FFT Count 100/100 IPK Max M1[1] -14.28 dBm 2.43995660 GHz CF 2.44 GHz 691 pts Span 1.0 MHz Date: 3 SEP 2022 12:06:09</p>
CH39	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 3 kHz Att 20 dB SWT 632.3 μs VBW 10 kHz Mode Auto FFT Count 100/100 IPK Max M1[1] -13.49 dBm 2.48002600 GHz CF 2.48 GHz 691 pts Span 1.0 MHz Date: 3 SEP 2022 12:08:19</p>

Test rate: 2Mbps	
CH00	 <p>Spectrum</p> <p>Ref Level 10.50 dBm Offset 1.00 dB RBW 3 kHz Att 20 dB SWT 632.1 μs VBW 10 kHz Mode Auto FFT Count 100/100</p> <p>IPK Max</p> <p>M1[1] -17.25 dBm 2.40201740 GHz</p> <p>CF 2.402 GHz 691 pts Span 3.0 MHz</p> <p>Date: 3 SEP 2022 12:40:08</p>
CH19	 <p>Spectrum</p> <p>Ref Level 10.50 dBm Offset 1.00 dB RBW 3 kHz Att 20 dB SWT 632.1 μs VBW 10 kHz Mode Auto FFT Count 100/100</p> <p>IPK Max</p> <p>M1[1] -17.07 dBm 2.44001300 GHz</p> <p>CF 2.44 GHz 691 pts Span 3.0 MHz</p> <p>Date: 3 SEP 2022 12:43:09</p>
CH39	 <p>Spectrum</p> <p>Ref Level 10.50 dBm Offset 1.00 dB RBW 3 kHz Att 20 dB SWT 632.1 μs VBW 10 kHz Mode Auto FFT Count 100/100</p> <p>IPK Max</p> <p>M1[1] -15.97 dBm 2.48000430 GHz</p> <p>CF 2.48 GHz 691 pts Span 3.0 MHz</p> <p>Date: 3 SEP 2022 12:46:08</p>

Appendix C: 6dB bandwidth




Type	Channel	6dB Bandwidth(kHz)	Limit (kHz)	Result
1Mbps	00	722.00	≥500	Pass
	19	724.00		
	39	720.00		
2Mbps	00	1270.00	≥500	Pass
	19	1270.00		
	39	1270.00		

Test rate: 1Mbps																																	
CH00	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 100 kHz Att 20 dB SWT 19.1 μs VBW 300 kHz Mode Auto FFT Count 500/500 IPK View</p> <p>0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -80 dBm</p> <p>CF 2.402 GHz 1001 pts Span 2.0 MHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>M1</td> <td>1</td> <td>1</td> <td>2.401696 GHz</td> <td>-5.47 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>M1</td> <td>1</td> <td>1</td> <td>2.402304 GHz</td> <td>0.59 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>1</td> <td>722.0 kHz</td> <td>-0.03 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 3.SEP.2022 12:02:43</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	M1	1	1	2.401696 GHz	-5.47 dBm			M2	M1	1	1	2.402304 GHz	0.59 dBm			D3	M1	1	1	722.0 kHz	-0.03 dB		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																										
M1	M1	1	1	2.401696 GHz	-5.47 dBm																												
M2	M1	1	1	2.402304 GHz	0.59 dBm																												
D3	M1	1	1	722.0 kHz	-0.03 dB																												
CH19	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 100 kHz Att 20 dB SWT 19.1 μs VBW 300 kHz Mode Auto FFT Count 500/500 IPK View</p> <p>0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -80 dBm</p> <p>CF 2.44 GHz 1001 pts Span 2.0 MHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>M1</td> <td>1</td> <td>1</td> <td>2.439688 GHz</td> <td>-5.26 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>M1</td> <td>1</td> <td>1</td> <td>2.440298 GHz</td> <td>0.78 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>1</td> <td>724.0 kHz</td> <td>-0.02 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 3.SEP.2022 12:05:02</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	M1	1	1	2.439688 GHz	-5.26 dBm			M2	M1	1	1	2.440298 GHz	0.78 dBm			D3	M1	1	1	724.0 kHz	-0.02 dB		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																										
M1	M1	1	1	2.439688 GHz	-5.26 dBm																												
M2	M1	1	1	2.440298 GHz	0.78 dBm																												
D3	M1	1	1	724.0 kHz	-0.02 dB																												
CH39	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 100 kHz Att 20 dB SWT 19.1 μs VBW 300 kHz Mode Auto FFT Count 500/500 IPK View</p> <p>0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -80 dBm</p> <p>CF 2.48 GHz 1001 pts Span 2.0 MHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>M1</td> <td>1</td> <td>1</td> <td>2.479684 GHz</td> <td>-4.22 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>M1</td> <td>1</td> <td>1</td> <td>2.480292 GHz</td> <td>1.80 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>1</td> <td>720.0 kHz</td> <td>0.01 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 3.SEP.2022 12:07:01</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	M1	1	1	2.479684 GHz	-4.22 dBm			M2	M1	1	1	2.480292 GHz	1.80 dBm			D3	M1	1	1	720.0 kHz	0.01 dB		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																										
M1	M1	1	1	2.479684 GHz	-4.22 dBm																												
M2	M1	1	1	2.480292 GHz	1.80 dBm																												
D3	M1	1	1	720.0 kHz	0.01 dB																												

Test rate:		2Mbps																												
CH00	<p>Ref Level 10.50 dBm Offset 1.00 dB RBW 100 kHz Att 20 dB SWT 19 µs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -80 dBm</p> <p>CF 2.402 GHz 1001 pts Span 5.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40139 GHz</td> <td>-6.23 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.40205 GHz</td> <td>-0.01 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>1.27 MHz</td> <td>0.06 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 3.SEP.2022 12:39:58</p>		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40139 GHz	-6.23 dBm			M2		1	2.40205 GHz	-0.01 dBm			D3	M1	1	1.27 MHz	0.06 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1		1	2.40139 GHz	-6.23 dBm																										
M2		1	2.40205 GHz	-0.01 dBm																										
D3	M1	1	1.27 MHz	0.06 dB																										
CH19	<p>Ref Level 10.50 dBm Offset 1.00 dB RBW 100 kHz Att 20 dB SWT 19 µs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -80 dBm</p> <p>CF 2.44 GHz 1001 pts Span 5.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.439385 GHz</td> <td>-6.12 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.440045 GHz</td> <td>0.10 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>1.27 MHz</td> <td>0.07 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 3.SEP.2022 12:42:12</p>		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.439385 GHz	-6.12 dBm			M2		1	2.440045 GHz	0.10 dBm			D3	M1	1	1.27 MHz	0.07 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1		1	2.439385 GHz	-6.12 dBm																										
M2		1	2.440045 GHz	0.10 dBm																										
D3	M1	1	1.27 MHz	0.07 dB																										
CH39	<p>Ref Level 10.50 dBm Offset 1.00 dB RBW 100 kHz Att 20 dB SWT 19 µs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -80 dBm</p> <p>CF 2.48 GHz 1001 pts Span 5.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.47938 GHz</td> <td>-4.94 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.48004 GHz</td> <td>1.23 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>1.27 MHz</td> <td>-0.06 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 3.SEP.2022 12:45:50</p>		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.47938 GHz	-4.94 dBm			M2		1	2.48004 GHz	1.23 dBm			D3	M1	1	1.27 MHz	-0.06 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1		1	2.47938 GHz	-4.94 dBm																										
M2		1	2.48004 GHz	1.23 dBm																										
D3	M1	1	1.27 MHz	-0.06 dB																										



Appendix D: 99% Occupied Bandwidth

Test rate	Channel	99% Occupied Bandwidth(MHz)	Limit (kHz)	Result
1Mbps	00	1.04	-	Pass
	19	1.04		
	39	1.04		
2Mbps	00	2.06	-	Pass
	19	2.06		
	39	2.06		




Test rate: 1Mbps	
CH00	 <p>Spectrum plot for CH00. The plot shows a signal peak at -3.28 dBm. The center frequency is 2.40203000 GHz. The span is 2.0 MHz. The plot includes parameters: Ref Level 10.50 dBm, Att 20 dB, Offset 1.00 dB, RBW 30 kHz, SWT 63.3 μs, VBW 100 kHz, Mode Auto FFT. The center frequency is 2.40203000 GHz and the span is 2.0 MHz.</p>
CH19	 <p>Spectrum plot for CH19. The plot shows a signal peak at -3.06 dBm. The center frequency is 2.44002400 GHz. The span is 2.0 MHz. The plot includes parameters: Ref Level 10.50 dBm, Att 20 dB, Offset 1.00 dB, RBW 30 kHz, SWT 63.3 μs, VBW 100 kHz, Mode Auto FFT. The center frequency is 2.44002400 GHz and the span is 2.0 MHz.</p>
CH39	 <p>Spectrum plot for CH39. The plot shows a signal peak at -2.11 dBm. The center frequency is 2.48001800 GHz. The span is 2.0 MHz. The plot includes parameters: Ref Level 10.50 dBm, Att 20 dB, Offset 1.00 dB, RBW 30 kHz, SWT 63.3 μs, VBW 100 kHz, Mode Auto FFT. The center frequency is 2.48001800 GHz and the span is 2.0 MHz.</p>

Test rate: 2Mbps	
CH00	<p> Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 30 kHz Att 20 dB SWT 63.2 μs VBW 100 kHz Mode Auto FFT Count 500/500 IPK View M1[1] -6.30 dBm 2.40201500 GHz 2.057942058 MHz Occ Bw T1 T2 CF 2.402 GHz 1001 pts Span 5.0 MHz Date: 3 SEP 2022 12:40:05 </p>
CH19	<p> Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 30 kHz Att 20 dB SWT 63.2 μs VBW 100 kHz Mode Auto FFT Count 500/500 IPK View M1[1] -6.19 dBm 2.44001000 GHz 2.057942058 MHz Occ Bw T1 T2 CF 2.44 GHz 1001 pts Span 5.0 MHz Date: 3 SEP 2022 12:42:00 </p>
CH39	<p> Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 30 kHz Att 20 dB SWT 63.2 μs VBW 100 kHz Mode Auto FFT Count 500/500 IPK View M1[1] -5.08 dBm 2.48000500 GHz 2.057942058 MHz Occ Bw T1 T2 CF 2.48 GHz 1001 pts Span 5.0 MHz Date: 3 SEP 2022 12:45:57 </p>


Appendix E: Duty cycle



Appendix F: Band edge and Spurious Emissions (conducted)


Test Item:	Band edge	Test Rate:	1Mbps																																										
CH00	 <table border="1" data-bbox="686 645 1337 750"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40177 GHz</td> <td>0.02 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-62.74 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-64.67 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-65.00 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.312616 GHz</td> <td>-61.95 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 3 SEP 2022 12:33:43</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.40177 GHz	0.02 dBm			M2	1		2.4 GHz	-62.74 dBm			M3	1		2.39 GHz	-64.67 dBm			M4	1		2.31 GHz	-65.00 dBm			M5	1		2.312616 GHz	-61.95 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.40177 GHz	0.02 dBm																																									
M2	1		2.4 GHz	-62.74 dBm																																									
M3	1		2.39 GHz	-64.67 dBm																																									
M4	1		2.31 GHz	-65.00 dBm																																									
M5	1		2.312616 GHz	-61.95 dBm																																									
CH39	 <table border="1" data-bbox="686 1187 1337 1292"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.480276 GHz</td> <td>1.69 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-66.13 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-67.94 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.4843449 GHz</td> <td>-65.70 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 3 SEP 2022 12:38:28</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.480276 GHz	1.69 dBm			M2	1		2.4835 GHz	-66.13 dBm			M3	1		2.5 GHz	-67.94 dBm			M4	1		2.4843449 GHz	-65.70 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.480276 GHz	1.69 dBm																																									
M2	1		2.4835 GHz	-66.13 dBm																																									
M3	1		2.5 GHz	-67.94 dBm																																									
M4	1		2.4843449 GHz	-65.70 dBm																																									
Test Item:	Band edge	Test Rate:	2Mbps																																										
CH00	 <table border="1" data-bbox="686 1780 1337 1886"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40204 GHz</td> <td>-0.24 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-37.80 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-65.55 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-65.30 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399906 GHz</td> <td>-46.28 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 3 SEP 2022 12:40:57</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.40204 GHz	-0.24 dBm			M2	1		2.4 GHz	-37.80 dBm			M3	1		2.39 GHz	-65.55 dBm			M4	1		2.31 GHz	-65.30 dBm			M5	1		2.399906 GHz	-46.28 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.40204 GHz	-0.24 dBm																																									
M2	1		2.4 GHz	-37.80 dBm																																									
M3	1		2.39 GHz	-65.55 dBm																																									
M4	1		2.31 GHz	-65.30 dBm																																									
M5	1		2.399906 GHz	-46.28 dBm																																									

CH39




Test Item:	SE	Test Rate:	1Mbps
<p>CH00 Reference level</p>			
<p>CH00 30MHz~1000MHz</p>			
<p>CH00 1GHz~26GHz</p>			


CH19
Reference level



CH19
30MHz~1000MHz




CH19
1GHz~26GHz




<p>CH39 Reference level</p>	
<p>CH39 30MHz~1000MHz</p>	
<p>CH39 1GHz~26GHz</p>	

Test Item:	SE	Test Rate:	2Mbps
<p>CH00 Reference level</p>			
<p>CH00 30MHz~1000MHz</p>			
<p>CH00 1GHz~26GHz</p>			


CH19
Reference level




CH19
30MHz~1000MHz



CH19
1GHz~26GHz




CH39
Reference level




Date: 5 SEP 2022 11:06:28

CH39
30MHz~1000MHz



Date: 5 SEP 2022 11:06:46

CH39
1GHz~26GHz



Date: 5 SEP 2022 11:07:02

-----End of Report-----