

Report No.: SHEM210600581204

Page: 1 of 252

TEST REPORT

Application No.: SHEM2106005812CR

FCC ID: 2A2CXFBXB001

Applicant: Suijimanbu (SHANGHAI) Sports Technology Co. Ltd.

Address of Applicant: 1201 Building B, Greenbelt Convergence Center, 500 Yunjin Road, Xuhui

District, Shanghai, China

Manufacturer: Suijimanbu (SHANGHAI) Sports Technology Co. Ltd.

Address of Manufacturer: 1201 Building B, Greenbelt Convergence Center, 500 Yunjin Road, Xuhui

District, Shanghai, China

Factory: WNQ (Shanghai) Body-building Equipment Co.,Ltd

Address of Factory: No. 388, Beiying Road, (No. 1588, Beiying Road, Qingpu Area, Shanghai.

China

Buyer:

Equipment Under Test (EUT):

EUT Name: freebeat

Model No.: xbike

Trade mark: freebeat

Standard(s): 47 CFR Part 15, Subpart E 15.407

Date of Receipt: 2021-06-09

Date of Test: 2021-06-21 to 2021-07-27

Date of Issue: 2021-07-27

Test Result: Pass*

parlan shan

Parlam Zhan Laboratory Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.



Unless otherwise agreed in writing, this document is lasted by the Company subject to its General Codditions of Service printed overleaf, available on request or accessible at him //www.subcom/len/Terms-and-Conditions angle and, for electronic format documents subject to Terms and Conditions for Electronic Documents as a http://www.subcom/len/Terms-and-Conditions for Institute Section 1 and Institute of the Institute of Institut

NO.558 West Jindu Road Songjiang District Shanghai China 201612

中国・上海・松江区全都西遊588号 邮编 201812 till-21|///91568 186-21|///1915678 eags.china@ags.com

1(16-21) 1/1915166 1(36-2) 161915676 www.sgsgraup.com.on

^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: SHEM210600581204 Page: 2 of 252

Revision Record						
Version	Description	Date	Remark			
00	Original	2021-07-27	/			

Authorized for issue by:		
	Vint -m	
	Vincent Zhu /Project Engineer	
	Parlam Zhan	
	Parlam Zhan / Reviewer	



NO.558 West Jindu Road Songjiang District Shangha China 201612 中国・上海・松江区全都西路588号 館場 201812 (16-21) (1915)66 1:36-21)(1515)76 www.agagroup.com.cn (16-21) (1915)66 1:36-21)(1515)78 e aga.china@aga.com





Page: 3 of 252

2 Test Summary

Radio Spectrum Technical Requirement							
Item	Standard	Method	Requirement	Result			
Antenna Requirement	47 CFR Part 15, Subpart E 15.407	N/A	47 CFR Part 15, Subpart C 15.203	Pass			
Transmission in the Absence of Data	47 CFR Part 15, Subpart E 15.407	N/A	47 CFR Part 15, Subpart C 15.407 (c)	Pass			

N/A: Not applicable

Radio Spectrum Matter Part						
Item	Standard	Method	Requirement	Result		
Conducted Emissions at AC Power Line (150kHz-30MHz)	at AC Power Line 4/ CFR Part 15,		47 CFR Part 15, Subpart C 15.207 & 15.407 b(6)	Pass		
Duty Cycle	47 CFR Part 15, Subpart E 15.407	KDB 789033 II B 1	KDB 789033 D02 II B 1	Pass		
26dB Emission bandwidth	47 CFR Part 15, Subpart E 15.407	KDB 789033 D02 II C 1	47 CFR Part 15, Subpart C 15.407 (a)	Pass		
Minimum 6 dB bandwidth (5.725- 5.85 GHz band)	47 CFR Part 15, Subpart E 15.407	KDB 789033 D02 II C 2	47 CFR Part 15, Subpart C 15.407 (e)	Pass		
Maximum Conducted output power	47 CFR Part 15, Subpart E 15.407	KDB 789033 D02 II E	47 CFR Part 15, Subpart C 15.407 (a)	Pass		
Peak Power spectrum density	47 CFR Part 15, Subpart E 15.407	KDB 789033 D02 II F	47 CFR Part 15, Subpart C 15.407 (a)	Pass		
Radiated Emissions	47 CFR Part 15, Subpart E 15.407	KDB 789033 D02 II G	47 CFR Part 15, Subpart C 15.209 & 15.407(b)	Pass		
Radiated Emissions which fall in the restricted bands	47 CFR Part 15, Subpart E 15.407	KDB 789033 D02 II G	47 CFR Part 15, Subpart C 15.209 & 15.407(b)	Pass		
Frequency Stability	47 CFR Part 15, Subpart E 15.407	ANSI C63.10 (2013) Section 6.8	47 CFR Part 15, Subpart C 15.407 (g)	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request is accessible at http://www.sis.com/en/Terms-and-Conditions.angs-and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.asgs.
Attention, is offered to the timutation of Habitity, indemotification and jurisdiction jurisdiction therein. Any holder of the document advised that information cantained hereon reflects the Company's Engines at the time of its intervention only and within the times of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not experience parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Lompany. Any unauthorized alteration, torgety or fatelification of the content or appearance of this inforcement is unlawful and offunders may be prosecuted to the force of the law Unless otherwise stated the results shown in this test report cefer only to the sampler () tested and such sample(s) are returned for 30 days only.

NO.558 West J. Indu Road Songjiang District Shanghai China 201612 中国・上海・松江区全都西路588号 解编 201812 1(16-21) 8/1915/666 1(36-2) 9/1515/676 www.sgsgroup.com.cn 1/16-21) 8/1915/666 1/36-2) 9/1915/676 e.ags.ch/na@sgs.com

S

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHEM210600581204

Page: 4 of 252

3 Contents

		Page
1 C	OVER PAGE	1
2 TI	EST SUMMARY	3
3 C	ONTENTS	4
4 G	ENERAL INFORMATION	5
4.1	Details of E.U.T.	Ľ
4.2	DESCRIPTION OF SUPPORT UNITS	
4.3	Power level setting using in test	
4.4	Measurement Uncertainty	
4.5	Test Location	
4.6	Test Facility	8
4.7	Deviation from Standards	
4.8	Abnormalities from Standard Conditions	
5 E	QUIPMENT LIST	g
6 R	ADIO SPECTRUM TECHNICAL REQUIREMENT	10
6.1	ANTENNA REQUIREMENT	
6.2	Transmission in the Absence of Data	
7 R	ADIO SPECTRUM MATTER TEST RESULTS	12
7.1	CONDUCTED EMISSIONS AT AC POWER LINE (150kHz-30MHz)	12
7.2	DUTY CYCLE	
7.3	26dB Emission bandwidth	19
7.4	Minimum 6 dB bandwidth (5.725-5.85 GHz band)	21
7.5	MAXIMUM CONDUCTED OUTPUT POWER	
7.6	PEAK POWER SPECTRUM DENSITY	
7.7	RADIATED EMISSIONS	
7.8	RADIATED EMISSIONS WHICH FALL IN THE RESTRICTED BANDS	
7.9	Frequency Stability	249
8 TI	EST SETUP PHOTOGRAPHS	252
9 EI	UT CONSTRUCTIONAL DETAILS	252



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request is accessible at http://www.sis.com/en/Terms-and-Conditions.angs-and, for electronic formet documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Documents.ags. Attention, is offered to the timeterion of liability, indemotification and jurisdiction issues defined therein. Any holder of the document is advised that information cantained hereon reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any. The Company's sole responsibility is to its Client and this document desired on the exercise of the intervention from exercising all their rights and ubligations under the transaction documents. This document cannot be reproduced except in full, without prior writing approval of the Company. Any unauthorized alteration, longery or falsification of the contact or appearance of this information insight and offenders may be prosecuted to the full fulliast settent of the law Unless otherwise stand the results shown in this test report cefer only to the sampler () tested and such samples(s) are returned for 30 days only.

NO.558 West Jindu Road Songjiang District Shanghal China 201612 中国・上海・松江区全都西路588号 朗编 201812 (#6-21)8/915666 (#66-21)81515676 www.sgsgroup.com.cn t/#6-21)8/915666 (#66-21)8/915676 # ags.ch/ma@sgs.com





Page: 5 of 252

4 General Information

4.1 Details of E.U.T.

Power supply: 12VDC 3A by adapter

Adapter:

Model: XSG-1203000HUS

Input: 100-240VAC 50/60Hz 0.8A Max

Output: 12VDC 3A

Test voltage: AC 120V 60Hz

Test voltage: AC 120V 60Hz						
Band	Mode	Frequency Range(MHz)	Number of channels			
UNII Band I	802.11a/n(HT20)/ac(HT20)	5180-5240	4			
	802.11n(HT40)/ac(HT40)	5190-5230	2			
	802.11ac(HT80)	5210	1			
UNII Band II-A	802.11a/n(HT20)/ac(HT20)	5260-5320	4			
	802.11n(HT40)/ac(HT40)	5270-5310	2			
	802.11ac(HT80)	5290	1			
UNII Band II-C	802.11a/n(HT20)/ac(HT20)	5500-5700	11			
	802.11n(HT40)/ac(HT40)	5510-5670	5			
	802.11ac(HT80)	5530~5610	2			
UNII Band III	802.11a/n(HT20)/ac(HT20)	5745-5825	5			
	802.11n(HT40)/ac(HT40)	5755-5795	2			
	802.11ac(HT80)	5775	1			
802.11a: OFDM	(64QAM, 16QAM, QPSK, BPSK	()				
802.11n: OFDM	(BPSK, QPSK, 16QAM, 64QAM	l)				
802.11ac: OFDM	I (BPSK, QPSK, 16QAM, 64QAI	M, 256QAM)				
802.11a:6/9/12/1	8/24/36/48/54Mbps					
802.11n: MCS0-l	MCS7					
802.11ac: VHT M	ICS0-MCS7					
802.11a/n(HT20))/ac(HT20): 20MHz					
802.11n(HT40)/a	ac(HT40): 40MHz					
802.11ac(HT80)	: 80MHz					
2.52dBi (Provided by manufacturer)						
enna Type: PIFA Antenna						
Not support						
Slaver without ra	Slaver without radar detection					
	Band UNII Band I UNII Band II-A UNII Band III-C UNII Band III 802.11a: OFDM 802.11a: OFDM 802.11ac: OFDM 802.11ac: VHT M 802.11ac: VHT M 802.11ac: VHT M 802.11ac(HT80) 2.52dBi (Provide PIFA Antenna Not support	Band Mode	Band Mode Frequency Range(MHz)			



Unless otherwise agreed in writing. This document is lasticed by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.naps and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspx.
Attention, is offered to the similation of liability, indemotification and pulsations with therein. Any holder of the document is advised that information cantained bereon reflects the Company's Engines at the time of its intervention only and within the times of Client's instructions. If any. The Company's sole responsibility is to its Client and this document connect the transaction from exercising all their rights and ubligations under the transaction documents. This document connect be reproduced axcept in full, without prior written approval of the Company. Any unauthorized alteration, longery or falsification of the content or appearance of this focument is enlawful and offenders may be prosecuted to the file of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.

NO.558 West Jindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全昌西路583号 朗鎮 201812





Page: 6 of 252

4.2 Description of Support Units

The EUT has been tested with associated equipment below.

Description	Manufacturer	Model No.	
Laptop	Lenovo	ThinkPad X100e	

4.3 Power level setting using in test

3	Power le	evel setting us	ing in test	
	Test Mode	802.11a	802.11n(HT20)	802.11ac(VHT20)
	Channel	Ant 1	Ant 1	Ant 1
	36	55	53	52
	40	55	53	52
	48	55	53	52
	52	55	53	52
	60	55	53	52
	64	55	53	52
	100	55	53	52
	116	48	46	45
	120	48	46	45
	140	48	46	45
	149	48	46	45
	157	48	46	45
	165	48	46	45
	Test Mode	802.11n(HT40)	802.11ac(VHT40)	
	Channel	Ant 1	Ant 1	
	38	55	53	
	46	55	53	
	54	55	53	
	62	55	53	
	102	48	47	
	110	48	47	
	118	48	47	
	134	48	47	
	151	48	47	
	159	48	47	
	Test Mode	802.ac(VHT80)		
	Channel	Ant1		
	42	53		
	58	53		
	106	50		
	122	50		



155

50

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request is accessible at http://www.sis.com/en/Terms-and-Conditions.aips and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered for the timulation of Habitity, indemotification and jurisdiction jurisdiction therein. Any holder of the document advised that information cantained hereon reflects the Company's Enginesis at the time of its intervention only and within the times of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not experience parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Lompany. Any unauthorized alteration, torgety or fatelification of the content or appearance of this inforcement is unlawful and offunders may be prosecuted to the content or the law. Unless otherwise stated the results shown in this test report cefer only to the sampler () tested and such sample(s) are returned for 30 days only.

NO.558 West Jindu Road Songjiang District Shanghai China 201612 中国・上海・松江区全昌西遊588号 館輸 201812 (16-21) 6/915666 1/86-2/3/1915676 www.sgsgroup.com.cn t/86-21) 6/915666 1/86-2/3/1915676 e.ags.ch/na@sgs.com





Page: 7 of 252

4.4 Measurement Uncertainty

No.	Item	Measurement Uncertainty
1	Radio Frequency	8.4 x 10 ⁻⁸
2	Timeout	2s
3	Duty Cycle	0.37%
4	Occupied Bandwidth	3%
5	RF Conducted Power	0.6dB
6	RF Power Density	2.9dB
7	Conducted Spurious Emissions	0.75dB
0	DC Dedicted Dever	5.2dB (Below 1GHz)
8	RF Radiated Power	5.9dB (Above 1GHz)
		4.2dB (Below 30MHz)
	Dadiated Courieus Emissies Test	4.5dB (30MHz-1GHz)
9	Radiated Spurious Emission Test	5.1dB (1GHz-18GHz)
		5.4dB (Above 18GHz)
10	Temperature Test	1°C
11	Humidity Test	3%
12	Supply Voltages	1.5%
13	Time	3%

Note: The measurement uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request is accessible at http://www.sis.com/en/Terms-and-Conditions.angs-and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.asgs.
Attention, is offered to the timutation of Habitity, indemotification and jurisdiction jurisdiction therein. Any holder of the document advised that information cantained hereon reflects the Company's Engines at the time of its intervention only and within the times of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not experience parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Lompany. Any unauthorized alteration, torgety or fatelification of the content or appearance of this inforcement is unlawful and offunders may be prosecuted to the force of the law Unless otherwise stated the results shown in this test report cefer only to the sampler () tested and such sample(s) are returned for 30 days only.

NO.568 West Jindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 朗编 201812





Page: 8 of 252

4.5 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. E&E Lab 588 West Jindu Road, Xingiao, Songjiang, 201612 Shanghai, China

Tel: +86 21 6191 5666 Fax: +86 21 6191 5678

No tests were sub-contracted.

4.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• CNAS (No. CNAS L0599)

CNAS has accredited SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• A2LA (Certificate No. 6332.01)

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. is accredited by the American Association for Laboratory Accreditation(A2LA).

• FCC (Designation Number: CN1301)

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. has been recognized as an accredited testing laboratory.

• ISED (CAB Identifier: CN0020)

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. EMC Laboratory has been recognized by Innovation, Science and Economic Development Canada (ISED) as an accredited testing laboratory. Company Number: 8617A

• VCCI (Member No.: 3061)

The 3m Semi-anechoic chamber and Shielded Room of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-13868, C-14336, T-12221, G-10830 respectively.

4.7 Deviation from Standards

None

4.8 Abnormalities from Standard Conditions

None



Unless otherwise agreed to writing, this document is lasted by the Company subject to its General Conditions of Service printe overlast, available on request at accessible at http://www.ags.gom/ter/Terms-and-Conditions.ags.and.for-electronic formed documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.ags.com/terms-and-Conditions/forms-and-Condition

NO.556 West Jindu Road Songliang District Shanghal China 201612 中国・上海・松江区全昌西路588号 銀編 201812 ((6-21) ((915)66 (-96-2))((1515)76 www.sgsgroup.com.on ((6-21) ((915)66 (-96-2))((915)576 e.ags.china(3sps.com





Page: 9 of 252

5 Equipment List

Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
Conducted Emission at Ma			mirement, me	34. 24.0	Jul 200 200
EMI test receiver	R&S	ESR7	SHEM162-1	2020-12-20	2021-12-19
LISN	Schwarzbeck	NSLK8127	SHEM061-1	2020-12-20	2021-12-19
LISN	EMCO	3816/2	SHEM019-1	2020-12-20	2021-12-19
Pulse limiter	R&S	ESH3-Z2	SHEM029-1	2020-12-20	2021-12-19
Shielding Room	ZHONGYU	8*4*3M	SHEM079-2	2020-12-20	2021-12-19
CE test Cable	/	CE01	/ J ILIVIO 7 9-2	2020-12-20	2021-12-19
CL test Cable	,	CLUT	Version:	2020-12-20	2021-12-19
Test software	ESE	E3	6.111221a	1	/
RF Conducted Test			0.1112214		
Spectrum Analyzer	R&S	FSP-30	SHEM002-1	2020-12-20	2021-12-19
Spectrum Analyzer	Agilent	N9020A	SHEM181-1	2020-08-13	2021-08-12
Signal Generator	R&S	SMR20	SHEM006-1	2020-08-13	2021-08-12
Signal Generator	Agilent	N5182A	SHEM182-1	2020-08-13	2021-08-12
Communication Tester	R&S	CMW270	SHEM183-1	2020-08-13	2021-08-12
Switcher	Tonscend	JS0806	SHEM184-1	2020-08-13	2021-08-12
Power Sensor	Keysight	U2021XA * 4	SHEM184-1	2020-08-13	2021-08-12
Splitter	Anritsu	MA1612A	SHEM185-1	1	/
Coupler	e-meca	803-S-1	SHEM186-1	1	1
High-low Temp Cabinet	Suzhou Zhihe	TL-40	SHEM087-1	2018-09-25	2021-09-24
AC Power Stabilizer	APC	KDF-31020T-V0-F0	SHEM216-1	2020-12-20	2021-12-19
DC Power Supply	MCH	MCH-303A	SHEM210-1	2020-12-20	2021-12-19
Conducted test Cable	/	RF01~RF04	/	2020-12-20	2021-12-19
Test software	Tonscend	JS Tonscend BT/WIFI System	Version: 2.6	/	/
RF Radiated Test		Biffin i Gyotom			
EMI test Receiver	R&S	ESU40	SHEM051-1	2020-12-20	2021-12-19
Spectrum Analyzer	R&S	FSP-30	SHEM002-1	2020-12-20	2021-12-19
Loop Antenna (9kHz-30MHz)	Schwarzbeck	FMZB1519	SHEM135-1	2020-12-20	2021-12-19
Antenna (25MHz-2GHz)	Schwarzbeck	VULB9168	SHEM048-1	2019-10-14	2021-10-13
Antenna (25MHz-2GHz)	Schwarzbeck	VULB9168	SHEM202-1	2020-04-30	2022-04-29
Horn Antenna (1-18GHz)	Schwarzbeck	HF906	SHEM009-1	2018-10-24	2021-10-23
Horn Antenna (1-18GHz)	Schwarzbeck	BBHA9120D	SHEM050-1	2019-10-14	2021-10-13
Horn Antenna (14-40GHz)	Schwarzbeck	BBHA 9170	SHEM049-1	2018-10-31	2021-10-30
Pre-amplifier (9KHz-2GHz)	CLAVIIO	BDLNA-0001	SHEM164-1	2020-08-13	2021-08-12
Pre-amplifier (1-18GHz)	CLAVIIO	BDLNA-0118	SHEM050-2	2020-08-13	2021-08-12
High-amplifier (14-40GHz)	Schwarzbeck	10001	SHEM049-2	2020-12-20	2021-12-19
Signal Generator	R&S	SMR40	SHEM058-1	2020-08-13	2021-08-12
Band Filter	LORCH	9BRX-875/X150	SHEM156-1	/	/
Band Filter	LORCH	13BRX-1950/X500	SHEM083-2	,	,
Band Filter	LORCH	5BRX-2400/X200	SHEM155-1	1	1
Band Filter	LORCH	5BRX-5500/X1000	SHEM157-2	/	,
High pass Filter	Wainwright	WHK3.0/18G	SHEM157-1	,	,
High pass Filter	Wainwright	WHKS1700	SHEM157-3	,	,
Semi/Fully Anechoic	ST	11*6*6M	SHEM078-2	2020-05-25	2023-05-24
RE test Cable	/	RE01, RE02, RE06	/	2020-03-20	2023-03-24
			Version:		
Test software	ESE	E3	6.111221a	/	/



NO.558 West Jindu Road Songjiang District Shanghal China 201612 中国・上海・松江区全昌西路588号 館舗 201812 (16-21) 8/915896 1,96-2/) 8/19/1976 www.sg.ggraup.com.cn (16-21) 8/915896 1/96-21/8/19/1975 e ags.ch/ma@ags.com





Page: 10 of 252

6 Radio Spectrum Technical Requirement

6.1 Antenna Requirement

6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.207 & 15.407 b(6)

6.1.2 Conclusion

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit permanently attached antenna or of an so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

EUT Antenna:

The antenna is PIFA Antenna and no consideration of replacement. The best case gain of the antenna is 2.52dBi.

Antenna location: Refer to Appendix (Internal Photos)



Ubless otherwise agreed in writing, this document is lasted by the Company subject to its General Conditions of Service printed deverted, available or request or accessible at http://www.sgs.com/en/Terms-and-Conditions and an observation of substitutions and the company and conditions and conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/forms-Documents.ags/
Attention is drewn to the illustration of illustration of illustration and universitied as a sense defined therein. Any holder of this document is advised that information cantained nervon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any, The Company's sole responsibility is of its Client and this document does not exceed parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced accept in fail, without prior written approval of the Company, Any unauthorized alteration, longery or fall-fileation of the content of appearance of this document cannot be reproduced accept in fail, without prior written approval of the Company, Any unauthorized alteration, longery or fall-fileation of the content of appearance of this document cannot be reproduced accept in fail, without prior written approval of the Company, Any unauthorized alteration, longery or fall-fileation of the content of appearance of this document cannot be reproduced accept in fail, whence prior the instruction of the fails unless otherwise stated the results shown in this test report cefer only to the sampler(s) tested and such samples(s) are returned for 20 days only.

NO.556 West Jindu Road Songliang District Shanghal China 201612 中国・上海・松江区全都西路588号 銀編 201812 (16-21) 81915666 1(86-21)61515676 www.sgsgroup.com.cn t/16-21) 81915666 1(86-21)61915676 e.gs.ch/na@sgs.com



Report No.: SHEM210600581204

Page: 11 of 252

6.2 Transmission in the Absence of Data

6.2.1 Test Requirement:

47 CFR Part 15, Subpart C 15.207 & 15.407 b(6)

6.2.2 Conclusion

Standard Requirement:

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signalling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals.

Applicants shall include in their application for equipment authorization a description of how this requirement is met.

EUT Details:

WIFI chip (AP6256) support automatically discontinue transmission in case of either absence of information to transmit or operational failure, if the chip detect absence of information to transmit or operational failure, it will be automatically shut off.



Unless otherwise agreed in writing, this document is lasted by the Company subject to its General Conditions of Service printe overlast, available on request a accessible at http://www.sgs.com/en/Terms-and-Conditions and to decironic formed occuments at http://www.ags.com/en/Terms-and-Conditions for Electronic formed occuments at http://www.ags.com/en/Terms-and-Conditions/formes-Documents-apy Attention is a drewn to the illustration of itsoluting, incommission and univalidation issues defined therein. Any holder of this document adversed that information contained hereon reflects the Company's printings at the time of its intervention bally and within the limits occilients instructions. If any. The Company's sole responsibility is of its client after the decironic document does not expensive parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior writers approval of the Company. Any unauthorized alteration, torgety or falsification of the containt appearance of this document is unlawful and difference may be prosecuted to the fulliast action of the containt of special containts are of this document to unlawful and difference may be prosecuted to the fulliast action of the containt of the law. Unlass otherwise stated the executed for the document is unlawful and difference may be prosecuted to the fulliast action of the containt of the law. Unlass otherwise stated the executed for the document is unlawful and difference may be prosecuted to the fulliast action of the containts.



Report No.: SHEM210600581204

Page: 12 of 252

7 Radio Spectrum Matter Test Results

7.1 Conducted Emissions at AC Power Line (150kHz-30MHz)

Test Requirement 47 CFR Part 15, Subpart C 15.207 & 15.407 b(6)

Test Method: ANSI C63.10 (2013) Section 6.2

Limit:

Everyone of emission/MU=)	Conducted limit(dBµV)			
Frequency of emission(MHz)	Quasi-peak	Average		
0.15-0.5	66 to 56*	56 to 46*		
0.5-5	56	46		
5-30	60	50		
*Decreases with the logarithm of the frequency.				



Unless otherwise agreed in writing. This document is lasticed by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.naps and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspx.
Attention, is offered to the similation of liability, indemotification and pulsations with therein. Any holder of the document is advised that information cantained bereon reflects the Company's Engines at the time of its intervention only and within the times of Client's instructions. If any. The Company's sole responsibility is to its Client and this document connect the transaction from exercising all their rights and ubligations under the transaction documents. This document connect be reproduced axcept in full, without prior written approval of the Company. Any unauthorized alteration, longery or falsification of the content or appearance of this focument is enlawful and offenders may be prosecuted to the file of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.

NO.568 West Jindu Road Songjiang District Shanghai China 201612 中国・上海・松江区全昌西遊588号 館場 201812 1(16-21) 8/1915/666 1(36-2) 9/1515/676 www.sgsgroup.com.cn 1/16-21) 8/1915/666 1/36-2) 9/1915/676 e.ags.ch/na@sgs.com





Page: 13 of 252

7.1.1 E.U.T. Operation

Operating Environment:

Temperature: 22 °C

Humidity: 50 % RH Atmospheric Pressure: 1020 mbar

Pretest these mode to find the worst case:

e:TX mode (Band 1) Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

f:TX mode (Band 2A) Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

a:TX mode (Band 2C) Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

h:TX mode (Band 3) Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

The worst case for final test:

h:TX mode (Band 3) Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.agr.com/en/Terms-and-Conditions ange and, for electronic formet documents, subject to Terms and Conditions for Electronic Documents at http://www.agr.com/en/Terms-and-Conditions/Terms-e-Document.agr. Attention is green to the similar of labeling, indemnification and prinsidiction issues defined therein. Any holder of this document is advised that information contained eareon reflects the Company's Englings at the time of its intervention only and within the times of Clent's instructions. If any, The Company's sole responsibility is to also Clent and this document document and earlies to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Lompany. Any unautionized alteration, longery or fall-illination of the contant or appearance of this document is unlawful and offlunders may be prosecuted to the full fullest astert of the life. Unless otherwise stated the sensities of the company of the English of the contant or appearance of this document is unlawful and offlunders may be prosecuted to the full fullest astert of the life. Unless otherwise stated the sensities of the contant or appearance of this document is unlawful and offlunders may be prosecuted to the order of the life Unless states of the Unless states of the Company.

NO.568 West Jindu Road. Songjiang District. Shanghai. China 201612

中国・上海・松江区全都西路583号 邮编 201812


((\$6-21) 8/915866 ((86-2))81915878 www.sgsgroup.com.on till6-2118(91586) 1/86-21/61915978 e ags.china@sos.com





Page: 14 of 252

7.1.2 Test Setup Diagram



7.1.3 Measurement Procedure and Data

- 1) The mains terminal disturbance voltage test was conducted in a shielded room.
- 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a $50 \text{ohm}/50 \mu\text{H} + 5 \text{ohm}$ linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.
- 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed directly on the horizontal ground reference plane or 10mm above the horizontal ground reference plane with insulating material.
- 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.
- 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark: LISN=Read Level+ Cable Loss+ LISN Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overlast, available or request as accessible at http://www.agr.com/en/Terms-and-Conditions angle and, for electronic formet documents at http://www.agr.com/en/Terms-and-Conditions for electronic formet documents at http://www.agr.com/en/Terms-and-Conditions/Terms-e-Document.agr.Attention is of stewn to the impation of liability, incemorification and circulations as defined therein. Any holder of this document is advised that informetion cantained nervon reflects the Company's Endings at the time of its intervention only and within the limits of Client's instructions. If any, The Company's sole responsibility is of its Client and this document does not exceeded parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writing approval of the Company. Any unauthorized alientation, forgery or falsification of the containt of appearance of this document is unlawful and difference may be prosecuted to the fulliast extend the law. Unless otherwise stated the results shown in this test report cells only to the sample(s) lested and such sample(s) are returned for 20 days only.





Page: 15 of 252

Mode:h; Line:Live Line



LISN : LINE EUT/Project No: 5812CR

Test Mode : a

	Freq	Read level	LISN Factor	Cable Loss	Emission Level	Limit	Over Limit	Remark
	(MHz)	(dBuV)	(dB)	(dB)	(dBuV)	(dBuV)	(dB)	
1	0.17	23.55	0.20	9.91	33.66	54.94	-21.28	Average
2	0.17	39.10	0.20	9.91	49.21	64.94	-15.73	QP
3	0.19	19.37	0.20	9.92	29.49	54.22	-24.73	Average
4	0.19	37.61	0.20	9.92	47.73	64.22	-16.49	QP
5	0.31	23.35	0.20	9.94	33.49	49.97	-16.48	Average
6	0.31	38.92	0.20	9.94	49.06	59.97	-10.91	QP
7	0.37	17.01	0.20	9.93	27.14	48.43	-21.29	Average
8	0.37	33.33	0.20	9.93	43.46	58.43	-14.97	QP
9	0.39	16.35	0.20	9.93	26.48	48.08	-21.60	Average
10	0.39	30.25	0.20	9.93	40.38	58.08	-17.70	QP
11	0.50	21.02	0.20	9.93	31.15	46.00	-14.85	Average
12	0.50	34.33	0.20	9.93	44.46	56.00	-11.54	QP
13	0.57	17.02	0.20	9.92	27.14	46.00	-18.86	Average
14	0.57	31.47	0.20	9.92	41.59	56.00	-14.41	QP

Notes: Emission Level = Read Level +LISN Factor + Cable loss



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.

NO.568 West Jindu Road Songliang District Shanghai China 201612 中国・上海・松江区全都西路583号 邮编 201812


((\$6-21) 8/915896 1(96-2) (61915976 www.sgsgroup.com.on t/16-21/6/91586E 1/86-21/6191587E e ags.china@ags.com





Page: 16 of 252

Mode:h; Line:Neutral Line



LISN : LINE EUT/Project No : 5812CR

Test Mode : a

	Freq (MHz)	Read level (dBuV)	LISN Factor (dB)	Cable Loss (dB)	Emission Level (dBuV)	Limit (dBuV)	Over Limit (dB)	Remark
1	0.17	26.13	0.00	9.91	36.04	54.94	-18.90	Average
2	0.17	40.10	0.00	9.91	50.01	64.94	-14.93	QP
3	0.18	26.62	0.00	9.92	36.54	54.46	-17.92	Average
4	0.18	39.29	0.00	9.92	49.21	64.46	-15.25	QP
5	0.30	25.33	0.00	9.94	35.27	50.37	-15.10	Average
6	0.30	35.75	0.00	9.94	45.69	60.37	-14.68	QP
7	0.39	17.17	0.00	9.93	27.10	48.08	-20.98	Average
8	0.39	29.17	0.00	9.93	39.10	58.08	-18.98	QP
9	0.41	21.02	0.00	9.93	30.95	47.68	-16.73	Average
10	0.41	32.34	0.00	9.93	42.27	57.68	-15.41	QP
11	0.50	17.46	0.00	9.93	27.39	46.00	-18.61	Average
12	0.50	31.40	0.00	9.93	41.33	56.00	-14.67	QP

Notes: Emission Level = Read Level +LISN Factor + Cable loss



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.

NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812 ((16-21) 6/915096 1/96-2/)6/1915976 www.sgsgroup.com.cn ((16-21) 6/915096 1/96-2/)6/1915972 e.ags.china@sgs.com



Report No.: SHEM210600581204

Page: 17 of 252

7.2 Duty Cycle

Test Requirement KDB 789033 D02 II B 1
Test Method: KDB 789033 II B 1

7.2.1 E.U.T. Operation

Operating Environment:

Temperature: 22 °C Humidity: 50 % RH Atmospheric Pressure: 1001 mbar

Test mode: e:TX mode (Band 1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and

found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst

case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report.

f:TX mode (Band 2A) Keep the EUT in continuously transmitting mode with all

modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst

case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

g:TX mode (Band 2C)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst

case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

h:TX mode (Band 3)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.



Ubless otherwise agreed in writing, this document is lasted by the Company subject to its General Conditions of Service printed deverted, available or request or accessible at http://www.sgs.com/en/Terms-and-Conditions and an observation of substitutions and the company and conditions and conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/forms-Documents.ags/
Attention is drewn to the illustration of illustration of illustration and universitied as a sense defined therein. Any holder of this document is advised that information cantained nervon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any, The Company's sole responsibility is of its Client and this document does not exceed parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced accept in fail, without prior written approval of the Company, Any unauthorized alteration, longery or fall-fileation of the content of appearance of this document cannot be reproduced accept in fail, without prior written approval of the Company, Any unauthorized alteration, longery or fall-fileation of the content of appearance of this document cannot be reproduced accept in fail, without prior written approval of the Company, Any unauthorized alteration, longery or fall-fileation of the content of appearance of this document cannot be reproduced accept in fail, whence prior the instruction of the fails unless otherwise stated the results shown in this test report cefer only to the sampler(s) tested and such samples(s) are returned for 20 days only.


NO.556 West Jindu Road Songliang District Shanghal China 201612 中国・上海・松江区全都西路588号 銀編 201812 ((16-21) 6/915666 (166-2/)61515676 www.sgsgroup.com.cn (16-21) 6/915666 (166-2/)61915676 e.ags.china(Baos.com





Page: 18 of 252

7.2.2 Test Setup Diagram



Ground Reference Plane

7.2.3 Measurement Procedure and Data

The detailed test data see: Appendix D for SHEM210600581204



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.

NO.568 West Jindu Road Songjiang District Shanghai China 201612 中国・上海・松江区全昌西路588号 錦崎 201812



Report No.: SHEM210600581204

Page: 19 of 252

7.3 26dB Emission bandwidth

Test Requirement 47 CFR Part 15, Subpart C 15.407 (a)

Test Method: KDB 789033 D02 II C 1

7.3.1 E.U.T. Operation

Operating Environment:

Temperature: 22 °C Humidity: 50 % RH Atmospheric Pressure: 1020 mbar

Test mode: e:TX mode (Band 1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and

found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

f:TX mode (Band 2A)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

g:TX mode (Band 2C)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

h:TX mode (Band 3)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is lasted by the Company subject to its General Conditions of Service printe overlast, available on request a accessible at http://www.sgs.com/en/Terms-and-Conditions and to decironic formed occuments at http://www.ags.com/en/Terms-and-Conditions for Electronic formed occuments at http://www.ags.com/en/Terms-and-Conditions/formes-Documents-apy Attention is a drewn to the illustration of itsoluting, incommission and univalidation issues defined therein. Any holder of this document adversed that information contained hereon reflects the Company's printings at the time of its intervention bally and within the limits occilients instructions. If any. The Company's sole responsibility is of its client after the decironic document does not expensive parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior writers approval of the Company. Any unauthorized alteration, torgety or falsification of the containt appearance of this document is unlawful and difference may be prosecuted to the fulliast action of the containt of special containts are of this document to unlawful and difference may be prosecuted to the fulliast action of the containt of the law. Unlass otherwise stated the executed for the document is unlawful and difference may be prosecuted to the fulliast action of the containt of the law. Unlass otherwise stated the executed for the document is unlawful and difference may be prosecuted to the fulliast action of the containts.


NO.556 West Jindu Road Songliang District Shanghal China 201612 中国・上海・松江区全都西路588号 銀編 201812 ((16-21) (1915)(v) (166-21)(1915)(v) www.sg.ggroup.com.cn ((16-21) (1915)(v) (168-21)(1915)(v) e ags.china@sgs.com





Page: 20 of 252

7.3.2 Test Setup Diagram



Ground Reference Plane

7.3.3 Measurement Procedure and Data

The detailed test data see: Appendix D for SHEM210600581204



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.

NO.568 West Jindu Road Songjiang District Shanghai China 201612 中国・上海・松江区全昌西路588号 錦崎 201812



Report No.: SHEM210600581204

Page: 21 of 252

7.4 Minimum 6 dB bandwidth (5.725-5.85 GHz band)

Test Requirement 47 CFR Part 15, Subpart C 15.407 (e)

Test Method: KDB 789033 D02 II C 2

Limit: ≥500 kHz

7.4.1 E.U.T. Operation

Operating Environment:

Temperature: 22 °C Humidity: 50 % RH Atmospheric Pressure: 1001 mbar

Test mode

e:TX mode (Band 1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

f:TX mode (Band 2A)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

g:TX mode (Band 2C)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

h:TX mode (Band 3)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is lasted by the Company subject to its General Conditions of Service printe overlast, available on request a accessible at http://www.sgs.com/en/Terms-and-Conditions and to decironic formed occuments at http://www.ags.com/en/Terms-and-Conditions for Electronic formed occuments at http://www.ags.com/en/Terms-and-Conditions/formes-Documents-apy Attention is a drewn to the illustration of itsoluting, incommission and univalidation issues defined therein. Any holder of this document adversed that information contained hereon reflects the Company's printings at the time of its intervention bally and within the limits occilients instructions. If any. The Company's sole responsibility is of its client after the decironic document does not expensive parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior writers approval of the Company. Any unauthorized alteration, torgety or falsification of the containt appearance of this document is unlawful and difference may be prosecuted to the fulliast action of the containt of special containts are of this document to unlawful and difference may be prosecuted to the fulliast action of the containt of the law. Unlass otherwise stated the executed for the document is unlawful and difference may be prosecuted to the fulliast action of the containt of the law. Unlass otherwise stated the executed for the document is unlawful and difference may be prosecuted to the fulliast action of the containts.


NO.566 West Jindu Road Songjiang District Shanghai China 201612 中国・上海・松江区全典西路588号 朗第 201812 ((6-21) 6/915666 (66-2) 61515676 www.sgsgroup.com.cn (16-21) 6/915666 (66-2) 61515676 e.gs.china@sos.com





Page: 22 of 252

7.4.2 Test Setup Diagram



Ground Reference Plane

7.4.3 Measurement Procedure and Data

The detailed test data see: Appendix D for SHEM210600581204



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.

NO.568 West Jindu Road Songjiang District Shanghai China 201612 中国・上海・松江区全昌西路588号 錦崎 201812



Report No.: SHEM210600581204

Page: 23 of 252

7.5 Maximum Conducted output power

Test Requirement 47 CFR Part 15, Subpart C 15.407 (a)

Test Method: KDB 789033 D02 II E

Limit:

Frequenc	y band(MHz)	Limit					
F150 F	2250	≤1W(30dBm) for master device					
5150-5	0200	≤250mW(24dBm) for client device					
5250-5	350	≤250mW(24dBm) for client device or 11dBm+10logB*					
5470-5	5725	≤250mW(24dBm) for client device or 11dBm+10logB*					
5725-5	850	≤1W(30dBm)					
Remark:	* Where B is th	ne 26dB emission bandwidth in MHz.					
		n conducted output power must be measured over any interval of insmission using instrumentation calibrated in terms of an rms-equivalent					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request is accessible at http://www.sis.com/en/Terms-and-Conditions.angs-and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.asgs.
Attention, is offered to the timutation of Habitity, indemotification and jurisdiction jurisdiction therein. Any holder of the document advised that information cantained hereon reflects the Company's Engines at the time of its intervention only and within the times of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not experience parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Lompany. Any unauthorized alteration, torgety or fatelification of the content or appearance of this inforcement is unlawful and offunders may be prosecuted to the force of the law Unless otherwise stated the results shown in this test report cefer only to the sampler () tested and such sample(s) are returned for 30 days only.

NO.558 West Jindu Road Songjiang District Shanghal China 201612 中国・上海・松江区全都西路588号 朗编 201812



Report No.: SHEM210600581204

Page: 24 of 252

7.5.1 E.U.T. Operation

Operating Environment:

Temperature: 22 °C Humidity: 50 % RH Atmospheric Pressure: 1001 mbar

Test mode:

e:TX mode (Band 1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

f:TX mode (Band 2A)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

g:TX mode (Band 2C)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

h:TX mode (Band 3)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Cood-lions of Service printed overheat, available on request a accessible at http://www.sup.com/en/Terms-and-Conditions angle and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/forms-document-aspx. Attention is a drewn to the limitation of itability, indemofication and jurisdiction issues defined therein. Any holder of this document satisfaction is a dream to the limitation of itability documents advised that information control of companys as led responsibility is to its Client and this document does not exceed parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writing approval of the Company. Any unauthorized alterated, forgery or alterfaction of the contant or appearance of this document is unlawful and diffundate may be prosecuted to the fullest extend of the law. Unlaws otherwise shall the expect of this document cannot cell only to the sample (a) tested and such sample(a) are returned for 30 days only.


NO.568 West Indu Road Songliang District Shangha China 201612 中国・上海・松江区全昌西路588号 館論 201812 (16-21) 61915666 1(86-21)61515676 www.sgsgroup.com.cn (16-21) 61915666 1(86-21)61915676 e.ags.china@sps.com





Page: 25 of 252

7.5.2 Test Setup Diagram



Ground Reference Plane

7.5.3 Measurement Procedure and Data

The detailed test data see: Appendix D for SHEM210600581204



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.

NO.568 West Jindu Road Songjiang District Shangha. China 201612 中国・上海・松江区全昌西路588号 館論 201812



Report No.: SHEM210600581204

Page: 26 of 252

7.6 Peak Power spectrum density

Test Requirement 47 CFR Part 15, Subpart C 15.407 (a)

Test Method: KDB 789033 D02 II F

Limit:

Frequenc	y band(MHz)	Limit					
E1E0 E	250	≤17dBm in 1MHz for master device					
5150-5	250	≤11dBm in 1MHz for client device					
5250-5	350	≤11dBm in 1MHz for client device					
5470-5	725	≤11dBm in 1MHz for client device ≤30dBm in 500 kHz					
5725-5	850						
Remark:		power spectral density is measured as a conducted emission by direct a calibrated test instrument to the equipment under test.					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request is accessible at http://www.sis.com/en/Terms-and-Conditions.angs-and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.asgs.
Attention, is offered to the timutation of Habitity, indemotification and jurisdiction jurisdiction therein. Any holder of the document advised that information cantained hereon reflects the Company's Engines at the time of its intervention only and within the times of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not experience parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Lompany. Any unauthorized alteration, torgety or fatelification of the content or appearance of this inforcement is unlawful and offunders may be prosecuted to the force of the law Unless otherwise stated the results shown in this test report cefer only to the sampler () tested and such sample(s) are returned for 30 days only.

NO.568 West Jindu Road Songjiang District Shangha. China 201612 中国・上海・松江区全昌西路588号 館論 201812 1(16-21) 8/1915/666 1(36-2) 9/1515/676 www.sgsgroup.com.cn 1/16-21) 8/1915/666 1/36-2) 9/1915/676 e.ags.ch/na@sgs.com



Report No.: SHEM210600581204

Page: 27 of 252

7.6.1 E.U.T. Operation

Operating Environment:

Temperature: 22 °C Humidity: 50 % RH Atmospheric Pressure: 1001 mbar

Test mode: e:TX mode (Band 1)_Keep the EUT in continuously transmitting mode with all

modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst

case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

f:TX mode (Band 2A)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

g:TX mode (Band 2C)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

h:TX mode (Band 3)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overhalf, available on request is accessible at http://www.sig.com/en/Terms-and-Conditions and for electronic format documents at http://www.ags.com/en/Terms-and-Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions-and-Conditions-and-Condition


NO.558 West Indu Road Songlising District Shanghal China 201612 中国・上海・松江区全昌西路588号 錦崎 201812 ((6-21) 61915666 (66-21)61915676 www.sgsgraup.com.cn (16-21) 61915666 (66-21)61915676 e.gs.china@sps.com





Page: 28 of 252

7.6.2 Test Setup Diagram



Ground Reference Plane

7.6.3 Measurement Procedure and Data

The detailed test data see: Appendix D for SHEM210600581204



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.

NO.568 West Jindu Road Songjiang District Shangha. China 201612 中国・上海・松江区全昌西路588号 館論 201812



Report No.: SHEM210600581204

Page: 29 of 252

7.7 Radiated Emissions

Test Requirement 47 CFR Part 15, Subpart C 15.209 & 15.407(b)

Test Method: KDB 789033 D02 II G

Limit:

Limit:

For transmitters operating in the 5.15-5.25 GHz band:

For transmitters operating in the 5.25-5.35 GHz band:

For transmitters operating in the 5.47-5.725 GHz band:

For transmitters operating in the 5.725-5.85 GHz band:

All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz (68.2dBuV/m).

All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz (68.2dBuV/m).

All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz (68.2dBuV/m).

(i) All emissions shall be limited to a level of −27 dBm/MHz (68.2dBuV/m) at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz (105.2dBuV/m) at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz (110.8dBuV/m) at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz (122.2dBuV/m) at the band edge.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Cooditions of Service printed overheat, available on request a accessible at http://www.sig.com/en/Terms-and-Conditions angle and, for electronic formed documents, subject to Terms and Conditions for Electronic Documents at http://www.sig.com/en/Terms-and-Conditions/Terms-a-Documents.asp/. Attention is a drewn to the limitation of itability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information controlled hereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not expensible parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writing approval of the Company, and unauthorized alteriation, forgets or alterfication of the contant or appearance of this document is unlawful and difference may be prosecuted to the full statent of the law. Unless otherwise stated the expensive of this document cannot be the sample (s) feeted and such sample(s) are returned to 30 days only.

NO.566 West Jindu Road Songjiang District Shanghal China 201612 中国・上海・松江区全昌西路588号 館場 201812 ((16-21) 8/915896 1/86-2/)61515876 www.sgsgroup.com.cn t/(16-21) 8/915896 1/86-2/)61915878 e.gs.ch/(na@sgs.com



Report No.: SHEM210600581204

Page: 30 of 252

7.7.1 E.U.T. Operation

Operating Environment:

Temperature: 22 °C Humidity: 50 % RH Atmospheric Pressure: 1001 mbar

Test mode:

e:TX mode (Band 1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

f:TX mode (Band 2A)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

g:TX mode (Band 2C)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

h:TX mode (Band 3)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overhalf, available on request is accessible at http://www.sig.com/en/Terms-and-Conditions and for electronic format documents at http://www.ags.com/en/Terms-and-Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions-and-Conditions-and-Condition


NO.558 West Indu Road Songlising District Shanghal China 201612 中国・上海・松江区全昌西路588号 錦崎 201812 ((6-21) 6/915666 (66-2) 61515676 www.sgsgraup.com.cn (16-21) 6/915666 (66-2) 6/1515676 e.gs.china@sos.com







Page: 31 of 252

7.7.2 Test Setup Diagram









Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request is accessible at http://www.sis.com/en/Terms-and-Conditions.angs-and, for electronic formet documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Documents.ags. Attention, is offered to the timeterion of liability, indemotification and jurisdiction issues defined therein. Any holder of the document is advised that information cantained hereon reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any. The Company's sole responsibility is to its Client and this document desired on the exercise of the intervention from exercising all their rights and ubligations under the transaction documents. This document cannot be reproduced except in full, without prior writing approval of the Company. Any unauthorized alteration, longery or falsification of the contact or appearance of this information insight and offenders may be prosecuted to the full fulliast settent of the law Unless otherwise stand the results shown in this test report cefer only to the sampler () tested and such samples(s) are returned for 30 days only.

NO.558 West Jindu Road.Songjiang District.Shangha. China 201612 中国・上海・松江区全都西路588号 館鎮 201812 (16-21) 6/915096 1/96-2/)6/1915676 www.sg.ggraup.com.cn (16-21) 6/915096 1/96-21/6/1915672 e.ags.china@ags.com



Report No.: SHEM210600581204

Page: 32 of 252

7.7.3 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a 10mm insulating material above the horizontal ground reference plane at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.

Remark:

- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. For emission below 1GHz, through the pre-scan found the worst case is the lowest channel of 802.11a. Only the worst case is recorded in the report.
- 3. Scan from 9kHz to 40GHz, the disturbance above 24GHz and below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 4. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.




Ubless otherwise agreed in writing, this document is lasted by the Company subject to its General Conditions of Service printed deverted, available or request or accessible at http://www.sgs.com/en/Terms-and-Conditions and an observation of substitutions and the company and conditions and conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/forms-Documents.ags/
Attention is drewn to the illustration of illustration of illustration and universitied as a sense defined therein. Any holder of this document is advised that information cantained nervon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any, The Company's sole responsibility is of its Client and this document does not exceed parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced accept in fail, without prior written approval of the Company, Any unauthorized alteration, longery or fall-fileation of the content of appearance of this document cannot be reproduced accept in fail, without prior written approval of the Company, Any unauthorized alteration, longery or fall-fileation of the content of appearance of this document cannot be reproduced accept in fail, without prior written approval of the Company, Any unauthorized alteration, longery or fall-fileation of the content of appearance of this document cannot be reproduced accept in fail, whence prior the instruction of the fails unless otherwise stated the results shown in this test report cefer only to the sampler(s) tested and such samples(s) are returned for 20 days only.





Page: 33 of 252

Below 1GHz



Antenna Polarity :HORIZONTAL EUT/Project :5812CR

	F		Antenna						Dl-
	Freq	rever	Factor	LOSS	ractor	rever	Line	Limit	Kemark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	49.533	47.94	13.68	1.00	32.06	30.56	40.00	-9.44	QP
2	74.657	46.49	10.52	1.26	30.79	27.48	40.00	-12.52	QP
3	148.441	46.65	12.84	1.85	31.42	29.92	43.50	-13.58	QP
4	213.763	50.45	9.73	2.33	31.23	31.28	43.50	-12.22	QP
5	396.242	44.50	15.42	3.12	30.99	32.05	46.00	-13.95	QP
6	785.093	40.97	22.24	4.46	32.44	35.23	46.00	-10.77	OP

Note:Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request a accessible at hith flower size, comfent Terms-and-Conditions rugges and, for electronic format occuments, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/forms-and-Conditions/forms-a-Document.aspr.
Attention is drewn to the ilmitation of liability, indemolification and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in fail, without prior writers approval of the Company. Any unsultanized alteration, longery or falsification of the content or appearance of this document cannot be reproduced ascept in fail, without prior writers approval of the Lompany. Any unsultanized alteration, longery or falsification of the content or appearance of this document cannot be reproduced ascept in fail, without prior writers approval of the Lompany. Any unsultanized alteration, longery or falsification of the content or appearance of this document for 20 days only.

NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812 (16-21) 8/915896 1,96-2/) 8/19/1976 www.sg.ggraup.com.cn (16-21) 8/915896 1/96-21/8/19/1975 e ags.ch/ma@ags.com





Page: 34 of 252



Antenna Polarity :VERTICAL EUT/Project :5812CR

	Freq		Antenna Factor						Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	46.178	53.57	13.55	0.96	32.11	35.97	40.00	-4.03	QP
2	50.232	52.32	13.69	1.01	32.04	34.98	40.00	-5.02	QP
3	57.796	48.01	13.23	1.09	31.73	30.60	40.00	-9.40	QP
4	71.080	53.18	11.44	1.23	31.38	34.47	40.00	-5.53	QP
5	133.151	44.66	12.03	1.75	31.69	26.75	43.50	-16.75	QP
6	356.676	39.96	14.48	3.01	31.12	26.33	46.00	-19.67	QP

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request a accessible at http://www.ass.com/km/Terms-and-Conditions angle and for electronic format documents, subject to Terms and Conditions for Electronic Terms and Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/Terms-and-Conditions/Terms-a-Document.aspx-Attention is drawn to the imitation of liability, incernation and quitediction issues defined therein. Any holder of this document is advised that information and acroin reflects the Company's findings at the first of its Intervention body and within the imma of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exceed the parties to a transaction from exercising all their rights and obligations under the transaction from exercising all their rights and obligations under the transaction occurrents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized electronic, longery or talcification of the contant or appearance of this document cannot naive and divenders may be prosecuted to the full rights attend of the law Unless otherwise stated the results shown in this test report teefer only to the sample(e) lested and such sample(e) are returned for 20 days only.

NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812






Page: 35 of 252

Above 1GHz

Mode:e; Polarization:Horizontal; Modulation:a; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10360.00	41.44	34.93	6.53	34.40	48.50	68.20	-19.70	Peak
15540.00	41.06	37.43	9.99	36.78	51.70	54.00	-2.30	Peak
20720.00	33.64	43.41	11.90	36.05	52.90	54.00	-1.10	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Jindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西路588号 館場)201812





Page: 36 of 252

Mode:e; Polarization:Vertical; Modulation:a; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10360.00	39.64	34.93	6.53	34.40	46.70	68.20	-21.50	Peak
15540.00	38.16	37.43	9.99	36.78	48.80	54.00	-5.20	Peak
20720.00	32.34	43.41	11.90	36.05	51.60	54.00	-2.40	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated across reflects the Company's Endings at the time of its intervention only and within the immated Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this focument is unless the reproduced and accept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this focument is unless the reproduced ascept in full, without prior writers approved of the company. Any unautionized alterates, longery or falsification of the content or appearance of this focument for 20 days only.


NO.558 West Jindu Roud Songjiang District Shanghal China 201612 中国・上海・松江区全都西路588号 館場 201812 1(16-21) 8/915666 1(36-2) 8/1515676 www.sgsgroup.com.cn 1/16-21) 8/915666 1/36-21/8/1915676 e.ags.ch/na@sgs.com





Report No.: SHEM210600581204 Page: 37 of 252

Mode:e; Polarization:Horizontal; Modulation:a; bandwidth:20MHz; Channel:middle



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10440.00	40.78	34.92	6.56	34.46	47.80	68.20	-20.40	Peak
15660.00	39.21	37.51	10.11	36.63	50.20	54.00	-3.80	Peak
20880.00	31.90	43.48	11.97	36.05	51.30	54.00	-2.70	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be prosecuted to the file of the law Unless otherwise stated the results shown in this test report refer only to the sampler () tested and such sample(s) are returned for 30 days only.


NO.558 West Jindu Roud Songjiang District Shanghal China 201612 中国・上海・松江区全都西路588号 館場 201812 1(16-21) 61915066 1(36-2) 61913676 www.sg.grgsup.com.cn 1(16-21) 61915066 1(36-2) 61915672 e ags.china@ags.com





Page: 38 of 252

Mode:e; Polarization:Vertical; Modulation:a; bandwidth:20MHz; Channel:middle



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10440.00	41.28	34.92	6.56	34.46	48.30	68.20	-19.90	Peak
15660.00	39.51	37.51	10.11	36.63	50.50	54.00	-3.50	Peak
20880.00	32.70	43.48	11.97	36.05	52.10	54.00	-1.90	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812 1(16-21) 61915066 1(36-2) 61915676 www.sg.sgrsup.com.cn 1(16-21) 61915666 1(36-2) 61915672 e ags.china@ags.com





Page: 39 of 252

Mode:e; Polarization:Horizontal; Modulation:a; bandwidth:20MHz; Channel:High



Antenna Polarity : HORIZONTAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10480.00	41.45	34.95	6.58	34.48	48.50	68.20	-19.70	Peak
15720.00	39.04	37.54	9.80	36.58	49.80	54.00	-4.20	Peak
20960.00	32.84	43.52	12.00	36.06	52.30	54.00	-1.70	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be prosecuted to the file of the law Unless otherwise stated the results shown in this test report refer only to the sampler () tested and such sample(s) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812 1(16-21) 61915066 1(36-2) 61915676 www.sg.sgrsup.com.cn 1(16-21) 61915666 1(36-2) 61915672 e ags.china@ags.com





Page: 40 of 252

Mode:e; Polarization:Vertical; Modulation:a; bandwidth:20MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10480.00	41.15	34.95	6.58	34.48	48.20	68.20	-20.00	Peak
15720.00	39.04	37.54	9.80	36.58	49.80	54.00	-4.20	Peak
20960.00	32.94	43.52	12.00	36.06	52.40	54.00	-1.60	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 41 of 252

Mode:e; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10360.00	40.54	34.93	6.53	34.40	47.60	68.20	-20.60	Peak
15540.00	38.96	37.43	9.99	36.78	49.60	54.00	-4.40	Peak
20720.00	32.64	43.41	11.90	36.05	51.90	54.00	-2.10	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 42 of 252

Mode:e; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10360.00	41.74	34.93	6.53	34.40	48.80	68.20	-19.40	Peak
15540.00	40.06	37.43	9.99	36.78	50.70	54.00	-3.30	Peak
20720.00	33.64	43.41	11.90	36.05	52.90	54.00	-1.10	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 43 of 252

Mode:e; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:middle



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10440.00	42.88	34.92	6.56	34.46	49.90	68.20	-18.30	Peak
15660.00	39.81	37.51	10.11	36.63	50.80	54.00	-3.20	Peak
20880.00	31.90	43.48	11.97	36.05	51.30	54.00	-2.70	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 44 of 252

Mode:e; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:middle



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10440.00	40.88	34.92	6.56	34.46	47.90	68.20	-20.30	Peak
15660.00	39.21	37.51	10.11	36.63	50.20	54.00	-3.80	Peak
20880.00	32.70	43.48	11.97	36.05	52.10	54.00	-1.90	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812 ((16-21) ((1915)66) ((66-2))((1915)76) www.sgsgraup.com.cn ((16-21) ((1915)66) ((66-2))((1915)77) e ags.china@sgs.com





Page: 45 of 252





Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10480.00								Peak
15720.00	39.84	37.54	9.80	36.58	50.60	54.00	-3.40	Peak
20960.00	33.34	43.52	12.00	36.06	52.80	54.00	-1.20	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 46 of 252

Mode:e; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10480.00	41.45	34.95	6.58	34.48	48.50	68.20	-19.70	Peak
15720.00	39.34	37.54	9.80	36.58	50.10	54.00	-3.90	Peak
20960.00	33.24	43.52	12.00	36.06	52.70	54.00	-1.30	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 47 of 252

Mode:e; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10380.00	42.54	34.93	6.53	34.40	49.60	68.20	-18.60	Peak
15570.00	40.05	37.45	10.03	36.73	50.80	54.00	-3.20	Peak
20760.00	32.44	43.41	11.90	36.05	51.70	54.00	-2.30	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 48 of 252

Mode:e; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:Low



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10380.00	42.44	34.93	6.53	34.40	49.50	68.20	-18.70	Peak
15570.00	40.55	37.45	10.03	36.73	51.30	54.00	-2.70	Peak
20760.00	33.64	43.41	11.90	36.05	52.90	54.00	-1.10	Peak
10380.00 15570.00	42.44 40.55	34.93 37.45	6.53 10.03	34.40 36.73	49.50 51.30	68.20 54.00	-18.70 -2.70	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be prosecuted to the file of the law Unless otherwise stated the results shown in this test report refer only to the sampler () tested and such sample(s) are returned for 30 days only.


NO.568 West Jindu Road Songjiang District Shanghai China 201612 中国・上海・松江区全昌西路588号 錦崎 201812 ((16-21) (1915)(6) (36-2) ((1915)(7) www.agagroup.com.cn ((16-21) (1915)(6) ((86-21)(1915)(7) eags.china@ags.com





Page: 49 of 252

Mode:e; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10460.00	41.25	34.95	6.58	34.48	48.30	68.20	-19.90	Peak
15690.00	39.71	37.51	10.11	36.63	50.70	54.00	-3.30	Peak
20920.00	32.34	43.52	12.00	36.06	51.80	54.00	-2.20	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 50 of 252

Mode:e; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10460.00	41.75	34.95	6.58	34.48	48.80	68.20	-19.40	Peak
15690.00	40.21	37.51	10.11	36.63	51.20	54.00	-2.80	Peak
20920.00	33.24	43.52	12.00	36.06	52.70	54.00	-1.30	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 51 of 252

Mode:e; Polarization:Horizontal; Modulation:c; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10360.00	41.74	34.93	6.53	34.40	48.80	68.20	-19.40	Peak
15540.00	40.16	37.43	9.99	36.78	50.80	54.00	-3.20	Peak
20720.00	32.94	43.41	11.90	36.05	52.20	54.00	-1.80	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 52 of 252

Mode:e; Polarization:Vertical; Modulation:c; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10360.00	41.14	34.93	6.53	34.40	48.20	68.20	-20.00	Peak
15540.00	39.06	37.43	9.99	36.78	49.70	54.00	-4.30	Peak
20720.00	31.54	43.41	11.90	36.05	50.80	54.00	-3.20	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.


NO.568 West Jindu Road Songjiang District Shangha. China 201612 中国・上海・松江区全昌西路588号 館論 201812 ((6-21)6/915666 (66-2)/61515676 www.sgsgroup.com.cn (16-21)6/915666 (66-2)/61915676 e.ags.china@sgs.com





Page: 53 of 252

Mode:e; Polarization:Horizontal; Modulation:c; bandwidth:20MHz; Channel:middle



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10440.00	40.58	34.92	6.56	34.46	47.60	68.20	-20.60	Peak
15660.00	38.31	37.51	10.11	36.63	49.30	54.00	-4.70	Peak
20880.00	30.80	43.48	11.97	36.05	50.20	54.00	-3.80	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 54 of 252

Mode:e; Polarization:Vertical; Modulation:c; bandwidth:20MHz; Channel:middle



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10440.00	39.78	34.92	6.56	34.46	46.80	68.20	-21.40	Peak
15660.00	37.81	37.51	10.11	36.63	48.80	54.00	-5.20	Peak
20880.00	32.50	43.48	11.97	36.05	51.90	54.00	-2.10	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.


NO.568 West Jindu Road Songjiang District Shanghai China 201612 中国・上海・松江区全昌西路588号 錦崎 201812 ((16-21) (1915)(6) (166-21)(1915)(7) www.sg.ggroup.com.cn ((16-21) (1915)(6) (166-21)(1915)(7) e.ggs.china@sgs.com





Page: 55 of 252

Mode:e; Polarization:Horizontal; Modulation:c; bandwidth:20MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
					dBuv/m			
10480.00	40.15	34.95	6.58	34.48	47.20	68.20	-21.00	Peak
15720.00	38.84	37.54	9.80	36.58	49.60	54.00	-4.40	Peak
20960.00	32.34	43.52	12.00	36.06	51.80	54.00	-2.20	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 56 of 252

Mode:e; Polarization:Vertical; Modulation:c; bandwidth:20MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10480.00	40.55	34.95	6.58	34.48	47.60	68.20	-20.60	Peak
15720.00	39.04	37.54	9.80	36.58	49.80	54.00	-4.20	Peak
20960.00	32.34	43.52	12.00	36.06	51.80	54.00	-2.20	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 57 of 252

Mode:e; Polarization:Horizontal; Modulation:c; bandwidth:40MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10380.00	41.34	34.93	6.53	34.40	48.40	68.20	-19.80	Peak
15570.00	40.85	37.45	10.03	36.73	51.60	54.00	-2.40	Peak
20760.00	33.64	43.41	11.90	36.05	52.90	54.00	-1.10	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 58 of 252

Mode:e; Polarization:Vertical; Modulation:c; bandwidth:40MHz; Channel:Low



Antenna Polarity : VERTICAL

Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Level	Factor	Loss	Factor	Level	Line	Limit	Remark
dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
43.54	34.93	6.53	34.40	50.60	68.20	-17.60	Peak
39.75	37.45	10.03	36.73	50.50	54.00	-3.50	Peak
32.04	43.41	11.90	36.05	51.30	54.00	-2.70	Peak
	Level dBuv 43.54 39.75	Level Factor dBuv dB/m 43.54 34.93 39.75 37.45	Level Factor Loss dBuv dB/m dB 43.54 34.93 6.53 39.75 37.45 10.03	Level Factor Loss Factor dBuv dB/m dB dB 43.54 34.93 6.53 34.40 39.75 37.45 10.03 36.73	Level Factor Loss Factor Level dBuv dB/m dB dB dBuv/m 43.54 34.93 6.53 34.40 50.60 39.75 37.45 10.03 36.73 50.50	Level Factor Loss Factor Level Line dBuv dB/m dB dB dBuv/m dBuv/m 43.54 34.93 6.53 34.40 50.60 68.20 39.75 37.45 10.03 36.73 50.50 54.00	Read Antenna Cable Preamp Emission Limit Over Level Factor Loss Factor Level Line Limit dBuv dB/m dB dB dBuv/m dBuv/m dB 43.54 34.93 6.53 34.40 50.60 68.20 -17.60 39.75 37.45 10.03 36.73 50.50 54.00 -3.50 32.04 43.41 11.90 36.05 51.30 54.00 -2.70

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be prosecuted to the file of the law Unless otherwise stated the results shown in this test report refer only to the sampler () tested and such sample(s) are returned for 30 days only.


NO.568 West Jindu Road Songjiang District Shanghai China 201612 中国・上海・松江区全昌西路588号 錦崎 201812 ((16-21) (1915)(6) (36-2) ((1915)(7) www.agagroup.com.cn ((16-21) (1915)(6) ((86-21)(1915)(7) eags.china@ags.com





Page: 59 of 252

Mode:e; Polarization:Horizontal; Modulation:c; bandwidth:40MHz; Channel:High



Antenna Polarity : HORIZONTAL

Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Level	Factor	Loss	Factor	Level	Line	Limit	Remark
dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
42.55	34.95	6.58	34.48	49.60	68.20	-18.60	Peak
40.71	37.51	10.11	36.63	51.70	54.00	-2.30	Peak
33.44	43.52	12.00	36.06	52.90	54.00	-1.10	Peak
	dBuv 42.55 40.71	Level Factor dBuv dB/m 42.55 34.95 40.71 37.51	Level Factor Loss dBuv dB/m dB 42.55 34.95 6.58 40.71 37.51 10.11	Level Factor Loss Factor dBuv dB/m dB dB 42.55 34.95 6.58 34.48 40.71 37.51 10.11 36.63	Level Factor Loss Factor Level dBuv dB/m dB dB dBuv/m 42.55 34.95 6.58 34.48 49.60 40.71 37.51 10.11 36.63 51.70	Level Factor Loss Factor Level Line dBuv dB/m dB dB dBuv/m dBuv/m 42.55 34.95 6.58 34.48 49.60 68.20 40.71 37.51 10.11 36.63 51.70 54.00	Read Antenna Cable Preamp Emission Limit Over Level Factor Loss Factor Level Line Limit dBuv dB/m dB dBuv/m dBuv/m dB 42.55 34.95 6.58 34.48 49.60 68.20 -18.60 40.71 37.51 10.11 36.63 51.70 54.00 -2.30 33.44 43.52 12.00 36.06 52.90 54.00 -1.10

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be prosecuted to the file of the law Unless otherwise stated the results shown in this test report refer only to the sampler () tested and such sample(s) are returned for 30 days only.





Page: 60 of 252

Mode:e; Polarization:Vertical; Modulation:c; bandwidth:40MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10460.00	41.85	34.95	6.58	34.48	48.90	68.20	-19.30	Peak
15690.00	38.81	37.51	10.11	36.63	49.80	54.00	-4.20	Peak
20920.00	32.04	43.52	12.00	36.06	51.50	54.00	-2.50	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.


ND.568 West Jindu Road Songliang District Shanghai China 201612 中国・上海・松江区全器西路588号 解論 201812 1(16-21) 61915066 1(36-2) 61915676 www.sg.sgrsup.com.cn 1(16-21) 61915666 1(36-2) 61915672 e ags.china@ags.com





Page: 61 of 252

Mode:e; Polarization:Horizontal; Modulation:c; bandwidth:80MHz; Channel:High



Antenna Polarity : HORIZONTAL

Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Level	Factor	Loss	Factor	Level	Line	Limit	Remark
dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
40.76	34.92	6.55	34.43	47.80	68.20	-20.40	Peak
38.73	37.48	10.07	36.68	49.60	54.00	-4.40	Peak
31.50	43.48	11.97	36.05	50.90	54.00	-3.10	Peak
	dBuv 40.76 38.73	Level Factor dBuv dB/m 40.76 34.92 38.73 37.48	Level Factor Loss dBuv dB/m dB 40.76 34.92 6.55 38.73 37.48 10.07	Level Factor Loss Factor dBuv dB/m dB dB 40.76 34.92 6.55 34.43 38.73 37.48 10.07 36.68	Level Factor Loss Factor Level dBuv dB/m dB dB dBuv/m 40.76 34.92 6.55 34.43 47.80 38.73 37.48 10.07 36.68 49.60	Level Factor Loss Factor Level Line dBuv dB/m dB dB dBuv/m dBuv/m 40.76 34.92 6.55 34.43 47.80 68.20 38.73 37.48 10.07 36.68 49.60 54.00	Read Antenna Cable Preamp Emission Limit Over Level Factor Loss Factor Level Line Limit dBuv dB/m dB dBuv/m dBuv/m dB 40.76 34.92 6.55 34.43 47.80 68.20 -20.40 38.73 37.48 10.07 36.68 49.60 54.00 -4.40 31.50 43.48 11.97 36.05 50.90 54.00 -3.10

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be prosecuted to the file of the law Unless otherwise stated the results shown in this test report refer only to the sampler () tested and such sample(s) are returned for 30 days only.





Page: 62 of 252

Mode:e; Polarization:Vertical; Modulation:c; bandwidth:80MHz; Channel:High



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10420.00	40.76	34.92	6.55	34.43	47.80	68.20	-20.40	Peak
15630.00	40.03	37.48	10.07	36.68	50.90	54.00	-3.10	Peak
20840.00	32.80	43.48	11.97	36.05	52.20	54.00	-1.80	Peak
15630.00	40.03	37.48	10.07	36.68	50.90	54.00	-3.10	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be prosecuted to the file of the law Unless otherwise stated the results shown in this test report refer only to the sampler () tested and such sample(s) are returned for 30 days only.





Report No.: SHEM210600581204 Page: 63 of 252

Mode:f; Polarization:Horizontal; Modulation:a; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10520.00	40.53	34.98	6.60	34.51	47.60	68.20	-20.60	Peak
15780.00	38.81	37.56	9.48	36.55	49.30	54.00	-4.70	Peak
21040.00	32.31	43.58	12.07	36.06	51.90	54.00	-2.10	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 64 of 252

Mode:f; Polarization:Vertical; Modulation:a; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10520.00	42.23	34.98	6.60	34.51	49.30	68.20	-18.90	Peak
15780.00	39.81	37.56	9.48	36.55	50.30	54.00	-3.70	Peak
21040.00	31.71	43.58	12.07	36.06	51.30	54.00	-2.70	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.


NO.568 West Jindu Road Songliang District Shanghai China 201612 中国・上海・松江区全縣西路588号 館場 201812 ((16-21) (1915)(6) (166-2) (61915)(7) www.sgsgraup.com.cn (186-21) (1915)(6) (168-21)(1915)(7) e ags.china@sgs.com





Report No.: SHEM210600581204 Page: 65 of 252

Mode:f; Polarization:Horizontal; Modulation:a; bandwidth:20MHz; Channel:middle



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10560.00	41.58	35.04	6.64	34.56	48.70	68.20	-19.50	Peak
15840.00	40.64	37.61	9.16	36.51	50.90	54.00	-3.10	Peak
21120.00	32.54	43.62	12.11	36.07	52.20	54.00	-1.80	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 66 of 252

Mode:f; Polarization:Vertical; Modulation:a; bandwidth:20MHz; Channel:middle



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10560.00	41.38	35.04	6.64	34.56	48.50	68.20	-19.70	Peak
15840.00	39.84	37.61	9.16	36.51	50.10	54.00	-3.90	Peak
21120.00	31.94	43.62	12.11	36.07	51.60	54.00	-2.40	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 67 of 252

Mode:f; Polarization:Horizontal; Modulation:a; bandwidth:20MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10640.00	41.13	35.10	6.68	34.61	48.30	54.00	-5.70	Peak
15960.00	41.28	37.74	8.60	36.42	51.20	54.00	-2.80	Peak
21280.00	33.10	43.69	12.18	36.07	52.90	54.00	-1.10	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 68 of 252

Mode:f; Polarization:Vertical; Modulation:a; bandwidth:20MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10640.00	41.13	35.10	6.68	34.61	48.30	54.00	-5.70	Peak
15960.00	40.58	37.74	8.60	36.42	50.50	54.00	-3.50	Peak
21280.00	32.10	43.69	12.18	36.07	51.90	54.00	-2.10	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 69 of 252

Mode:f; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10520.00	42.33	34.98	6.60	34.51	49.40	68.20	-18.80	Peak
15780.00	40.31	37.56	9.48	36.55	50.80	54.00	-3.20	Peak
21040.00	32.61	43.58	12.07	36.06	52.20	54.00	-1.80	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 70 of 252

Mode:f; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10520.00	41.23	34.98	6.60	34.51	48.30	68.20	-19.90	Peak
15780.00	38.61	37.56	9.48	36.55	49.10	54.00	-4.90	Peak
21040.00	32.21	43.58	12.07	36.06	51.80	54.00	-2.20	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewer and such samples (a) are returned for 30 days only.





Page: 71 of 252

Mode:f; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:middle



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10560.00	41.08	35.04	6.64	34.56	48.20	68.20	-20.00	Peak
15840.00	40.04	37.61	9.16	36.51	50.30	54.00	-3.70	Peak
21120.00	32.14	43.62	12.11	36.07	51.80	54.00	-2.20	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor








Page: 72 of 252

Mode:f; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:middle



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10560.00	41.48	35.04	6.64	34.56	48.60	68.20	-19.60	Peak
15840.00	40.94	37.61	9.16	36.51	51.20	54.00	-2.80	Peak
21120.00	33.24	43.62	12.11	36.07	52.90	54.00	-1.10	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




NO.568 West Jindu Road Songjiang District Shanghai China 201612 中国・上海・松江区全昌西路588号 解論 201812 1(16-21) 61915066 1(36-2) 61915676 www.sg.sgrsup.com.cn 1(16-21) 61915666 1(36-2) 61915672 e ags.china@ags.com





Page: 73 of 252

Mode:f; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10640.00	40.33	35.10	6.68	34.61	47.50	54.00	-6.50	Peak
15960.00	40.28	37.74	8.60	36.42	50.20	54.00	-3.80	Peak
21280.00	32.10	43.69	12.18	36.07	51.90	54.00	-2.10	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.


NO.558 West Jindu Roud Songjiang District Shanghal China 201612 中国・上海・松江区全都西路588号 館場 201812 1(16-21) 8/915666 1(36-2) 8/1515676 www.sgsgroup.com.cn 1/16-21) 8/915666 1/36-21/8/1915676 e.ags.ch/na@sgs.com





Page: 74 of 252

Mode:f; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10640.00	40.43	35.10	6.68	34.61	47.60	54.00	-6.40	Peak
15960.00	39.78	37.74	8.60	36.42	49.70	54.00	-4.30	Peak
21280.00	32.10	43.69	12.18	36.07	51.90	54.00	-2.10	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 75 of 252

Mode:f; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10540.00	40.51	35.01	6.62	34.54	47.60	68.20	-20.60	Peak
15810.00	39.64	37.61	9.16	36.51	49.90	54.00	-4.10	Peak
21080.00	33.01	43.58	12.07	36.06	52.60	54.00	-1.40	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 76 of 252

Mode:f; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10540.00	41.21	35.01	6.62	34.54	48.30	68.20	-19.90	Peak
15810.00	39.84	37.61	9.16	36.51	50.10	54.00	-3.90	Peak
21080.00	32.71	43.58	12.07	36.06	52.30	54.00	-1.70	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 77 of 252

Mode:f; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10620.00	41.56	35.07	6.66	34.59	48.70	54.00	-5.30	Peak
15930.00	41.02	37.70	8.53	36.45	50.80	54.00	-3.20	Peak
21240.00	32.50	43.69	12.18	36.07	52.30	54.00	-1.70	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 78 of 252

Mode:f; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10620.00	41.46	35.07	6.66	34.59	48.60	54.00	-5.40	Peak
15930.00	40.42	37.70	8.53	36.45	50.20	54.00	-3.80	Peak
21240.00	32.10	43.69	12.18	36.07	51.90	54.00	-2.10	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.


NO.558 West Jindu Roud Songjiang District Shanghal China 201612 中国・上海・松江区全都西路588号 館場 201812 ((16-21) (1915)(6) (166-2) (61915)(7) www.sgsgraup.com.cn (18-21) (1915)(6) (168-2) (61915)(7) e ags.china@sgs.com





Page: 79 of 252

Mode:f; Polarization:Horizontal; Modulation:c; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10520.00	42.13	34.98	6.60	34.51	49.20	68.20	-19.00	Peak
15780.00	39.31	37.56	9.48	36.55	49.80	54.00	-4.20	Peak
21040.00	31.31	43.58	12.07	36.06	50.90	54.00	-3.10	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.


NO.568 West Jindu Road Songjiang District Shanghai China 201612 中国・上海・松江区全昌西路588号 解論 201812 1(16-21) 61915066 1(36-2) 61913676 www.sg.grgsup.com.cn 1(16-21) 61915066 1(36-2) 61915672 e ags.china@ags.com





Page: 80 of 252

Mode:f; Polarization:Vertical; Modulation:c; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10520.00	41.23	34.98	6.60	34.51	48.30	68.20	-19.90	Peak
15780.00	40.21	37.56	9.48	36.55	50.70	54.00	-3.30	Peak
21040.00	32.71	43.58	12.07	36.06	52.30	54.00	-1.70	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.


NO.568 West Jindu Road Songliang District Shanghai China 201612 中国・上海・松江区全縣西路588号 館場 201812 1(16-21) 8/1915866 1(86-2) 8/1915876 www.sgsgraup.com.cn 1/16-21) 8/1915866 1/86-21/8/1915876 e.ags.ch/na@sgs.com





Page: 81 of 252

Mode:f; Polarization:Horizontal; Modulation:c; bandwidth:20MHz; Channel:middle



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10560.00	41.98	35.04	6.64	34.56	49.10	68.20	-19.10	Peak
15840.00	40.54	37.61	9.16	36.51	50.80	54.00	-3.20	Peak
21120.00	32.94	43.62	12.11	36.07	52.60	54.00	-1.40	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.


NO.568 West Jindu Roud Songjiang District Shanghal China 201612 中国・上海・松江区全都西路588号 館場 201812 ((16-21) (1915)(6) (166-2) (61915)(7) www.sgsgraup.com.cn (18-21) (1915)(6) (168-2) (61915)(7) e ags.china@sgs.com





Page: 82 of 252

Mode:f; Polarization:Vertical; Modulation:c; bandwidth:20MHz; Channel:middle



Antenna Polarity : VERTICAL

Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Level	Factor	Loss	Factor	Level	Line	Limit	Remark
dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
42.48	35.04	6.64	34.56	49.60	68.20	-18.60	Peak
40.94	37.61	9.16	36.51	51.20	54.00	-2.80	Peak
33.04	43.62	12.11	36.07	52.70	54.00	-1.30	Peak
	dBuv 42.48 40.94	Level Factor dBuv dB/m 42.48 35.04 40.94 37.61	Level Factor Loss dBuv dB/m dB 42.48 35.04 6.64 40.94 37.61 9.16	Level Factor Loss Factor dBuv dB/m dB dB 42.48 35.04 6.64 34.56 40.94 37.61 9.16 36.51	Level Factor Loss Factor Level dBuv dB/m dB dB dBuv/m 42.48 35.04 6.64 34.56 49.60 40.94 37.61 9.16 36.51 51.20	Level Factor Loss Factor Level Line dBuv dB/m dB dB dBuv/m dBuv/m 42.48 35.04 6.64 34.56 49.60 68.20 40.94 37.61 9.16 36.51 51.20 54.00	Read Antenna Cable Preamp Emission Limit Over Level Factor Loss Factor Level Line Limit dBuv dB/m dB dBuv/m dBuv/m dB 42.48 35.04 6.64 34.56 49.60 68.20 -18.60 40.94 37.61 9.16 36.51 51.20 54.00 -2.80 33.04 43.62 12.11 36.07 52.70 54.00 -1.30

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 83 of 252

Mode:f; Polarization:Horizontal; Modulation:c; bandwidth:20MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10640.00	42.43	35.10	6.68	34.61	49.60	54.00	-4.40	Peak
15960.00	39.78	37.74	8.60	36.42	49.70	54.00	-4.30	Peak
21280.00	32.10	43.69	12.18	36.07	51.90	54.00	-2.10	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 84 of 252

Mode:f; Polarization:Vertical; Modulation:c; bandwidth:20MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10640.00	42.63	35.10	6.68	34.61	49.80	54.00	-4.20	Peak
15960.00	41.28	37.74	8.60	36.42	51.20	54.00	-2.80	Peak
21280.00	32.50	43.69	12.18	36.07	52.30	54.00	-1.70	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 85 of 252

Mode:f; Polarization:Horizontal; Modulation:c; bandwidth:40MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10540.00								Peak
15810.00	41.14	37.61	9.16	36.51	51.40	54.00	-2.60	Peak
21080.00	32.51	43.58	12.07	36.06	52.10	54.00	-1.90	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.


ND.568 West Jindu Road Songliang District Shanghai China 201612 中国・上海・松江区全器西路588号 解論 201812 ((6-21) ((915)66 (-66-2))((1515676 www.sgsgroup.com.on ((6-21) ((915)66 (-66-2))((1915678 e.gs.china@sgs.com





Page: 86 of 252

Mode:f; Polarization:Vertical; Modulation:c; bandwidth:40MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10540.00	42.41	35.01	6.62	34.54	49.50	68.20	-18.70	Peak
15810.00	40.44	37.61	9.16	36.51	50.70	54.00	-3.30	Peak
21080.00	32.31	43.58	12.07	36.06	51.90	54.00	-2.10	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.


ND.568 West Jindu Road Songliang District Shanghai China 201612 中国・上海・松江区全器西路588号 解論 201812 ((6-21) ((915)66 (-66-2))((1515676 www.sgsgroup.com.on ((6-21) ((915)66 (-66-2))((1915678 e.gs.china@sgs.com





Page: 87 of 252

Mode:f; Polarization:Horizontal; Modulation:c; bandwidth:40MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10620.00	41.66	35.07	6.66	34.59	48.80	54.00	-5.20	Peak
15930.00	40.92	37.70	8.53	36.45	50.70	54.00	-3.30	Peak
21240.00	32.70	43.69	12.18	36.07	52.50	54.00	-1.50	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 88 of 252

Mode:f; Polarization:Vertical; Modulation:c; bandwidth:40MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10620.00	41.06	35.07	6.66	34.59	48.20	54.00	-5.80	Peak
15930.00	41.22	37.70	8.53	36.45	51.00	54.00	-3.00	Peak
21240.00	33.00	43.69	12.18	36.07	52.80	54.00	-1.20	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 89 of 252

Mode:f; Polarization:Horizontal; Modulation:c; bandwidth:80MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10580.00	42.38	35.04	6.64	34.56	49.50	68.20	-18.70	Peak
15870.00	41.18	37.65	8.85	36.48	51.20	54.00	-2.80	Peak
21160.00	32.64	43.62	12.11	36.07	52.30	54.00	-1.70	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.


NO.568 West Jindu Road Songjiang District Shanghai China 201612 中国・上海・松江区全昌西路588号 解論 201812 1(6-21) 0(915)566 1(86-2) 0(1515676 www.sgsgroup.com.cn 1(6-21) 0(915066 1/86-2) 0(1915676 e.ags.china@sgs.com





Page: 90 of 252

Mode:f; Polarization:Vertical; Modulation:c; bandwidth:80MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
10580.00	42.48	35.04	6.64	34.56	49.60	68.20	-18.60	Peak
15870.00	40.18	37.65	8.85	36.48	50.20	54.00	-3.80	Peak
21160.00	31.54	43.62	12.11	36.07	51.20	54.00	-2.80	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 91 of 252

Mode:g; Polarization:Horizontal; Modulation:a; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11000.00	41.37	35.42	6.89	35.08	48.60	54.00	-5.40	Peak
16500.00	38.18	38.47	9.26	36.11	49.80	68.20	-18.40	Peak
22000.00	31.28	44.07	12.56	36.11	51.80	68.20	-16.40	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.


NO.568 West Jindu Road Songjiang District Shangha. China 201612 中国・上海・松江区全昌西路588号 館論 201812 ((16-21) ((1915)66) ((66-2))((1915)76) www.sgsgraup.com.cn ((16-21) ((1915)66) ((66-2))((1915)77) e ags.china@sgs.com





Page: 92 of 252

Mode:g; Polarization:Vertical; Modulation:a; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11000.00	42.57	35.42	6.89	35.08	49.80	54.00	-4.20	Peak
16500.00	40.08	38.47	9.26	36.11	51.70	68.20	-16.50	Peak
22000.00	31.38	44.07	12.56	36.11	51.90	68.20	-16.30	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 93 of 252

Mode:g; Polarization:Horizontal; Modulation:a; bandwidth:20MHz; Channel:middle



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11200.00	42.03	35.56	7.04	35.33	49.30	54.00	-4.70	Peak
16800.00	38.26	39.31	9.66	36.03	51.20	68.20	-17.00	Peak
22400.00	31.86	44.24	12.73	36.13	52.70	54.00	-1.30	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 94 of 252

Mode:g; Polarization:Vertical; Modulation:a; bandwidth:20MHz; Channel:middle



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11200.00	42.03	35.56	7.04	35.33	49.30	54.00	-4.70	Peak
16800.00	37.36	39.31	9.66	36.03	50.30	68.20	-17.90	Peak
22400.00	31.06	44.24	12.73	36.13	51.90	54.00	-2.10	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 95 of 252

Mode:g; Polarization:Horizontal; Modulation:a; bandwidth:20MHz; Channel:High



Antenna Polarity : HORIZONTAL

Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Level	Factor	Loss	Factor	Level	Line	Limit	Remark
dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
40.23	35.73	7.28	35.74	47.50	54.00	-6.50	Peak
34.72	40.12	9.99	36.03	48.80	68.20	-19.40	Peak
31.06	44.45	12.94	36.15	52.30	54.00	-1.70	Peak
	dBuv 40.23 34.72	Level Factor dBuv dB/m 40.23 35.73 34.72 40.12	Level Factor Loss dBuv dB/m dB 40.23 35.73 7.28 34.72 40.12 9.99	Level Factor Loss Factor dBuv dB/m dB dB 40.23 35.73 7.28 35.74 34.72 40.12 9.99 36.03	Level Factor Loss Factor Level dBuv dB/m dB dB dBuv/m 40.23 35.73 7.28 35.74 47.50 34.72 40.12 9.99 36.03 48.80	Level Factor Loss Factor Level Line dBuv dB/m dB dB dBuv/m dBuv/m 40.23 35.73 7.28 35.74 47.50 54.00 34.72 40.12 9.99 36.03 48.80 68.20	Read Antenna Cable Preamp Emission Limit Over Level Factor Loss Factor Level Line Limit dBuv dB/m dB dB uv/m dBuv/m dB uv/m dB 40.23 35.73 7.28 35.74 47.50 54.00 -6.50 34.72 40.12 9.99 36.03 48.80 68.20 -19.40 31.06 44.45 12.94 36.15 52.30 54.00 -1.70

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 96 of 252

Mode:g; Polarization:Vertical; Modulation:a; bandwidth:20MHz; Channel:High



Antenna Polarity : VERTICAL

Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Level	Factor	Loss	Factor	Level	Line	Limit	Remark
dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
41.08	35.73	7.28	35.74	48.35	54.00	-5.65	Peak
36.57	40.12	9.99	36.03	50.65	68.20	-17.55	Peak
31.55	44.45	12.94	36.15	52.79	54.00	-1.21	Peak
	dBuv 41.08 36.57	Level Factor dBuv dB/m 41.08 35.73 36.57 40.12	Level Factor Loss dBuv dB/m dB 41.08 35.73 7.28 36.57 40.12 9.99	Level Factor Loss Factor dBuv dB/m dB dB 41.08 35.73 7.28 35.74 36.57 40.12 9.99 36.03	Level Factor Loss Factor Level dBuv dB/m dB dB dBuv/m 41.08 35.73 7.28 35.74 48.35 36.57 40.12 9.99 36.03 50.65	Level Factor Loss Factor Level Line dBuv dB/m dB dB dBuv/m dBuv/m 41.08 35.73 7.28 35.74 48.35 54.00 36.57 40.12 9.99 36.03 50.65 68.20	Read Antenna Cable Preamp Emission Limit Over Level Factor Level Line Limit dBuv dB/m dB dBuv/m dBuv/m dBuv/m dB 41.08 35.73 7.28 35.74 48.35 54.00 -5.65 36.57 40.12 9.99 36.03 50.65 68.20 -17.55 31.55 44.45 12.94 36.15 52.79 54.00 -1.21

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 97 of 252

Mode:g; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Level	Factor	Loss	Factor	Level	Line	Limit	Remark
dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
41.00	35.42	6.89	35.08	48.23	54.00	-5.77	Peak
38.65	38.47	9.26	36.11	50.27	68.20	-17.93	Peak
32.13	44.07	12.56	36.11	52.65	68.20	-15.55	Peak
	dBuv 41.00 38.65	Level Factor dBuv dB/m 41.00 35.42 38.65 38.47	Level Factor Loss dBuv dB/m dB 41.00 35.42 6.89 38.65 38.47 9.26	Level Factor Loss Factor dBuv dB/m dB dB 41.00 35.42 6.89 35.08 38.65 38.47 9.26 36.11	Level Factor Loss Factor Level dBuv dB/m dB dB dBuv/m 41.00 35.42 6.89 35.08 48.23 38.65 38.47 9.26 36.11 50.27	Level Factor Loss Factor Level Line dBuv dB/m dB dB dBuv/m dBuv/m 41.00 35.42 6.89 35.08 48.23 54.00 38.65 38.47 9.26 36.11 50.27 68.20	Read Antenna Cable Preamp Emission Limit Over Level Factor Loss Factor Level Line Limit dBuv dB/m dB dBuv/m dBuv/m dB 41.00 35.42 6.89 35.08 48.23 54.00 -5.77 38.65 38.47 9.26 36.11 50.27 68.20 -17.93 32.13 44.07 12.56 36.11 52.65 68.20 -15.55

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 98 of 252

Mode:g; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11000.00	41.12	35.42	6.89	35.08	48.35	54.00	-5.65	Peak
16500.00	39.03	38.47	9.26	36.11	50.65	68.20	-17.55	Peak
22000.00	32.26	44.07	12.56	36.11	52.78	68.20	-15.42	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.


NO.568 West Jindu Road-Songjiang District Shangha. China 201612 中国・上海・松江区全昌西路588号 鄭錦 201812 1(16-21) 61915066 1(36-2) 61913676 www.sg.grgsup.com.cn 1(16-21) 61915066 1(36-2) 61915672 e ags.china@ags.com





Page: 99 of 252

Mode:g; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:middle



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11200.00	41.20	35.56	7.04	35.33	48.47	54.00	-5.53	Peak
16800.00	36.85	39.31	9.66	36.03	49.79	68.20	-18.41	Peak
22400.00	30.48	44.24	12.73	36.13	51.32	54.00	-2.68	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 100 of 252

Mode:g; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:middle



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11200.00	40.13	35.56	7.04	35.33	47.40	54.00	-6.60	Peak
16800.00	37.23	39.31	9.66	36.03	50.17	68.20	-18.03	Peak
22400.00	31.08	44.24	12.73	36.13	51.92	54.00	-2.08	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.


NO.568 West Jindu Road Songjiang District Shanghai China 201612 中国・上海・松江区全昌西路588号 解論 201812 1(16-21) 8/915666 1(36-2) 8/1515676 www.sgsgroup.com.cn 1/16-21) 8/915666 1/36-21/8/1915676 e.ags.ch/na@sgs.com





Page: 101 of 252

Mode:g; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11400.00	40.41	35.73	7.28	35.74	47.68	54.00	-6.32	Peak
17100.00	35.81	40.12	9.99	36.03	49.89	68.20	-18.31	Peak
22800.00	31.02	44.45	12.94	36.15	52.26	54.00	-1.74	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 102 of 252

Mode:g; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11400.00	41.02	35.73	7.28	35.74	48.29	54.00	-5.71	Peak
17100.00	36.11	40.12	9.99	36.03	50.19	68.20	-18.01	Peak
22800.00	31.08	44.45	12.94	36.15	52.32	54.00	-1.68	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 103 of 252

Mode:g; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11020.00	40.45	35.42	6.89	35.08	47.68	54.00	-6.32	Peak
16530.00	38.34	38.61	9.33	36.09	50.19	68.20	-18.01	Peak
22040.00	31.77	44.07	12.56	36.11	52.29	54.00	-1.71	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 104 of 252

Mode:g; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11020.00	40.39	35.42	6.89	35.08	47.62	54.00	-6.38	Peak
16530.00	38.44	38.61	9.33	36.09	50.29	68.20	-17.91	Peak
22040.00	31.74	44.07	12.56	36.11	52.26	54.00	-1.74	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 105 of 252

Mode:g; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:middle



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11180.00	41.35	35.56	7.04	35.33	48.62	54.00	-5.38	Peak
16770.00	37.58	39.15	9.59	36.03	50.29	68.20	-17.91	Peak
22360.00	30.91	44.24	12.73	36.13	51.75	54.00	-2.25	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 106 of 252

Mode:g; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:middle



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11180.00	39.38	35.56	7.04	35.33	46.65	54.00	-7.35	Peak
16770.00	36.11	39.15	9.59	36.03	48.82	68.20	-19.38	Peak
22360.00	30.43	44.24	12.73	36.13	51.27	54.00	-2.73	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewed and such samples (a) are returned for 30 days only.





Page: 107 of 252

Mode:g; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11340.00	40.38	35.67	7.20	35.60	47.65	54.00	-6.35	Peak
17010.00	36.21	39.96	9.92	36.03	50.06	68.20	-18.14	Peak
22680.00	31.26	44.38	12.87	36.14	52.37	54.00	-1.63	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewed and such samples (a) are returned for 30 days only.


NO.568 West Jindu Road-Songjiang District Shangha. China 201612 中国・上海・松江区全昌西路588号 鄭錦 201812 1(16-21) 61915066 1(36-2) 61913676 www.sg.grgsup.com.cn 1(16-21) 61915066 1(36-2) 61915672 e ags.china@ags.com





Page: 108 of 252

Mode:g; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:High



Antenna Polarity : VERTICAL

mark
eak
eak
eak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 109 of 252

Mode:g; Polarization:Horizontal; Modulation:c; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11000.00	40.42	35.42	6.89	35.08	47.65	54.00	-6.35	Peak
16500.00	37.34	38.47	9.26	36.11	48.96	68.20	-19.24	Peak
22000.00	31.46	44.07	12.56	36.11	51.98	68.20	-16.22	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 110 of 252

Mode:g; Polarization:Vertical; Modulation:c; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Level	Factor	Loss	Factor	Level	Line	Limit	Remark
dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
42.09	35.42	6.89	35.08	49.32	54.00	-4.68	Peak
39.63	38.47	9.26	36.11	51.25	68.20	-16.95	Peak
32.44	44.07	12.56	36.11	52.96	68.20	-15.24	Peak
	dBuv 42.09 39.63	Level Factor dBuv dB/m 42.09 35.42 39.63 38.47	Level Factor Loss dBuv dB/m dB 42.09 35.42 6.89 39.63 38.47 9.26	Level Factor Loss Factor dBuv dB/m dB dB 42.09 35.42 6.89 35.08 39.63 38.47 9.26 36.11	Level Factor Loss Factor Level dBuv dB/m dB dB dBuv/m 42.09 35.42 6.89 35.08 49.32 39.63 38.47 9.26 36.11 51.25	Level Factor Loss Factor Level Line dBuv dB/m dB dB dBuv/m dBuv/m 42.09 35.42 6.89 35.08 49.32 54.00 39.63 38.47 9.26 36.11 51.25 68.20	Read Antenna Cable Preamp Emission Limit Over Level Factor Loss Factor Level Line Limit dBuv dB/m dB dB dBuv/m dBuv/m dB 42.09 35.42 6.89 35.08 49.32 54.00 -4.68 39.63 38.47 9.26 36.11 51.25 68.20 -16.95 32.44 44.07 12.56 36.11 52.96 68.20 -15.24

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Jindu Road Songjiang District Shanghai China 201612 中国・上海・松江区全昌西路588号 解論 201812 1(6-21) (1915)66 1:36-21(61515676 www.sgsgraup.com.cn 1(6-21) (1915)66 1/36-21(61915676 e.ags.china@sgs.com





Page: 111 of 252

Mode:g; Polarization:Horizontal; Modulation:c; bandwidth:20MHz; Channel:middle



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11200.00	40.10	35.56	7.04	35.33	47.37	54.00	-6.63	Peak
16800.00	36.31	39.31	9.66	36.03	49.25	68.20	-18.95	Peak
22400.00	30.41	44.24	12.73	36.13	51.25	54.00	-2.75	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 112 of 252

Mode:g; Polarization:Vertical; Modulation:c; bandwidth:20MHz; Channel:middle



Antenna Polarity : VERTICAL

Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Level	Factor	Loss	Factor	Level	Line	Limit	Remark
dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
41.48	35.56	7.04	35.33	48.75	54.00	-5.25	Peak
38.32	39.31	9.66	36.03	51.26	68.20	-16.94	Peak
31.33	44.24	12.73	36.13	52.17	54.00	-1.83	Peak
	dBuv 41.48	dBuv dB/m 41.48 35.56 38.32 39.31	dBuv dB/m dB 41.48 35.56 7.04 38.32 39.31 9.66	dBuv dB/m dB dB 41.48 35.56 7.04 35.33 38.32 39.31 9.66 36.03	dBuv dB/m dB dB dBuv/m 41.48 35.56 7.04 35.33 48.75 38.32 39.31 9.66 36.03 51.26	dBuv dB/m dB dB dBuv/m dBuv/m 41.48 35.56 7.04 35.33 48.75 54.00 38.32 39.31 9.66 36.03 51.26 68.20	Read Antenna Cable Preamp Emission Limit Over Level Factor Loss Factor Level Line Limit dBuv dB/m dB dB dBuv/m dBuv/m dB 41.48 35.56 7.04 35.33 48.75 54.00 -5.25 38.32 39.31 9.66 36.03 51.26 68.20 -16.94 31.33 44.24 12.73 36.13 52.17 54.00 -1.83

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 113 of 252

Mode:g; Polarization:Horizontal; Modulation:c; bandwidth:20MHz; Channel:High



Antenna Polarity : HORIZONTAL

Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Level	Factor	Loss	Factor	Level	Line	Limit	Remark
dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
40.37	35.73	7.28	35.74	47.64	54.00	-6.36	Peak
36.18	40.12	9.99	36.03	50.26	68.20	-17.94	Peak
31.04	44.45	12.94	36.15	52.28	54.00	-1.72	Peak
	dBuv 40.37 36.18	Level Factor dBuv dB/m 40.37 35.73 36.18 40.12	Level Factor Loss dBuv dB/m dB 40.37 35.73 7.28 36.18 40.12 9.99	Level Factor Loss Factor dBuv dB/m dB dB 40.37 35.73 7.28 35.74 36.18 40.12 9.99 36.03	Level Factor Loss Factor Level dBuv dB/m dB dB dBuv/m 40.37 35.73 7.28 35.74 47.64 36.18 40.12 9.99 36.03 50.26	Level Factor Loss Factor Level Line dBuv dB/m dB dB dBuv/m dBuv/m 40.37 35.73 7.28 35.74 47.64 54.00 36.18 40.12 9.99 36.03 50.26 68.20	Read Antenna Cable Preamp Emission Limit Over Level Factor Level Line Limit dBuv dB/m dB dBuv/m dBuv/m dB 40.37 35.73 7.28 35.74 47.64 54.00 -6.36 36.18 40.12 9.99 36.03 50.26 68.20 -17.94 31.04 44.45 12.94 36.15 52.28 54.00 -1.72

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Jindu Road Songliang District Shanghai China 201612 中国・上海・松江区全縣西路588号 館場 201812 ((6-21) ((915)66 (66-2) ((1515)676 www.sgsgroup.com.on ((6-21) ((915)66 (66-2) ((1915)678 e.gs.china@sgs.com





Page: 114 of 252

Mode:g; Polarization:Vertical; Modulation:c; bandwidth:20MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11400.00	40.99	35.73	7.28	35.74	48.26	54.00	-5.74	Peak
17100.00	36.23	40.12	9.99	36.03	50.31	68.20	-17.89	Peak
22800.00	30.97	44.45	12.94	36.15	52.21	54.00	-1.79	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 115 of 252

Mode:g; Polarization:Horizontal; Modulation:c; bandwidth:40MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11020.00	40.55	35.42	6.89	35.08	47.78	54.00	-6.22	Peak
16530.00	37.11	38.61	9.33	36.09	48.96	68.20	-19.24	Peak
22040.00	31.40	44.07	12.56	36.11	51.92	54.00	-2.08	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 116 of 252

Mode:g; Polarization:Vertical; Modulation:c; bandwidth:40MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11020.00	40.13	35.42	6.89	35.08	47.36	54.00	-6.64	Peak
16530.00	38.53	38.61	9.33	36.09	50.38	68.20	-17.82	Peak
22040.00	32.44	44.07	12.56	36.11	52.96	54.00	-1.04	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 117 of 252

Mode:g; Polarization:Horizontal; Modulation:c; bandwidth:40MHz; Channel:middle



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11180.00	39.90	35.56	7.04	35.33	47.17	54.00	-6.83	Peak
16770.00	36.58	39.15	9.59	36.03	49.29	68.20	-18.91	Peak
22360.00	30.44	44.24	12.73	36.13	51.28	54.00	-2.72	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 118 of 252

Mode:g; Polarization:Vertical; Modulation:c; bandwidth:40MHz; Channel:middle



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11180.00	39.99	35.56	7.04	35.33	47.26	54.00	-6.74	Peak
16770.00	35.61	39.15	9.59	36.03	48.32	68.20	-19.88	Peak
22360.00	30.09	44.24	12.73	36.13	50.93	54.00	-3.07	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 119 of 252

Mode:g; Polarization:Horizontal; Modulation:c; bandwidth:40MHz; Channel:High



Antenna Polarity : HORIZONTAL

Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Level	Factor	Loss	Factor	Level	Line	Limit	Remark
dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
40.42	35.67	7.20	35.60	47.69	54.00	-6.31	Peak
36.43	39.96	9.92	36.03	50.28	68.20	-17.92	Peak
31.35	44.38	12.87	36.14	52.46	54.00	-1.54	Peak
	dBuv 40.42 36.43	Level Factor dBuv dB/m 40.42 35.67 36.43 39.96	Level Factor Loss dBuv dB/m dB 40.42 35.67 7.20 36.43 39.96 9.92	Level Factor Loss Factor dBuv dB/m dB dB 40.42 35.67 7.20 35.60 36.43 39.96 9.92 36.03	Level Factor Loss Factor Level dBuv dB/m dB dB dBuv/m 40.42 35.67 7.20 35.60 47.69 36.43 39.96 9.92 36.03 50.28	Level Factor Loss Factor Level Line dBuv dB/m dB dB dBuv/m dBuv/m 40.42 35.67 7.20 35.60 47.69 54.00 36.43 39.96 9.92 36.03 50.28 68.20	Read Antenna Cable Preamp Emission Limit Over Level Factor Loss Factor Level Line Limit dBuv dB/m dB dBuv/m dBuv/m dB 40.42 35.67 7.20 35.60 47.69 54.00 -6.31 36.43 39.96 9.92 36.03 50.28 68.20 -17.92 31.35 44.38 12.87 36.14 52.46 54.00 -1.54

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 120 of 252

Mode:g; Polarization:Vertical; Modulation:c; bandwidth:40MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11340.00	40.43	35.67	7.20	35.60	47.70	54.00	-6.30	Peak
17010.00	37.07	39.96	9.92	36.03	50.92	68.20	-17.28	Peak
22680.00	30.98	44.38	12.87	36.14	52.09	54.00	-1.91	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 121 of 252

Mode:g; Polarization:Horizontal; Modulation:c; bandwidth:80MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11060.00	40.72	35.45	6.90	35.12	47.95	54.00	-6.05	Peak
16590.00	37.23	38.74	9.39	36.07	49.29	68.20	-18.91	Peak
22120.00	31.46	44.10	12.59	36.11	52.04	54.00	-1.96	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 122 of 252

Mode:g; Polarization:Vertical; Modulation:c; bandwidth:80MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11060.00	40.42	35.45	6.90	35.12	47.65	54.00	-6.35	Peak
16590.00	38.80	38.74	9.39	36.07	50.86	68.20	-17.34	Peak
22120.00	31.71	44.10	12.59	36.11	52.29	54.00	-1.71	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 123 of 252

Mode:g; Polarization:Horizontal; Modulation:c; bandwidth:80MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11220.00	38.99	35.59	7.08	35.40	46.26	54.00	-7.74	Peak
16830.00	37.35	39.31	9.66	36.03	50.29	68.20	-17.91	Peak
22440.00	31.37	44.28	12.77	36.13	52.29	54.00	-1.71	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 124 of 252

Mode:g; Polarization:Vertical; Modulation:c; bandwidth:80MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11220.00	40.99	35.59	7.08	35.40	48.26	54.00	-5.74	Peak
16830.00	37.32	39.31	9.66	36.03	50.26	68.20	-17.94	Peak
22440.00	31.00	44.28	12.77	36.13	51.92	54.00	-2.08	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 125 of 252

Mode:h; Polarization:Horizontal; Modulation:a; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11490.00	40.31	35.79	7.36	35.88	47.58	54.00	-6.42	Peak
17235.00	35.64	40.60	10.19	36.14	50.29	68.20	-17.91	Peak
22980.00	30.64	44.52	13.01	36.15	52.02	54.00	-1.98	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 126 of 252





Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11490.00	40.48	35.79	7.36	35.88	47.75	54.00	-6.25	Peak
17235.00	35.31	40.60	10.19	36.14	49.96	68.20	-18.24	Peak
22980.00	30.68	44.52	13.01	36.15	52.06	54.00	-1.94	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.


NO.558 West Jindu Road Songjiang District Shanghal China 201612 中国・上海・松江区全都西路588号 館場 201812 1(6-21) (1915)66 1:36-21(61515676 www.sgsgraup.com.cn 1(6-21) (1915)66 1/36-21(61915676 e.ags.china@sgs.com





Page: 127 of 252

Mode:h; Polarization:Horizontal; Modulation:a; bandwidth:20MHz; Channel:middle



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11570.00	40.09	35.78	7.44	36.02	47.29	54.00	-6.71	Peak
17355.00	34.80	40.95	10.32	36.25	49.82	68.20	-18.38	Peak
23140.00	29.71	44.62	13.12	36.16	51.29	68.20	-16.91	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.


ND.568 West Jindu Road Songliang District Shanghai China 201612 中国・上海・松江区全器西路588号 解論 201812 1(16-21) 8/915666 1(36-2) 8/1515676 www.sgsgroup.com.cn 1/16-21) 8/915666 1/36-21/8/1915676 e.ags.ch/na@sgs.com





Page: 128 of 252





Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11570.00	41.75	35.78	7.44	36.02	48.95	54.00	-5.05	Peak
17355.00	35.87	40.95	10.32	36.25	50.89	68.20	-17.31	Peak
23140.00	31.00	44.62	13.12	36.16	52.58	68.20	-15.62	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.


ND.568 West Jindu Road Songliang District Shanghai China 201612 中国・上海・松江区全器西路588号 解論 201812 1(6-21) 0(915)566 1(86-2) 0(1515676 www.sgsgroup.com.cn 1(6-21) 0(915066 1/86-2) 0(1915676 e.ags.china@sgs.com





Page: 129 of 252

Mode:h; Polarization:Horizontal; Modulation:a; bandwidth:20MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11650.00	41.18	35.77	7.56	36.23	48.28	54.00	-5.72	Peak
17475.00	35.51	41.30	10.45	36.37	50.89	68.20	-17.31	Peak
23300.00	30.24	44.69	13.19	36.17	51.95	68.20	-16.25	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 130 of 252





Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11650.00	39.35	35.77	7.56	36.23	46.45	54.00	-7.55	Peak
17475.00	33.94	41.30	10.45	36.37	49.32	68.20	-18.88	Peak
23300.00	30.54	44.69	13.19	36.17	52.25	68.20	-15.95	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 131 of 252

Mode:h; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11490.00	40.91	35.79	7.36	35.88	48.18	54.00	-5.82	Peak
17235.00	35.33	40.60	10.19	36.14	49.98	68.20	-18.22	Peak
22980.00	31.61	44.52	13.01	36.15	52.99	54.00	-1.01	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 132 of 252





Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11490.00	41.50	35.79	7.36	35.88	48.77	54.00	-5.23	Peak
17235.00	36.13	40.60	10.19	36.14	50.78	68.20	-17.42	Peak
22980.00	30.68	44.52	13.01	36.15	52.06	54.00	-1.94	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 133 of 252

Mode:h; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:middle



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11570.00	40.78	35.78	7.44	36.02	47.98	54.00	-6.02	Peak
17355.00	35.36	40.95	10.32	36.25	50.38	68.20	-17.82	Peak
23140.00	30.38	44.62	13.12	36.16	51.96	68.20	-16.24	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor





Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 134 of 252





Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11570.00	40.08	35.78	7.44	36.02	47.28	54.00	-6.72	Peak
17355.00	34.87	40.95	10.32	36.25	49.89	68.20	-18.31	Peak
23140.00	29.41	44.62	13.12	36.16	50.99	68.20	-17.21	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 135 of 252

Mode:h; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11650.00	41.38	35.77	7.56	36.23	48.48	54.00	-5.52	Peak
17475.00	34.91	41.30	10.45	36.37	50.29	68.20	-17.91	Peak
23300.00	30.28	44.69	13.19	36.17	51.99	68.20	-16.21	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 136 of 252





Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11650.00	41.45	35.77	7.56	36.23	48.55	54.00	-5.45	Peak
17475.00	34.91	41.30	10.45	36.37	50.29	68.20	-17.91	Peak
23300.00	30.37	44.69	13.19	36.17	52.08	68.20	-16.12	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 137 of 252

Mode:h; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11510.00	41.04	35.78	7.40	35.95	48.27	54.00	-5.73	Peak
17265.00	35.33	40.60	10.19	36.14	49.98	68.20	-18.22	Peak
23020.00	29.94	44.55	13.05	36.16	51.38	54.00	-2.62	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor





Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 138 of 252





Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11510.00	41.66	35.78	7.40	35.95	48.89	54.00	-5.11	Peak
17265.00	36.17	40.60	10.19	36.14	50.82	68.20	-17.38	Peak
23020.00	31.10	44.55	13.05	36.16	52.54	54.00	-1.46	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 139 of 252

Mode:h; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:High



Antenna Polarity : HORIZONTAL

Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Level	Factor	Loss	Factor	Level	Line	Limit	Remark
dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
40.72	35.78	7.48	36.09	47.89	54.00	-6.11	Peak
34.48	41.12	10.39	36.31	49.68	68.20	-18.52	Peak
30.87	44.62	13.12	36.16	52.45	68.20	-15.75	Peak
	dBuv 40.72 34.48	Level Factor dBuv dB/m 40.72 35.78 34.48 41.12	Level Factor Loss dBuv dB/m dB 40.72 35.78 7.48 34.48 41.12 10.39	Level Factor Loss Factor dBuv dB/m dB dB 40.72 35.78 7.48 36.09 34.48 41.12 10.39 36.31	Level Factor Loss Factor Level dBuv dB/m dB dB dBuv/m 40.72 35.78 7.48 36.09 47.89 34.48 41.12 10.39 36.31 49.68	Level Factor Loss Factor Level Line dBuv dB/m dB dB dBuv/m dBuv/m 40.72 35.78 7.48 36.09 47.89 54.00 34.48 41.12 10.39 36.31 49.68 68.20	Read Antenna Cable Preamp Emission Limit Over Level Factor Level Line Limit dBuv dB/m dB dBuv/m dBuv/m dB 40.72 35.78 7.48 36.09 47.89 54.00 -6.11 34.48 41.12 10.39 36.31 49.68 68.20 -18.52 30.87 44.62 13.12 36.16 52.45 68.20 -15.75

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Jindu Road Songliang District Shanghai China 201612 中国・上海・松江区全縣西路588号 館場 201812 1(16-21) 8/1915866 1(86-2) 8/1915876 www.sgsgraup.com.cn 1/16-21) 8/1915866 1/86-21/8/1915876 e.ags.ch/na@sgs.com





Page: 140 of 252





Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11590.00	39.60	35.78	7.48	36.09	46.77	54.00	-7.23	Peak
17385.00	33.45	41.12	10.39	36.31	48.65	68.20	-19.55	Peak
23180.00	29.59	44.62	13.12	36.16	51.17	68.20	-17.03	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 141 of 252

Mode:h; Polarization:Horizontal; Modulation:c; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11490.00	40.02	35.79	7.36	35.88	47.29	54.00	-6.71	Peak
17235.00	35.63	40.60	10.19	36.14	50.28	68.20	-17.92	Peak
22980.00	31.26	44.52	13.01	36.15	52.64	54.00	-1.36	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is of seven to the immater of labelity, incernolifection and printediction issues defined therein. Any holder of the document is advised that information contained serion reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the order of the security of the law unless the entire of the security of the sampler of tested and such samples in this document for 30 days only.





Page: 142 of 252





Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
					dBuv/m			
11490.00	40.97	35.79	7.36	35.88	48.24	54.00	-5.76	Peak
17235.00	35.64	40.60	10.19	36.14	50.29	68.20	-17.91	Peak
22980.00	29.85	44.52	13.01	36.15	51.23	54.00	-2.77	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated its intervention only and within the immated its intervention only and within the immated instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in fail, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the reproduced and appearance of this focument is unless the order or appearance of this focument for 10 days only.


ND.568 West Jindu Road Songliang District Shanghai China 201612 中国・上海・松江区全器西路588号 解論 201812 ((6-21) ((915)66 (66-2) ((1515)676 www.sgsgroup.com.on ((6-21) ((915)66 (66-2) ((1915)678 e.gs.china@sgs.com





Page: 143 of 252

Mode:h; Polarization:Horizontal; Modulation:c; bandwidth:20MHz; Channel:middle



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11570.00	41.22	35.78	7.44	36.02	48.42	54.00	-5.58	Peak
17355.00	35.25	40.95	10.32	36.25	50.27	68.20	-17.93	Peak
23140.00	30.48	44.62	13.12	36.16	52.06	68.20	-16.14	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated its intervention only and within the immated its intervention only and within the immated instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in fail, without prior writers approved of the Lompany. Any unautionized alteration, longery or falsification of the content or appearance of this focument is unless the reproduced and appearance of this focument is unless the order or appearance of this focument for 10 days only.





Page: 144 of 252

Mode:h; Polarization:Vertical; Modulation:c; bandwidth:20MHz; Channel:middle



Antenna Polarity : VERTICAL

Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Level	Factor	Loss	Factor	Level	Line	Limit	Remark
dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
42.05	35.78	7.44	36.02	49.25	54.00	-4.75	Peak
35.96	40.95	10.32	36.25	50.98	68.20	-17.22	Peak
30.30	44.62	13.12	36.16	51.88	68.20	-16.32	Peak
	dBuv 42.05 35.96	Level Factor dBuv dB/m 42.05 35.78 35.96 40.95	Level Factor Loss dBuv dB/m dB 42.05 35.78 7.44 35.96 40.95 10.32	Level Factor Loss Factor dBuv dB/m dB dB 42.05 35.78 7.44 36.02 35.96 40.95 10.32 36.25	Level Factor Loss Factor Level dBuv dB/m dB dB dBuv/m 42.05 35.78 7.44 36.02 49.25 35.96 40.95 10.32 36.25 50.98	Level Factor Loss Factor Level Line dBuv dB/m dB dB dBuv/m dBuv/m 42.05 35.78 7.44 36.02 49.25 54.00 35.96 40.95 10.32 36.25 50.98 68.20	Read Antenna Cable Preamp Emission Limit Over Level Factor Loss Factor Level Line Limit dBuv dB/m dB dB dBuv/m dBuv/m dB 42.05 35.78 7.44 36.02 49.25 54.00 -4.75 35.96 40.95 10.32 36.25 50.98 68.20 -17.22 30.30 44.62 13.12 36.16 51.88 68.20 -16.32

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 145 of 252

Mode:h; Polarization:Horizontal; Modulation:c; bandwidth:20MHz; Channel:High



Antenna Polarity : HORIZONTAL

Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Level	Factor	Loss	Factor	Level	Line	Limit	Remark
dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
43.09	35.77	7.56	36.23	50.19	54.00	-3.81	Peak
36.88	41.30	10.45	36.37	52.26	68.20	-15.94	Peak
30.71	44.69	13.19	36.17	52.42	68.20	-15.78	Peak
	dBuv 43.09 36.88	Level Factor dBuv dB/m 43.09 35.77 36.88 41.30	Level Factor Loss dBuv dB/m dB 43.09 35.77 7.56 36.88 41.30 10.45	Level Factor Loss Factor dBuv dB/m dB dB 43.09 35.77 7.56 36.23 36.88 41.30 10.45 36.37	Level Factor Loss Factor Level dBuv dB/m dB dB dBuv/m 43.09 35.77 7.56 36.23 50.19 36.88 41.30 10.45 36.37 52.26	Level Factor Loss Factor Level Line dBuv dB/m dB dB dBuv/m dBuv/m 43.09 35.77 7.56 36.23 50.19 54.00 36.88 41.30 10.45 36.37 52.26 68.20	Read Antenna Cable Preamp Emission Limit Over Level Factor Loss Factor Level Line Limit dBuv dB/m dB dB dBuv/m dBuv/m dB 43.09 35.77 7.56 36.23 50.19 54.00 -3.81 36.88 41.30 10.45 36.37 52.26 68.20 -15.94 30.71 44.69 13.19 36.17 52.42 68.20 -15.78

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Jindu Road Songjiang District Shangha. China 201612 中国・上海・松江区全昌西路588号 館論 201812





Page: 146 of 252





Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11650.00	40.69	35.77	7.56	36.23	47.79	54.00	-6.21	Peak
17475.00	34.73	41.30	10.45	36.37	50.11	68.20	-18.09	Peak
23300.00	30.46	44.69	13.19	36.17	52.17	68.20	-16.03	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewed and such samples (a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812





Page: 147 of 252

Mode:h; Polarization:Horizontal; Modulation:c; bandwidth:40MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11510.00	41.05	35.78	7.40	35.95	48.28	54.00	-5.72	Peak
17265.00	36.17	40.60	10.19	36.14	50.82	68.20	-17.38	Peak
23020.00	30.85	44.55	13.05	36.16	52.29	54.00	-1.71	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewed and such samples (a) are returned for 30 days only.


NO.568 West Jindu Road Songjiang District Shangha. China 201612 中国・上海・松江区全昌西路588号 館論 201812





Page: 148 of 252





Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11510.00	41.42	35.78	7.40	35.95	48.65	54.00	-5.35	Peak
17265.00	36.12	40.60	10.19	36.14	50.77	68.20	-17.43	Peak
23020.00	30.61	44.55	13.05	36.16	52.05	54.00	-1.95	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewed and such samples (a) are returned for 30 days only.


NO.568 West Jindu Road Songjiang District Shangha. China 201612 中国・上海・松江区全昌西路588号 館論 201812 ((16-21) (1915)(6) (36-2) ((1815)(7) www.agagroup.com.cn ((16-21) (1915)(6) ((86-21)(1815)(7) eags.china@ags.com





Page: 149 of 252

Mode:h; Polarization:Horizontal; Modulation:c; bandwidth:40MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11590.00	40.82	35.78	7.48	36.09	47.99	54.00	-6.01	Peak
17385.00	35.08	41.12	10.39	36.31	50.28	68.20	-17.92	Peak
23180.00	30.50	44.62	13.12	36.16	52.08	68.20	-16.12	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewed and such samples (a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812





Page: 150 of 252





Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11590.00	41.71	35.78	7.48	36.09	48.88	54.00	-5.12	Peak
17385.00	36.01	41.12	10.39	36.31	51.21	68.20	-16.99	Peak
23180.00	30.64	44.62	13.12	36.16	52.22	68.20	-15.98	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewed and such samples (a) are returned for 30 days only.


NO.568 West Jindu Road Songjiang District Shanghai China 201612 中国・上海・松江区全昌西路588号 錦崎 201812





Page: 151 of 252

Mode:h; Polarization:Horizontal; Modulation:c; bandwidth:80MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11550.00	40.69	35.78	7.44	36.02	47.89	54.00	-6.11	Peak
17325.00	36.46	40.77	10.25	36.20	51.28	68.20	-16.92	Peak
23100.00	31.04	44.59	13.08	36.16	52.55	54.00	-1.45	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewed and such samples (a) are returned for 30 days only.


ND.568 West Jindu Road Songliang District Shanghai China 201612 中国・上海・松江区全器西路588号 解論 201812 ((16-21) (1915)(6) (166-2) (61915)(7) www.sgsgraup.com.cn (18-21) (1915)(6) (168-2) (61915)(7) e ags.china@sgs.com





Page: 152 of 252

Mode:h; Polarization:Vertical; Modulation:c; bandwidth:80MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
11550.00	40.39	35.78	7.44	36.02	47.59	54.00	-6.41	Peak
17325.00	34.25	40.77	10.25	36.20	49.07	68.20	-19.13	Peak
23100.00	29.48	44.59	13.08	36.16	50.99	54.00	-3.01	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request or accessible at hith //www.lsp.com/en/Terms-and-Conditions rape and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention is a drewn to the immated of Electronic Document as a street or the immated hereon reflects the Company's Endings at the time of its intervention only and within the immated tilent's instructions. If any, The Company's sele responsibility is to its Client and this document cannot only and within the immated in its instructions. If any, The Company's sele responsibility is to its Client and this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the Lompany. Any unautionized alterates, longery or falsification of the content or appearance of this document cannot be reproduced ascept in full, without prior writers approved of the accument of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) fewed and such samples (a) are returned for 30 days only.

NO.558 West Jindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西路588号 館鎮)201812



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHEM210600581204

Page: 153 of 252

7.8 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.209 & 15.407(b)

Test Method: KDB 789033 D02 II G

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available or request at accessible at hith flower size comfort/Terms-and-Conditions rupe and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.agp.
Attention is drewn to the ilmitation of liability, indemolification and printediction issues defined therein, any holder of this document is advised that information contained serious reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not exponent extension to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Lompany. Any unautitionized alteration, torgery or fatelification of the portion of the identities according to the sampler of tended and such samples (a) are returned for 30 days only.

NO.556 West Jindu Road Songliang District Shanghal China 201612 中国・上海・松江区全都西路588号 銀編 201812 ((6-21) ((915)66 (-66-2))((1515676 www.sgsgroup.com.on ((6-21) ((915)66 (-66-2))((1915678 e.gs.china@sgs.com



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHEM210600581204

Page: 154 of 252

7.8.1 E.U.T. Operation

Operating Environment:

Temperature: 22 °C Humidity: 50 % RH Atmospheric Pressure: 1001 mbar

Test mode: e:TX mode (Band 1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and

found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst

case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

f:TX mode (Band 2A)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

g:TX mode (Band 2C)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

h:TX mode (Band 3)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overhalf, available on request is accessible at http://www.sig.com/en/Terms-and-Conditions and for electronic format documents at http://www.ags.com/en/Terms-and-Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions-and-Conditions-and-Condition


NO.558 West Indu Road Songliang District Shanghal China 201612 中国・上海・松江区全昌西路588号 銀編 201812 ((6-21) 6/915096 (66-2) 6/915676 www.agagraup.com.cn ((6-21) 6/915096 (68-2) 6/915676 e ags.china@ags.com







Page: 155 of 252

7.8.2 Test Setup Diagram









Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request is accessible at http://www.sis.com/en/Terms-and-Conditions.angs-and, for electronic formet documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Documents.ags. Attention, is offered to the timeterion of liability, indemotification and jurisdiction issues defined therein. Any holder of the document is advised that information cantained hereon reflects the Company's Endings at the time of its intervention only and within the times of Client's instructions. If any. The Company's sole responsibility is to its Client and this document desired on the exercise of the intervention from exercising all their rights and ubligations under the transaction documents. This document cannot be reproduced except in full, without prior writing approval of the Company. Any unauthorized alteration, longery or falsification of the contact or appearance of this information insight and offenders may be prosecuted to the full fulliast settent of the law Unless otherwise stand the results shown in this test report cefer only to the sampler () tested and such samples(s) are returned for 30 days only.

NO.558 West J. Indu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西路588号 解编 201812 (16-21) 6/915096 1/96-2/(6/915976 www.sg.ggraup.com.cn (16-21) 6/915096 1/96-21/6/19/5572 e.ags.china@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.



Report No.: SHEM210600581204

Page: 156 of 252

7.8.3 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a 10mm insulating material above the horizontal ground reference plane at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.

Remark:

- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. For emission below 1GHz, through the pre-scan found the worst case is the lowest channel of 802.11a. Only the worst case is recorded in the report.
- 3. Scan from 9kHz to 40GHz, the disturbance above 18GHz and below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 4. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overhalt, available on request is accessible at http://www.agr.com/en/Terms-and-Conditions and for electronic format documents at http://www.agr.com/en/Terms-and-Conditions for Electronic Documents at http://www.agr.com/en/Terms-and-Conditions for the Electronic Documents at http://www.agr.com/en/Terms-and-Conditions/Ter





Page: 157 of 252

Mode:e; Polarization:Horizontal; Modulation:a; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Level	Factor	Loss	Factor	Level	Line	Limit	Remark
dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
58.20	34.13	4.21	38.82	57.72	74.00	-16.28	Peak
66.64	34.13	4.18	38.81	66.14	74.00	-7.86	Peak
103.17	34.13	4.13	38.79	102.64	74.00	28.64	Peak
	Level dBuv 58.20 66.64	Level Factor dBuv dB/m 58.20 34.13 66.64 34.13	Level Factor Loss dBuv dB/m dB 58.20 34.13 4.21 66.64 34.13 4.18	Level Factor Loss Factor dBuv dB/m dB dB 58.20 34.13 4.21 38.82 66.64 34.13 4.18 38.81	Level Factor Loss Factor Level dBuv dB/m dB dB dBuv/m 58.20 34.13 4.21 38.82 57.72 66.64 34.13 4.18 38.81 66.14	Level Factor Loss Factor Level Line dBuv dB/m dB dB dBuv/m dBuv/m 58.20 34.13 4.21 38.82 57.72 74.00 66.64 34.13 4.18 38.81 66.14 74.00	Read Antenna Cable Preamp Emission Limit Over Level Factor Loss Factor Level Line Limit dBuv dB/m dB dB dBuv/m dBuv/m dB 58.20 34.13 4.21 38.82 57.72 74.00 -16.28 66.64 34.13 4.18 38.81 66.14 74.00 -7.86 103.17 34.13 4.13 38.79 102.64 74.00 28.64

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812





Page: 158 of 252

Mode:e; Polarization:Horizontal; Modulation:a; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5139.50	44.58	34.13	4.21	38.82	44.10	54.00	-9.90	Average
5150.00	50.83	34.13	4.18	38.81	50.33	54.00	-3.67	Average
5178.04	90.26	34.13	4.13	38.79	89.73	54.00	35.73	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西路588号 朗编 201812





Page: 159 of 252

Mode:e; Polarization:Vertical; Modulation:a; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5141.00	60.88	34.13	4.21	38.81	60.41	74.00	-13.59	Peak
5150.00	63.28	34.13	4.18	38.81	62.78	74.00	-11.22	Peak
5175.77	101.69	34.13	4.13	38.79	101.16	74.00	27.16	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西路588号 朗编 201812 ((16-21) (1915)(6) (166-2) (61915)(7) www.sgsgraup.com.cn (18-21) (1915)(6) (168-2) (61915)(7) e ags.china@sgs.com





Page: 160 of 252

Mode:e; Polarization:Vertical; Modulation:a; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Level	Factor	Loss	Factor	Level	Line	Limit	Remark
dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
40.13	34.13	4.21	38.82	39.65	54.00	-14.35	Average
46.07	34.13	4.18	38.81	45.57	54.00	-8.43	Average
89.04	34.13	4.13	38.79	88.51	54.00	34.51	Average
	dBuv 40.13 46.07	Level Factor dBuv dB/m 40.13 34.13 46.07 34.13	Level Factor Loss dBuv dB/m dB 40.13 34.13 4.21 46.07 34.13 4.18	Level Factor Loss Factor dBuv dB/m dB dB 40.13 34.13 4.21 38.82 46.07 34.13 4.18 38.81	Level Factor Loss Factor Level dBuv dB/m dB dB dBuv/m 40.13 34.13 4.21 38.82 39.65 46.07 34.13 4.18 38.81 45.57	Level Factor Loss Factor Level Line dBuv dB/m dB dB dBuv/m dBuv/m 40.13 34.13 4.21 38.82 39.65 54.00 46.07 34.13 4.18 38.81 45.57 54.00	Read Antenna Cable Preamp Emission Limit Over Level Factor Loss Factor Level Line Limit dBuv dB/m dB dB dBuv/m dBuv/m dB 40.13 34.13 4.21 38.82 39.65 54.00 -14.35 46.07 34.13 4.18 38.81 45.57 54.00 -8.43 89.04 34.13 4.13 38.79 88.51 54.00 34.51

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Jindu Road Songjiang District Shanghai China 201612 中国・上海・松江区全昌西路588号 錦崎 201812 ((16-21) ((1915)66) ((36-21)((1915)76) www.sg.sgraup.com.cn ((16-21) ((1915)66) ((36-21)((1915)77) eags.china@sgs.com





Page: 161 of 252

Mode:e; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5141.00	61.90	34.13	4.21	38.81	61.43	74.00	-12.57	Peak
5150.00	65.48	34.13	4.18	38.81	64.98	74.00	-9.02	Peak
5183.35	105.20	34.13	4.13	38.79	104.67	74.00	30.67	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812





Page: 162 of 252

Mode:e; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5143.26	44.89	34.13	4.18	38.81	44.39	54.00	-9.61	Average
5150.00	48.54	34.13	4.18	38.81	48.04	54.00	-5.96	Average
5180.32	93.48	34.13	4.13	38.79	92.95	54.00	38.95	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Jindu Road Songjiang District Shangha. China 201612 中国・上海・松江区全昌西路588号 館論 201812 (86-21) 6/915666 1/86-2/)61515676 www.sgsgroup.com.cn (86-21) 6/915666 1/86-2/)61915676 e.ags.china@sgs.com





Page: 163 of 252

Mode:e; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5140.25	58.82	34.13	4.21	38.81	58.35	74.00	-15.65	Peak
5150.00	61.02	34.13	4.18	38.81	60.52	74.00	-13.48	Peak
5178.80	100.91	34.13	4.13	38.79	100.38	74.00	26.38	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西路588号 朗编 201812





Page: 164 of 252

Mode:e; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5137.24	41.65	34.13	4.21	38.82	41.17	54.00	-12.83	Average
5150.00	45.45	34.13	4.18	38.81	44.95	54.00	-9.05	Average
5181.84	85.34	34.13	4.13	38.79	84.81	54.00	30.81	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812





Page: 165 of 252

Mode:e; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5138.52	63.95	34.13	4.21	38.82	63.47	74.00	-10.53	Peak
5150.00	67.99	34.13	4.18	38.81	67.49	74.00	-6.51	Peak
5193.73	103.29	34.13	4.10	38.78	102.74	74.00	28.74	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812





Page: 166 of 252

Mode:e; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:Low



Antenna Polarity : HORIZONTAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5138.52	49.45	34.13	4.21	38.82	48.97	54.00	-5.03	Average
5150.00	53.56	34.13	4.18	38.81	53.06	54.00	-0.94	Average
5187.56	88.88	34.13	4.10	38.79	88.32	54.00	34.32	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Jindu Road Songjiang District Shangha. China 201612 中国・上海・松江区全昌西路588号 館論 201812 1(6-21) 0(915)566 1(86-2) 0(1515676 www.sgsgroup.com.cn 1(6-21) 0(915066 1/86-2) 0(1915676 e.ags.china@sgs.com





Page: 167 of 252

Mode:e; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:Low



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5132.42	60.02	34.13	4.21	38.82	59.54	74.00	-14.46	Peak
5150.00	65.53	34.13	4.18	38.81	65.03	74.00	-8.97	Peak
5186.79	97.86	34.13	4.10	38.79	97.30	74.00	23.30	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


ND.568 West Jindu Road Songliang District Shanghai China 201612 中国・上海・松江区全器西路588号 解論 201812 1(16-21) 61915066 1(36-2) 61913676 www.sg.grgsup.com.cn 1(16-21) 61915066 1(36-2) 61915672 e ags.china@ags.com





Page: 168 of 252

Mode:e; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:Low



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5143.86	45.29	34.13	4.18	38.81	44.79	54.00	-9.21	Average
5150.00	47.73	34.13	4.18	38.81	47.23	54.00	-6.77	Average
5187.56	82.08	34.13	4.10	38.79	81.52	54.00	27.52	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812 1(16-21) 8/1915866 1(86-2) 8/1515876 www.sgsgroup.com.cn 1/16-21) 8/1915866 1/86-2) 8/1915876 e.ags.ch/na@sgs.com





Report No.: SHEM210600581204 Page: 169 of 252

Mode:e; Polarization:Horizontal; Modulation:c; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5136.49	59.53	34.13	4.21	38.82	59.05	74.00	-14.95	Peak
5150.00	63.11	34.13	4.18	38.81	62.61	74.00	-11.39	Peak
5181.84	105.39	34.13	4.13	38.79	104.86	74.00	30.86	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 朗納 201812





Page: 170 of 252

Mode:e; Polarization:Horizontal; Modulation:c; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5136.49	41.73	34.13	4.21	38.82	41.25	54.00	-12.75	Average
5150.00	47.15	34.13	4.18	38.81	46.65	54.00	-7.35	Average
5180.32	90.00	34.13	4.13	38.79	89.47	54.00	35.47	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 朗納 201812





Page: 171 of 252

Mode:e; Polarization:Vertical; Modulation:c; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5144.77	61.78	34.13	4.18	38.81	61.28	74.00	-12.72	Peak
5150.00	60.86	34.13	4.18	38.81	60.36	74.00	-13.64	Peak
5177.28	100.88	34.13	4.13	38.79	100.35	74.00	26.35	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Jindu Roud Songjiang District Shanghal China 201612 中国・上海・松江区全都西路588号 館場 201812





Page: 172 of 252

Mode:e; Polarization:Vertical; Modulation:c; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5135.73	40.00	34.13	4.21	38.82	39.52	54.00	-14.48	Average
5150.00	45.27	34.13	4.18	38.81	44.77	54.00	-9.23	Average
5181.08	88.29	34.13	4.13	38.79	87.76	54.00	33.76	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.558 West Jindu Roud Songjiang District Shanghal China 201612 中国・上海・松江区全都西路588号 館場 201812 1(6-21) 0(915)66 1(86-2) 01515676 www.sgsgroup.com.cn t(6-21) 0(915)66 1(86-2) 01915676 e.ags.china@sgs.com





Page: 173 of 252

Mode:e; Polarization:Horizontal; Modulation:c; bandwidth:40MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5139.28	65.17	34.13	4.21	38.82	64.69	74.00	-9.31	Peak
5150.00	72.41	34.13	4.18	38.81	71.91	74.00	-2.09	Peak
5186.79	103.84	34.13	4.10	38.79	103.28	74.00	29.28	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Jindu Road Songjiang District Shanghai China 201612 中国・上海・松江区全昌西路588号 錦崎 201812





Report No.: SHEM210600581204 Page: 174 of 252

Mode:e; Polarization:Horizontal; Modulation:c; bandwidth:40MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5134.71	47.54	34.13	4.21	38.82	47.06	54.00	-6.94	Average
5150.00	51.10	34.13	4.18	38.81	50.60	54.00	-3.40	Average
5193.73	86.16	34.13	4.10	38.78	85.61	54.00	31.61	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 朗納 201812





Page: 175 of 252

Mode:e; Polarization:Vertical; Modulation:c; bandwidth:40MHz; Channel:Low



Antenna Polarity : VERTICAL

Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Level	Factor	Loss	Factor	Level	Line	Limit	Remark
dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
52.91	34.13	4.18	38.81	52.41	74.00	-21.59	Peak
53.18	34.13	4.18	38.81	52.68	74.00	-21.32	Peak
90.10	34.13	4.10	38.78	89.55	74.00	15.55	Peak
	Level dBuv 52.91 53.18	Level Factor dBuv dB/m 52.91 34.13 53.18 34.13	Level Factor Loss dBuv dB/m dB 52.91 34.13 4.18 53.18 34.13 4.18	Level Factor Loss Factor dBuv dB/m dB dB 52.91 34.13 4.18 38.81 53.18 34.13 4.18 38.81	Level Factor Loss Factor Level dBuv dB/m dB dB dBuv/m 52.91 34.13 4.18 38.81 52.41 53.18 34.13 4.18 38.81 52.68	Level Factor Loss Factor Level Line dBuv dB/m dB dB dBuv/m dBuv/m 52.91 34.13 4.18 38.81 52.41 74.00 53.18 34.13 4.18 38.81 52.68 74.00	Read Antenna Cable Preamp Emission Limit Over Level Factor Loss Factor Level Line Limit dBuv dB/m dB dBuv/m dBuv/m dB 52.91 34.13 4.18 38.81 52.41 74.00 -21.59 53.18 34.13 4.18 38.81 52.68 74.00 -21.32 90.10 34.13 4.10 38.78 89.55 74.00 15.55

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Jindu Road Songjiang District Shangha. China 201612 中国・上海・松江区全昌西路588号 館論 201812





Page: 176 of 252

Mode:e; Polarization:Horizontal; Modulation:c; bandwidth:80MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5136.70	55.88	34.13	4.21	38.82	55.40	74.00	-18.60	Peak
5150.00	57.67	34.13	4.18	38.81	57.17	74.00	-16.83	Peak
5212.61	91.49	34.16	4.08	38.77	90.96	74.00	16.96	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Jindu Road Songjiang District Shangha. China 201612 中国・上海・松江区全昌西路588号 館論 201812





Page: 177 of 252

Mode:e; Polarization:Horizontal; Modulation:c; bandwidth:80MHz; Channel:Low



Antenna Polarity : HORIZONTAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5127.89	48.04	34.13	4.21	38.82	47.56	54.00	-6.44	Average
5150.00	51.48	34.13	4.18	38.81	50.98	54.00	-3.02	Average
5197.98	87.15	34.13	4.10	38.78	86.60	54.00	32.60	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西路588号 朗编 201812 ((16-21) (1915)(6) (36-2) ((1815)(7) www.agagroup.com.cn ((16-21) (1915)(6) ((86-21)(1815)(7) eags.china@ags.com





Page: 178 of 252

Mode:e; Polarization:Vertical; Modulation:c; bandwidth:80MHz; Channel:Low



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5135.90	64.88	34.13	4.21	38.82	64.40	74.00	-9.60	Peak
5150.00	63.21	34.13	4.18	38.81	62.71	74.00	-11.29	Peak
5213.42	95.85	34.16	4.08	38.77	95.32	74.00	21.32	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 朗納 201812 ((16-21) ((1915)66) ((66-2))((1915)76) www.sgsgraup.com.cn ((16-21) ((1915)66) ((66-2))((1915)77) e ags.china@sgs.com





Page: 179 of 252

Mode:e; Polarization:Vertical; Modulation:c; bandwidth:80MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5119.10	45.27	34.14	4.24	38.83	44.82	54.00	-9.18	Average
5150.00	45.72	34.13	4.18	38.81	45.22	54.00	-8.78	Average
5217.49	78.04	34.19	4.05	38.77	77.51	54.00	23.51	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Jindu Road Songliang District Shanghai China 201612 中国・上海・松江区全縣西路588号 館場 201812 ((16-21) ((1915)66) ((36-21)((1915)76) www.sg.sgraup.com.cn ((16-21) ((1915)66) ((36-21)((1915)77) eags.china@sgs.com





Page: 180 of 252

Mode:f; Polarization:Horizontal; Modulation:a; bandwidth:20MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5321.48	99.17	34.58	3.89	38.71	98.93	74.00	24.93	Peak
5350.00	56.45	34.71	3.83	38.69	56.30	74.00	-17.70	Peak
5354.50	56.41	34.70	3.81	38.69	56.23	74.00	-17.77	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request a accessible at http://www.ass.com/km/Terms-and-Conditions angle and for electronic format documents, subject to Terms and Conditions for Electronic Terms and Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/Terms-and-Conditions/Terms-a-Document.aspx-Attention is drawn to the limitation of liability, incernification and jurisdiction issues defined therein. Any holder of this document is advised that information contained dearen reflects the Company's findings at the first of its Intervention body and within the limit of Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not exceed the parties to a transaction from exercising all their rights and obligations under the transaction form exercising all their rights and obligations under the transaction occurrents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized electronic, longery or talcification of the content or appearance of this document cannot and changes may be prosecuted to the full rights attend of the law Unless otherwise stated the required for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 朗納 201812





Page: 181 of 252

Mode:f; Polarization:Horizontal; Modulation:a; bandwidth:20MHz; Channel:High



Antenna Polarity : HORIZONTAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5321.32	78.25	34.58	3.89	38.71	78.01	54.00	24.01	Average
5350.00	37.95	34.71	3.83	38.69	37.80	54.00	-16.20	Average
5356.26	36.65	34.70	3.81	38.69	36.47	54.00	-17.53	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 182 of 252

Mode:f; Polarization:Vertical; Modulation:a; bandwidth:20MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5321.17	97.92	34.58	3.89	38.71	97.68	74.00	23.68	Peak
5350.00	53.70	34.71	3.83	38.69	53.55	74.00	-20.45	Peak
5354.50	58.31	34.70	3.81	38.69	58.13	74.00	-15.87	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request a accessible at http://www.ags.com/en/Terms-and-Conditions agree and for electronic formet documents, subject to Terms and Conditions for Electronic formet documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspx.
Attention is drewn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information and acroin reflects the Company's findings at the first of its Intervention body and within the limit of Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not expensive their information and obligations under the transaction form exercising all their information and obligations under the transaction form exercising all their information and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, longery or talcification of the content or appearance of this focument to inswitch and offended in may be prosecuted to the full rules alternated. The law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples (a) are returned for 30 days only.





Page: 183 of 252

Mode:f; Polarization:Vertical; Modulation:a; bandwidth:20MHz; Channel:High



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5319.11	89.39	34.58	3.89	38.71	89.15	54.00	35.15	Average
5350.00	44.81	34.71	3.83	38.69	44.66	54.00	-9.34	Average
5356.89	41.85	34.70	3.81	38.69	41.67	54.00	-12.33	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 184 of 252

Mode:f; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5318.32	98.30	34.58	3.89	38.71	98.06	74.00	24.06	Peak
5350.00	51.34	34.71	3.83	38.69	51.19	74.00	-22.81	Peak
5351.64	56.26	34.71	3.83	38.69	56.11	74.00	-17.89	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is jasued by the Company subject to its General Conditions of Service printed overlast, available or reguest is accessible at hith //www.ess.com/en/Terms-and-Conditions raps and, for electronic formet becuments, as hith//www.ess.com/en/Terms-and-Conditions raps and. For electronic Documents at hith//www.ess.com/en/Terms-and-Conditions/





Page: 185 of 252

Mode:f; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:High



Antenna Polarity : HORIZONTAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5318.95	86.13	34.58	3.89	38.71	85.89	54.00	31.89	Average
5350.00	41.64	34.71	3.83	38.69	41.49	54.00	-12.51	Average
5359.28	39.02	34.70	3.81	38.69	38.84	54.00	-15.16	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 186 of 252

Mode:f; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:High



Antenna Polarity : VERTICAL

mit Over
ne Limit Remark
uv/m dB
.00 22.30 Peak
.00 -23.66 Peak
.00 -18.95 Peak
r

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 187 of 252

Mode:f; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
								Average
5350.00	41.65	34.71	3.83	38.69	41.50	54.00	-12.50	Average
5356.58	39.91	34.70	3.81	38.69	39.73	54.00	-14.27	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Report No.: SHEM210600581204 Page: 188 of 252

Mode:f; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5315.52	97.82	34.58	3.89	38.71	97.58	74.00	23.58	Peak
5350.00	67.91	34.71	3.83	38.69	67.76	74.00	-6.24	Peak
5353.97	69.92	34.71	3.83	38.69	69.77	74.00	-4.23	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overheaf, available or request or accessible at http://www.ags.com/un/Terms-and-conditions.ags-and, for electronic Denimet documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/un/Terms-and-Conditions/Terms-e-Document.aaps-Attention is drawn to the limitation of stability, indemnification and jurisdiction issues defined therein. Any holder of this document is advessed that information contained hereon reflects the Company's findings at the time of its intervention only and which the limits of Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not expended ascept in fall, without prior written approval of the Company. Any unauthorized alteration, largery or falsification of the contant or appearance of this document cannot need addressed and appearance of this document cannot need addressed and appearance of this following the infants and addressed any per procedured to the full lists astern of the law Unless otherwise stated the sense of this document cannot need addressed and such sample(s) are returned for 20 days only.





Page: 189 of 252

Mode:f; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
								Average
5350.00	42.79	34.71	3.83	38.69	42.64	54.00	-11.36	Average
5354.33	39.19	34.70	3.81	38.69	39.01	54.00	-14.99	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 190 of 252

Mode:f; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:High



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5314.63	98.41	34.58	3.89	38.71	98.17	74.00	24.17	Peak
5350.00	67.38	34.71	3.83	38.69	67.23	74.00	-6.77	Peak
5354.69	67.88	34.70	3.81	38.69	67.70	74.00	-6.30	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 191 of 252

Mode:f; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5311.42	82.46	34.58	3.89	38.71	82.22	54.00	28.22	Average
5350.00	48.83	34.71	3.83	38.69	48.68	54.00	-5.32	Average
5356.30	45.17	34.70	3.81	38.69	44.99	54.00	-9.01	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 192 of 252

Mode:f; Polarization:Horizontal; Modulation:c; bandwidth:20MHz; Channel:High



Antenna Polarity : HORIZONTAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5321.64	98.29	34.58	3.89	38.71	98.05	74.00	24.05	Peak
5350.00	52.81	34.71	3.83	38.69	52.66	74.00	-21.34	Peak
5352.12	56.14	34.71	3.83	38.69	55.99	74.00	-18.01	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 193 of 252

Mode:f; Polarization:Horizontal; Modulation:c; bandwidth:20MHz; Channel:High



Antenna Polarity : HORIZONTAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5319.11	85.80	34.58	3.89	38.71	85.56	54.00	31.56	Average
5350.00	41.09	34.71	3.83	38.69	40.94	54.00	-13.06	Average
5353.55	40.78	34.71	3.83	38.69	40.63	54.00	-13.37	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 194 of 252

Mode:f; Polarization:Vertical; Modulation:c; bandwidth:20MHz; Channel:High



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5320.85	88.48	34.58	3.89	38.71	88.24	74.00	14.24	Peak
5350.00	41.46	34.71	3.83	38.69	41.31	74.00	-32.69	Peak
5354.82	42.14	34.70	3.81	38.69	41.96	74.00	-32.04	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 195 of 252

Mode:f; Polarization:Horizontal; Modulation:c; bandwidth:40MHz; Channel:High



Antenna Polarity : HORIZONTAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5312.85	97.95	34.58	3.89	38.71	97.71	74.00	23.71	Peak
5350.00	70.46	34.71	3.83	38.69	70.31	74.00	-3.69	Peak
5359.18	66.70	34.70	3.81	38.69	66.52	74.00	-7.48	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request a accessible at hith Verwa six comfent/terms and Conditions any early for electronic format documents, subject to forms and Conditions for Electronic Documents at hith/lewwa age company format ad-Conditions/forms-and-Conditions/forms-and-Conditions/forms-and-Conditions/forms-and-Conditions/forms-and-Conditions/forms-and-Conditions/forms-and-Conditions/forms-and-Conditions/forms-and-Conditions/forms-and-Conditions/forms-and-Conditions/forms-and-Conditions/forms-and-Conditions/forms-and-Conditions/forms-and-Conditions/forms-and-Conditions/forms-and-Conditions/forms-and-Conditions/forms-and-Conditions-and-Co





Page: 196 of 252

Mode:f; Polarization:Horizontal; Modulation:c; bandwidth:40MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5313.56	87.78	34.58	3.89	38.71	87.54	54.00	33.54	Average
5350.00	53.03	34.71	3.83	38.69	52.88	54.00	-1.12	Average
5362.77	43.53	34.70	3.81	38.68	43.36	54.00	-10.64	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


ND.568 West Jindu Road Songliang District Shanghai China 201612 中国・上海・松江区全器西路588号 解論 201812 ((16-21) (1915)(6) (36-2) ((1815)(7) www.agagroup.com.cn ((16-21) (1915)(6) ((86-21)(1815)(7) eags.china@ags.com





Page: 197 of 252

Mode:f; Polarization:Vertical; Modulation:c; bandwidth:40MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
					96.62			Peak
5350.00	65.27	34.71	3.83	38.69	65.12	74.00	-8.88	Peak
5354.87	69.42	34.70	3.81	38.69	69.24	74.00	-4.76	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, thus document is issued by the Company subject to its General Conditions of Service printed overlast, available on request a accessible at http://www.agr.com/terms-and-Conditions angle and for electronic formet documents, subject to Tames and Conditions for Electronic formet documents, subject to Tames and Conditions for Electronic Document at http://www.agr.com/terms-and-Conditions/Terms-a-Document.aspx.
Attention is drewn to the limitation of liability, indemnification and printed continued the formet of the document advised that information and acroin reflects the Company's findings at the first of its Instrumnton only and within the limit of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not except their injulic and obligations under the transaction form exercising all their rights and obligations under the transaction occuments. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized electronic, longery or talgification of the contant or appearance of this focument cannot and diffunded any may be prosecuted to the full rights attend of the law Unless otherwise stated the results shown in this test report refer only to the sample(e) lested and such sample(e) are returned for 30 days only.





Page: 198 of 252

Mode:f; Polarization:Vertical; Modulation:c; bandwidth:40MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5313.56	84.78	34.58	3.89	38.71	84.54	54.00	30.54	Average
5350.00	50.03	34.71	3.83	38.69	49.88	54.00	-4.12	Average
5356.30	46.53	34.70	3.81	38.69	46.35	54.00	-7.65	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 199 of 252

Mode:f; Polarization:Horizontal; Modulation:c; bandwidth:80MHz; Channel:High



Antenna Polarity : HORIZONTAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5275.03	93.30	34.34	3.97	38.74	92.87	74.00	18.87	Peak
5350.00	63.12	34.71	3.83	38.69	62.97	74.00	-11.03	Peak
5355.91	67.02	34.70	3.81	38.69	66.84	74.00	-7.16	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 200 of 252

Mode:f; Polarization:Horizontal; Modulation:c; bandwidth:80MHz; Channel:High



Antenna Polarity : HORIZONTAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5286.76	80.57	34.43	3.94	38.73	80.21	54.00	26.21	Average
5350.00	52.38	34.71	3.83	38.69	52.23	54.00	-1.77	Average
5370.47	47.80	34.70	3.78	38.68	47.60	54.00	-6.40	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 201 of 252

Mode:f; Polarization:Vertical; Modulation:c; bandwidth:80MHz; Channel:High



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5296.12	95.13	34.52	3.92	38.72	94.85	74.00	20.85	Peak
5350.00	63.83	34.71	3.83	38.69	63.68	74.00	-10.32	Peak
5355.47	68.80	34.70	3.81	38.69	68.62	74.00	-5.38	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 202 of 252

Mode:f; Polarization:Vertical; Modulation:c; bandwidth:80MHz; Channel:High



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5293.72	84.22	34.52	3.92	38.72	83.94	54.00	29.94	Average
5350.00	52.67	34.71	3.83	38.69	52.52	54.00	-1.48	Average
5353.49	52.64	34.71	3.83	38.69	52.49	54.00	-1.51	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西路588号 朗编 201812 ((16-21) (1915)(6) (36-21)(1915)(7) www.sg.graup.com.cn ((16-21) (1915)(6) (36-21)(1915)(7) e ags.china@ags.com





Page: 203 of 252

Mode:g; Polarization:Horizontal; Modulation:a; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

ark
ak
ak
ak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 204 of 252

Mode:g; Polarization:Horizontal; Modulation:a; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5455.01	41.71	34.64	3.65	38.63	41.37	54.00	-12.63	Average
5460.00	42.87	34.64	3.65	38.63	42.53	54.00	-11.47	Average
5501.28	91.69	34.69	3.60	38.60	91.38	54.00	37.38	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 205 of 252

Mode:g; Polarization:Vertical; Modulation:a; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5458.36	58.77	34.64	3.65	38.63	58.43	74.00	-15.57	Peak
5460.00	58.31	34.64	3.65	38.63	57.97	74.00	-16.03	Peak
5499.49	100.48	34.69	3.60	38.60	100.17	74.00	26.17	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812 ((16-21) ((1915)66) ((36-21)((1915)76) www.sg.sgraup.com.cn ((16-21) ((1915)66) ((36-21)((1915)77) eags.china@sgs.com





Page: 206 of 252

Mode:g; Polarization:Vertical; Modulation:a; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5454.94	35.82	34.64	3.65	38.63	35.48	54.00	-18.52	Average
5460.07	36.20	34.64	3.65	38.63	35.86	54.00	-18.14	Average
5497.60	81.47	34.69	3.60	38.60	81.16	54.00	27.16	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing. This document is lasticed by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.naps and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspx.
Attention, is offered to the similation of liability, indemotification and purisdiction states defined therein. Any holder of the document is advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any. The Company's sole responsibility is to its Client and this document control to transaction from exerciting all their rights and ubligations under the transaction documents. This document control to reproduced axcept in full, without prior written approval of the Company. Any unauthorized alteration, longery or falsification of the content or appearance of this focument is enlawful and offenders may be prosecuted to the file of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such sample(s) are returned for 30 days only.


ND.568 West Jindu Road Songliang District Shanghai China 201612 中国・上海・松江区全器西路588号 解論 201812 1(16-21) 61915066 1(36-2) 61913676 www.sg.grgsup.com.cn 1(16-21) 61915066 1(36-2) 61915672 e ags.china@ags.com





Page: 207 of 252

Mode:g; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5458.19	61.72	34.64	3.65	38.63	61.38	74.00	-12.62	Peak
5460.00	57.69	34.64	3.65	38.63	57.35	74.00	-16.65	Peak
5498.63	103.50	34.69	3.60	38.60	103.19	74.00	29.19	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812 ((16-21) (1915)(6) (166-2) (61915)(7) www.sgsgraup.com.cn (18-21) (1915)(6) (168-2) (61915)(7) e ags.china@sgs.com





Page: 208 of 252

Mode:g; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5456.31	39.39	34.64	3.65	38.63	39.05	54.00	-14.95	Average
5460.00	40.28	34.64	3.65	38.63	39.94	54.00	-14.06	Average
5499.32	90.69	34.69	3.60	38.60	90.38	54.00	36.38	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西路588号 朗编 201812 ((16-21) (1915)(6) (36-21)(1915)(7) www.sg.graup.com.cn ((16-21) (1915)(6) (36-21)(1915)(7) e ags.china@ags.com





Page: 209 of 252

Mode:g; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

ark
ak
ak
ak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812 ((16-21) ((1915)66) ((36-21)((1915)76) www.sg.sgraup.com.cn ((16-21) ((1915)66) ((36-21)((1915)77) eags.china@sgs.com





Page: 210 of 252

Mode:g; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5455.97	34.79	34.64	3.65	38.63	34.45	54.00	-19.55	Average
5460.00	35.21	34.64	3.65	38.63	34.87	54.00	-19.13	Average
5497.60	81.35	34.69	3.60	38.60	81.04	54.00	27.04	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 211 of 252

Mode:g; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5447.59	62.62	34.65	3.67	38.63	62.31	74.00	-11.69	Peak
5460.00	60.65	34.64	3.65	38.63	60.31	74.00	-13.69	Peak
5511.65	101.58	34.69	3.61	38.60	101.28	74.00	27.28	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 212 of 252

Mode:g; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5455.96	45.88	34.64	3.65	38.63	45.54	54.00	-8.46	Average
5460.00	46.42	34.64	3.65	38.63	46.08	54.00	-7.92	Average
5513.19	87.79	34.69	3.61	38.60	87.49	54.00	33.49	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 213 of 252

Mode:g; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:Low



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5458.06	59.44	34.64	3.65	38.63	59.10	74.00	-14.90	Peak
5460.00	55.57	34.64	3.65	38.63	55.23	74.00	-18.77	Peak
5513.38	96.98	34.69	3.61	38.60	96.68	74.00	22.68	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 214 of 252

Mode:g; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:Low



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5454.82	44.54	34.64	3.65	38.63	44.20	54.00	-9.80	Average
5460.00	44.91	34.64	3.65	38.63	44.57	54.00	-9.43	Average
5513.19	84.44	34.69	3.61	38.60	84.14	54.00	30.14	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 215 of 252

Mode:g; Polarization:Horizontal; Modulation:c; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5456.15	62.06	34.64	3.65	38.63	61.72	74.00	-12.28	Peak
5460.00	58.08	34.64	3.65	38.63	57.74	74.00	-16.26	Peak
5501.08	103.08	34.69	3.60	38.60	102.77	74.00	28.77	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西路588号 朗编 201812 ((16-21) (1915)(6) (36-2) ((1815)(7) www.agagroup.com.cn ((16-21) (1915)(6) ((86-21)(1815)(7) eags.china@ags.com





Page: 216 of 252

Mode:g; Polarization:Horizontal; Modulation:c; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5457.30	39.17	34.64	3.65	38.63	38.83	54.00	-15.17	Average
5460.00	40.11	34.64	3.65	38.63	39.77	54.00	-14.23	Average
5499.55	90.75	34.69	3.60	38.60	90.44	54.00	36.44	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西路588号 朗编 201812 1(16-21) 8/1915866 1(86-2) 8/1515876 www.sgsgroup.com.cn 1/16-21) 8/1915866 1/86-2) 8/1915876 e.ags.ch/na@sgs.com





Page: 217 of 252

Mode:g; Polarization:Vertical; Modulation:c; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5456.14	56.22	34.64	3.65	38.63	55.88	74.00	-18.12	Peak
5460.00	54.94	34.64	3.65	38.63	54.60	74.00	-19.40	Peak
5497.94	100.59	34.69	3.60	38.60	100.28	74.00	26.28	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812 ((16-21) ((1915)66) ((36-21)((1915)76) www.sg.sgraup.com.cn ((16-21) ((1915)66) ((36-21)((1915)77) eags.china@sgs.com





Page: 218 of 252

Mode:g; Polarization:Vertical; Modulation:c; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuy	dR/m		dR	dBuv/m	dBuy/m	dR	
								Average
5460.00	35.31	34.64	3.65	38.63	34.97	54.00	-19.03	Average
5497.43	78.71	34.69	3.60	38.60	78.40	54.00	24.40	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Jindu Road Songliang District Shanghai China 201612 中国・上海・松江区全縣西路588号 館場 201812 1(16-21) 8/1915866 1(86-2) 8/1915876 www.sgsgroup.com.cn 1/16-21) 8/1915866 1/86-2) 8/1915876 e ags.ch/na@sgs.com





Page: 219 of 252

Mode:g; Polarization:Horizontal; Modulation:c; bandwidth:40MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5454.25	62.98	34.64	3.65	38.63	62.64	74.00	-11.36	Peak
5460.00	62.76	34.64	3.65	38.63	62.42	74.00	-11.58	Peak
5511.85	102.03	34.69	3.61	38.60	101.73	74.00	27.73	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西路588号 朗编 201812 ((16-21) ((1915)66) ((36-21)((1915)76) www.sg.sgraup.com.cn ((16-21) ((1915)66) ((36-21)((1915)77) eags.china@sgs.com





Page: 220 of 252

Mode:g; Polarization:Horizontal; Modulation:c; bandwidth:40MHz; Channel:Low



Antenna Polarity : HORIZONTAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5456.34	45.86	34.64	3.65	38.63	45.52	54.00	-8.48	Average
5460.00	46.44	34.64	3.65	38.63	46.10	54.00	-7.90	Average
5513.19	87.93	34.69	3.61	38.60	87.63	54.00	33.63	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Jindu Road Songjiang District Shangha. China 201612 中国・上海・松江区全昌西路588号 館論 201812 ((16-21) ((1915)66) ((36-21)((1915)76) www.sg.sgraup.com.cn ((16-21) ((1915)66) ((36-21)((1915)77) eags.china@sgs.com





Page: 221 of 252

Mode:g; Polarization:Vertical; Modulation:c; bandwidth:40MHz; Channel:Low



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5458.63	58.54	34.64	3.65	38.63	58.20	74.00	-15.80	Peak
5460.00	57.12	34.64	3.65	38.63	56.78	74.00	-17.22	Peak
5512.04	97.77	34.69	3.61	38.60	97.47	74.00	23.47	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 222 of 252

Mode:g; Polarization:Vertical; Modulation:c; bandwidth:40MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5452.73	44.27	34.64	3.65	38.63	43.93	54.00	-10.07	Average
5460.00	44.41	34.64	3.65	38.63	44.07	54.00	-9.93	Average
5513.19	83.10	34.69	3.61	38.60	82.80	54.00	28.80	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 223 of 252

Mode:g; Polarization:Horizontal; Modulation:c; bandwidth:80MHz; Channel:Low



Antenna Polarity : HORIZONTAL

t Remark
25 Peak
24 Peak
44 Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 224 of 252

Mode:g; Polarization:Horizontal; Modulation:c; bandwidth:80MHz; Channel:Low



Antenna Polarity : HORIZONTAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5452.99	45.86	34.64	3.65	38.63	45.52	54.00	-8.48	Average
5460.00	45.66	34.64	3.65	38.63	45.32	54.00	-8.68	Average
5532.29	81.44	34.69	3.62	38.59	81.16	54.00	27.16	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 225 of 252

Mode:g; Polarization:Vertical; Modulation:c; bandwidth:80MHz; Channel:Low



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5455.52	63.25	34.64	3.65	38.63	62.91	74.00	-11.09	Peak
5460.00	57.83	34.64	3.65	38.63	57.49	74.00	-16.51	Peak
5532.29	96.56	34.69	3.62	38.59	96.28	74.00	22.28	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Jindu Road Songjiang District Shangha China 201612 中国・上海・松江区全昌西路588号 邮輪 201812 ((16-21) ((1915)66) ((66-2))((1915)76) www.sgsgraup.com.cn ((16-21) ((1915)66) ((66-2))((1915)77) e ags.china@sgs.com





Page: 226 of 252

Mode:g; Polarization:Vertical; Modulation:c; bandwidth:80MHz; Channel:Low



Antenna Polarity : VERTICAL

rk
rage
rage
rage

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 227 of 252

Mode:h; Polarization:Horizontal; Modulation:a; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5636.44	45.13	34.90	3.66	38.57	45.12	68.20	-23.08	Peak
5646.95	45.32	34.94	3.67	38.57	45.36	68.20	-22.84	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 228 of 252

Mode:h; Polarization:Vertical; Modulation:a; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5620.13	40.66	32.11	13.50	42.50	43.77	68.20	-24.43	Peak
5638.38	41.45	32.14	13.50	42.50	44.59	68.20	-23.61	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 229 of 252

Mode:h; Polarization:Horizontal; Modulation:a; bandwidth:20MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5945.20	41.60	32.71	13.96	42.50	45.77	68.20	-22.43	Peak
5976.86	40.46	32.77	13.96	42.50	44.69	68.20	-23.51	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 230 of 252

Mode:h; Polarization:Vertical; Modulation:a; bandwidth:20MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5933.72	48.04	35.27	3.81	38.51	48.61	68.20	-19.59	Peak
5970.27	48.15	35.26	3.82	38.51	48.72	68.20	-19.48	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西路588号 朗编 201812 ((16-21) (1915)(v) (186-21)(1915)(v) www.sg.sgraup.com.cn ((16-21) (1915)(v) (186-21)(1915)(v) eags.china@sgs.com





Page: 231 of 252

Mode:h; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5637.60	45.22	34.90	3.66	38.57	45.21	68.20	-22.99	Peak
5641.10	45.35	34.94	3.67	38.57	45.39	68.20	-22.81	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 232 of 252





Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5619.74	42.61	32.11	13.50	42.50	45.72	68.20	-22.48	Peak
5643.83	41.18	32.17	13.50	42.50	44.35	68.20	-23.85	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 233 of 252

Mode:h; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5940.69	41.13	32.68	13.96	42.50	45.27	68.20	-22.93	Peak
5966.15	42.23	32.74	13.96	42.50	46.43	68.20	-21.77	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 234 of 252





Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5939.05	48.27	35.27	3.81	38.51	48.84	68.20	-19.36	Peak
5985.53	48.18	35.26	3.83	38.50	48.77	68.20	-19.43	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西路588号 朗编 201812 ((6-21) ((9150)) (36-2) ((1915)) www.sg.graup.com.cn ((6-21) ((9150)) ((8-2) ((1915)) e ags.china@ags.com





Page: 235 of 252

Mode:h; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5629.05	46.29	34.90	3.66	38.58	46.27	68.20	-21.93	Peak
5636.83	48.31	34.90	3.66	38.57	48.30	68.20	-19.90	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is lasted by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at hith //www.sgs.com/en/ferms-and-Conditions rups and for electronic format becaments, aspiral to forms and Conditions for electronic Documents at http://www.ags.com/en/ferms-and-Conditions/forms-and-Conditions-And-Conditions-an





Page: 236 of 252

Mode:h; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5621.29	41.66	32.11	13.50	42.50	44.77	68.20	-23.43	Peak
5641.49	42.35	32.17	13.50	42.50	45.52	68.20	-22.68	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 237 of 252

Mode:h; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5937.41	42.47	32.68	13.96	42.50	46.61	68.20	-21.59	Peak
5971.51	40.97	32.74	13.96	42.50	45.17	68.20	-23.03	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 238 of 252

Mode:h; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:High



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5938.23	48.42	35.27	3.81	38.51	48.99	68.20	-19.21	Peak
5962.86	47.82	35.26	3.82	38.51	48.39	68.20	-19.81	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812 ((6-21) ((9150)) (36-2) ((1915)) www.sg.graup.com.cn ((6-21) ((9150)) ((8-2) ((1915)) e ags.china@ags.com





Page: 239 of 252

Mode:h; Polarization:Horizontal; Modulation:c; bandwidth:20MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5639.55	45.44	34.90	3.66	38.57	45.43	68.20	-22.77	Peak
5648.11	46.92	34.94	3.67	38.57	46.96	68.20	-21.24	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 240 of 252

Mode:h; Polarization:Vertical; Modulation:c; bandwidth:20MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5623.62	40.95	32.11	13.50	42.50	44.06	68.20	-24.14	Peak
5643.44	42.30	32.17	13.50	42.50	45.47	68.20	-22.73	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 241 of 252

Mode:h; Polarization:Horizontal; Modulation:c; bandwidth:20MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5937.41	40.72	32.68	13.96	42.50	44.86	68.20	-23.34	Peak
5974.80	40.14	32.74	13.96	42.50	44.34	68.20	-23.86	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 242 of 252





Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5940.69	48.04	35.27	3.81	38.51	48.61	68.20	-19.59	Peak
5964.92	48.13	35.26	3.82	38.51	48.70	68.20	-19.50	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812 ((6-21) ((9150)) (36-2) ((1915)) www.sg.graup.com.cn ((6-21) ((9150)) ((8-2) ((1915)) e ags.china@ags.com





Page: 243 of 252

Mode:h; Polarization:Horizontal; Modulation:c; bandwidth:40MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5630.22	47.25	34.90	3.66	38.58	47.23	68.20	-20.97	Peak
5637.60	47.99	34.90	3.66	38.57	47.98	68.20	-20.22	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Jindu Road Songjiang District Shangha China 201612 中国・上海・松江区全昌西路588号 邮輪 201812 ((16-21) ((1915)66) ((36-2))((1915)76) www.sgsgraup.com.cn ((16-21) ((1915)66) ((36-2))((1915)77) e ags.china@ags.com





Page: 244 of 252





Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5623.62	41.45	32.11	13.50	42.50	44.56	68.20	-23.64	Peak
5639.94	42.58	32.14	13.50	42.50	45.72	68.20	-22.48	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.


NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812 ((16-21) (1915)(v) (186-21)(1915)(v) www.sg.sgraup.com.cn ((16-21) (1915)(v) (186-21)(1915)(v) eags.china@sgs.com





Page: 245 of 252

Mode:h; Polarization:Horizontal; Modulation:c; bandwidth:40MHz; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5942.74	40.55	32.71	13.96	42.50	44.72	68.20	-23.48	Peak
5957.51	42.15	32.71	13.96	42.50	46.32	68.20	-21.88	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 246 of 252





Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5937.00	47.76	35.27	3.81	38.51	48.33	68.20	-19.87	Peak
5978.93	47.92	35.26	3.83	38.50	48.51	68.20	-19.69	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed to writing, thus document is issued by the Company subject to its General Conditions of Service printed overlast, available on request a accessible at http://www.ags.com/ten/Terms-and-Conditions args and for electronic formet documents, subject to Terms and Conditions for Electronic formet documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/orentand-Conditions/Terms-a-Document.aspx.
Attention is drewn to the limitation of liability, indemnification and printed continued to the limitation of liability, indemnification and printed continued to the limitation of liability, indemnification and printed continued to analyze of the document of Client's instructions. If any. The Company's foliages at these of its instructions only and which the limit of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exceed accept in full, without prior written approval of the Company. Any unauthorized electronic, longery or talgification of the Content or appearance of this followed accept in full, without prior written approval of the Company. Any unauthorized electronic or the identification of the content or appearance of this followed in links at a content or the links of the links at the links of the links of the links at the links at the links at the links of the links at the links of the links at the links of the links at the links at the links at the links at the links of the links o





Page: 247 of 252

Mode:h; Polarization:Horizontal; Modulation:c; bandwidth:80MHz; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
5623.23	49.88	34.87	3.66	38.58	49.83	68.20	-18.37	Peak
5637.60	53.94	34.90	3.66	38.57	53.93	68.20	-14.27	Peak
5931.27	49.80	35.27	3.81	38.51	50.37	68.20	-17.83	Peak
5979.75	49.14	35.26	3.83	38.50	49.73	68.20	-18.47	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 248 of 252

Mode:h; Polarization:Vertical; Modulation:c; bandwidth:80MHz; Channel:Low



Antenna Polarity : VERTICAL

Freq					Emission Level			Remark
MU-	dDung	dD/m	40	4D	dDung/m	dD.n./m	4D	
MUZ	abuv	ub/m	uв	uв	dBuv/m	ubuv/m	uв	
5626.33	47.46	34.90	3.66	38.58	47.44	68.20	-20.76	Peak
5639.16	50.34	34.90	3.66	38.57	50.33	68.20	-17.87	Peak
5930.86	52.04	35.27	3.81	38.51	52.61	68.20	-15.59	Peak
5948.07	49.52	35.26	3.82	38.51	50.09	68.20	-18.11	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.

NO.568 West Lindu Roud Songjiang District Shanghai China 201612 中国・上海・松江区全都西遊588号 錦鎬 201812 ((16-21) ((1915)66) ((36-21)((1915)76) www.sg.sgraup.com.cn ((16-21) ((1915)66) ((36-21)((1915)77) eags.china@sgs.com



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHEM210600581204

Page: 249 of 252

7.9 Frequency Stability

Test Requirement 47 CFR Part 15, Subpart C 15.407 (g)
Test Method: ANSI C63.10 (2013) Section 6.8

Limit: The frequency tolerance shall be maintained within the band of operation

frequency over a temperature variation of 0 degrees to 35 degrees C at normal supply voltage, and for a variation in the primary supply voltage from 85% to 115% of the rated supply voltage at a temperature of 20 degrees C.



Unless otherwise agreed in writing. This document is lasticed by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.naps and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspx.
Attention, is offered to the similation of liability, indemotification and purisdiction states defined therein. Any holder of the document is advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any. The Company's sole responsibility is to its Client and this document control to a transaction from exercising all their rights and ubligations under the transaction documents. This document control to reproduced axcept in full, without prior written approval of the Company. Any unauthorized alteration, longery or falsification of the content or appearance of this followed is unlawful and offenders may be prosecuted to the file of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such sample(s) are returned for 30 days only.

NO.568 West Jindu Road Songjiang District Shanghai China 201612 中国・上海・松江区全昌西路588号 錦崎 201812 1(16-21) 8/1915/666 1(36-2) 9/1515/676 www.sgsgroup.com.cn 1/16-21) 8/1915/666 1/36-2) 9/1915/676 e.ags.ch/na@sgs.com



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHEM210600581204

Page: 250 of 252

7.9.1 E.U.T. Operation

Operating Environment:

Temperature: 22 °C Humidity: 50 % RH Atmospheric Pressure: 1001 mbar

Test mode: e:TX mode (Band 1)_Keep the EUT in continuously transmitting mode with all

modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

f:TX mode (Band 2A)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst

case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

g:TX mode (Band 2C)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.

h:TX mode (Band 3)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE

802.11ac(VHT80). Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overhalf, available on request is accessible at http://www.sig.com/en/Terms-and-Conditions and for electronic format documents at http://www.ags.com/en/Terms-and-Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions-and-Conditions-and-Condition


NO.558 West Indu Road Songlising District Shanghal China 201612 中国・上海・松江区全昌西路588号 錦崎 201812 ((6-21) 6/915666 (66-2) 61515676 www.sgsgraup.com.cn (16-21) 6/915666 (66-2) 6/1915676 e.gs.china@sos.com





Page: 251 of 252

7.9.2 Test Setup Diagram



Ground Reference Plane

7.9.3 Measurement Procedure and Data

The detailed test data see: Appendix D for SHEM210600581204



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.nips and, for alectronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspr. Attention, is offered to the similation of liability, indemnification and printediction issues defined therein. Any holder of this document as advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any, The Company's sole responsibility is to its Client and this document cannot be reproduced ascept in full, without prior written approval of the Lompany. Any unauthorized alteration, torgery or falsification of the content or appearance of this focument is unlawful and offenders may be presented to the security of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such samples(a) are returned for 30 days only.





Page: 252 of 252

8 Test Setup Photographs

Refer to the < Test Setup photos-FCC>.

9 EUT Constructional Details

Refer to the < External Photos > & < Internal Photos >.

- End of the Report -



Unless otherwise agreed in writing. This document is lasticed by the Company subject to its General Conditions of Service printed overlast, available on request or accessible at http://www.sus.com/en/Terms-and-Conditions.naps and, for electronic format occurrents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspx.
Attention, is offered to the similation of liability, indemotification and purisdiction states defined therein. Any holder of the document is advised that information cantained bereon reflects the Company's Englings at the time of its intervention only and within the times of Client's instructions. If any. The Company's sole responsibility is to its Client and this document control to a transaction from exercising all their rights and ubligations under the transaction documents. This document control to reproduced axcept in full, without prior written approval of the Company. Any unauthorized alteration, longery or falsification of the content or appearance of this followed is unlawful and offenders may be prosecuted to the file of the law Unless otherwise stated the results shown in this test report refer only to the sampler (a) tested and such sample(s) are returned for 30 days only.