

Report No.: KSEM210800132301 Page: 1 of 87

TEST REPORT

| Application No.: | KSEM2108001323CR |
|--------------------------|--|
| FCC ID: | 2A2EX-LS001 |
| Applicant: | Luxshare Electronic Technology (KunShan) Ltd. |
| Address of Applicant: | No.158, Jinchang Road, Jinxi Town, Kunshan City, Jiangsu Province, China |
| Manufacturer: | Luxshare Electronic Technology (KunShan) Ltd. |
| Address of Manufacturer: | No.158, Jinchang Road, Jinxi Town, Kunshan City, Jiangsu Province, China |
| Equipment Under Test (EU | Т): |
| EUT Name: | 5G WIFI + BT5.1 Module |
| Model No.: | LS001ONWAS |
| Trade mark: | LUXSHAREICT |
| Standard(s) : | 47 CFR Part 15, Subpart C 15.247 |
| Date of Receipt: | 2021-08-05 |
| Date of Test: | 2021-09-07 to 2021-09-13 |
| Date of Issue: | 2021-09-13 |
| Test Result: | Pass* |

* In the configuration tested, the EUT complied with the standards specified above.

For fin

Eric Lin Laboratory Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or emails CN Doccheck@ess.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国 • 江苏 • 昆山市留学生创业园伟业路10号 邮编 215300

Test Report Form Version: Rev01

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com Member of the SGS Group (SGS SA)

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210800132301 Page: 2 of 87

| Revision Record | | | | | | | | |
|---------------------------------|----------|------------|---|--|--|--|--|--|
| Version Description Date Remark | | | | | | | | |
| 00 | Original | 2021-09-13 | / | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| Authorized for issue by: | | |
|--------------------------|-------------------------------|--|
| | Damon zhou | |
| | Damon Zhou / Project Engineer | |
| | En fri | |
| | Eric Lin / Reviewer | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CNLDoccheck@cgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Report No.: KSEM210800132301 Page: 3 of 87

2 Test Summary

| Radio Spectrum Technical Requirement | | | | | | | |
|---------------------------------------|-------------------------------------|-----|---|------|--|--|--|
| Item Standard Method Requirement Resu | | | | | | | |
| Antenna Requirement | 47 CFR Part 15, Subpart C 15.247 | N/A | 47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4) | Pass | | | |

| Radio Spectrum Matter Part | | | | | | | |
|---|-------------------------------------|---|--|--------|--|--|--|
| Item | Standard | Method | Requirement | Result | | | |
| Conducted Emissions at AC Power Line (150kHz-30MHz) | 47 CFR Part 15, Subpart C 15.247 | ANSI C63.10 (2013) Section 6.2 | 47 CFR Part 15, Subpart C 15.207 | Pass | | | |
| Minimum 6dB Bandwidth | 47 CFR Part 15, Subpart C 15.247 | ANSI C63.10 (2013) Section 11.8.1 | 47 CFR Part 15, Subpart C 15.247a(2) | Pass | | | |
| Conducted Peak Output Power | 47 CFR Part 15, Subpart C 15.247 | ANSI C63.10 (2013) Section 11.9.1 | 47 CFR Part 15, Subpart C 15.247(b)(3) | Pass | | | |
| Power Spectrum Density | 47 CFR Part 15, Subpart C 15.247 | ANSI C63.10 (2013) Section 11.10.2 | 47 CFR Part 15, Subpart C 15.247(e) | Pass | | | |
| Conducted Band Edges Measurement | 47 CFR Part 15, Subpart C 15.247 | ANSI C63.10 (2013) Section 11.13.3.2 | 47 CFR Part 15, Subpart C 15.247(d) | Pass | | | |
| Conducted Spurious Emissions | 47 CFR Part 15, Subpart C 15.247 | ANSI C63.10 (2013) Section 11.11 | 47 CFR Part 15, Subpart C 15.247(d) | Pass | | | |
| Radiated Emissions which fall in the restricted bands | 47 CFR Part 15, Subpart C 15.247 | ANSI C63.10 (2013) Section 6.10.5 | 47 CFR Part 15, Subpart C 15.209 & 15.247(d) | Pass | | | |
| Radiated Spurious Emissions | 47 CFR Part 15, Subpart C 15.247 | ANSI C63.10 (2013) Section 6.4,6.5,6.6 | 47 CFR Part 15, Subpart C 15.209 & 15.247(d) | Pass | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation clients is old the total this document does not exoeriate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ess.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210800132301 Page: 4 of 87

3 Contents

| | | Page |
|----|---|------|
| 1 | COVER PAGE | 1 |
| 2 | TEST SUMMARY | 3 |
| | | |
| 3 | CONTENTS | 4 |
| 4 | GENERAL INFORMATION | 5 |
| 4. | 1 DETAILS OF E.U.T. | |
| 4. | | |
| 4. | 3 DESCRIPTION OF SUPPORT UNITS | 5 |
| 4. | 4 MEASUREMENT UNCERTAINTY | 6 |
| 4. | | |
| 4. | | |
| 4. | | |
| 4. | 8 ABNORMALITIES FROM STANDARD CONDITIONS | 7 |
| 5 | EQUIPMENT LIST | 8 |
| 6 | RADIO SPECTRUM TECHNICAL REQUIREMENT | 10 |
| 6. | 1 ANTENNA REQUIREMENT | 10 |
| 7 | RADIO SPECTRUM MATTER TEST RESULTS | 11 |
| 7. | 1 CONDUCTED EMISSIONS AT AC POWER LINE (150KHz-30MHz) | 11 |
| 7. | | |
| 7. | 3 CONDUCTED PEAK OUTPUT POWER | 16 |
| 7. | | - |
| 7. | | - |
| 7. | | |
| 7. | | - |
| 7. | 8 RADIATED SPURIOUS EMISSIONS | 58 |
| 8 | TEST SETUP PHOTOGRAPHS | 87 |
| 9 | EUT CONSTRUCTIONAL DETAILS | 87 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300





 Report No.:
 KSEM210800132301

 Page:
 5 of 87

4 General Information

4.1 Details of E.U.T.

| Power supply: | DC 3.3V |
|----------------------|--|
| Test voltage: | AC 120V/60Hz |
| Antenna Gain: | 2.9dBi (Provided by manufacturer) |
| Antenna Type: | FPC Antenna |
| Channel Spacing: | 5MHz |
| Modulation Type: | 802.11b: DSSS (CCK, DQPSK, DBPSK) |
| | 802.11g/n: OFDM (64QAM, 16QAM, QPSK, BPSK) |
| Data Rate: | 802.11b: 1/2/5.5/11Mbps, |
| | 802.11g: 6/9/12/18/24/36/48/54Mbps |
| | 802.11n: MCS0-7 |
| Number of Channels: | 802.11b/g/n(HT20):11 |
| | 802.11n(HT40):7 |
| Operation Frequency: | 802.11b/g/n(HT20): 2412MHz to 2462MHz |
| | 802.11n(HT40): 2422MHz to 2452MHz |
| | |

4.2 Power level setting using in test:

| Channel | 802.11b | 802.11g | 802.11n(HT20) |
|---------|---------------|---------|---------------|
| | Ant 1 | Ant 1 | Ant 1 |
| 1 | 17 | 16 | 14 |
| 6 | 17 | 16 | 14 |
| 11 | 17 | 16 | 14 |
| Channel | 802.11n(HT40) | | |
| | Ant 1 | | |
| 3 | 14 | | |
| 6 | 14 |] | |
| 9 | 14 |] | |

4.3 Description of Support Units

| Description | Manufacturer | Model No. | Serial No. |
|-------------------------|--------------|---------------|----------------------|
| Notebook Acer | | ZQT | NXM0QCN01031403EE876 |
| Notebook | LENOVO | Thinkpad T420 | / |
| LS001ONWAS_EVB Luxshare | | / | / |
| Notebook Adapter | Delta | 0713A1990 | / |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation client's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exoeriate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@esps.com



Report No.: KSEM210800132301 Page: 6 of 87

4.4 Measurement Uncertainty

| No. | ltem | Measurement Uncertainty |
|-----|---------------------------------|-------------------------|
| 1 | Radio Frequency | 8.4 x 10 ⁻⁸ |
| 2 | Timeout | 2s |
| 3 | Duty cycle | 0.37% |
| 4 | Occupied Bandwidth | 3% |
| 5 | RF conducted power | 0.6dB |
| 6 | RF power density | 2.9dB |
| 7 | Conducted Spurious emissions | 0.75dB |
| 0 | DE Dedicted server | 4.2dB (Below 1GHz) |
| 8 | RF Radiated power | 4.1dB (Above 1GHz) |
| | | 4.2dB (Below 30MHz) |
| 9 | Redicted Sourious emission test | 4.6dB (30MHz-1GHz) |
| 9 | Radiated Spurious emission test | 4.8dB (1GHz-18GHz) |
| | | 5.5dB (Above 18GHz) |
| 10 | Temperature test | 1°C |
| 11 | Humidity test | 3% |
| 12 | Supply voltages | 1.5% |
| 13 | Time | 3% |

Note: The measurement uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSEM210800132301 Page: 7 of 87

4.5 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc.

No.10 Weiye Rd, Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China. Tel: +86 512 5735 5888 Fax: +86 512 5737 0818

No tests were sub-contracted.

4.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS (No. CNAS L4354)

CNAS has accredited Compliance Certification Services (Kunshan) Inc. to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• A2LA (Certificate No. 2541.01)

Compliance Certification Services (Kunshan) Inc. is accredited by the American Association for Laboratory Accreditation (A2LA). Certificate No. 2541.01.

• FCC (Designation Number: CN1172)

Compliance Certification Services Inc. has been recognized as an accredited testing laboratory.

Designation Number: CN1172.

• ISED (CAB Identifier: CN0072)

Compliance Certification Services (Kunshan) Inc. has been recognized by Innovation, Science and Economic Development (ISED) Canada as an accredited testing laboratory.

CAB Identifier: CN0072.

• VCCI (Member No.: 1938)

The 3m and 10m Semi-anechoic chamber and Shielded Room of Compliance Certification Services (Kunshan) Inc. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-20134, R-11600,C-11707, T-11499, G-10216 respectively.

4.7 Deviation from Standards

None

4.8 Abnormalities from Standard Conditions

None




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@esps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com





 Report No.:
 KSEM210800132301

 Page:
 8 of 87

5 Equipment List

| Item | Equipment | Manufacturer | Model | Serial Number | Cal Date | Cal. Due Date |
|------|---|---------------|-------------|-------------------|------------|---------------|
| Con | ducted Emission at Mains Terminals (150 | kHz-30MHz) | | | | |
| 1 | EMI Test Receive | R&S | ESCI | 100781 | 02/01/2021 | 01/31/2022 |
| 2 | LISN | R&S | ENV216 | 101604 | 10/19/2020 | 10/18/2021 |
| 3 | LISN | Schwarzbeck | NNLK 8129 | 8129-143 | 10/19/2020 | 10/18/2021 |
| 4 | Pulse Limiter | R&S | ESH3-Z2 | 100609 | 02/01/2021 | 01/31/2022 |
| 5 | CE test Cable | Thermax | / | 14 | 10/17/2020 | 10/16/2021 |
| 6 | Test Software | Farad | EZ-EMC | CCS-03A1 | N.C.R | N.C.R |
| RF | Conducted Test | | | | | |
| 1 | Spectrum Analyzer | Agilent | E4446A | MY44020154 | 04/16/2021 | 04/15/2022 |
| 2 | Spectrum Analyzer | Keysight | N9020A | MY55370209 | 12/02/2020 | 12/01/2021 |
| 3 | Spectrum Analyzer | Keysight | N9010A | MY56480443 | 02/01/2021 | 01/31/2022 |
| 4 | Signal Generator | Agilent | N5182A | MY50142015 | 09/25/2020 | 09/24/2021 |
| 5 | Radio Communication Test Station | Anritsu | MT8000A | 6262012849 | N/A | N/A |
| 6 | Radio Communication Analyzer | Anritsu | MT8821C | 6201692222 | N/A | N/A |
| 7 | Universal Radio Communication Tester | R&S | CMW500 | 159275 | 10/19/2020 | 10/18/2021 |
| 8 | Universal Radio Communication Tester | R&S | CMW500 | 167239 | 04/16/2021 | 04/15/2022 |
| 9 | Power Meter | Anritsu | ML2495A | 1445010 | 04/15/2021 | 04/14/2022 |
| 10 | Switcher | CCSRF | FY562 | KUS2001M001 -3 | 10/19/2020 | 10/18/2021 |
| 11 | AC Power Source | EXTECH | 6605 | 1570106 | N.C.R | N.C.R |
| 12 | DC Power Supply | Aglient | E3632A | MY50340053 | N.C.R | N.C.R |
| 13 | 6dB Attenuator | Mini-Circuits | NAT-6-2W | 15542-1 | N.C.R | N.C.R |
| 14 | Power Divider | AISI | IOWOPE2068 | PE2068 | N.C.R | N.C.R |
| 15 | Filter | MICRO-TRONICS | BRM50701 | 5 | N.C.R | N.C.R |
| 16 | Conducted test cable | / | RF01-RF04 | / | 04/15/2021 | 04/14/2022 |
| 17 | Software | BST | TST-PASS | N/A | N/A | N/A |
| 18 | Temp. / Humidity Chamber | TERCHY | MHK-120AK | X30109 | 04/15/2021 | 04/14/2022 |
| 19 | Thermometer | Anymetre | TH603 | CCS007 | 10/16/2020 | 10/15/2021 |
| RF R | adiated Test | | | | | |
| 1 | Spectrum Analyzer | R&S | FSV40 | 101493 | 10/19/2020 | 10/18/2021 |
| 2 | Signal Generator | Agilent | E8257C | MY43321570 | 10/19/2020 | 10/18/2021 |
| 3 | Loop Antenna | Schwarzbeck | HXYZ9170 | 9170-108 | 02/22/2021 | 02/21/2022 |
| 4 | Bilog Antenna | TESEQ | CBL 6112D | 35403 | 06/21/2021 | 06/20/2023 |
| 5 | Bilog Antenna | SCHWARZBECK | VULB9160 | 9160-3342 | 04/13/2021 | 04/12/2023 |
| 6 | Horn-antenna(1-18GHz) | Schwarzbeck | BBHA9120D | 267 | 10/26/2020 | 10/25/2022 |
| 7 | Horn-antenna(1-18GHz) | ETS-LINDGREN | 3117 | 00143290 | 02/22/2021 | 02/21/2023 |
| 8 | Horn Antenna(18-40GHz) | Schwarzbeck | BBHA9170 | BBHA9170171 | 02/22/2021 | 02/21/2022 |
| 9 | Pre-Amplifier(30MHz~18GHz) | LNA | / | / | 04/15/2021 | 04/14/2022 |
| 10 | Amplifier(18~40GHz) | COM-POWER | PAM-840A | 461332 | 10/23/2020 | 10/22/2021 |
| 11 | Low Pass Filter | MICRO-TRONICS | VLFX-950 | RV142900829 | N.C.R | N.C.R |
| 12 | High Pass Filter | Mini-Circuits | VHF-1200 | 15542 | N.C.R | N.C.R |
| 13 | Filter (5450MHz~5770 MHz) | MICRO-TRONICS | BRC50704-01 | 2 | N.C.R | N.C.R |
| 14 | Filter (5690 MHz~5930 MHz) | MICRO-TRONICS | BRC50705-01 | 4 | N.C.R | N.C.R |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation clients is old the total this document does not exoeriate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ess.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: KSEM210800132301 Page: 9 of 87

| 15 | Filter (5150 MHz \sim 5350 MHz $)$ | MICRO-TRONICS | BRC50703-01 | 2 | N.C.R | N.C.R |
|----|--------------------------------------|---------------|--------------|-----|------------|------------|
| 16 | Filter (885 MHz~915 MHz) | MICRO-TRONICS | BRM14698 | 1 | N.C.R | N.C.R |
| 17 | Filter (815 MHz~860 MHz) | MICRO-TRONICS | BRM14697 | 1 | N.C.R | N.C.R |
| 18 | Filter (1745 MHz \sim 1910 MHz) | MICRO-TRONICS | BRM14700 | 1 | N.C.R | N.C.R |
| 19 | Filter (1922 MHz \sim 1977 MHz) | MICRO-TRONICS | BRM50715 | 1 | N.C.R | N.C.R |
| 20 | Filter (2550 MHz) | MICRO-TRONICS | HPM13362 | 5 | N.C.R | N.C.R |
| 21 | Filter (1532 MHz \sim 1845 MHz) | MICRO-TRONICS | BRM50713 | 1 | N.C.R | N.C.R |
| 22 | Filter (2.4GHz) | MICRO-TRONICS | BRM50701 | 5 | N.C.R | N.C.R |
| 23 | RE test cable | / | RE01-RE04 | / | 04/15/2021 | 04/14/2022 |
| 24 | Software | Faratronic | EZ_EMC-v 3A1 | N/A | N/A | N/A |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210800132301 Page: 10 of 87

6 Radio Spectrum Technical Requirement

6.1 Antenna Requirement

6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)

6.1.2 Conclusion

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

EUT Antenna:

The antenna is FPC antenna and that uses a unique coupling to the intentional radiator. The best case gain of the antenna is 2.9dBi.

Antenna location: Refer to Appendix (Internal Photos).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)





Report No.: KSEM210800132301 11 of 87 Page:

Radio Spectrum Matter Test Results 7

Conducted Emissions at AC Power Line (150kHz-30MHz) 7.1

| Test Requirement | 47 CFR Part 15, Subpart C 15.207 |
|------------------|----------------------------------|
| Test Method: | ANSI C63.10 (2013) Section 6.2 |
| Limit: | |


| | Conducted | limit(dBµV) |
|--------------------------------------|------------|-------------|
| Frequency of emission(MHz) | Quasi-peak | Average |
| 0.15-0.5 | 66 to 56* | 56 to 46* |
| 0.5-5 | 56 | 46 |
| 5-30 | 60 | 50 |
| *Decreases with the logarithm of the | frequency. | • |

7.1.1 E.U.T. Operation

Operating Environment:

22 °C Temperature: Humidity: 50 % RH Atmospheric Pressure: 1002 mbar Test mode a:TX mode Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40). Only the data of worst case is recorded in the report.

7.1.2 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation clients is old resonant to its old the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ess.com



Report No.: KSEM210800132301 Page: 12 of 87

7.1.3 Measurement Procedure and Data

1) The mains terminal disturbance voltage test was conducted in a shielded room.

2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50ohm/50 μ H + 50hm linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.

3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane,

4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.

5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark: LISN=Read Level+ Cable Loss+ LISN Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/ferms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document on the except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Report No.: KSEM210800132301 Page: 13 of 87

Mode:a; Line:Live Line



| No. | Frequency | QuasiPeak | Average | Correction | QuasiPeak | Average | QuasiPeak | Average | QuasiPeak | Average | Remark |
|-----|-----------|-----------|---------|------------|-----------|---------|-----------|---------|-----------|---------|--------|
| | | reading | reading | factor | result | result | limit | limit | margin | margin | |
| | (MHz) | (dBuV) | (dBuV) | (dB) | (dBuV) | (dBuV) | (dBuV) | (dBuV) | (dB) | (dB) | |
| 1* | 0.1570 | 33.86 | 20.12 | 19.46 | 53.32 | 39.58 | 65.62 | 55.62 | -12.30 | -16.04 | Pass |
| 2 | 0.1618 | 33.50 | 20.67 | 19.46 | 52.96 | 40.13 | 65.37 | 55.37 | -12.41 | -15.24 | Pass |
| 3 | 0.1884 | 27.48 | 10.71 | 19.46 | 46.94 | 30.17 | 64.11 | 54.11 | -17.17 | -23.94 | Pass |
| 4 | 0.2114 | 18.24 | -0.95 | 19.46 | 37.70 | 18.51 | 63.15 | 53.15 | -25.45 | -34.64 | Pass |
| 5 | 0.2378 | 15.67 | 3.59 | 19.47 | 35.14 | 23.06 | 62.17 | 52.17 | -27.03 | -29.11 | Pass |
| 6 | 11.9998 | 14.53 | 9.52 | 20.04 | 34.57 | 29.56 | 60.00 | 50.00 | -25.43 | -20.44 | Pass |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation clients is old the total this document does not exoeriate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ess.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210800132301 Page: 14 of 87

Mode:a; Line:Neutral Line



| No. | Frequency | QuasiPeak reading | Average reading | Correction factor | QuasiPeak result | Average result | QuasiPeak limit | Average limit | QuasiPeak margin | Average margin | Remark |
|-----|-----------|----------------------|-----------------|----------------------|---------------------|-------------------|--------------------|------------------|---------------------|-------------------|--------|
| | (MHz) | (dBuV) | (dBuV) | (dB) | (dBuV) | (dBuV) | (dBuV) | (dBuV) | (dB) | (dB) | |
| 1* | 0.1559 | 30.94 | 15.80 | 19.42 | 50.36 | 35.22 | 65.68 | 55.68 | -15.32 | -20.46 | Pass |
| 2 | 0.2531 | 18.04 | 9.08 | 19.44 | 37.48 | 28.52 | 61.65 | 51.65 | -24.17 | -23.13 | Pass |
| 3 | 0.8806 | 10.18 | 5.61 | 19.53 | 29.71 | 25.14 | 56.00 | 46.00 | -26.29 | -20.86 | Pass |
| 4 | 3.5531 | 12.82 | 7.85 | 19.65 | 32.47 | 27.50 | 56.00 | 46.00 | -23.53 | -18.50 | Pass |
| 5 | 5.2312 | 14.33 | 9.44 | 19.75 | 34.08 | 29.19 | 60.00 | 50.00 | -25.92 | -20.81 | Pass |
| 6 | 14.3175 | 11.32 | 6.48 | 20.11 | 31.43 | 26.59 | 60.00 | 50.00 | -28.57 | -23.41 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210800132301 Page: 15 of 87

7.2 Minimum 6dB Bandwidth


| Test Requirement | 47 CFR Part 15, Subpart C 15.247a(2) |
|------------------|--------------------------------------|
| Test Method: | ANSI C63.10 (2013) Section 11.8.1 |
| Limit: | ≥500 kHz |

7.2.1 E.U.T. Operation

Operating Environment:

Temperature:24 °CHumidity:50 % RHAtmospheric Pressure:1010 mbarTest modea:TX mode_Keep the EUT in continuously transmitting mode with all modulation
types. All data rates for each modulation type have been tested and found the
data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the
worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE
802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40).
Only the data of worst case is recorded in the report.

7.2.2 Test Setup Diagram



Ground Reference Plane

7.2.3 Measurement Procedure and Data

The detailed test data see: Appendix A for KSEM210800132301



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the Jaw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esg.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210800132301 Page: 16 of 87

7.3 Conducted Peak Output Power

Test Requirement47 CFR Part 15, Subpart C 15.247(b)(3)Test Method:ANSI C63.10 (2013) Section 11.9.1Limit:Limit:

| Frequency range(MHz) | Output power of the intentional radiator(watt) |
|----------------------|--|
| | 1 for ≥50 hopping channels |
| 902-928 | 0.25 for 25≤ hopping channels <50 |
| | 1 for digital modulation |
| | 1 for ≥75 non-overlapping hopping channels |
| 2400-2483.5 | 0.125 for all other frequency hopping systems |
| | 1 for digital modulation |
| 5725-5850 | 1 for frequency hopping systems and digital modulation |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)




Report No.: KSEM210800132301 Page: 17 of 87

7.3.1 E.U.T. Operation

Operating Environment:

Temperature:24 °CHumidity:50 % RHAtmospheric Pressure:1010 mbarTest modea:TX mode_Keep the EUT in continuously transmitting mode with all modulation
types. All data rates for each modulation type have been tested and found the
data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the
worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE
802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40).
Only the data of worst case is recorded in the report.

7.3.2 Test Setup Diagram



Ground Reference Plane

7.3.3 Measurement Procedure and Data

The detailed test data see: Appendix A for KSEM210800132301



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@aspx.com



Report No.: KSEM210800132301 Page: 18 of 87

7.4 Power Spectrum Density


| Test Requirement | 47 CFR Part 15, Subpart C 15.247(e) |
|------------------|---|
| Test Method: | ANSI C63.10 (2013) Section 11.10.2 |
| Limit: | \leq 8dBm in any 3 kHz band during any time interval of continuous transmission |

7.4.1 E.U.T. Operation

Operating Environment:

Temperature:24 °CHumidity:50 % RHAtmospheric Pressure:1010 mbarTest modea:TX mode_Keep the EUT in continuously transmitting mode with all modulation
types. All data rates for each modulation type have been tested and found the
data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the
worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE
802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40).
Only the data of worst case is recorded in the report.

7.4.2 Test Setup Diagram



Ground Reference Plane

7.4.3 Measurement Procedure and Data

The detailed test data see: Appendix A for KSEM210800132301



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisflication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch. Doccheck@sgs.com [86-512)5737081 www.sgsgroup.com.cn

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSEM210800132301 Page: 19 of 87

7.5 Conducted Band Edges Measurement

| Test Requirement | 47 CFR Part 15, Subpart C 15.247(d) |
|------------------|--|
| Test Method: | ANSI C63.10 (2013) Section 11.13.3.2 |
| Limit: | In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c) |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation clients is old to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the 1aw. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300




Report No.: KSEM210800132301 Page: 20 of 87

7.5.1 E.U.T. Operation

Operating Environment:

Temperature:24 °CHumidity:50 % RHAtmospheric Pressure:1010 mbarTest modea:TX mode_Keep the EUT in continuously transmitting mode with all modulation
types. All data rates for each modulation type have been tested and found the
data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the
worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE
802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40).
Only the data of worst case is recorded in the report.

7.5.2 Test Setup Diagram



Ground Reference Plane

7.5.3 Measurement Procedure and Data

The detailed test data see: Appendix A for KSEM210800132301



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation clients, sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the 1aw. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ess.com



Report No.: KSEM210800132301 Page: 21 of 87

7.6 Conducted Spurious Emissions

Test Requirement 47 CFR Part 15, Subpart C 15,247(d) Test Method: ANSI C63.10 (2013) Section 11.11 Limit: In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@ags.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com Member of the SGS Group (SGS SA)




Report No.: KSEM210800132301 Page: 22 of 87

7.6.1 E.U.T. Operation

Operating Environment:

Temperature:24 °CHumidity:50 % RHAtmospheric Pressure:1010 mbarTest modea:TX mode_Keep the EUT in continuously transmitting mode with all modulation
types. All data rates for each modulation type have been tested and found the
data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the
worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE
802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40).
Only the data of worst case is recorded in the report.

7.6.2 Test Setup Diagram



Ground Reference Plane

7.6.3 Measurement Procedure and Data

The detailed test data see: Appendix A for KSEM210800132301







Report No.: KSEM210800132301 Page: 23 of 87

7.7 Radiated Emissions which fall in the restricted bands

 Test Requirement
 47 CFR Part 15, Subpart C 15.209 & 15.247(d)

 Test Method:
 ANSI C63.10 (2013) Section 6.10.5

 Limit:
 Ansi C63.10 (2013) Section 6.10.5

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) |
|----------------|----------------------------------|------------------------------|
| 0.009-0.490 | 2400/F(kHz) | 300 |
| 0.490-1.705 | 24000/F(kHz) | 30 |
| 1.705-30.0 | 30 | 30 |
| 30-88 | 100 | 3 |
| 88-216 | 150 | 3 |
| 216-960 | 200 | 3 |
| Above 960 | 500 | 3 |

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the Jaw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Report No.: KSEM210800132301 Page: 24 of 87


7.7.1 E.U.T. Operation

Operating Environment:

Temperature:24 °CHumidity:50 % RHAtmospheric Pressure:1010 mbarTest modea:TX mode_Keep the EUT in continuously transmitting mode with all modulation
types. All data rates for each modulation type have been tested and found the
data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the
worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE
802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40).
Only the data of worst case is recorded in the report.

7.7.2 Test Setup Diagram







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document connot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch.Doccheck@asc.com



Report No.: KSEM210800132301 Page: 25 of 87

7.7.3 Measurement Procedure and Data

a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.

d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.

e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.

f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.

g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.

h. Test the EUT in the lowest channel, the middle channel, the Highest channel.

i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.

j. Repeat above procedures until all frequencies measured was complete.

Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

Remark 2: For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@ags.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



 Report No.:
 KSEM210800132301

 Page:
 26 of 87

| 1 | 20 . | 0 dBu∀/m | | _ | | | | | | 1 | | | _ | | | | - | | |
|----|-------------|---------------------------|----------------|---------------|---------------------|------------|------------|-----------------|-----|---------------|------|---------------|----|----------|----------------|------------|----------|-------|----|
| | | | | | | | | | | | | | | 3. | | Lim Lim | | | |
| | | | | | | | | | | | | | 1 | 1 | | | | | |
| | | | | | | | | | | | | | | 1 | | | | | |
| | | | | - | | | | | | | | | | | | | | _ | |
| | 60 | | | | | | | | | | | and | | į | and the second | | | | |
| | 60 | مايد اور بعط هديانا احدوا | | | | | | 1 | | | Ser- | · | | | | AN AL AN | ANY MEAN | La I | |
| | | -1, 4, , 44 - 11 - 11 | 646.46°\0.56,4 | 11-1-14 | ann an Bailtean | -0.00075.6 | te state a | | | | | | | | | | | | |
| | | | | + | | | | | | | | | | | | | | - | |
| | | | | + | | | | | | | | | | | | | | - | |
| | | | | + | | | | | | | | | | | | | | _ | |
| | | | | _ | | | | | | | | | | | | | | _ | |
| | 0.0 | | | | | | | | | | | | | | | | | | |
| | 23 | 810.0002324 | 1.00 23 | 3 8 .0 | 0 235 | 2.00 | 236 | 6.00 | 238 | 0.00 | 239 | 1.00 2 | 40 | 8.00 242 | 2.00 | | 2150 | .00 M | Hz |
| 0. | F | requency (MHz) | Readi (dBu) | | Correct factor(c | | | esult BuV/m) | | Limi (dBuV | | Margi (dB) | | | | Rem | nark | | |
| | 1 | 2370.200 | 23.6 | - | 30.2 | | | 3.90 | | 74.0 | | -20.1 | | | | pe | ak | | |
| | 1 | 2390.000 | 26.5 | | 30.3 | 31 | 5 | 6.83 | | 74.0 | 0 | -17.1 | 7 | | | pe | ak | | |
| | 1 | 2410.520 | 75.5 | 3 | 30.4 | 10 | 1 | 05.93 | T | 74.0 | 0 | 31.9 | 3 | | | pe | ak | | |

Mode:a; Polarization:Horizontal; Modulation:b; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Report No.: KSEM210800132301 Page: 27 of 87

| ' | 20. | 0 dBu∀/m | | | | | | | | | | | | | | | Lim Lim | | | |
|------------|----------|-----------------|---------|------|----------|-------------|-----|--------|--------|--------|--------------|------|------|------|--------------|-----------|------------|-----|---------|-------------|
| | | | | | | | | | | | | | | -10 | <u>.</u> | | | | | |
| | | | | | | | | | | | | | Ĵ | | 4 | | | | | |
| | | | | | | | | | | | | | + | | \downarrow | | | | | |
| | | | | | | | | | | | | | 1 | | | | | | | |
| | 60 | | | | | | | | | - | | | Ļ | | | | | | | |
| | | | | | | | | | | 3 | ~ <u>}</u> | ,AV | | | | <u>م_</u> | ~ | A. | | |
| | | | | _ | | <u>~~</u> ~ | | ~~~ | \sim | \sim | ' X ' | | | | | | | ~ | ~~/ | |
| | | | | | | | | | | | | | | | | | | | _ | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | 0.0 2 | 310.0002324 | .00 233 | 8.00 | 0 235 | 2.00 | 235 | 6.00 | 238 | 0.00 | 239 | 1.00 | 240 | 8.00 | 212 | 2.00 | | 215 | 50.00 H | d Hz |
| 0. | F | requency | Reading | , | Correc | tion | D | esult | | Lir | nit | Ma | rgin | | | | Rem | ark | | |
| U . | | (MHz) | (dBuV) | | factor(d | lB/m) | (dE | BuV/m) | | (dBu | V/m) | (d | B) | | | | | | | |
| | | 2385.600 | 18.03 | | 30.2 | | | 8.32 | | 54. | | | .68 | | | | AV | | | |
| | | 2390.000 | 14.17 | | 30.3 | | | 4.48 | | 54. | | | .52 | | | | AV | | | |
| | | 2414.720 | 73.45 | | 30.4 | 2 | 1 | 03.87 | | 54. | 00 | 49 | .87 | | | | A٧ | G | | |

Mode:a; Polarization:Horizontal; Modulation:b; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asps.com



 Report No.:
 KSEM210800132301

 Page:
 28 of 87

| 1 | 120. | 0 dBu∀/m | | | | | | | | | | | | | | | | | | | |
|-----|------|-------------------|--------------|------------------------|------------|-------------------------|-------------|----------|-----------------|----------|--------------|-------------|--------|------------|-----|------------|---------|------------|-----------------------|-----------|------|
| | | | | | | | | | | | | | | | | | | Lim Lim | | _ | |
| | | | | | | | | | | | | | | _ | i. |) And a | | | | _ | |
| | | | | | | | | | | | | | | / | | | | | | | |
| | | | | | | | | | | | - | | | + | | | | | | | |
| | 60 | | 1 | | | | | | | | | <u>"Zur</u> | 1 mart | ų. | | į | and and | Walks . | | | |
| | | ******* | Ť | yele allowed against a | , <i>.</i> | يدي المراجع المراجع الم | · · · · · · | terre to | h | مىمىمى . | | | | | | | | Y. | and the second second | elessa en | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | \downarrow | | | | | | | | <u> </u> | | | | | | | | | | |
| | | | + | | | | | | | | _ | | | | | | | | | | |
| | 0.0 | 310.0002324 | | 233 | <u>в п</u> | 0 335 | 2.00 | 225 | 6.00 | 22 | 0.00 | 220 | 1.00 | 210 | | 0 242 | 2.00 | | | 50.00 | uu- |
| | Ľ | 310.0002324 | | 2930 | 0.00 | 0 233 | 2.00 | 230 | 0.00 | 23 | 10.00 | 238 | 1.00 | 2100 | 0.0 | 00 242 | 2.00 | | 21 | 50.001 | MITZ |
| No. | F | requency (MHz) | | Reading (dBuV) | | Correct factor(c | | | lesult BuV/n | | Lin (dBu) | | | rgin B) | | | | Ren | nark | | |
| 1 | | 2327.080 | | 22.64 | | 30.0 | | | 52.67 | | 74. | | -21 | 1.33 | | | | ре | ak | | |
| 2 | | 2390.000 | | 23.90 | | 30.3 | 31 | | 64.21 | | 74. | 00 | | 9.79 | | | | ре | ak | | |
| 3 | | 2410.660 | | 70.32 | | 30.4 | 10 | 1 | 00.72 | | 74. | 00 | 26 | .72 | | | | pe | ak | | |

Mode:a; Polarization:Vertical; Modulation:b; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



 Report No.:
 KSEM210800132301

 Page:
 29 of 87

| | 120 | .0 dBu∀/m | | | | | | | | | | | | | | | |
|-----|-----|-------------------|-------------------|------------------|-------|-----|-----------------|------|-------------------|-------|------------|-----|-------|------|--------------------|---------|-----|
| | | | | | | | | | | | | | | | Limitl: Limit2: | | |
| | | | | | | | | | | | | , | 5 | | | | |
| | | | | | | | | _ | | | لم | | 4 | | | | |
| | 60 | | | | | | | | | | 1 | | | | | | |
| | | | | | | | | + | × | | / | | i | w.,, | | | |
| | | | | | | | ~~~ | | ~ * | | | | | | ~~~ | | |
| | | | | | | | | _ | | | | | | | | | |
| | 0.0 | | | | | | | | | | | | | | | | |
| | 2 | 310.0002324 | 1.00 2338 | .00 235 | i2.00 | 235 | 6.00 2 | 2380 | 0. 00 2 33 | 94.00 | 240 | 8.0 | 0 242 | 2.00 | | 2450.00 | MHz |
| No. | F | requency (MHz) | Reading (dBuV) | Corre factor(| | | esult BuV/m) | (0 | Limit dBuV/m) | | rgin B) | | | R | lemar | k | |
| 1 | | 2385.320 | 15.35 | 30. | | | 5.64 | | 54.00 | | .36 | | | | AVG | | |
| 2 | - | 2390.000 | 11.55 | 30. | | | 1.86 | | 54.00 | | 2.14 | | | | AVG | | |
| 3 | | 2411.220 | 68.24 | 30.4 | 40 | 9 | 8.64 | | 54.00 | 44 | .64 | | | | AVG | | |

Mode:a; Polarization:Vertical; Modulation:b; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



 Report No.:
 KSEM210800132301

 Page:
 30 of 87

| 1 | l20.0 d⊟u∀/m | | | | | | | |
|-----|--------------------|-------------------|----------------------------|-----------------------------|-------------------|----------------|-------------|--|
| | 1 | | | | | | | mit1: — mit2: — |
| | | | | | | | | |
| | 1 | | | | | | | |
| | | | | | | | | |
| | 60 | imani | | undersport and an above the | | wenter and a | | and the second |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | 0.0 | | | | | | | |
| | 2150.000215 | 5.00 2480.0 | 10 2495.00 | 2510.00 2 | 525.00 254 | 0.00 2555 | .00 2570.00 | 2500.00 MHz |
| No. | Frequency (MHz) | Reading (dBuV) | Correction factor(dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Re | mark |
| 1 | 2463.500 | 73.16 | 30.64 | 103.80 | 74.00 | 29.80 | p | eak |
| 2 | 2483.500 | 24.32 | 30.73 | 55.05 | 74.00 | -18.95 | p | eak |
| 3 | 2486.600 | 24.38 | 30.74 | 55.12 | 74.00 | -18.88 | p | eak |
| 4 | 2500.000 | 21.16 | 30.80 | 51.96 | 74.00 | -22.04 | p | eak |

Mode:a; Polarization:Horizontal; Modulation:b; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com Member of the SGS Group (SGS SA)

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



 Report No.:
 KSEM210800132301

 Page:
 31 of 87

| 1 | l20.0 d⊟u∀/m | | | | | | | |
|-----|-------------------|-----------------|-----------------------|--------------------|-------------------|-----------|-------------|--------------------|
| | | | | | | | | nit1: — nit2: — |
| | 14 | | | | | | | |
| | | 1 | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | 60 | | | | | | | + |
| | Z | - Vany | | | _ | | | |
| | | <u> </u> | × 4 4 | · | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | 0.0 | | | | | | | |
| | 2150.000215 | 5.00 2480.0 | 10 2495.00 | 2510.00 2 | 525.00 254 | 0.00 2555 | .00 2570.00 | 2500.00 MHz |
| No. | Frequency | Reading | Correction | Result | Limit | Margin | Re | mark |
| 4 | (MHz) 2464.550 | (dBuV) 72.24 | factor(dB/m) 30.64 | (dBuV/m) 102.88 | (dBuV/m) 54.00 | (dB) | A | VG |
| 1 | | | | | | 48.88 | | |
| 2 | 2483.500 | 13.99 | 30.73 | 44.72 | 54.00 | -9.28 | | VG |
| 3 | 2487.350 | 12.31 | 30.74 | 43.05 | 54.00 | -10.95 | | VG |
| 4 | 2500.000 | 10.99 | 30.80 | 41.79 | 54.00 | -12.21 | A | VG |

Mode:a; Polarization:Horizontal; Modulation:b; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



 Report No.:
 KSEM210800132301

 Page:
 32 of 87

| 1 | 20. | 0 dBu∀/m | | | | | | | | | | | |
|-----|-----------|-------------------|-------------------|---------------------|--------|-------|---------------|-------------------|----------------|-----------------------|--------------------|-----------------------|-----|
| | | | | | | | | | | | Lim Lim | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | 60 | | | | | | | | | | | | |
| | | - | - Harasolar | 2 3 Art March 1 | M. Son | | y sebyel days | good agention of | dhadhanamm | shanata ni potetike - | lafatura et manada | gant an taip spille a | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | _ | | | | | | | | |
| | 0.0 24 | 150.0002469 | 5.00 2480.1 |]0 2495 | 5.00 | 2510. | .00 25 | 25.00 251 | 0.00 2559 | 5.00 257 | 0.00 | 2500.00 | MHz |
| No. | F | requency (MHz) | Reading (dBuV) | Correct factor(d | | | sult iV/m) | Limit (dBuV/m) | Margin (dB) | | Rem | nark | |
| 1 | | 2460.500 | 70.15 | 30.6 | 2 | 100 | 0.77 | 74.00 | 26.77 | | pe | ak | |
| 2 | | 2483.500 | 22.64 | 30.7 | 3 | 53 | .37 | 74.00 | -20.63 | | pe | ak | |
| 3 | | 2486.300 | 24.07 | 30.7 | 4 | 54 | .81 | 74.00 | -19.19 | | pea | ak | |
| 4 | 1 | 2500.000 | 21.57 | 30.8 | 0 | 52 | .37 | 74.00 | -21.63 | | pe | ak | |

Mode:a; Polarization:Vertical; Modulation:b; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



 Report No.:
 KSEM210800132301

 Page:
 33 of 87

| 1 | 120. | 0 dBu | V/m | | | | | | | | | | | | | | | |
|-----|------|-----------------|----------|-------------------|--------|-------------|------|-----|------------------|-----|-------------------|----------------|------|-----|------|------------|--------|--------|
| | | | | | | | | | | | | | | | | Lim Lim | | - |
| | | | 1 | | | | | | | | | | | | | | | _ |
| | 60 | | | | | | | | | | | | | | | | | |
| | | | | М. | ~& | ***** | -* | | | | | | | | | | | - |
| | 0.0 | | | | | | | | | | | | | | | | | - |
| | | 150.000 | 246 | 5.00 248 | 0.00 | 249 | 5.00 | 251 | 0.00 | 252 | 5.00 254 | 0.00 255 | 5.00 | 257 | 0.00 | | 2600.0 | i0 MHz |
| No. | F | requen (MHz) | cy) | Reading (dBuV) |) f | Corrector(d | | | lesult BuV/m) | | Limit (dBuV/m) | Margin (dB) | | | | Rem | nark | |
| 1 | | 2461.1 | 00 | 67.93 | | 30.6 | | | 8.56 | | 54.00 | 44.56 | | | | A٧ | /G | |
| 2 | | 2483.5 | 00 | 10.88 | | 30.7 | 73 | 4 | 1.61 | | 54.00 | -12.39 | | | | A۷ | ′G | |
| 3 | | 2487.2 | 00 | 9.95 | | 30.7 | 74 | 4 | 0.69 | | 54.00 | -13.31 | | | | A٧ | /G | |
| 4 | | 2500.0 | 00 | 9.48 | | 30.8 | 30 | 4 | 0.28 | | 54.00 | -13.72 | | | | A۷ | 'G | |

Mode:a; Polarization:Vertical; Modulation:b; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



 Report No.:
 KSEM210800132301

 Page:
 34 of 87

| 1 | 20. | 0 dBu∀/m | | | | | | | | | | | | | | | | |
|-----|-----|-------------------------------|--|------|---------------------|------|------|------------------|--------|--------------|---------|--------|------------|----------|---------|--------------|-------------|-----|
| | | | | | | | | | | | | | ~ | <u>ل</u> | | Limi Limi | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | ų. | | | |
| | 60 | | | | g,haansoillea ge | | | | | فسيا | a parte | ahana. | | | MAPPINA | 4 | Millerson | |
| | | | | | | | work | - dy and we have | hardte | ware . | ` | | | | | | Michaelanta | |
| | | Han the Cash | A definition of the second second second | ***N | Konsel and L | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | 0.0 | | | | | | | | | | | | | | | | | |
| | 2: | 310. 0 00 23 24 | 1.00 2338 | 6.UI | U 235 | 2.00 | 236 | 6.00 | 238 | 0.00 | Z39 | 1.00 | 240 | 8.UU 24 | 22.00 | | 2450.00 N | MHZ |
| lo. | F | requency (MHz) | Reading (dBuV) | | Correct factor(d | | | lesult BuV/m |) | Lin (dBu) | | | rgin B) | | F | Rem | lark | |
| | | 2386.440 | 32.38 | | 30.2 | | | 2.67 | | 74. | | | 1.33 | | | pea | ak | |
| | | 2390.000 | 32.80 | | 30.3 | | L | 3.11 | | 74. | | |).89 | | | pea | | |
| | 1 | 2408.700 | 73.13 | I | 30.3 | 39 | 1 | 03.52 | | 74. | 00 | 29 | .52 | | | pea | ak | |

Mode:a; Polarization:Horizontal; Modulation:g; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asps.com



 Report No.:
 KSEM210800132301

 Page:
 35 of 87

| 1 | 120.0 d⊟u∀/m | | | | | | | | |
|-----|--------------------|-------------------|----------------------------|--------------------|-------------------|----------------|----------|--|-----|
| | | | | | | | | Limit1: — Limit2: — | |
| | | | | | | ~~~ | ······ | | |
| | | | | | | | | | |
| | 60 | | | | | | | | |
| | | | | | | | | and the second s | |
| | | | | | | | | | |
| | | | | | | | | | |
| | 0.0 | | | | | | | | |
| | 2310.0002324 | 1.00 2338.0 | 0 2352.00 | 2356.00 2 | 380.00 239 | 1.00 2408 | .00 2422 | .00 2150.00 k | dHz |
| No. | Frequency (MHz) | Reading (dBuV) | Correction factor(dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | | Remark | |
| 1 | 2386.440 | 16.05 | 30.29 | 46.34 | 54.00 | -7.66 | | AVG | |
| 2 | 2390.000 | 17.68 | 30.31 | 47.99 | 54.00 | -6.01 | | AVG | |
| 3 | 2419.480 | 66.86 | 30.44 | 97.30 | 54.00 | 43.30 | | AVG | |

Mode:a; Polarization:Horizontal; Modulation:g; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



 Report No.:
 KSEM210800132301

 Page:
 36 of 87

| 0.0 2310.0002324.00 2338.00 2352.00 2366.00 2380.00 2394.00 2408.00 2422.00 241 No. Frequency Reading Correction Result Limit Margin Remark | |).0 dBu∀/m | | | | | | | Limit1: — Limit2: — |
|--|-----------|---|----------------------------|-------------------------------------|-----------------------------|----------------------------|--------------------------|-------------|------------------------|
| 0.0 2310.0002324.00 2338.00 2352.00 2356.00 2380.00 2394.00 2408.00 2422.00 241 0. Frequency Reading Correction Result Limit Margin Remark | | | | | | | | | |
| 2310.0002321.00 2338.00 2352.00 2356.00 2380.00 2391.00 2108.00 2122.00 21 o. Frequency Reading Correction Result Limit Margin Remark | 60 | | | | | L X AL MOV | r brita | - Juha | Warmy with the Wardert |
| 2310.0002324.00 2338.00 2352.00 2356.00 2380.00 2394.00 2408.00 2422.00 24 . Frequency Reading Correction Result Limit Margin Remark | | | | | | | | | |
| o. Frequency Reading Correction Result Limit Margin Remark (MHz) (dBuV) factor(dB/m) (dBuV/m) (dBuV/m) (dB) | | | | | | | | | |
| | | | 1.00 2338.0 | 10 2352.00 | 2356.00 23 | 80.00 239 | 1.00 2408. | .00 2122.00 | 2150.00 MHz |
| 2384.060 28.22 30.28 58.50 74.00 -15.50 peak | 2 | 2310.0002324 Frequency | Reading | Correction | Result | Limit | Margin | .00 2122.00 | |
| 2390.000 29.21 30.31 59.52 74.00 -14.48 peak 2409.120 68.10 30.39 98.49 74.00 24.49 peak | 2 0. F | z310.000232 Frequency (MHz) 2384.060 | Reading (dBuV) 28.22 | Correction factor(dB/m) 30.28 | Result (dBuV/m) 58.50 | Limit (dBuV/m) 74.00 | Margin (dB) -15.50 | .00 2122.00 | Remark peak |

Mode:a; Polarization:Vertical; Modulation:g; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@ags.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



 Report No.:
 KSEM210800132301

 Page:
 37 of 87

| 1 | 20. | 0 dBu∀/m | | | | | | | | | | | | | | | | | |
|-----|-----|-------------------|-------------------|---------------------|------|-----|-----------------|-------|----------------|-----|----------------|---------|----------|---------------|------|------------|------|-------|----|
| | | | | | | | | | | | | | | | | Lim Lim | | | |
| | | | | | | | | | | | | <u></u> | an frank | in the second | | | | | |
| | | | | | | | | + | | _ | | 1 | | H | | | | _ | |
| | | | | | | | | + | | - | _ | | | | | | | | |
| | 60 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | _ | <u>}</u> ×× | ~~ | and the second | | | | 1 | ~ | × | | |
| | | | | | | | | | | | | | | | | | | _ | |
| | | | | | | | | + | | _ | | | | | | | | - | |
| | 0.0 | | | | | | | | | | | | | | | | | | |
| | | 10.0002324 | 1.00 2338 | .00 235 | 2.00 | 235 | 6.00 2 | 2380. | .00 2. | 394 | 1.00 | 240 | 8.00 | 212 | 2.00 | | 2150 | .00 M | Hz |
| No. | F | requency (MHz) | Reading (dBuV) | Correct factor(c | | | esult BuV/m) | | Limit BuV/m |) | Mar (dE | | | | | Rem | nark | | |
| 1 | | 2386.300 | 13.14 | 30.2 | | | 3.43 | | 54.00 | 7 | -10 | - | + | | | AV | 'G | | |
| 2 | | 2390.000 | 14.48 | 30.3 | 31 | 4 | 4.79 | | 54.00 | | -9. | 21 | | | | AV | 'G | | |
| 3 | | 2415.000 | 62.36 | 30.4 | 12 | 9 | 2.78 | | 54.00 | | 38. | 78 | | | | A٧ | 'G | | |

Mode:a; Polarization:Vertical; Modulation:g; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



 Report No.:
 KSEM210800132301

 Page:
 38 of 87

| 1 | 20.0 | 0 dBu∀/m | | | | | | | | | | | | | | |
|-----|------|-------------------|-----------------|-----|----------------|------|------------|-----------------|-------|------------------|-------------------------------|-------------------|--------------|--------------|----------------------|-----|
| | | 1 | | | | | | | | | | | | Limi Limi | | |
| | | $\int $ | 7 | | | | | | | | | | | | | |
| | | j | | | | | | | | | | | | | | |
| | | j l | <u> </u> | | | | | | | | | | | | | |
| | | | "HAN | 23 | | | | | | | atti Dati ağıla ayamı yüngəli | | | | | |
| | 60 | | | Ϋ́, | (hw | hin. | Augu | | | | | | | | | |
| | | | | | | | a tiyoffin | ሆስም-በሎለ | ranfa | millionstream | atteria di nyana dagilari | والمراجع والمراجع | 8.000 MA 200 | nin kal | executives all boost | |
| | | | | | | | | | | | | | _ | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 0.0 | | | | | | | | | | | | | | | |
| | | 150.000 2465 | 5.00 2480 | .00 | 249 | 5.00 | 251 | 0.00 8 | 252 | 5.00 254 | 0.00 255 | 5.00 2 | 570.00 | | 2500.00 | MHz |
| No. | F | requency | Reading | | orrec | | | esult BuV/m) | | Limit dBuV/m) | Margin (dB) | | | Rem | ark | |
| 1 | | (MHz) 2464.250 | (dBuV) 72.35 | iac | tor(d: 30.6 | | | 02.99 | + | 74.00 | 28.99 | | | pea | ak | |
| 2 | | 2483.500 | 29.66 | | 30.7 | | | 0.39 | + | 74.00 | -13.61 | | | pea | | |
| 3 | 2 | 2485.700 | 30.67 | + | 30.7 | 4 | 6 | 1.41 | + | 74.00 | -12.59 | | | pea | | |
| 4 | 2 | 2500.000 | 25.50 | | 30.8 | 0 | 5 | 6.30 | | 74.00 | -17.70 | | | pea | ak | |

Mode:a; Polarization:Horizontal; Modulation:g; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com Member of the SGS Group (SGS SA)

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



 Report No.:
 KSEM210800132301

 Page:
 39 of 87

| 1 | 20.0 | dBu∀/m | | | | | | | | | Lim Lim | | |
|-----|-----------|----------------|-----------------------|----------------------|------|---------------|---------|-------------------|----------------|-----------|------------|---------|-----|
| | | ¥ | vaur ^{ai} t, | | | | | | | | | | |
| | 60 | | | | | | | | | | | | |
| | | | | | | | · · · · | | | | | | |
| | 0.0 | 0.000 246 | 5.00 2480 | .00 249 | 5.00 | 2510.00 | 25 | 25.00 251 | 0.00 2555 | 5.00 2570 | 0.00 | 2500.00 | MHz |
| No. | Fre (I | quency MHz) | Reading (dBuV) | Corrector(corrector) | | Resu (dBuV | | Limit (dBuV/m) | Margin (dB) | | Ren | nark | |
| 1 | | 54.350 | 65.65 | 30. | | 96.2 | | 54.00 | 42.25 | | A۷ | /G | |
| 2 | 24 | 83.500 | 15.79 | 30.3 | 73 | 46.5 | 2 | 54.00 | -7.48 | | A۷ | /G | |
| 3 | 24 | 84.950 | 14.84 | 30.3 | 73 | 45.5 | 7 | 54.00 | -8.43 | | A۷ | /G | |
| 4 | 25 | 00.000 | 11.20 | 30. | 30 | 42.0 | 0 | 54.00 | -12.00 | | A۷ | /G | |

Mode:a; Polarization:Horizontal; Modulation:g; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210800132301 Page: 40 of 87

| 1 | l20.0 d⊟u∀/m | | | | | | | |
|-----|--------------------|-------------------|----------------------------|--------------------|-------------------|----------------|--------------|--------------------------|
| | | | | | | | | Limit1: — Limit2: — |
| | | | | | | | | |
| | 60 | hy here | | | | | | |
| | | | Bertan University | ******* | **** | | v | selply, y-androper, with |
| | | | | | | | | |
| | 0.0 | | | | | | | |
| | 2150.000 246 | 5.00 2480.0 | 10 2495.00 | 2510.00 2 | 525.00 254 | 0.00 2555 | .00 2570.00 | 2600.00 MHz |
| Vo. | Frequency (MHz) | Reading (dBuV) | Correction factor(dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | F | Remark |
| 1 | 2459.150 | 67.54 | 30.62 | 98.16 | 74.00 | 24.16 | | peak |
| 2 | 2483.500 | 23.01 | 30.73 | 53.74 | 74.00 | -20.26 | | peak |
| 3 | 2483.750 | 23.91 | 30.73 | 54.64 | 74.00 | -19.36 | | peak |
| 4 | 2500.000 | 20.12 | 30.80 | 50.92 | 74.00 | -23.08 | | peak |

Mode:a; Polarization:Vertical; Modulation:g; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



 Report No.:
 KSEM210800132301

 Page:
 41 of 87

| 1 | l20.0 dBu∀/m | | | | | | | |
|-----|--------------------|-------------------|----------------------------|--------------------|-------------------|----------------|------------|--------------------|
| | | | | | | | | nit1: — nit2: — |
| | 60 | | 22 | | | | | |
| | | | | | | | | |
| | 0.0 | | | | | | | |
| | 2450.0002465 | 5.00 2480.0 | 0 2195.00 | 2510.00 2 | 525.00 254 | 0.00 2555. | 00 2570.00 | 2500.00 MHz |
| No. | Frequency (MHz) | Reading (dBuV) | Correction factor(dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Rei | mark |
| 1 | 2469.350 | 61.26 | 30.66 | 91.92 | 54.00 | 37.92 | A | VG |
| 2 | 2483.500 | 13.62 | 30.73 | 44.35 | 54.00 | -9.65 | A | VG |
| 3 | 2486.450 | 12.00 | 30.74 | 42.74 | 54.00 | -11.26 | A | VG |
| 4 | 2500.000 | 9.88 | 30.80 | 40.68 | 54.00 | -13.32 | A | VG |

Mode:a; Polarization:Vertical; Modulation:g; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Report No.: KSEM210800132301 Page: 42 of 87

| 1 | 20. | 0 dBu∀/m | | | | | | | | | | | | | | | | |
|-----|-----|-------------------|--------------|-------------|---------------------|-------------|----------|-----------------|------|-------------|--------|------|------------|-----------|-------|----------------|-------------------|-----|
| | | | | | | | | | | | | | | | | Limit Limit | | |
| | | | | + | | | | | | | | | ~ | * *~~~ | | _ | | |
| | | | | | | | | | | | | | [| | | | | |
| | | | | + | | | | | | | 2 | and | , | | have | - | | |
| | 60 | ware when | | | | يون المراجع | uhadantu | | کېمې | | শ শ | | | | | Magner of | Maria and Angline | |
| | | | | | | | | | | | | | | | | | | |
| | | | | + | | | | | | | | | _ | | | _ | | |
| | | | | | | | | | | | | | | | | | | |
| | 0.0 | | | | | | | | | | | | | | | | | |
| | 2 | 310.0002324 | 1.00 8 | 2338.0 | 0 235 | 2.00 | 235 | 6.00 | 238 | 0.00 | 239 | 1.00 | 2408 | 8.00 24 | 22.00 | | 2450.00 | MHz |
| No. | F | requency (MHz) | Read (dBi | ding uV) | Correct factor(d | | | lesult BuV/m |) (| Lim dBuV | | | rgin B) | | F | Rema | ark | |
| 1 | | 2380.000 | 28. | | 30.2 | | | 8.36 | | 74.0 | | | 5.64 | | | pea | k | |
| 2 | | 2390.000 | 30. | 14 | 30.3 | 31 | 6 | 0.45 | | 74.0 | 0 | -13 | 3.55 | | | pea | k | |
| 3 | | 2409.960 | 69. | 27 | 30.4 | 10 | 9 | 9.67 | | 74.0 | 0 | 25 | .67 | | | pea | k | |

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:



 Report No.:
 KSEM210800132301

 Page:
 43 of 87

| 1 | 20.0 dE | lu∨/m | | | | | | | | | | | | | | | | | |
|-----|----------------|------------|--------------|-------|---------------------|------|-----|-----------------|-----|-----|---------------|-----------|--------------|--------|-------|-----|--------------------|--------|-------------|
| | | | | | | | | | | | | | | | | | nitl: nit2: | | |
| | | | | | | | | | | | | | \sim | \sim | ł | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | = | |
| | 60 | | | | | | | | | | | | - | | H | | | | |
| | | | | | | | | | | -1 | , š | - | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | _ | | | | | | | | | | | | | | - | |
| | | | | _ | | | | | | | | | | | | | | \neg | |
| | 0.0 2310.00 | 02324 | 1.00 2 | 338.0 | 0 235 | 2.00 | 235 | 6.00 | 238 | 0.0 | 0 239 | 1.00 | 240 | 8.00 2 | 122.0 | 00 | 215 | 0.00 k | i Hz |
| lo. | Freque (MH | ency z) | Read (dBu | | Correct factor(d | | | esult 3uV/m) | | | imit uV/m) | Ma (c | argin IB) | | | Rer | nark | | |
| | 2383. | | 16.1 | - | 30.2 | | | 6.44 | | | 4.00 | | 7.56 | | | A١ | /G | | |
| | 2390. | 000 | 19.1 | 4 | 30.3 | 1 | 4 | 9.45 | | 54 | 4.00 | -4 | 1.55 | | | A١ | /G | | |
| | 2419. | 480 | 66.2 | 8 | 30.4 | 4 | 9 | 6.72 | | 54 | 4.00 | 42 | 2.72 | | | A | /G | | |

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Report No.: KSEM210800132301 Page: 44 of 87

| | 120 | .0 dBu∀/m | | | | | | | _ | | _ | | | | | | |
|-----|-------------|---------------------------------------|-----------------------|------------------------|--|----------|-----------------|------------------|----------------|--------------|----------|--------------|---------|-------|----------------|--------------------|-----|
| | | | | | | | | | | | | | | | Limit Limit | | |
| | | | | | | | | | | | | ~ | * | | | | |
| | | | | | | | | | | | | | | | | | |
| | 6(| | | | | | | | | | | | | | | | |
| | | e E ^h thinnes - Jo geor | elander and a support | the compression of the | , and the second se | New York | مبطاعة مرتمك | 21 ¹⁴ | 1 kanda | <u>A</u> les | Madare | | | m | Muha | ullanan tar ingina | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | 0 .0 | | | | | | | | | | | | | | | | |
| | 2 | 310.0002324 | 1.00 2338 | .00 235 | 2.00 | 235 | 6.00 | 238 | 0.00 | 239 | 1.00 | 240 | 8.00 24 | 22.00 | | 2150.00 | MHz |
| No. | F | Frequency (MHz) | Reading (dBuV) | Correct factor(d | | | esult BuV/m) | (| Limit dBuV/ | | Ma (d | irgin IB) | | | Rema | ark | |
| 1 | | 2386.160 | 24.19 | 30.2 | | | 4.48 | + | 74.00 | - | | 9.52 | | | pea | k | |
| 2 | \square | 2390.000 | 23.25 | 30.3 | 31 | 5 | 3.56 | | 74.00 |) | -20 | 0.44 | | | pea | k | |
| 3 | | 2410.100 | 63.05 | 30.4 | 0 | 9 | 3.45 | | 74.00 |) | 19 |).45 | | | pea | k | |

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:



 Report No.:
 KSEM210800132301

 Page:
 45 of 87

| 1 | 20. | 0 dBu∀/m | | | | | | | | | | | | | | | |
|-----|-----|-------------------|-------------------|-----------------|----------------|------|-----------------|------|------------|-------------|------|-------------|---------|---------|--------------|---------|-----|
| | | | | | | | | | | | | | | | Limi Limi | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | _ | | | | | 3 | | | | |
| | | | | | | | | | | | | - | | | | | |
| | 60 | | | | | | | | | | | | | | | | |
| | | | | | | | | | - | <u>4</u> | | | | <u></u> | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | 0.0 | | | | | | | | | | | | | | | | |
| | 2. | 310.0002324 | 1.00 2338 | .00 23 | 52.00 | 2350 | 6.00 | 2380 | .00 | 239 | 1.00 | 240 | 8.00 24 | 22.00 | | 2450.00 | MHz |
| ۱o. | F | requency (MHz) | Reading (dBuV) | Corre factor | ction dB/m) | | esult 3uV/m) | (0 | Lir IBu | nit V/m) | | rgin IB) | | | Rem | ark | |
| | | 2384.900 | 8.93 | 30. | | | 9.21 | | 54. | | | 4.79 | | | AV | | |
| 2 | | 2390.000 | 9.74 | 30. | 31 | 4 | 0.05 | | 54. | 00 | -13 | 3.95 | | | AV | G | |
| 3 | | 2419.900 | 53.48 | 30. | 44 | 8 | 3.92 | | 54. | 00 | 29 | .92 | | | AV | G | |

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210800132301 Page: 46 of 87

| 1 | l20.0 d⊟uV/m | | | | | | | |
|-----|--------------------|-------------------|---|--------------------------------|----------------------|---------------------------------|-------------|--------------------------|
| | | | | | | | | imitl: — imit2: — |
| | | <u> </u> | | | | | | |
| | 1 | Ì | | | | | | |
| | | | | | | | | |
| | 60 | 1.14 | and the second | | | | | |
| | | | - AND | et attend of the second before | nhiana alaran . Arda | ana ay data da An a da a | | len Angli Makanan sebana |
| | | | | | | | | |
| | | | | | | | | |
| | 0.0 | | | | | | | |
| | 2150.000 2169 | 5.00 2480.0 | 0 2195.00 | 2510.00 2 | 525.00 254 | 0.00 2555 | .00 2570.00 | 2500.00 MHz |
| No. | Frequency (MHz) | Reading (dBuV) | Correction factor(dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | R | emark |
| 1 | 2465.450 | 70.17 | 30.65 | 100.82 | 74.00 | 26.82 | | peak |
| 2 | 2483.500 | 29.02 | 30.73 | 59.75 | 74.00 | -14.25 | | peak |
| 3 | 2484.050 | 31.40 | 30.73 | 62.13 | 74.00 | -11.87 | | peak |
| 4 | 2500.000 | 24.06 | 30.80 | 54.86 | 74.00 | -19.14 | | peak |

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:



Report No.: KSEM210800132301 Page: 47 of 87

| 1 | 20.0 | 0 d⊟u∀/m | | | | | | | | | | | | | | | | | | | |
|-------------------|------|-------------------|------|-------------------|------|---------------------|--------|------|-------------|------|-----|-----------------|-------|----------------|------|------------|------|-----|----------------|---------|-----|
| | | | | | | | | | | | | | | | | | | | mitl: mit2: | | |
| | | \sim | \$ | • | | | | | | | | | | | | | | | | | |
| | | <u> </u> | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | + | | + | | + | | | | | | + | | - |
| | 60 | } | | | | | | | + | | + | | + | | | | | | + | | + |
| | | | | - | -ç | 3 | , → | 4. | + | | | | + | | | | | | | | |
| | ľ | | | | | | , | | | | | | | | | ~ _ | | | | | 1 |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | _ | | _ | | + | | | | | | _ | | ł |
| | 0.0 | | | | | | | | | | | | | | | | | | | | |
| | 21 | 150.000 246 | 5.00 | 0 2480 | D.0(|) 249 | 5.00 |) 2! | 510.0 | 0 2! | 525 | .00 25 | 5/10. | .00 255 | 5.00 | 0 257 | 0.00 | | | 2600.00 | MHz |
| <mark>ا</mark> ٥. | Fi | requency (MHz) | | Reading (dBuV) | | Correct factor(d | | | Res dBuV | | (d | Limit IBuV/m | | Margin (dB) | | | | Rei | marl | k | |
| | 2 | 2469.350 | | 65.13 | | 30.6 | | | 95.7 | | | 54.00 | | 41.79 | | | | A | VG | | |
| 2 | 2 | 2483.500 | | 15.03 | | 30.7 | '3 | | 45.7 | 76 | | 54.00 | | -8.24 | | | | A | VG | | |
| } | 2 | 2485.400 | | 14.36 | | 30.7 | 3 | | 45.0 |)9 | | 54.00 | ╈ | -8.91 | | | | A | VG | | |
| 1 | 2 | 2500.000 | | 12.03 | | 30.8 | 30 | | 42.8 | 33 | | 54.00 | | -11.17 | | | | A | VG | | |

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asps.com



 Report No.:
 KSEM210800132301

 Page:
 48 of 87

| 1 | 20.0 dBuʻ | √/m | | | | | | | | | Lim Lim | | |
|--------|------------------|----------|--------------------|---------------------|------|--|-----------------------|-----------------------------|------------------------------|------------------------|----------------------|---|-----|
| | } [| <u>د</u> | | | | | | | | | | | |
| | 60 | | i Mawaw | <u> </u> | No. | and the state of t | <mark>∿‱k⊀∖n</mark> t | etterret song, when de sond | onites A water () off + tag | a Britago da 20 y como | the weber of the sec | m an a 1⁰11 and a das | |
| | | | | | | | | | | | | | |
| | 0.0 | 2165 | .00 2 1 80. | 00 249 | 5.00 | 2510. | .00 2! | 525.00 251 | 0.00 2555 | .00 257 | 0.00 | 2500.00 | MHz |
| 0. | Frequen (MHz) | | Reading (dBuV) | Correct factor(c | | | sult IV/m) | Limit (dBuV/m) | Margin (dB) | | Rem | nark | |
| | 2460.0 | | 62.38 | 30.6 | | | .00 | 74.00 | 19.00 | | pe | ak | |
| | 2483.50 | 00 | 23.97 | 30.7 | 73 | 54 | .70 | 74.00 | -19.30 | | pea | ak | |
| \neg | 2489.75 | 50 | 25.57 | 30.7 | 75 | 56 | .32 | 74.00 | -17.68 | | pe | ak | |
| \neg | 2500.00 | 00 | 19.76 | 30.8 | 30 | 50 | .56 | 74.00 | -23.44 | | pea | ak | |

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



 Report No.:
 KSEM210800132301

 Page:
 49 of 87

| 1 | 20 . | 0 (| dBu∀/m | | | | | | | | | | | | | | | _ |
|-----|-------------|------|--------------|-------------------|------|---------------------|------|-----|------------------|----|------------------|----------------|------|-----|------|--------------|---------|-----|
| | | | | | | | | | | | | | | | | Limi Limi | | |
| | | | | | | | | | | | | | | | | | | |
| | | | k.,, | ~ | | | | | | | | | | | | | | |
| | | 7 | | | | | | | | | | | | | | | | |
| | 60 | | | | | | | | | | | | | | | | | |
| | | 7 | | Ĺ | 2 | 3 | 1 | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | _ | | | | | | | | |
| | 0.0 | | | | | | | | | | | | | | | | | |
| | 2, | 150. | 0002469 | 5.00 248 | 0.00 | 0 249 | 5.00 | 251 | 0.00 2 | 52 | 5.00 251 | 0.00 255 | 5.00 | 257 | 0.00 | | 2600.00 | MHz |
| No. | F | | uency Hz) | Reading (dBuV) | | Correct factor(c | | | Result BuV/m) | (| Limit dBuV/m) | Margin (dB) | | | | Rem | ark | |
| 1 | 1 | | 4.350 | 52.01 | | 30.6 | | | 32.61 | Ľ | 54.00 | 28.61 | | | | AV | G | |
| 2 | 1 | 248 | 3.500 | 8.82 | | 30.7 | 73 | 3 | 39.55 | | 54.00 | -14.45 | | | | AV | G | |
| 3 | 1 | 248 | 6.150 | 8.64 | | 30.7 | 74 | 3 | 39.38 | | 54.00 | -14.62 | | | | AV | G | |
| 4 | 1 | 250 | 0.000 | 8.30 | | 30.8 | 30 | 3 | 39.10 | | 54.00 | -14.90 | | | | AV | G | |

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



 Report No.:
 KSEM210800132301

 Page:
 50 of 87

| | | | | | | | | | | | | | | | Limi Limi | | _ | |
|----|----------------|-----------------------------------|--------------------------------|---|---------------------------|-------------------|--------------------------|--------|--------------------|---------------------------|--------------------|------|-----|------|--------------|-----------|------|-----|
| | | | | | | | | | | | <u>(</u> | | | | ~~ | - | | |
| | | | | | | | | _ | | | \vdash | | | | | | _ | |
| | | afren sole de sen se | | | | | | میں ا | R. Burr | w-41 | | | | | | 4 | 146 | |
| | 60 | | | | | ul a Ma | | 17 | ·X. | | | | | | | | - 1 | |
| | | alman march son a | an Clank Alexand | ole-le-sel-species | a description of | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | _ | | | | | | | | | _ | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | 0.0 | | | | | | | | | | | | | | | | | |
| | 0.0 | | | | 52.00 | 2356 | | 380.00 | | 1.00 | 2408 | 3.00 | 242 | 2.00 | | 215 | 0.00 | MHz |
| | 0.0 23 | 10.000 2324 | 1.00 233 | 3.00 23 | 52.00 | 2356 R | 5.00 2 esult | 380.00 | 239 it | 1.00 Mai | 2408 rgin | 3.00 | 242 | | Rem | | 0.00 | MHz |
| | 0.0 23 | allo.0002324 requency (MHz) | I.00 2338 Reading (dBuV) | 3.00 23 Corre factor(| 52.00 ection (dB/m) | 2356 Ri (dB | 5.00 2 esult uV/m) | 380.00 | 239 it //m) | 1.00 Mar (d | 2408 rgin B) | 3.00 | 212 | | | ark | 0.00 | MHz |
| D. | 0.0 23 F | 10.000 2324 | 1.00 233 | 3.00 23 3.00 20 3.00 23 3.00 2 | 52.00 | 2356 (dB | 5.00 2 esult | 380.00 | 239 iit //m) | 1.00 Mar (dl -7. | 2408 rgin | 3.00 | 212 | | Rem | ark ak | 0.00 | MHz |

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asps.com



 Report No.:
 KSEM210800132301

 Page:
 51 of 87

| 1 | l20.0 dBu∀/m | | | | | | | |
|-----|--------------------|-------------------|----------------------------|--------------------|-------------------|----------------|-------------|------------------------|
| | | | | | | | | Limit1: — Limit2: — |
| | | | | | | | | - |
| | | | | | | | | |
| | 60 | | | | | ~ | | |
| | | | un alter and | diaman | | | | |
| | | | | | | | | |
| | 0.0 | | | | | | | |
| | 2310.0002324 | 1.00 2338.0 | 0 2352.00 | 2356.00 2 | 380.00 239 | 1.00 2108 | .00 2422.00 | 2150.00 MHz |
| No. | Frequency (MHz) | Reading (dBuV) | Correction factor(dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | F | Remark |
| 1 | 2387.000 | 20.93 | 30.29 | 51.22 | 54.00 | -2.78 | | AVG |
| 2 | 2390.000 | 21.15 | 30.31 | 51.46 | 54.00 | -2.54 | | AVG |
| 3 | 2417.240 | 61.33 | 30.43 | 91.76 | 54.00 | 37.76 | | AVG |

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



 Report No.:
 KSEM210800132301

 Page:
 52 of 87

| | | 0 dBuV/m | | | | | | | | Limit1: — Limit2: — |
|----|-----------|-------------------------------|----------------------|-----------------------|---------------------------|---|------------------|------------------|--------------|------------------------|
| | 60 | | | | | | | | | ~~~~ |
| | 60 | an ann an Ann Ann | antes (le algedanch | and the second second | 14 your allowing the case | doorda i allerate all | uu din willing | MANUA | | Huney |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | 0.0 23 | 310.0002324 | 1.00 233 | 8.00 | 2352.00 | 2356.00 2 | 380.00 2 | 394.00 240 | B.00 2122.00 | 2150.00 MHz |
| | 23 | 10.000 2324 | Reading | g Co | orrection | Result | Limit | Margin | 8.00 2422.00 | 2150.00 MHz Remark |
| | 23 Fi | 310. 0 002 3 24 | | g Co fact | | | | Margin | 8.00 2122.00 | |
| 0. | 23 Fi | requency (MHz) | Reading (dBuV) | g Co fact | orrection or(dB/m) | Result (dBuV/m) | Limit (dBuV/m | Margin) (dB) | 8.00 2122.00 | Remark |

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



 Report No.:
 KSEM210800132301

 Page:
 53 of 87

| 1 | 120. | 0 dBu∀/m | | | | | | | | | | | | | | | | | |
|-----|------|-------------------|-------------------|------|---------------------|------|-----|------------------|-----|--------------|-----------|------------|------|--------|--------|-----|--------------------|----------------|------|
| | | | | | | | | | | | | | | | | | nitl: nit2: | _ | |
| | | | | | | | | | | | | | | | + | | | | |
| | | | | | | | | | | | | | 7 | ~~~ | ¥ | ~~ | | | |
| | 60 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | <u>, </u> | | | | | | Į (| | |
| | | | | | | | | | | | | | | | | | | | |
| | 0.0 | | | | | | | | | | | | | | | | | | |
| | 2 | 310.0002324 | 1.00 233; | 8.00 | 235 | 2.00 | 235 | 6.00 | 238 | 10.00 | 239 | 1.00 | 2408 | 8.00 2 | 122.00 | l | 21 | 50. 0 0 | viHz |
| No. | F | requency (MHz) | Reading (dBuV) | | Correct factor(d | | | lesult BuV/m) | | Lim (dBuV | | Maı (di | | | | Rer | nark | | |
| 1 | | 2387.140 | 10.84 | | 30.2 | | | 1.13 | | 54.0 | | | .87 | | | | /G | | |
| 2 | - | 2390.000 | 10.82 | | 30.3 | | | 1.13 | | 54.0 | | | .87 | | | | /G | | |
| 3 | | 2437.400 | 48.80 | | 30.5 | 52 | 7 | 9.32 | | 54.0 | 0 | 25 | .32 | | | A١ | /G | | |

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:



Report No.: KSEM210800132301 Page: 54 of 87

| | 120 | .0 dBu∀/m | | | | | | | | | | | | | | |
|-----|-----|-------------------|-------------------|----------------------|----------------|--------------|---------|--------------|----------|--------------|------------|-------|--------|----------------|----------|--|
| | | | | | | | | | | | | | | Limit Limit | | |
| | | m | ~~~ | Im | | | | | | | | | | | | |
| | | | | l | | | | | | | | | | | | |
| | | | | | | | | _ | | | | | | | | |
| | | J | | | £ | | | v them. | | | | | | | | |
| | 60 | nott | | | and the second | way ray ou | Velum | Anto | | | | | | | | |
| | | | | | | | meet 14 | V / mm- | Yarthang | γ_{4} | M-011 | | | | ······ | |
| | | | | | | | | _ | | | | | | | | |
| | | | | | | | | _ | | | | | _ | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 0.0 | 130.000 2117 | 7.00 2464. | 00 2481. | | 2498.0 | 10 21 | 515.00 | 25.3 | 2.00 | 25/19 | 00 21 | 566.00 | | 2600.00 | |
| | - | 100.000111 | | | | 2.130.1 | | 515.00 | 200 | 2.50 | 2010 | | | | 2000.007 | |
| No. | F | requency (MHz) | Reading (dBuV) | Correct factor(dE | | Res (dBu) | | Lin (dBu\ | | | rgin B) | | | Rema | ark | |
| 1 | | 2463.830 | 68.19 | 30.64 | | 98. | - | 74.0 | | | .83 | | | peal | k | |
| 2 | | 2483.500 | 31.53 | 30.73 | 3 | 62. | 26 | 74.0 | 00 | -11 | .74 | | | peal | k | |
| 3 | | 2500.000 | 24.34 | 30.80 |) | 55. | 14 | 74.0 | 00 | -18 | 8.86 | | | peal | k | |

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



 Report No.:
 KSEM210800132301

 Page:
 55 of 87

| 1 | 20.0 d⊟u∀/m | | | | | | | Limitl: — | |
|--------|--------------------|-------------------|----------------------------|--|-------------------|----------------|-------------|-------------|--|
| | | | | | | | | Limit2: — | |
| | | | | | | | | | |
| | <u> </u> | V | ì | | | | | | |
| | | | | | | | | | |
| | 60 | | | | | | | | |
| | , | | 12 | | _ | | | | |
| | | | | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | As manne | _ريد دمين _ | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | 0.0 | | | | | | | | |
| | 2130.000 211 | 7.00 2464.0 | 10 2481.00 | 2198.00 2 | 515.00 253 | 2.00 2549 | .00 2566.00 | 2500.00 MHz | |
| D. | Frequency (MHz) | Reading (dBuV) | Correction factor(dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | F | Remark | |
| \neg | 2446.830 | 60.37 | 30.56 | 90.93 | 54.00 | 36.93 | | AVG | |
| | 2483.500 | 18.01 | 30.73 | 48.74 | 54.00 | -5.26 | | AVG | |
| | 2484.740 | 18.15 | 30.73 | 48.88 | 54.00 | -5.12 | | AVG | |
| | 2500.000 | 13.67 | 30.80 | 44.47 | 54.00 | -9.53 | AVG | | |

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:



Report No.: KSEM210800132301 Page: 56 of 87

| 1 | 20. | 0 dBu∀/m | | | | | | | | | Lim | itl: — | |
|-----|-----|-----------------------|-------------------|----------|---------------|------|---------------------|---------------------|------------------------------|------------------------------|-----------------------|-----------------------|-----|
| | | | | | | | | | | | Lim | it2: — | |
| | | | 1 | | | | | | | | | | |
| | | | | m | | | | | | | | | |
| | | - (| | | | | | | | | | | |
| | | 1 | | | | | | | | | | | |
| | 60 | <mark>1</mark> 1 | | - No | E Land | | | | | | | | |
| | | W. | | | in the second | | a the second second | orealer Alstationer | ernelle after trailed at the | have be also all a second be | and the second second | and an indicate which | |
| | | | | | + | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | 0.0 | | | | | | | | | | | | |
| | | 130.000 2 1 17 | .00 2 1 64 | .00 248 | 1.00 | 2498 | B.00 2 | 515.00 253 | 2.00 2549 | 1.0 0 2 56 | 5.00 | 2500.00 | MHz |
| No. | F | requency | Reading | Correc | tion | R | esult | Limit | Margin | | Ren | nark | |
| | | (MHz) | (dBuV) | factor(d | lB/m) | (dB | luV/m) | (dBuV/m) | (dB) | | | | |
| 1 | | 2450.740 | 59.33 | 30.5 | | | 9.91 | 74.00 | 15.91 | | pe | ak | |
| 2 | | 2483.500 | 20.05 | 30.7 | | | 0.78 | 74.00 | -23.22 | | pe | ak | |
| 3 | 1 | 2488.990 | 23.58 | 30.7 | 5 | 5 | 4.33 | 74.00 | -19.67 | | peak | | |
| 4 | 1 | 2500.000 | 19.66 | 30.8 | 30 | 5 | 0.46 | 74.00 | -23.54 | | ре | ak | |

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



 Report No.:
 KSEM210800132301

 Page:
 57 of 87

| | | | | | | | | | | | | | | Lim Lim | | |
|----|-----|-------------|-----------------|-------------------|----------------------|----------|--------------|--------------|------------------|-------|----------------|------|---------------|------------|---------|-----|
| | | , | , | | | | | | | _ | | | | | | |
| | | 7 | د ما | ~~ | | | | | | | | | | | | |
| | 60 | | | | | | | | | | | | | | | |
| | | / | _ | | | 23 XX | | | | | . | | | | | |
| | | | | | | | | | | | | | | | | |
| | 0.0 | | | | | | | | | | | | | | | |
| | 24 | 130.0 | 002417 | .00 2464 | .00 2481. | .00 | 2498.0 | 0 2 <u>1</u> | 515.00 3 | 25.32 | 2.00 254 | 9.00 | 2566 . | 00 | 2500.00 | MHz |
| 0. | F | requ (MH | ency Iz) | Reading (dBuV) | Correct factor(dE | | Res (dBu) | | Limit (dBuV/n | n) | Margin (dB) | | | Ren | nark | |
| | 1 | | 630 | 50.29 | 30.52 | | 80. | 81 | 54.00 | | 26.81 | | | A۱ | /G | |
| | | 2483 | .500 | 9.70 | 30.73 | } | 40. | 43 | 54.00 | | -13.57 | | | A۱ | /G | |
| | 1 | 2486 | 6.100 | 9.50 | 30.74 | Ļ | 40. | 24 | 54.00 | | -13.76 | | | A۱ | /G | |
| | | 2500 | .000 | 8.57 | 30.80 |) | 39. | 37 | 54.00 | | -14.63 | | | A۷ | /G | |

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:





Report No.: KSEM210800132301 Page: 58 of 87

7.8 Radiated Spurious Emissions

| Test Requirement | 47 CFR Part 15, Subpart C 15.209 & 15.247(d) |
|------------------|--|
| Test Method: | ANSI C63.10 (2013) Section 6.4,6.5,6.6 |
| Limit: | |

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) |
|----------------|----------------------------------|------------------------------|
| 0.009-0.490 | 2400/F(kHz) | 300 |
| 0.490-1.705 | 24000/F(kHz) | 30 |
| 1.705-30.0 | 30 | 30 |
| 30-88 | 100 | 3 |
| 88-216 | 150 | 3 |
| 216-960 | 200 | 3 |
| Above 960 | 500 | 3 |

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)




Report No.: KSEM210800132301 Page: 59 of 87


7.8.1 E.U.T. Operation

Operating Environment:

Temperature:24 °CHumidity:50 % RHAtmospheric Pressure:1010 mbarTest modea:TX mode_Keep the EUT in continuously transmitting mode with all modulation
types. All data rates for each modulation type have been tested and found the
data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the
worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE
802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40).
Only the data of worst case is recorded in the report.

7.8.2 Test Setup Diagram







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of itability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@csac.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210800132301 Page: 60 of 87

7.8.3 Measurement Procedure and Data

a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.

d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.

e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.

f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.

g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.

h. Test the EUT in the lowest channel, the middle channel, the Highest channel.

i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.

j. Repeat above procedures until all frequencies measured was complete.

Remark:

1) For emission below 1GHz, through pre-scan found the worst case is the lowest channel. Only the worst case is recorded in the report.

2) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

3) Scan from 9kHz to 25GHz, the disturbance above 18GHz and below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

4) For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms-and-Conditions.aspx and, for electronic format document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exoenteate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSEM210800132301 Page: 61 of 87



| No. | Frequency | Reading | Correct | Result | Limit | Margin | Height | Degree | Remark |
|-----|-----------|---------|--------------|----------|----------|--------|--------|--------|--------|
| | (MHz) | (dBuV) | Factor(dB/m) | (dBuV/m) | (dBuV/m) | (dB) | (cm) | (deg.) | |
| 1 | 65.8900 | 18.29 | 7.25 | 25.54 | 40.00 | -14.46 | 200 | 1 | QP |
| 2 | 165.8000 | 20.93 | 11.31 | 32.24 | 43.50 | -11.26 | 200 | 1 | QP |
| 3 | 295.7800 | 15.84 | 14.56 | 30.40 | 46.00 | -15.60 | 100 | 266 | QP |
| 4 | 480.0800 | 12.72 | 19.03 | 31.75 | 46.00 | -14.25 | 100 | 198 | QP |
| 5 | 723.5500 | 6.98 | 21.88 | 28.86 | 46.00 | -17.14 | 100 | 290 | QP |
| 6 | 960.2300 | 16.23 | 23.68 | 39.91 | 54.00 | -14.09 | 100 | 205 | QP |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210800132301 Page: 62 of 87



| No. | Frequency | Reading | Correct | Result | Limit | Margin | Height | Degree | Remark |
|-----|-----------|---------|--------------|----------|----------|--------|--------|--------|--------|
| | (MHz) | (dBuV) | Factor(dB/m) | (dBuV/m) | (dBuV/m) | (dB) | (cm) | (deg.) | |
| 1 | 51.3400 | 21.53 | 8.58 | 30.11 | 40.00 | -9.89 | 100 | 238 | QP |
| 2 | 165.8000 | 15.36 | 11.31 | 26.67 | 43.50 | -16.83 | 100 | 293 | QP |
| 3 | 311.3000 | 9.40 | 14.90 | 24.30 | 46.00 | -21.70 | 200 | 178 | QP |
| 4 | 480.0800 | 16.54 | 19.03 | 35.57 | 46.00 | -10.43 | 100 | 360 | QP |
| 5 | 723.5500 | 2.52 | 21.88 | 24.40 | 46.00 | -21.60 | 100 | 307 | QP |
| 6 | 960.2300 | 14.05 | 23.68 | 37.73 | 54.00 | -16.27 | 100 | 360 | QP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation clients is old to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the 1aw. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



 Report No.:
 KSEM210800132301

 Page:
 63 of 87

Above 1GHz

Mode:a; Polarization:Horizontal; Modulation:b; bandwidth:20MHz; Channel:Low

100.0 d⊟u∀/m Limit1: Limit2: 50 0.0 1000.0002700.00 11200.00 12900.00 14600.00 7800.00 9500.00 18000.00MHz 4400.00 6100.00 No. Reading Correction Result Limit Margin Remark Frequency (MHz) (dBuV) factor(dB/m) (dBuV/m) (dBuV/m) (dB)1 4824.000 58.73 -11.21 47.52 74.00 -26.48 peak 52.69 -4.02 48.67 74.00 2 7236.000 -25.33 peak 3 9648.000 50.55 -0.37 50.18 74.00 -23.82 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210800132301 Page: 64 of 87

| | | | | | | | | | | | | | | | nitl: — nit2: — | |
|----|-----|-------------------|-------------------|------------------|------|-----|------------------|-----|------------------|------------|------|------|--------|-----|--------------------|------|
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 50 | | | 1 | | ž | | | 1 | | | | | | | |
| | | | | Ì | | Î | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | - | | | | | _ | | _ | | | + |
| | 0.0 | | | | | | | | | | | | | | | 1 |
| | 10 | 100.000 2700 | .00 1100 | .00 610 | 0.00 | 780 | 0.00 9 | 50(| 0.00 12 | 00.00 | 1290 | 0.00 | 14600. | 00 | 18000.0 | 0MHz |
| D. | F | requency (MHz) | Reading (dBuV) | Corre factor(| | | lesult BuV/m) | 6 | Limit dBuV/m) | Mar (dE | | | | Ren | nark | |
| | 4 | 4824.000 | 58.59 | -11. | | | 7.38 | | 74.00 | -26 | - | | | pe | ak | |
| | 1 | 7236.000 | 52.78 | -4. | 02 | 4 | 8.76 | | 74.00 | -25 | 24 | | | ре | ak | |
| | 9 | 9648.000 | 50.16 | -0.3 | 37 | - 4 | 9.79 | | 74.00 | -24 | 21 | | | pe | ak | |

Mode:a; Polarization:Vertical; Modulation:b; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210800132301 Page: 65 of 87

| 1 | 0 0. | 0 dBu∀/m | , | | | | | | | | | | | | | | - |
|------------|-------------|-------------------|-------------------|------|---------------------|------|-----|------------------|----------------|------------------|--------------|------|------------------|--------|-----|--------------------|-------------|
| | | | | | | | | | | | | | | | | nitl: — nit2: — | |
| | | | | | | | | | | | | + | | - | | | 4 |
| | | | | | | | | | $ \rightarrow$ | | | _ | | | | | 4 |
| | | | | | | | | | | | | + | | _ | | | - |
| | | | | | | | | | | | | + | | | | | 1 |
| | | | | | | | | | _ | | | + | | _ | | | + |
| | 50 | | | , | | | 2 | | \neg | ş | | + | | _ | | | - |
| | 50 | | | Y | (| | Î | | | 1 | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | _ | | | _ | | + | | | + | | _ | | | + |
| | | | | | | | | | | | | | | | | | |
| | 0.0 | | | | | | | | | | | | | | | | |
| | | L | |).DI | 0 610 | 0.00 | 780 | 0.00 9 | 500 |).00 2 | l 00.00 l | 2900 |). 0 0 I- | 1600.0 | 0 | 8000.0 | _l I0MHz |
| _ | _ | | | _ | - | | | | | | | | | | | | |
|) . | F | requency (MHz) | Reading (dBuV) | | Correct factor(d | | | lesult BuV/m) | 6 | Limit dBuV/m) | Marg (dB) | in | | | Ren | nark | |
| | 4 | 4874.000 | 58.50 | | -10. | | | 7.55 | | 74.00 | -26.4 | _ | | | pe | ak | |
| | | 7311.000 | 53.65 | | -3.9 | 7 | 4 | 9.68 | | 74.00 | -24.3 | 2 | | | pe | ak | |
| | 9 | 9748.000 | 50.51 | | -0.0 | 8 | 5 | 0.43 | | 74.00 | -23.5 | 7 | | | pe | ak | |

Mode:a; Polarization:Horizontal; Modulation:b; bandwidth:20MHz; Channel:middle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210800132301 Page: 66 of 87

| 1 | 00. | 0 dBu∀/m | | | | | | | | | | | | | |
|------------|-----|--------------|----------|---------|------|----------|--------|----------------|---------|----------|---------|-------|-------|----------|-----|
| | | | | | | | | | | | | | | imitl: — | |
| | | | | | | | | \dashv | | | _ | | | imit2: — | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | + | | | | | | | |
| | | | | | | | | + | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | ļ | | | $ \rightarrow$ | | | | | | | |
| | | | | | | | | | | | | | | | |
| | 50 | | | * | | ¥ | | + | 3 * | | _ | | | | |
| | | | | T | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | _ | | + | | | _ | | | | |
| | | | | | | | | | | | | | | | |
| | | | | + | | + | | + | + | | | | | | |
| | 0.0 | | | | | | | | | | | | | | |
| | I | 100.000 2700 | .00 1100 | .00 610 | 0.00 | 780 | 0.00 9 |)500 | 00 112 | 00.00 13 | 2900.00 |] 16 | 00.00 | 18000.00 | MHz |
|) . | F | requency | Reading | Corre | | | esult | | Limit | Margi | 1 | | R | emark | |
| | | (MHz) | (dBuV) | factor(| | <u>,</u> | BuV/m) | ((| dBuV/m) | (dB) | | | | | |
| | | 4874.000 | 58.33 | -10. | | | 7.38 | | 74.00 | -26.6 | | | | peak | |
| | | 7311.000 | 52.34 | -3. | 97 | 4 | 8.37 | | 74.00 | -25.6 | 3 | | F | peak | |
| | 9 | 9748.000 | 50.27 | -0. | 08 | 5 | 0.19 | | 74.00 | -23.8 | 1 | | l. | peak | |

Mode:a; Polarization:Vertical; Modulation:b; bandwidth:20MHz; Channel:middle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210800132301 Page: 67 of 87

| 1 | 00 . | 0 dBu∀/m | | | | | | | | | | | | | | | | | | |
|-----|-------------|-------------------|-------------------|------|---------------------|------|-----|------------------|--------|-------------|-----------------|----------|------------|------|-----|-------|------------|-----------|--------|----|
| | | | | | | | | | | | | | | | | | Lim Lim | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | 2 | | | ą | Į. | | | | | | | | | |
| | 50 | | | 2 | < | | Ť | | | | ۹ ــــــ | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | + | | | | | | | | | | | | 1 | |
| | • | | | | | | + | | | | | | | | | | | | - | |
| | 0.0 |] 100.0002700 | .00 1100 |).0(|) 610 | 0.00 | 780 | 0.00 | 950(| 0 .0 |)0 12 | 00.00 | 1290 | 0.00 | 146 | 00.00 | | 800 | 0.00MH | łz |
| lo. | F | requency (MHz) | Reading (dBuV) | | Correct factor(d | | | lesult BuV/m) | 0 | | Limit BuV/m) | Ma (d | rgin B) | | | | Ren | nark | | |
| | 4 | 4924.000 | 58.00 | | -10.0 | | | 7.32 | + | | 4.00 | | 5.68 | | | | pe | ak | | |
| | | 7386.000 | 52.29 | | -3.9 | 2 | 4 | 8.37 | \top | 7 | 74.00 | -25 | 5.63 | | | | pe | ak | | |
| | | 9848.000 | 50.12 | | 0.2 | 1 | 5 | 6.33 | | 7 | 74.00 | -23 | 3.67 | | | | pe | ak | | |

Mode:a; Polarization:Horizontal; Modulation:b; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210800132301 Page: 68 of 87

| 1 | 00.0 | 0 dBu∀/m | | | | | | | | | | | | | | | | | |
|----|------|-------------------|-------------------|-----|---------------------|------|-----|------------------|------|-----|-----------------|----------|------------|------|-----|-------|------------|------|---------|
| | | | | | | | | | | | | | | | | | Lim Lim | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | - |
| | | | | | | | | | | | | | | | | | | | \neg |
| | | | | | | | | | | | | | | | | | | | _ |
| | 50 | | | | 1 | | 2 | | | 3 | ļ | | | | | | | | |
| | | | | | × | | Î | | | 1 | ` | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | _ | | | _ | | | | | | | | | _ |
| | | | | | | | | | | | | | | | | | | | |
| | 0.0 | | | | | | | | | | | | | | | | | | |
| | | 100.000 2700 |).00 110 | 0.0 | 0 610 | 0.00 | 780 | 0.00 | 950(| 0.0 | 10 12 | 00.00 | 1290 | 0.00 | 146 | 00.00 | | 1800 | 0.00MHz |
| 0. | F | requency (MHz) | Reading (dBuV) | | Correct factor(d | | | Result BuV/m) | (| | _imit 3uV/m) | Ma (d | rgin B) | | | | Rem | nark | |
| | | 4924.000 | 58.34 | | -10.0 | 68 | 4 | 17.66 | | 7 | 4.00 | -26 | 6.34 | | | | pea | ak | |
| | | 7386.000 | 53.29 | | -3.9 | | | 19.37 | | | 4.00 | | .63 | | | | pea | | |
| | 9 | 9848.000 | 49.97 | | 0.2 | 1 | 5 | 50.18 | | 7 | 4.00 | -23 | 8.82 | | | | pea | ak | |

Mode:a; Polarization:Vertical; Modulation:b; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210800132301 Page: 69 of 87

| | | 0 dBu∀/m | | | | | | | | | Limitl: — | |
|--------|-----|------------|------------|-------------|--------|------|----------|--------|----------|----------|-----------|-----|
| | | | | | | | | | | | Limit2: — | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | _ | |
| | | | | | | | | | | | | |
| | | | | | | | | | <u> </u> | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | 50 | | | 1 | 2 | | Â. | | | | | |
| | | | | ¥ | ¥ | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | _ | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | 0.0 | | | | | | | | | | | |
| | I | 00.0002700 | .00 1100.1 | 0 6100.00 | 7800.0 | 0 99 | 500.00 | 200.00 | 2900.00 | 14600.00 | 18000.00 | lHz |
|). | F | requency | Reading | Correction | Res | ult | Limit | Marg | in | | Remark | |
| | | (MHz) | (dBuV) | factor(dB/m | | | (dBuV/m) | (dB | | Г | Vernal IV | |
| | 4 | 4824.000 | 58.93 | -11.21 | 47. | 4 | 74.00 | -26.2 | | | peak | |
| | 1 | 7236.000 | 52.69 | -4.02 | 48.0 | 67 | 74.00 | -25.3 | 33 | | peak | |
| \neg | | 9648.000 | 51.40 | -0.37 | 51.0 | | 74.00 | -22.9 | | | peak | |

Mode:a; Polarization:Horizontal; Modulation:g; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



 Report No.:
 KSEM210800132301

 Page:
 70 of 87

| 1 | 00. | 0 dBu∀/m | | | | | | | | | | | | | | | | | | |
|----|-----|-------------------|-------------------|------|---------------------|------|-----|-----------------|-----|-------------|-----|----------|------------|------|-----|-------|------------|------|--------|-----|
| | | | | | | | | | | | | | | | | | Lim Lim | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | 50 | | | 1 | | | 2 | | | Ϋ́ | | | | | | | | | | |
| | | | | ľ | 1 | | Ĩ | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | + | | | - | | | | | | | | | | | | _ | |
| | | | | | | | | | | | | | | | | | | | | |
| | 0.0 | | | | | | | | | | | | | | | | | | | |
| | 10 | 100.0002700 | .00 1100 | 0.00 | 0 610 | 0.00 | 780 | 0.00 | 950 | 0.00 | 112 | 00.00 | 1290 | 0.00 | 146 | 00.00 | | 180 | 00.00M | IHz |
| 0. | F | requency (MHz) | Reading (dBuV) | | Correct factor(d | | | esult BuV/m) | (| Lin dBu\ | | Ma (d | rgin B) | | | | Rem | nark | | |
| | 4 | 4824.000 | 58.87 | | -11.2 | | | 7.66 | | 74. | | <u> </u> | 6.34 | | | | pea | ak | | |
| | Ī | 7236.000 | 53.27 | | -4.0 | 2 | 4 | 9.25 | | 74. | 00 | -24 | 1.75 | | | | pea | ak | | |
| | 9 | 9648.000 | 50.86 | | -0.3 | 7 | 5 | 0.49 | | 74. | 00 | -23 | 3.51 | | | | pea | ak | | |

Mode:a; Polarization:Vertical; Modulation:g; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210800132301 Page: 71 of 87

| | | 0 dBu∀/m | | | | | | Т | | | Т | | | Limi | tl: — | |
|----|------------|-----------------|------------------|-------|---------|-----|------------|----------------|---------|-----------|------|---------|--------|------|----------|-----|
| | | | | | | | | | | | | | | Limi | t2: — | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | + | | | _ | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | + | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | _ | | | + | | | + | | | | | |
| | F 0 | | | | | 9 | | - | ş | | | | | | | |
| | 50 | | | X | | Ŷ | | | ť. | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | $ \rightarrow$ | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | _ | | | | \rightarrow | | | | | | | | |
| | 0.0 | | | | | | | | | | | | | | | |
| | |]00.0002700 | .00 11 00 | | 0.00 | 700 | 0.00 9 | 500 | 00 112 | 00.00 | 2900 | 00 14 | 600.00 | | 18000.00 | |
| | | 100.0002700 | .00 1100 | | 0.00 | 100 | 0.00 3 | 500 | .00 112 | 00.00 1 | 2300 | .00 120 | 900.00 | | 10000.00 | мпг |
|). | F | requency | Reading | Cor | rection | R | lesult | | Limit | Marg | in | | | Rem | ark | |
| | | (MHz) | (dBuV) | facto | r(dB/m) | (dE | BuV/m) | (0 | lBuV/m) | (dB) | | | | | | |
| | 1 | 4874.000 | 58.24 | -1 | 0.95 | 4 | 7.29 | | 74.00 | -26.7 | 1 | | | pea | ik | |
| | 1 | 7311.000 | 52.34 | - | 3.97 | 4 | 8.37 | | 74.00 | -25.6 | 3 | | | pea | ık | |
| + | (| 9748.000 | 50.42 | | 0.08 | F | 0.34 | | 74.00 | -23.6 | 6 | | | pea | | |

Mode:a; Polarization:Horizontal; Modulation:g; bandwidth:20MHz; Channel:middle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com



 Report No.:
 KSEM210800132301

 Page:
 72 of 87

| 1 | 00. | 0 dBu∀/m | | | | | | | | | | - | | | | | | _ | | |
|----|------------|-----------------|---------|-----|----------|-------|-----|--------|------|--------|------|-------|------|----------|-------|-------|-----|------|-------|------|
| | | | | | | | | | | | | | | | | | Lim | | - | |
| | | | | | | | | | | | | | | | | | Lim | it2: | _ | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | F 0 | | | | | | 2 | | | 3 | | | | | | | | | _ | |
| | 50 | | | | (| | Â | | | Ť | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | \top | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | 0.0 | 100.0002700 | .00 110 | | 0 610 | 0 0 0 | 780 | 0.00 | 950(| 1 00 | 112 | 00.00 | 1290 | 0.00 | 1461 | 00.00 | | | 00.00 | 143 |
| | | 100.0002100 | | 0.0 | 0 010 | 0.00 | 100 | 0.00 | 3300 | 00.00 | 112 | 00.00 | 1230 | 0.00 | 1-100 | 00.00 | | 100 | 00.00 | 1112 |
|). | F | requency | Reading | | Correc | | | lesult | | Lir | | Ma | rgin | | | | Rem | nark | | |
| | | (MHz) | (dBuV) | | factor(d | | _ | BuV/m) | (| | V/m) | (d | | | | | | | | |
| | | 4874.000 | 58.28 | | -10. | | | 7.33 | | 74. | | | 6.67 | | | | pea | | | |
| | | 7311.000 | 52.08 | | -3.9 | | | 8.11 | | 74. | | | .89 | | | | pea | ak | | |
| Ī | 9 | 9748.000 | 50.15 | | -0.0 | 8 | 5 | 0.07 | | 74. | 00 | -23 | .93 | | | | pea | ak | | |

Mode:a; Polarization:Vertical; Modulation:g; bandwidth:20MHz; Channel:middle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



 Report No.:
 KSEM210800132301

 Page:
 73 of 87

| | | 0 dBu∀/m | | | | | | | | | | | | | | | Lim | | | |
|------------|-----------|-------------------|-------------------|------------|---------------------|------|-----|------------------|-----|---|-----------------|-------|------------|------|-----|-------|-----|----------|-------|-----|
| | | | | | | | | | | | | | | | | | | | _ | |
| | | | | | | | | | | | | | | | | | | | _ | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | 2 | | | | 1 | | | | | | | | | |
| | 50 | | | 2 | ř | | Ť | | | ľ | ζ | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | + | | | | | | | | | | | | | |
| | 0.0 11 | 00.0002700 | .00 110 | <u>с</u> п | 0 610 | 0.00 | 780 | 0.00 % | 350 | | 10 12 | 00.00 | 1290 | 0.00 | 146 | 00.00 | | B1 | 00.00 | MH2 |
| _ | | | | | | | | | | | | | | | | | | | | |
|) . | F | requency (MHz) | Reading (dBuV) | | Correct factor(d | | | lesult BuV/m) | | | ₋imit 3uV/m) | | rgin B) | | | | Ren | nark | | |
| | 4 | 4924.000 | 58.36 | | -10.0 | | | 7.68 | + | | 4.00 | | 5.32 | | | | pe | ak | | |
| | ī | 7386.000 | 52.59 | | -3.9 | 2 | 4 | 8.67 | | 7 | 4.00 | -25 | 5.33 | | | | pe | ak | | |
| | 9 | 9848.000 | 49.96 | | 0.2 | 1 | 5 | 50.17 | | 7 | 4.00 | -23 | 3.83 | | | | ре | ak | | |

Mode:a; Polarization:Horizontal; Modulation:g; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210800132301 Page: 74 of 87

| 1 | 0 0. | 0 dBu∀/m | | | | | | | | | | | | | | | | | | |
|-----|-------------|--------------|----------|------|----------|------|-----|--------|---------------|--------------|----------|-------|------|------|-----|-------|-----|--------|------|----|
| | | | | | | | | | | | | | | | | | Lim | | - | |
| | | | | | | | | | -+ | | | | | | | | Lim | it2: • | _ | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | + | | | | | | | | | | - | |
| | | | | | | | | | - | | | | | | | | | | - | |
| | | | | | | | | | \neg | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | 50 | | | - | <u> </u> | | -2 | | + | 3 | <u> </u> | | | | | | | | - | |
| | | | | ſ | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | _ | | \rightarrow | \downarrow | | | | | | | | | _ | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | _ | | | + | | + | ┥ | | | | | | | | | - | |
| | 0.0 | | | | | | | | | | | | | | | | | | | |
| | I | 100.000 2700 | .00 1100 |).0(|) 610 | 0.00 | 780 | 0.00 9 |)500 | 0.0 | 0 12 | 00.00 | 1290 | 0.00 | 146 | 00.00 | | 1800 | 0.00 | Hz |
| lo. | F | requency | Reading | | Correc | | | Result | | | .imit | Ма | rgin | | | | Rem | nark | | |
| | | (MHz) | (dBuV) | | factor(d | | | BuV/m) | ((| _ | BuV/m) | (d | B) | | | | | | | |
| | | 4924.000 | 58.17 | | -10.0 | | | 7.49 | | | 4.00 | | 5.51 | | | | pea | | | |
| | | 7386.000 | 53.29 | | -3.9 | 2 | 4 | 9.37 | | | 4.00 | -24 | 1.63 | | | | pea | ak | | |
| | | 9848.000 | 49.87 | | 0.2 | 1 | 5 | 50.08 | | 7 | 4.00 | -23 | 3.92 | | | | pea | ak | | |

Mode:a; Polarization:Vertical; Modulation:g; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210800132301 Page: 75 of 87

| 1 | 00. | 0 dBu∀/m | | | | | | _ | | | | | | | | 1 |
|------------|-----|-----------------|------------|----------|------|-----|--------|--------|--------------|----------|--------|-------|-------|------------------|----------|----------|
| | | | | | | | | | | | | | | Limitl Limit2 | | |
| | | | | | | | | + | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | \neg | | | _ | | | _ | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | + | | | - | | | | | |
| | 50 | | | 1 | | 2 | | - | f. | | | | | | | |
| | 50 | | | ¥ | | Ŷ | | ľ | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 0.0 | | | | | | | | | | | | | | | |
| | | 100.0002700 | .00 /1100. | | 0.00 | 780 | 0.00 9 | |).00 12 | 00.00 12 | | 1 146 | 00.00 | | 18000.00 | 14H2 |
| | | 100.0001100 | | | 0.00 | 100 | 0.00 3 | | | 00.00 12 | 500.00 | | 00.00 | | 10000.00 | m 12 |
|) . | F | requency | Reading | Correc | | | esult | Γ | Limit | Margin | | | F | Rema | rk | |
| | | (MHz) | (dBuV) | factor(d | | | BuV/m) | ((| dBuV/m) | (dB) | | | | | | |
| | | 4824.000 | 58.83 | -11.3 | | | 7.62 | | 74.00 | -26.38 | | | | peak | | |
| | | 7236.000 | 52.69 | -4.0 | 2 | 4 | 8.67 | | 74.00 | -25.33 | | | | peak | | |
| | 9 | 9648.000 | 50.55 | -0.3 | 7 | 5 | 0.18 | | 74.00 | -23.82 | | | | peak | | |

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210800132301 Page: 76 of 87

| 1 | 00.0 | 0 dBu∀/m | | | | | | | | | | | | | | | |
|----|------|-------------|---------|----------|----------|------|-----|--------|------|--------------|-------|-------|----------------|--------|-----|---------|----------|
| | | | | | | | | | | | | | | | | nitl: — |] |
| | | | | | | | | | | | | - | | _ | Lin | nit2: — | 4 |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | + | | + | | | + |
| | | | | | | | | | | | | + | | | | | { |
| | | | | | | | | | | | | + | | | | | 1 |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | 50 | | | Ż | | | 8 | | | * | | _ | | | | | - |
| | | | | Î | 1 | | Î | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | \dashv | | | _ | | | | | _ | | _ | | | 4 |
| | 0.0 | | | | | | | | | | | | | | | | |
| | | 100.0002700 | .00 110 | | n 610 | 0.00 | 780 | 0.00 9 | 26.0 | 0.00 12 | 00.00 | 290 | n o n i | 1600.0 | 10 | 18000.0 | Marias - |
| | | | | | | 0.00 | 100 | 0.00 | 550 | 0.00 112 | 00.00 | 12.00 | 0.00 1 | 1000.0 | | 10000.0 | 011112 |
| 0. | F | requency | Reading | | Correc | | | lesult | Τ | Limit | Marg | in | | | Rer | nark | |
| | | (MHz) | (dBuV) | | factor(d | | | BuV/m) | (| dBuV/m) | (dB |) | | | | | |
| _ | | 4824.000 | 58.72 | | -11.2 | | | 7.51 | | 74.00 | -26.4 | | | | ре | ak | |
| | 1 | 7236.000 | 52.35 | | -4.0 | 2 | 4 | 8.33 | | 74.00 | -25.6 | 67 | | | ре | ak | |
| | 9 | 9648.000 | 50.74 | | -0.3 | 37 | 5 | 0.37 | | 74.00 | -23.6 | 63 | | | pe | ak | |

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210800132301 Page: 77 of 87

| 1 | 00 . | 0 dBu∀/m | | | | | | | | | | | | | | | , |
|----|-------------|-----------------|-------------------|---|----------|------|-----|--------------------|----------|--------------|-------------------|-------|--------|--------|------|----------|----------|
| | | | | | | | | | | | | | | | Limi | | |
| | | | | | | | | | - | | | | | | Limi | itz: — | ł |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | \neg | | | + | | + | | | ł |
| | 50 | | | | | | 2 | | | ş | | | | | | | |
| | 50 | | | ľ | (| | Ŷ | | | 1 | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | _ | | | | | _ | | | | | - |
| | 0.0 | | | | | | | | | | | | | | | | |
| | | 100.0002700 |).00 <u>11</u> 0(| | 0 610 | 0.00 | 780 | <u> </u> 0.00 9 |)50(|).00 12 | <u> </u> 00.00 | 2900. | 00 146 | 500.00 | | 18000.01 | l MHz |
| _ | | | | | | | | | | | | | | | | | |
|). | F | requency | Reading | , | Correc | | | lesult | | Limit | Margi | n | | | Rem | nark | |
| | | (MHz) | (dBuV) | | factor(d | | | BuV/m) | (| dBuV/m) | (dB) | | | | | -1. | |
| | | 4874.000 | 58.61 | _ | -10.9 | | | 7.66 | \vdash | 74.00 | -26.3 | | | | pea | | |
| _ | | 7311.000 | 52.59 | _ | -3.9 | | | 8.62 | | 74.00 | -25.3 | | | | pea | | |
| | | 9748.000 | 50.58 | | -0.0 | 8 | 5 | 0.50 | 1 | 74.00 | -23.5 | 0 | | | pea | ak | |

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:middle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



 Report No.:
 KSEM210800132301

 Page:
 78 of 87

| 1 | 00. | 0 dBu∀/m | | | | | | | | | | | | | |
|----|-----|-------------|----------|---------|------|-----|--------|------|----------|----------|--------|-------|---------------|----------|-----|
| | | | | | | | | | | | | | Lim | | |
| | | | | | | | | _ | | | | | Lim | it2: — | |
| | | | | | | | | | | | | | | | |
| | ł | | | | | | | | | | | | | | |
| | | | | | | | | | | | _ | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | 50 | | | 1 | | 2 | | | 3 * | | | | | | |
| | | | | Ŷ | | Î | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | 0.0 | | | | | 700 | 0.00 (| | | | 000.00 | | | 1000.07 | |
| | | 100.0002700 | .00 1100 | .00 611 | 0.00 | 780 | 0.00 9 | 3500 | J.UU 2 | 00.00 12 | 900.00 | 14601 | U. U U | 18000.00 | MHZ |
|). | F | requency | Reading | Corre | | | lesult | | Limit | Margir | 1 | | Ren | nark | |
| | | (MHz) | (dBuV) | factor(| | | BuV/m) | (| dBuV/m) | (dB) | | | | | |
| | 4 | 4874.000 | 58.31 | -10. | 95 | 4 | 7.36 | | 74.00 | -26.64 | | | pe | ak | |
| | 1 | 7311.000 | 52.30 | -3.9 | 97 | 4 | 8.33 | | 74.00 | -25.67 | / | | pe | ak | |
| 1 | 9 | 9748.000 | 50.20 | -0.0 | 08 | 5 | 0.12 | | 74.00 | -23.88 | } | | pe | ak | |

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:middle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210800132301 Page: 79 of 87

| • | | 0 dBu∀/m | | | | | | Т | | | | | | Limitl: — | - |
|----|-----|---------------|----------|---------|------|-----|--------|---------------|--------|-------|--------|-------|--------|-----------|---|
| | | | | | | | | | | | | | | Limit2: — | |
| | | | | | | | | | | | | | | | 7 |
| | | | | | | | | \rightarrow | | | | | | | 4 |
| | | | | | | | | \rightarrow | | | | | | | 4 |
| | | | | | | | | + | | | | | | | + |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | 1 |
| | 50 | | | 1 | | 3 | | | 3 | | | | | | 1 |
| | | | | × | | Î | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | \rightarrow | | | | | | | 4 |
| | 0.0 | | | | | | | | | | | | | | |
| | | 00.0002700 | .00 1100 | | 0.00 | 780 | 0.00 9 | 500 | 00 112 | 00.00 | 12900 | 00 14 | 600.00 | 18000.0 | |
| | | 100.000 L1 10 | | | 0.00 | 100 | 0.00 3 | 500 | | 00.00 | 12.501 | | 000.00 | 10000. | |
|). | F | requency | Reading | Corre | | | esult | | Limit | Mar | gin | | F | Remark | |
| | | (MHz) | (dBuV) | factor(| | | BuV/m) | <u> </u> | BuV/m) | (dE | 3) | | | | |
| | | 4924.000 | 58.34 | -10. | | | 7.66 | | 74.00 | -26. | | | | peak | |
| | 1 | 7386.000 | 52.59 | -3.9 | 92 | 4 | 8.67 | | 74.00 | -25. | 33 | | | peak | |
| | 9 | 9848.000 | 49.98 | 0.2 | 21 | 5 | 0.19 | | 74.00 | -23 | 81 | | | peak | |

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSEM210800132301 Page: 80 of 87

| 1 | 00 . | 0 d⊟u∀/m | | | | | | | | | | | | | | |
|-----|-------------|----------------------|-------------------|----------------|-------|-----|------------------|----------|-----------------|-------------|---------------|---------|--------|--------------|----------|-----|
| | | | | | | | | Τ | | | | | | Limi Limi | | |
| | | | | | + | | | + | | | + | | + | | | |
| | | | | | | | | _ | | | \rightarrow | | | | | |
| | | | | | | | | + | | | + | | + | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | + | | | + | | | + | | + | | | |
| | 50 | | | 1 | | ê | | | 3 X | | | | | | | 1 |
| | | | | ř | | Î | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | + | | | | | | | | | | 1 |
| | | | | _ | - | _ | | + | | | + | | - | | | ł |
| | 0.0 | | | | | | | | | | | | | | | |
| | ιċ | 00.0002700 | .00 1100 | .00 611 |]0.00 | 780 | 0.00 9 | 500 | 00 12 | 00.00 | 12901 | 0.00 14 | 600.00 | | 18000.00 | MHz |
| lo. | F | requency (MHz) | Reading (dBuV) | | | | lesult BuV/m) | (1 | Limit BuV/m) | Marg (dB | ļin | | | Rem | nark | |
| | 4 | (IVITIZ) 4924.000 | 58.33 | factor(-10 | | | 7.65 | <u> </u> | 74.00 | -26.3 | | | | pea | ak | |
| | | 7386.000 | 53.59 | -3. | | | 9.67 | | 74.00 | -24.3 | | | | pea | | |
| | (| 9848.000 | 50.13 | 0.1 | 21 | 5 | 0.34 | | 74.00 | -23. | | | | pea | | |

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210800132301 Page: 81 of 87

| 1 | 00.0 Г | 0 dBu∀/m | | | | | | | _ | | | | | | | | |
|----|-----------|-------------------|----------|------|----------|------|-----|--------|-----------------|-----|----------------|---------|--------|-------|--------------------|----------|----|
| | | | | | | | | | | | | | | | Limitl: Limit2: | | |
| | ŀ | | | | | | | | | | | + | | | | | |
| | | | | | | | | | | | | | | | | | |
| | Ī | | | | | | | | | | | | | | | | |
| | - 1 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | - | | | | | | | | _ | | | | | | _ | | |
| | | | | | | | 2 | | 3 | | | | | | | | |
| | 50 | | | ¥ | | | * | | - X | | | + | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | ŀ | | | + | | | +- | | _ | | | | | | _ | | |
| | | | | | | | | | | | | | | | | | |
| | ŀ | | | + | | | + | | - | | | | | | | | |
| | 0.0 | | | | | | | | | | | | | | | | |
| | ıŌ | 100.0002700 | .00 1100 |). D |) 610 | 0.00 | 780 | 0.00 9 | 500.00 | 112 | 00.00 13 | 2900.01 | 0 16 | 00.00 | | 8000.00k | Hz |
|). | Ε, | Co du o Dou | Reading | | Correc | tion | | lesult | Limit | | Marai | | | | Remark | | |
| | 11 | requency (MHz) | (dBuV) | ' | factor(d | | | BuV/m) | (dBuV/ | | Margii (dB) | ' | | | vernark. | | |
| | | 4844.000 | 59.10 | 1 | -11.1 | | _ | 7.99 | 74.00 | - | -26.0 | 1 | | | peak | | |
| | 7 | 7266.000 | 52.67 | + | -4.0 | 0 | 4 | 8.67 | 74.00 |) | -25.3 | 3 | | | peak | | |
| + | | 9688.000 | 50.93 | + | -0.2 | | | 0.68 | 74.00 | | -23.3 | | | | , peak | | |

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210800132301 Page: 82 of 87

| 1 | 00. | 0 dBu∀/m | | | | | | | | | | | | | | | | |
|----|-----|-------------|----------|-------|----------|------|-----|--------|-------|----------|-------|------|------|------|-------|-------|-------------|-----|
| | | | | | | | | | | | | | | | | imit | | |
| | | | | | | | | | | | | _ | | | L | _imit | 2: <u>—</u> | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | - | | | | - | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | _ | | | | _ | | |
| | | | | | | | • | | | 1 | | _ | | | | _ | | |
| | 50 | | | ¥ | | | ¥- | | | Х У | | + | | | | + | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | + | | | + | | | | | + | | | | + | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | 0.0 | | | | | | | | | | | | | 1.40 | | | 10000.00 | |
| | 11 | 100.0002700 | .00 1100 | J. UI |) 610 | 0.00 | 780 | 0.00 9 | 15 11 | 0.00 12 | 00.00 | 1290 | 0.00 | 116 | 00.00 | | 18000.00 | MHZ |
| 0. | F | requency | Reading | | Correc | | | lesult | Τ | Limit | Marg | in | | | R | lema | ark | |
| | | (MHz) | (dBuV) | | factor(d | | | BuV/m) | (| dBuV/m) | (dB |) | | | | | | |
| | | 4844.000 | 58.69 | | -11.1 | | | 7.58 | | 74.00 | -26.4 | | | | | peal | | |
| | | 7266.000 | 52.67 | | -4.0 | | | 8.67 | | 74.00 | -25.3 | | | | | peal | | |
| | 9 | 9688.000 | 50.13 | | -0.2 | 5 | 4 | 9.88 | | 74.00 | -24.1 | 12 | | | | peal | k | |

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



 Report No.:
 KSEM210800132301

 Page:
 83 of 87

| 1 | 0 0. | 0 dBu∀/m | | | | | | | | | | | | | | |
|----|-------------|-----------------|-----------|----------|------|----------|--------|----------------|--------------|---------|-------|--------|------------|-------|----------|------|
| | | | | | | | | | | | | | | Limit | | |
| | | | | | | | | \dashv | | | _ | | | Limit | 2: — | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | + | | | + | | | | | - |
| | | | | | | | | \rightarrow | | | | | | | | |
| | | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | _ | | | | | | | |
| | 50 | | | 1 | | <u></u> | | \dashv | \$ ¥ | | _ | | | | | |
| | | | | Ŷ | | T | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | $ \rightarrow$ | | | | | | | | |
| | • • | | | | | | | | | | | | | | | |
| | 0.0 | 100.0002700 | .00 1100. | | 0.00 | 700 | 0.00 9 | |).00 12 | 00.00 I | 2900. | 00 140 | 500.00 | | 18000.00 | 111- |
| | | 100.0002700 | .00 1100. | 00 010 | 0.00 | 100 | 0.00 3 | 19110 | 1.00 112 | 00.00 1 | 2300. | 00 146 | 500.00 | | 1000.00 | мпг |
| D. | F | requency | Reading | Correc | tion | R | esult | | Limit | Marg | in | | | Rema | ark | |
| | | (MHz) | (dBuV) | factor(c | | <u> </u> | BuV/m) | (| dBuV/m) | (dB) | | | | | | |
| | _ | 4874.000 | 58.33 | -10. | 95 | 4 | 7.38 | | 74.00 | -26.6 | 2 | | | peal | k | |
| | | 7311.000 | 52.64 | -3.9 |)7 | 4 | 8.67 | | 74.00 | -25.3 | 3 | | | peal | k | |
| 1 | 9 | 9748.000 | 50.46 | -0.0 | 8 | 5 | 0.38 | | 74.00 | -23.6 | 2 | | | peal | k | |

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:middle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSEM210800132301 Page: 84 of 87

| 1 | 00. | 0 dBu∀/m | | | | | | | | | | | | | | |
|----|-----|-------------|-----------|----------|------|-----|--------|--------|----------|-------|------|------|--------|-----|---------|-----|
| | | | | | | | | | | | | | | Lim | | |
| | | | | | | | | + | | | + | | +- | LIM | | ł |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | + | | | | | _ | | | ł |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | 1 |
| | 50 | | | 1 | | Ş | | | 3 | | | | | | | 1 |
| | | | | Ϋ́ | | ſ | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | + | | + | | | | | | | | + |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | \neg | | | | | | | | 1 |
| | 0.0 | | | | | | | | | | | | | | | |
| | 10 | 100.0002700 | .00 1100. | 00 6100 | 0.00 | 780 | 0.00 9 | 500 | 0.00 12 | 00.00 | 1290 | 0.00 | 4600.0 | 0 | 18000.0 | MHz |
| 0. | F | requency | Reading | Correct | | | esult | | Limit | Mar | gin | | | Ren | nark | |
| _ | | (MHz) | (dBuV) | factor(d | | | 3uV/m) | (| BuV/m) | (dE | | | | | | |
| | | 4874.000 | 58.33 | -10.9 | | | 7.38 | - | 74.00 | -26 | | | | | ak | |
| | | 7311.000 | 52.58 | -3.9 | | | 8.61 | | 74.00 | -25 | | | | | ak | |
| | | 9748.000 | 50.26 | -0.0 | 8 | - 5 | 0.18 | | 74.00 | -23 | .82 | | | pe | ak | |

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:middle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



 Report No.:
 KSEM210800132301

 Page:
 85 of 87

| ' | 00. | 0 dBu∀/m | | | | | | | | | Lim | irl — | | |
|----|----------|--------------------|-----------|-----------|-----|--------|---------|--------------|------------|----------|--------|------------|--|--|
| | | | | | | | | | | | Lim | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | ÷. | | 3 | | | | | | |
| | 50 | | | × | | | | × | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | 0.0 | | | | | | | | | | | | | |
| | IČ | 00.0002700 | .00 1100. | 00 6100. | 00 | 780 | 0.00 9! | 500.00 12 | 00.00 1290 | 0.00 146 | 500.00 | 18000.00MH | | |
| 0. | F | requency | Reading | Correcti | ion | Result | | Limit | Margin | | Remark | | | |
| | | (MHz) (dBuV) | | factor(dE | | | | (dBuV/m) | (dB) | | | | | |
| | 4904.000 | | 58.00 | -10.78 | | 47.22 | | 74.00 | -26.78 | | peak | | | |
| | 7356.000 | | 52.31 | -3.94 | | 48.37 | | 74.00 | -25.63 | | peak | | | |
| | 9 | 808.000 50.00 0.09 | | | - 5 | 0.09 | 74.00 | 74.00 -23.91 | | peak | | | | |

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation clients is old to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the 1aw. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210800132301 Page: 86 of 87

| 1 | 00.0 | dBu∀/m | | | | | | | | | | | | | |
|-----|----------|-------------|---------------|----------|------------------------|-------|-------------------|-----|-----------|----------------|--------|-----------|--------|----------|-----|
| | Γ | | | | | | | | | | | | | nitl: — | |
| | | | | | | | <u> </u> | -+ | | <u> </u> | | | Lin | nit2: — | |
| | | | | | | | | | | | | | | | |
| | ŀ | | | | | | | | | | | | | | |
| | Ŀ | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | ⊢ | | | | | | | | | | | | | | |
| | - | | | | | 9 | | | \$ | | | | | | |
| | 50- | | | × | | ¥ | | | <u>х</u> | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | Γ | | | | | | | | | | | | | | |
| | ⊢ | | | | | _ | | | | | | | | | |
| | 0.0 | | | | | | | | | | | | | | |
| | | 00.000 2700 |).00 110 | 0.00 610 | 0.00 | 780 | 0.00 | 950 | 0.00 12 | 200.00 | 1290 | 0.00 16 | 00.00 | 18000.00 | MHz |
| No. | Fr | equency | Reading Corre | | | | Result | | Limit | Margin | | | Remark | | |
| 4 | (MHz) | | (dBuV) | | factor(dB/m) -10.78 | | (dBuV/m) 47.22 | | dBuV/m) | (dB) -26.78 | | | poak | | |
| 1 | 4904.000 | | 58.00 | | | | | + | 74.00 | | | | | peak | |
| 2 | 7356.000 | | 52.60 | | -3.94 | | 48.66 | | 74.00 | | 5.34 | peak | | | |
| 3 | 9808.000 | | 50.22 | 0.0 | 19 | 50.31 | | | 74.00 | | -23.69 | | peak | | |

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210800132301 Page: 87 of 87

8 Test Setup Photographs

Refer to the < Test Setup photos-FCC>.

9 EUT Constructional Details

Refer to the < External Photos > & < Internal Photos >.

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)