





DH5\_Ant1\_2441\_30~1000




DH5\_Ant1\_2441\_1000~26500




DH5\_Ant1\_2480\_0~Reference




DH5\_Ant1\_2480\_30~1000




DH5\_Ant1\_2480\_1000~26500




2DH5\_Ant1\_2402\_0~Reference




2DH5\_Ant1\_2402\_30~1000




2DH5\_Ant1\_2402\_1000~26500




2DH5\_Ant1\_2441\_0~Reference




2DH5\_Ant1\_2441\_30~1000




2DH5\_Ant1\_2441\_1000~26500




2DH5\_Ant1\_2480\_0~Reference






2DH5\_Ant1\_2480\_30~1000




2DH5\_Ant1\_2480\_1000~26500







3DH5\_Ant1\_2441\_0~Reference




3DH5\_Ant1\_2441\_30~1000




3DH5\_Ant1\_2441\_1000~26500




3DH5\_Ant1\_2480\_0~Reference



3DH5\_Ant1\_2480\_30~1000



3DH5\_Ant1\_2480\_1000~26500








## 9. Duty Cycle

### 9.1. Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
DH5	Ant1	2441	2.86	3.73	76.68	---	PASS
2DH5	Ant1	2441	2.87	3.73	76.94	---	PASS
3DH5	Ant1	2441	2.87	3.73	76.94	---	PASS

**9.2. Test Graphs**



## 10. Emissions in Restricted Bands

### 10.1. Test Result




TestMode	Antenna	ChName	Channel	Detector	Freq (MHz)	Result (dBm)	Limit (dBm)	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-51.15	<=-41.20	PASS
				AV	2341.391	-48.57	<=-41.20	PASS
				AV	2390.000	-50.8	<=-41.20	PASS
				Peak	2310.000	-41.58	<=-21.20	PASS
				Peak	2389.935	-33.03	<=-21.20	PASS
				Peak	2390.000	-32.89	<=-21.20	PASS
		High	2480	AV	2483.500	-49.72	<=-41.20	PASS
				AV	2484.029	-49.52	<=-41.20	PASS
				AV	2500.000	-50.08	<=-41.20	PASS
				Peak	2483.500	-40.37	<=-21.20	PASS
				Peak	2498.406	-37.96	<=-21.20	PASS
				Peak	2500.000	-39.29	<=-21.20	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-50.91	<=-41.20	PASS
				AV	2340.783	-48.43	<=-41.20	PASS
				AV	2390.000	-50.89	<=-41.20	PASS
				Peak	2310.000	-39.74	<=-21.20	PASS
				Peak	2342.304	-37.04	<=-21.20	PASS
				Peak	2390.000	-39.2	<=-21.20	PASS
		High	2480	AV	2483.500	-50.37	<=-41.20	PASS
				AV	2483.913	-50.22	<=-41.20	PASS
				AV	2500.000	-50.57	<=-41.20	PASS

				Peak	2483.500	-41.24	<=-21.20	PASS
				Peak	2485.072	-37.56	<=-21.20	PASS
				Peak	2500.000	-38.95	<=-21.20	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-51.13	<=-41.20	PASS
				AV	2341.239	-48.69	<=-41.20	PASS
				AV	2390.000	-50.67	<=-41.20	PASS
				Peak	2310.000	-40.44	<=-21.20	PASS
				Peak	2340.478	-37.02	<=-21.20	PASS
				Peak	2390.000	-40.2	<=-21.20	PASS
		High	2480	AV	2483.500	-50.33	<=-41.20	PASS
	AV			2483.913	-50.19	<=-41.20	PASS	
	AV			2500.000	-50.54	<=-41.20	PASS	
	Peak			2483.500	-25.15	<=-21.20	PASS	
	Peak			2483.797	-23.4	<=-21.20	PASS	
	Peak			2500.000	-39.15	<=-21.20	PASS	


Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.


### 10.2. Test Graphs




### DH5\_Ant1\_High\_2480\_Peak









### 2DH5\_Ant1\_Low\_2402\_AV



### 2DH5\_Ant1\_Low\_2402\_Peak







-----End of the report-----