




**Test Data****Maximum Conducted Output Power**



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-3.12	0	-3.12	30	Pass
NVNT	BLE	2442	Ant1	-1.757	0	-1.757	30	Pass
NVNT	BLE	2480	Ant1	-2.7	0	-2.7	30	Pass






## -6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	1.164	0.5	Pass
NVNT	BLE	2442	Ant1	1.162	0.5	Pass
NVNT	BLE	2480	Ant1	1.168	0.5	Pass






## Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	2.076089973
NVNT	BLE	2442	Ant1	2.071906131
NVNT	BLE	2480	Ant1	2.075538179










## Maximum Power Spectral Density Level



Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-20.535	8	Pass
NVNT	BLE	2442	Ant1	-10.205	8	Pass
NVNT	BLE	2480	Ant1	-20.106	8	Pass







## Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-52.56	-20	Pass
NVNT	BLE	2480	Ant1	-53.13	-20	Pass





## Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-44.94	-20	Pass
NVNT	BLE	2442	Ant1	-46.33	-20	Pass
NVNT	BLE	2480	Ant1	-45.19	-20	Pass



