

---

## Product specifications acknowledgment

**Manufacturer:** Shenzhen Helixun Technology Co., LTD

**Description:** BT Antenna


**Product Type:** YTX-TX-003022A

1、Cover.....	1
2、Index.....	2
3、Product Specification.....	3
4、Product Drawing.....	3
5、Test Equipment & Conditions.....	4
6、Test Report.....	5

## Product Specification


Main technical specifications			
Antenna Type	IFA		
Frequency Range (MHz)	2400-2500MHz		
Impedance ( $\Omega$ )	50		
Gain (dBi)	1.22		
VSWR	$\leq 2$		
Physical Properties			
Size (mm)	30*21		
Material	FPC		
Cable	SY113	black	250mm

## Product Drawing




# Test Equipment & Conditions

Sequence Number	Test Item	equipment
S parameter	VSWR	Agilent 5071C Agilent 5071B
OTA Test	TRP&TIS	Agilent 8960 RS CMW500 ETS SATIMO
Gain & Efficiency	Gain & Efficiency	ETS SATIMO Agilent 5071C





# Test Report


## *S11 Parameter-VSWR*



Frequency(MHz)	2400	2450	2480	2500
VSWR	1.47	1.64	1.68	1.96

# Radiation Pattern (3D)





### Efficiency

Freq (MHz)	Gain(dBi)	Eff (dB)
2400	1.22	-3.73
2410	0.6	-3.91
2420	0.54	-4.13
2430	0.46	-4.45
2440	0.47	-4.75
2450	0.31	-4.87
2460	0.33	-4.93
2470	0.34	-5.04
2480	0.4	-5.07
2490	0.71	-5.02
2500	0.95	-5