

1. Autonomous recharge

FJ DYNAMICS disinfection robot is capable of autonomous recharge. When the two conditions below are met, the robot will autonomously return to the charging pile for charging (please ensure that the charging pile is fixed in place and powered on):

- Battery level of the robot is below 20%.
- The robot is not working, and battery level is below 100%.


2. Charge the robot manually

1. Match the remote control to the robot.
2. Push the robot to the charging pile manually.
3. Aim the back of the robot at the charging pile; then push the robot for the charging connectors of the robot and the charging pile to contact; finally, click “Return now” on App. The charging pile status indicator will flash red and green light alternatively to indicate that charging has begun.

3. Charge through the adapter

When the robot cannot be turned on normally due to battery depletion, it can be charged with the charging pile adapter following the steps below:

1. Turn off the power of the robot.
2. Detach the rear panel from the charging pile with a screwdriver, pull out the charging plug of the charging pile adapter, screw out the lid on the manual charging port, and insert the charging plug of the charging pile adapter into the manual charging port.



3. After successful connection, the charging pile status indicator will flash red and green light alternatively to indicate that the robot is being charged.

4. Upon completion of charging, the charging status indicator light will turn green.

Please unplug the charging pile adapter, install the rear panel onto the charging pile, and put back the lid on the manual charging port. The charge through an adapter is now completed.

§ 15.19 Labeling requirements.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

§ 15.21 Information to user.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

§ 15.105 Information to the user.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

-Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.