

# Guanyu (Dongguan) Intelligent Technology Co., Ltd

## Sample Acknowledgment

### SPECIFICATION FOR APPROVAL

<b>Supplier</b>	Dongguan Juyuan Precision Technology Co., Ltd.
<b>Item</b>	Watch coil
<b>Guanyu code</b>	166081250340
<b>Manufacturer code</b>	18.00262
Description of Material	Apple watch soft magnet coil
<b>Specification description</b>	7.6μH-8.0μH, Enameled wire:0.08*28P, Coil outlet length:11mm
<b>Acknowledge version</b>	A0
<b>environmental requirements</b>	Comply with ROHS and REACH standards
Delivery Date	2022.07.07
<b>Address of Supplier</b>	Building B, Central Industrial Zone, Shijie Village Committee, Shijie Town, Dongguan City, Guangdong Province
<b>Tel/Fax of supplier</b>	0769-82297538 / 0769-82297548
<b>Mail/web of supplier</b>	<a href="http://chinesecoil.com">http://chinesecoil.com</a>
APPROVED BY	

<b>Supplier</b>	<b>RD/Engineering Department</b>	Sale department	<b>Quality Department</b>	<b>Approve</b>
<b>Customer</b>	<b>structure/Electronic packaging/ID</b>	<b>Purchase department</b>	<b>Quality Department</b>	PM/Saler

Address: 10/F, Building B, Building 3, Boten Industrial Park, No. 36 Fuxing Road,

Chang'an Town, Dongguan City


Tel:

Address:




Model Number	Watch coil	Customer P / N	166081250340
		Supplier P / N	18.00262

1, Appearance Size: (Unit/mm)



A	15.5±1
B	20.5±1
C	11±1
D	3.5±1.5
E	Ø7.8
F	2.4±0.2
G	
H	
I	
J	
K	
L	
M	
N	
O	
P	
Q	
R	
S	
T	
U	
V	
W	
X	
Y	
Z	

2, Schematic Diagram:





3, Winding Parameters:

Winding	Start	Finish	Turns	Line Diameter	Winding Way	Winding Direction	Layer&Circle
	S	F	13TS	0.08*28P	close-packed wound	anticlockwise	Multi-Layer/13 TS


4, Electrical Characteristics:

Item	Terminal	Test Conditions	Test Instrument	Parameter	Unit	Numerical Value
inductance	S-F	100KHz/1.00V/100Ω	1062electrical-bridge	Inductance @100KHz/1V	μH	7.6-8.0μH
Q Vaule	S-F	100KHz/1.00V/100Ω	1062electrical-bridge	Q@100KHz/1V		20MIN
resistance	S-F	100KHz/1.00V/100Ω	1062electrical-bridge	Rs@100KHz/1V	mΩ	150MAX



EPE Size : 380\*270\*30mm,  
Each EPE has 132 cells, and each cell contains  
1 pcs of 132 pcs of products.

Each box is packed with 6 layers of EPE.  
The EPE is separated by cardboard



1. Each layer of pearl cotton can hold 132 pcs of products;
2. Each box can contain 6 layers of pearl cotton, which can contain 792 products

Product	Single layer quantity	Layer/Box	Total/Box	Weigh
Watch Coil	132pcs	3	792pcs	

